

3745-89-06

**Director's actions for laboratory certification.**

- (A) The director shall issue or renew a laboratory certification provided the laboratory has met the laboratory certification requirements as described in this chapter of the Administrative Code.
- (1) Laboratory certification shall expire within three years from the effective date of certification. Laboratory certification shall expire within one year from the effective date of certification if the laboratory certification meets one of the following:
- (a) Is an initial certification under rule 3745-89-03 of the Administrative Code.
- (b) Directly follows a period of revocation or denial of a former certification under this rule.
- (2) The period and provisions of each laboratory certification are summarized on a laboratory certificate, which is issued to the laboratory as a record of the certification and its details.
- (B) The director may deny, suspend or revoke a laboratory certification, or all such certifications issued to a laboratory under this chapter, in accordance with ~~Chapter~~Chapters 3745-47 and 3745-49 of the Administrative Code, upon any finding of the following:
- (1) The laboratory or any laboratory personnel has falsified laboratory data.
- (2) The laboratory failed to meet laboratory certification requirements as described in rules 3745-89-03 to 3745-89-05 of the Administrative Code or submitted unacceptable data;
- (3) The laboratory failed to meet the reporting requirements in rule 3745-89-08 of the Administrative Code.
- (4) The laboratory has submitted unacceptable data.
- (5) The laboratory has submitted a proficiency test sample to another laboratory for analysis and reported the data as its own.
- (6) A person not named on a valid laboratory certificate performed analysis of a water proficiency test sample for purposes of retaining a valid laboratory

certification.

- (7) The laboratory or any laboratory personnel has performed, reported, or failed to report drinking water analyses in such a manner as to threaten public health or welfare.
  - (8) The laboratory failed to satisfactorily correct deviations.
- (C) The director may deny, suspend or revoke an individual's certification to perform laboratory analyses issued under this chapter if the individual is an operator certified under Chapter 3745-7 of the Administrative Code and said certification is suspended or revoked for any reason other than falsification.
- (D) The director shall revoke an individual's certification to perform laboratory analyses issued under this chapter if the individual is an operator certified under Chapter 3745-7 of the Administrative Code and said certification is suspended or revoked for actions related to falsification.
- (E) During the pendency of an action to suspend or revoke a laboratory certification, the results of performances on a proficiency test shall not be considered by the director in making a determination to suspend or revoke the certification.
- (F) The results of drinking water analyses shall not be acceptable for determining compliance with Chapters 3745-81 ~~and~~, 3745-82, and 3745-90, and rules 3745-91-06 and 3745-9-09, or as specified by paragraph (B) of rule 3745-83-01 of the Administrative Code, or for other analyses required by the director, if the results are obtained in violation of rule 3745-81-27 of the Administrative Code or this chapter during the pendency of an action to suspend or revoke a laboratory certification.
- (G) Suspension of a laboratory certification shall be for a time period specified by the director, but no less than thirty days and no more than six months, provided a correction statement is submitted in writing to the director addressing each individual deviation within the time period specified by the director and is acceptable to the director in accordance with paragraph (I) of this rule.
- (H) The director may notify or require a laboratory to notify ~~its~~ customers, within a specific period of time, of ~~its~~the suspended or revoked certification.
- (I) The laboratory shall demonstrate in a manner acceptable to the director that deviations have been addressed to cease suspended certification. The demonstration shall be in writing and may include, but not be limited to, on-site surveys or other means as

determined by the director. If the deviations are not satisfactorily addressed within the specified time period, the certificate may remain suspended or be revoked.

- (J) Revocation or denial of a new or renewed laboratory certification shall remain in effect for a time period specified by the director of not less than ninety days and not more than one year. Laboratories shall not reapply for certification until the period of denial or revocation expires. After such time, the laboratory may apply for certification as specified in rule 3745-89-03 of the Administrative Code.
  
- (K) All actions under this rule affecting the status of a laboratory's certification shall be in accordance with Chapters 3745-47 and 3745-49 of the Administrative Code. The director shall notify the laboratory of any action to deny, suspend or revoke certification. An action taken by the director under this rule does not preclude the director from pursuing additional civil or criminal enforcement. Suspension or revocation may include any or all laboratory certifications issued by the director under this chapter.

Effective: 06/01/2016

Five Year Review (FYR) Dates: 05/04/2020

CERTIFIED ELECTRONICALLY

---

Certification

04/27/2016

---

Date

Promulgated Under: 119.03  
Statutory Authority: 6109.04  
Rule Amplifies: 6109.04, 3745.50  
Prior Effective Dates: 11/26/80, 04/09/90, 04/01/99, 06/18/04, 09/14/09,  
05/04/15