



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700001 CLINTON MACHINE PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761816	Facility Name: CLINTON MACHINE	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7700001 CLINTON MACHINE PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: CLINTON MACHINE DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7700002 CHARGER LANES PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761830** Facility Name: **CHARGER LANES**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700004 PANTHER PLAZA PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **PANTHER PLAZA DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761853** Facility Name: **PANTHER PLAZA**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700006 DELTA 77 APARTMENTS PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761953	Facility Name: DELTA 77 APARTMENTS	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014



OH7700006 DELTA 77 APARTMENTS PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: DELTA 77 APARTMENTS DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: DELTA 77 APARTMENTS DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7700009 HUNT CLUB APARTMENTS PWS

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: HUNT CLUB APARTMENTS PWS DISTRIBUTIC
	SMP ID: DS000	

Chemicals	Monitoring Requirements
------------------	--------------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: HUNT CLUB APARTMENTS PWS DISTRIBUTIC
	SMP ID: DS201	100 HUNT CLUB DR.

Chemicals	Monitoring Requirements
------------------	--------------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS201
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS201
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS201
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7700011 AKRON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling Location	Facility ID: 7758597	Facility Name: AKRON CITY	Facility Class: CLASS 4
	SMP ID: EP001	Facility Source: Surface Water	

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
CHLORITE - 1009	1 Sample daily when Chlorine Dioxide is applied.
CHLORINE DIOXIDE - 1008	1 Sample daily when Chlorine Dioxide is applied.
INORGANICS	1 Sample(s) Required between 6/1/2014 and 10/31/2014
<i>Sample for all the analytes listed below:</i>	
ANTIMONY, TOTAL - 1074 ARSENIC - 1005 BARIUM - 1010 BERYLLIUM, TOTAL - 1075 CADMIUM - 1015 CHROMIUM - 1020 CYANIDE - 1024 FLUORIDE - 1025 MERCURY - 1035 NICKEL - 1036 SELENIUM - 1045 THALLIUM, TOTAL - 1085	
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	1 Sample(s) Required between 4/1/2014 and 6/30/2014
<i>Sample for all the analytes listed below:</i>	
ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014
TOTAL ORGANIC CARBON (TOC)	1 Paired Sample Set Required between 1/1/2014 and 1/31/2014 1 Paired Sample Set Required between 2/1/2014 and 2/28/2014 1 Paired Sample Set Required between 3/1/2014 and 3/31/2014 1 Paired Sample Set Required between 4/1/2014 and 4/30/2014 1 Paired Sample Set Required between 5/1/2014 and 5/31/2014 1 Paired Sample Set Required between 6/1/2014 and 6/30/2014 1 Paired Sample Set Required between 7/1/2014 and 7/31/2014 1 Paired Sample Set Required between 8/1/2014 and 8/31/2014 1 Paired Sample Set Required between 9/1/2014 and 9/30/2014 1 Paired Sample Set Required between 10/1/2014 and 10/31/2014 1 Paired Sample Set Required between 11/1/2014 and 11/30/2014 1 Paired Sample Set Required between 12/1/2014 and 12/31/2014

A paired sample set refers to one source water and one treated water sample. A source water alkalinity is also required at the same time the TOC sample is taken.



OH7700011 AKRON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: AKRON, CITY OF DISTRIBUTION	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
------------------	--------------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

CHLORITE - 1009	3 Sample(s) Required between 1/1/2014 and 1/31/2014
	3 Sample(s) Required between 2/1/2014 and 2/28/2014
	3 Sample(s) Required between 3/1/2014 and 3/31/2014
	3 Sample(s) Required between 4/1/2014 and 4/30/2014
	3 Sample(s) Required between 5/1/2014 and 5/31/2014
	3 Sample(s) Required between 6/1/2014 and 6/30/2014
	3 Sample(s) Required between 7/1/2014 and 7/31/2014
	3 Sample(s) Required between 8/1/2014 and 8/31/2014
	3 Sample(s) Required between 9/1/2014 and 9/30/2014
	3 Sample(s) Required between 10/1/2014 and 10/31/2014
	3 Sample(s) Required between 11/1/2014 and 11/30/2014
	3 Sample(s) Required between 12/1/2014 and 12/31/2014

One sample at each of the following locations: near the first customer, at a location representative of the average residence time, and at a location reflecting maximum residence time of the water in the distribution system.

TOTAL COLIFORM (TCR) - 3100	150 Sample(s) Required between 1/1/2014 and 1/31/2014
	150 Sample(s) Required between 2/1/2014 and 2/28/2014
	150 Sample(s) Required between 3/1/2014 and 3/31/2014
	150 Sample(s) Required between 4/1/2014 and 4/30/2014
	150 Sample(s) Required between 5/1/2014 and 5/31/2014
	150 Sample(s) Required between 6/1/2014 and 6/30/2014
	150 Sample(s) Required between 7/1/2014 and 7/31/2014
	150 Sample(s) Required between 8/1/2014 and 8/31/2014
	150 Sample(s) Required between 9/1/2014 and 9/30/2014
	150 Sample(s) Required between 10/1/2014 and 10/31/2014
	150 Sample(s) Required between 11/1/2014 and 11/30/2014
	150 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	150 Sample(s) Required between 1/1/2014 and 1/31/2014
	150 Sample(s) Required between 2/1/2014 and 2/28/2014
	150 Sample(s) Required between 3/1/2014 and 3/31/2014
	150 Sample(s) Required between 4/1/2014 and 4/30/2014
	150 Sample(s) Required between 5/1/2014 and 5/31/2014
	150 Sample(s) Required between 6/1/2014 and 6/30/2014
	150 Sample(s) Required between 7/1/2014 and 7/31/2014
	150 Sample(s) Required between 8/1/2014 and 8/31/2014
	150 Sample(s) Required between 9/1/2014 and 9/30/2014
	150 Sample(s) Required between 10/1/2014 and 10/31/2014
	150 Sample(s) Required between 11/1/2014 and 11/30/2014
	150 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

**OH7700011 AKRON CITY PWS**

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014****DISTRIBUTION MONITORING SCHEDULE**

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: AKRON, CITY OF DISTRIBUTION 2088 S. ARLINGTON RD.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS201 1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS201 1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS201 1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: AKRON, CITY OF DISTRIBUTION 2456 E. MARKET ST.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS202 1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS202 1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS202 1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS203	Facility Name: AKRON, CITY OF DISTRIBUTION 1544 BROWN ST.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS203 1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS203 1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS203 1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS203

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS204	Facility Name: AKRON, CITY OF DISTRIBUTION WARREN POINT AT HAYMARKET W/	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS204 1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS204 1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS204

**OH7700011 AKRON CITY PWS**

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014****DISTRIBUTION MONITORING SCHEDULE**

Sampling Location	Facility ID: DS1 SMP ID: DS204	Facility Name: AKRON, CITY OF DISTRIBUTION WARREN POINT AT HAYMARKET W/	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS204

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS205	Facility Name: AKRON, CITY OF DISTRIBUTION 4514 SWAN LAKE	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS205
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS205
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS205
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS205

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS206	Facility Name: AKRON, CITY OF DISTRIBUTION 1680 WEST MARKET ST.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS206
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS206
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS206
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS206

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS207	Facility Name: AKRON, CITY OF DISTRIBUTION 20 W. WATERLOO RD. AT S. MAIN S1	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS207
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS207
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS207
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS207

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7700011 AKRON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS208	Facility Name: AKRON, CITY OF DISTRIBUTION 1428 TRIPLETT BLVD.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS208
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS208
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS208
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS208

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS209	Facility Name: AKRON, CITY OF DISTRIBUTION 255 N. PORTAGE PATH	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS209
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS209
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS209
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS209

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS210	Facility Name: AKRON, CITY OF DISTRIBUTION 2610 RIDGEWOOD RD. AT MILLER R	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS210
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS210
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS210
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS210

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS211	Facility Name: AKRON, CITY OF DISTRIBUTION 565 JOHNSTON ST.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS211
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS211
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS211



OH7700011 AKRON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS211	Facility Name: AKRON, CITY OF DISTRIBUTION 565 JOHNSTON ST.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS211

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS212	Facility Name: AKRON, CITY OF DISTRIBUTION 170 MUFFIN LN.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS212
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS212
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS212
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS212

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7700012 JAIN CENTER PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **JAIN CENTER DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762090** Facility Name: **JAIN CENTER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700018 HEARTHSTONE FAMILY PRACTICE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **HEARTHSTONE FAMILY PRACTICE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762276** Facility Name: **HEARTHSTONE FAMILY PRACTICE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 5/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700021 UPS-RICHFIELD SERVICE CENTER PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7762474	Facility Name: UPS-RICHFIELD SERVICE CENTER
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014

OH7700023 GIANT OIL STATION #441

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **GIANT OIL STATION DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762487** Facility Name: **GIANT OIL STATION 441**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700024 DOLLAR GENERAL-NEW FRANKLIN #9173 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DOLLAR GENERAL-NEW FRANKLIN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762488** Facility Name: **DOLLAR GENERAL-NEW FRANKLIN #9173**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700025 KRIEGERS MARKET PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7762489	Facility Name: KRIEGERS MARKET
Location	SMP ID: EP001	Facility Source: Ground Water

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7700026 APPALACHIAN OUTFITTERS/KENDALL CLIFF PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **APPALACHIAN OUTFITTERS DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762490** Facility Name: **APPALACHIAN OUTFITTERS/KENDALL CLIFFS**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700027 NC SOCCER CLUB PWS

System Type: Transient Noncommunity

Operating Period: 11/1 to 5/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **NC SOCCER CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762491** Facility Name: **NC SOCCER CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 6/1/2014 and 10/31/2014
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700028 FATHERS HOUSE CHURCH PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: FATHERS HOUSE CHURCH DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7762492	Facility Name: FATHERS HOUSE CHURCH
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 6/1/2014 and 10/31/2014
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700029 DOLLAR GENERAL-DOYLESTOWN PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DOLLAR GENERAL-DOYLESTOWN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762493** Facility Name: **DOLLAR GENERAL-DOYLESTOWN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 6/1/2014 and 10/31/2014
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7700030 BUCKEYE SPORTS CENTER PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BUCKEYE SPORTS CENTER DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762494** Facility Name: **BUCKEYE SPORTS CENTER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 6/1/2014 and 10/31/2014
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 10/15/2014

2014 ENTRY POINT SCHEDULE

OH7700032 CHETON PLAZA PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7762497	Facility Name: CHETON PLAZA
Location	SMP ID: EP001	Facility Source: Ground Water

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 10/1/2014 and 12/31/2014
NITRATE - 1040	1 Sample(s) Required between 10/1/2014 and 12/31/2014
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 10/15/2014

2014 DISTRIBUTION SCHEDULE

OH7700032 CHETON PLAZA PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements		
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2014	and 3/31/2014
	1 Sample(s) Required between	4/1/2014	and 6/30/2014
	1 Sample(s) Required between	7/1/2014	and 9/30/2014
	1 Sample(s) Required between	10/1/2014	and 12/31/2014

OH7700033 CHETON PLAZA II PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7762498** Facility Name: **CHETON PLAZA II**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 10/1/2014 and 12/31/2014
NITRATE - 1040	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700212 ALEXANDERS MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758599	Facility Name: ALEXANDERS MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 3/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required

**OH7700212 ALEXANDERS MOBILE HOME PARK**

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014****DISTRIBUTION MONITORING SCHEDULE**

Sampling Location	Facility ID: DS1	Facility Name: ALEXANDERS MOBILE HOME DISTRIBUTION
	SMP ID: DS000	

Chemicals**Monitoring Requirements**

LEAD - 1030 AND COPPER - 1022

Not Required

TOTAL COLIFORM (TCR) - 3100

1 Sample(s) Required between	1/1/2014	and	1/31/2014
1 Sample(s) Required between	2/1/2014	and	2/28/2014
1 Sample(s) Required between	3/1/2014	and	3/31/2014
1 Sample(s) Required between	4/1/2014	and	4/30/2014
1 Sample(s) Required between	5/1/2014	and	5/31/2014
1 Sample(s) Required between	6/1/2014	and	6/30/2014
1 Sample(s) Required between	7/1/2014	and	7/31/2014
1 Sample(s) Required between	8/1/2014	and	8/31/2014
1 Sample(s) Required between	9/1/2014	and	9/30/2014
1 Sample(s) Required between	10/1/2014	and	10/31/2014
1 Sample(s) Required between	11/1/2014	and	11/30/2014
1 Sample(s) Required between	12/1/2014	and	12/31/2014

TOTAL CHLORINE - 1000

1 Sample(s) Required between	1/1/2014	and	1/31/2014
1 Sample(s) Required between	2/1/2014	and	2/28/2014
1 Sample(s) Required between	3/1/2014	and	3/31/2014
1 Sample(s) Required between	4/1/2014	and	4/30/2014
1 Sample(s) Required between	5/1/2014	and	5/31/2014
1 Sample(s) Required between	6/1/2014	and	6/30/2014
1 Sample(s) Required between	7/1/2014	and	7/31/2014
1 Sample(s) Required between	8/1/2014	and	8/31/2014
1 Sample(s) Required between	9/1/2014	and	9/30/2014
1 Sample(s) Required between	10/1/2014	and	10/31/2014
1 Sample(s) Required between	11/1/2014	and	11/30/2014
1 Sample(s) Required between	12/1/2014	and	12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: ALEXANDERS MOBILE HOME DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals**Monitoring Requirements**

DISINFECTION BYPRODUCTS

1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700312 AVON MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758600	Facility Name: AVON MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7700312 AVON MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: AVON MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014 Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: AVON MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7700411 BARBERTON CITY

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling Location	Facility ID: 7758601	Facility Name: BARBERTON WTP	Facility Class: CLASS 4
	SMP ID: EP001	Facility Source: Surface Water	

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
CHLORITE - 1009	1 Sample daily when Chlorine Dioxide is applied.
CHLORINE DIOXIDE - 1008	1 Sample daily when Chlorine Dioxide is applied.
INORGANICS	1 Sample(s) Required between 6/1/2014 and 10/31/2014
<i>Sample for all the analytes listed below:</i>	
ANTIMONY, TOTAL - 1074 ARSENIC - 1005 BARIUM - 1010 BERYLLIUM, TOTAL - 1075 CADMIUM - 1015 CHROMIUM - 1020 CYANIDE - 1024 FLUORIDE - 1025 MERCURY - 1035 NICKEL - 1036 SELENIUM - 1045 THALLIUM, TOTAL - 1085	
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	1 Sample(s) Required between 4/1/2014 and 6/30/2014
<i>Sample for all the analytes listed below:</i>	
ALACHLOR (LASSO) - 2051 ATRAZINE - 2050 SIMAZINE - 2037	
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014
TOTAL ORGANIC CARBON (TOC)	1 Paired Sample Set Required between 1/1/2014 and 1/31/2014 1 Paired Sample Set Required between 2/1/2014 and 2/28/2014 1 Paired Sample Set Required between 3/1/2014 and 3/31/2014 1 Paired Sample Set Required between 4/1/2014 and 4/30/2014 1 Paired Sample Set Required between 5/1/2014 and 5/31/2014 1 Paired Sample Set Required between 6/1/2014 and 6/30/2014 1 Paired Sample Set Required between 7/1/2014 and 7/31/2014 1 Paired Sample Set Required between 8/1/2014 and 8/31/2014 1 Paired Sample Set Required between 9/1/2014 and 9/30/2014 1 Paired Sample Set Required between 10/1/2014 and 10/31/2014 1 Paired Sample Set Required between 11/1/2014 and 11/30/2014 1 Paired Sample Set Required between 12/1/2014 and 12/31/2014

A paired sample set refers to one source water and one treated water sample. A source water alkalinity is also required at the same time the TOC sample is taken.



OH7700411 BARBERTON CITY

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: BARBERTON, CITY OF DISTRIBUTION	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

CHLORITE - 1009	3 Sample(s) Required between 1/1/2014 and 1/31/2014
	3 Sample(s) Required between 2/1/2014 and 2/28/2014
	3 Sample(s) Required between 3/1/2014 and 3/31/2014
	3 Sample(s) Required between 4/1/2014 and 4/30/2014
	3 Sample(s) Required between 5/1/2014 and 5/31/2014
	3 Sample(s) Required between 6/1/2014 and 6/30/2014
	3 Sample(s) Required between 7/1/2014 and 7/31/2014
	3 Sample(s) Required between 8/1/2014 and 8/31/2014
	3 Sample(s) Required between 9/1/2014 and 9/30/2014
	3 Sample(s) Required between 10/1/2014 and 10/31/2014
	3 Sample(s) Required between 11/1/2014 and 11/30/2014
	3 Sample(s) Required between 12/1/2014 and 12/31/2014

One sample at each of the following locations: near the first customer, at a location representative of the average residence time, and at a location reflecting maximum residence time of the water in the distribution system.

ASBESTOS - 1094	Not Required
-----------------	--------------

TOTAL COLIFORM (TCR) - 3100	30 Sample(s) Required between 1/1/2014 and 1/31/2014
	30 Sample(s) Required between 2/1/2014 and 2/28/2014
	30 Sample(s) Required between 3/1/2014 and 3/31/2014
	30 Sample(s) Required between 4/1/2014 and 4/30/2014
	30 Sample(s) Required between 5/1/2014 and 5/31/2014
	30 Sample(s) Required between 6/1/2014 and 6/30/2014
	30 Sample(s) Required between 7/1/2014 and 7/31/2014
	30 Sample(s) Required between 8/1/2014 and 8/31/2014
	30 Sample(s) Required between 9/1/2014 and 9/30/2014
	30 Sample(s) Required between 10/1/2014 and 10/31/2014
	30 Sample(s) Required between 11/1/2014 and 11/30/2014
	30 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	30 Sample(s) Required between 1/1/2014 and 1/31/2014
	30 Sample(s) Required between 2/1/2014 and 2/28/2014
	30 Sample(s) Required between 3/1/2014 and 3/31/2014
	30 Sample(s) Required between 4/1/2014 and 4/30/2014
	30 Sample(s) Required between 5/1/2014 and 5/31/2014
	30 Sample(s) Required between 6/1/2014 and 6/30/2014
	30 Sample(s) Required between 7/1/2014 and 7/31/2014
	30 Sample(s) Required between 8/1/2014 and 8/31/2014
	30 Sample(s) Required between 9/1/2014 and 9/30/2014
	30 Sample(s) Required between 10/1/2014 and 10/31/2014
	30 Sample(s) Required between 11/1/2014 and 11/30/2014



OH7700411 BARBERTON CITY

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: BARBERTON, CITY OF DISTRIBUTION	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

TOTAL CHLORINE - 1000	30 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: BARBERTON, CITY OF DISTRIBUTION CVS 426 ROBINSON	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS201
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS201
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS201
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: BARBERTON, CITY OF DISTRIBUTION FA-RAYS 1115 WOOSTER	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS202
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS202
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS202
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS203	Facility Name: BARBERTON, CITY OF DISTRIBUTION HOLLAND OIL 4155 CLEVELAND-MA	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS203
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS203
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS203
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS203

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7700411 BARBERTON CITY

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS204	Facility Name: BARBERTON, CITY OF DISTRIBUTION HOLLAND OIL 224 31ST.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS204
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS204
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS204
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS204

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700512 BEARS MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758602	Facility Name: BEARS MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7700512 BEARS MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: BEARS MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2014 and 1/31/2014
	1 Sample(s) Required between	2/1/2014 and 2/28/2014
	1 Sample(s) Required between	3/1/2014 and 3/31/2014
	1 Sample(s) Required between	4/1/2014 and 4/30/2014
	1 Sample(s) Required between	5/1/2014 and 5/31/2014
	1 Sample(s) Required between	6/1/2014 and 6/30/2014
	1 Sample(s) Required between	7/1/2014 and 7/31/2014
	1 Sample(s) Required between	8/1/2014 and 8/31/2014
	1 Sample(s) Required between	9/1/2014 and 9/30/2014
	1 Sample(s) Required between	10/1/2014 and 10/31/2014
	1 Sample(s) Required between	11/1/2014 and 11/30/2014
	1 Sample(s) Required between	12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between	1/1/2014 and 1/31/2014
	1 Sample(s) Required between	2/1/2014 and 2/28/2014
	1 Sample(s) Required between	3/1/2014 and 3/31/2014
	1 Sample(s) Required between	4/1/2014 and 4/30/2014
	1 Sample(s) Required between	5/1/2014 and 5/31/2014
	1 Sample(s) Required between	6/1/2014 and 6/30/2014
	1 Sample(s) Required between	7/1/2014 and 7/31/2014
	1 Sample(s) Required between	8/1/2014 and 8/31/2014
	1 Sample(s) Required between	9/1/2014 and 9/30/2014
	1 Sample(s) Required between	10/1/2014 and 10/31/2014
	1 Sample(s) Required between	11/1/2014 and 11/30/2014
	1 Sample(s) Required between	12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: BEARS MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:
1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7700812 COMET MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758604	Facility Name: COMET MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
ARSENIC - 1005	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7700812 COMET MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: COMET MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	---

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: COMET MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7701012 CUYAHOGA FALLS CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758606	Facility Name: CUYAHOGA FALLS CITY	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 3

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7701012 CUYAHOGA FALLS CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: CUYAHOGA FALLS, CITY OF DISTRIBUTION	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	30 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	--

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

ASBESTOS - 1094	Not Required
-----------------	--------------

TOTAL COLIFORM (TCR) - 3100	50 Sample(s) Required between 1/1/2014 and 1/31/2014
	50 Sample(s) Required between 2/1/2014 and 2/28/2014
	50 Sample(s) Required between 3/1/2014 and 3/31/2014
	50 Sample(s) Required between 4/1/2014 and 4/30/2014
	50 Sample(s) Required between 5/1/2014 and 5/31/2014
	50 Sample(s) Required between 6/1/2014 and 6/30/2014
	50 Sample(s) Required between 7/1/2014 and 7/31/2014
	50 Sample(s) Required between 8/1/2014 and 8/31/2014
	50 Sample(s) Required between 9/1/2014 and 9/30/2014
	50 Sample(s) Required between 10/1/2014 and 10/31/2014
	50 Sample(s) Required between 11/1/2014 and 11/30/2014
	50 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	50 Sample(s) Required between 1/1/2014 and 1/31/2014
	50 Sample(s) Required between 2/1/2014 and 2/28/2014
	50 Sample(s) Required between 3/1/2014 and 3/31/2014
	50 Sample(s) Required between 4/1/2014 and 4/30/2014
	50 Sample(s) Required between 5/1/2014 and 5/31/2014
	50 Sample(s) Required between 6/1/2014 and 6/30/2014
	50 Sample(s) Required between 7/1/2014 and 7/31/2014
	50 Sample(s) Required between 8/1/2014 and 8/31/2014
	50 Sample(s) Required between 9/1/2014 and 9/30/2014
	50 Sample(s) Required between 10/1/2014 and 10/31/2014
	50 Sample(s) Required between 11/1/2014 and 11/30/2014
	50 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: CUYAHOGA FALLS, CITY OF DISTRIBUTION 3313 NORTHAMPTON RD.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS201
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS201
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS201

**OH7701012 CUYAHOGA FALLS CITY PWS**

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014****DISTRIBUTION MONITORING SCHEDULE**

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: CUYAHOGA FALLS, CITY OF DISTRIBUTION 3313 NORTHAMPTON RD.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: CUYAHOGA FALLS, CITY OF DISTRIBUTION 3089 NORTHAMPTON RD	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS202
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS202
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS202
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS203	Facility Name: CUYAHOGA FALLS, CITY OF DISTRIBUTION 4550 WYOGA LAKE RD.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS203
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS203
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS203
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS203

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS204	Facility Name: CUYAHOGA FALLS, CITY OF DISTRIBUTION 4440 QUICK RD.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 2/8/2014 and 2/14/2014 at SMP: DS204
	1 Sample(s) Required between 5/8/2014 and 5/14/2014 at SMP: DS204
	1 Sample(s) Required between 8/8/2014 and 8/14/2014 at SMP: DS204
	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS204

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7701212 FRANKS MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758608	Facility Name: FRANKS MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Sample for all the analytes listed below:

GROSS ALPHA - 4002 RADIUM-228 - 4030

SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7701212 FRANKS MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: FRANKS MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: FRANKS MOBILE HOME PARK DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7701612 HUDSON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling Location	Facility ID: 7758612	Facility Name: HUDSON, CITY OF	Facility Class: CLASS 2
	SMP ID: EP001	Facility Source: Ground Water	

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
ARSENIC - 1005	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7701612 HUDSON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: HUDSON CITY OF DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	20 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	--

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

ASBESTOS - 1094	Not Required
-----------------	--------------

TOTAL COLIFORM (TCR) - 3100	7 Sample(s) Required between 1/1/2014 and 1/31/2014
	7 Sample(s) Required between 2/1/2014 and 2/28/2014
	7 Sample(s) Required between 3/1/2014 and 3/31/2014
	7 Sample(s) Required between 4/1/2014 and 4/30/2014
	7 Sample(s) Required between 5/1/2014 and 5/31/2014
	7 Sample(s) Required between 6/1/2014 and 6/30/2014
	7 Sample(s) Required between 7/1/2014 and 7/31/2014
	7 Sample(s) Required between 8/1/2014 and 8/31/2014
	7 Sample(s) Required between 9/1/2014 and 9/30/2014
	7 Sample(s) Required between 10/1/2014 and 10/31/2014
	7 Sample(s) Required between 11/1/2014 and 11/30/2014
	7 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	7 Sample(s) Required between 1/1/2014 and 1/31/2014
	7 Sample(s) Required between 2/1/2014 and 2/28/2014
	7 Sample(s) Required between 3/1/2014 and 3/31/2014
	7 Sample(s) Required between 4/1/2014 and 4/30/2014
	7 Sample(s) Required between 5/1/2014 and 5/31/2014
	7 Sample(s) Required between 6/1/2014 and 6/30/2014
	7 Sample(s) Required between 7/1/2014 and 7/31/2014
	7 Sample(s) Required between 8/1/2014 and 8/31/2014
	7 Sample(s) Required between 9/1/2014 and 9/30/2014
	7 Sample(s) Required between 10/1/2014 and 10/31/2014
	7 Sample(s) Required between 11/1/2014 and 11/30/2014
	7 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: HUDSON CITY OF DISTRIBUTION ADDRESS NOT KNOWN	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7701612 HUDSON CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: HUDSON CITY OF DISTRIBUTION ADDRESS NOT KNOWN	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) **TOTAL HALOACETIC ACIDS (HAA5) – 2456**
- 2) **TTHM - 2950**



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7701812 LAKEMORE VILLAGE PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758613	Facility Name: LAKEMORE VILLAGE	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7701812 LAKEMORE VILLAGE PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: LAKEMORE, VILLAGE OF DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	10 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	--

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

ASBESTOS - 1094	Not Required
-----------------	--------------

TOTAL COLIFORM (TCR) - 3100	3 Sample(s) Required between 1/1/2014 and 1/31/2014
	3 Sample(s) Required between 2/1/2014 and 2/28/2014
	3 Sample(s) Required between 3/1/2014 and 3/31/2014
	3 Sample(s) Required between 4/1/2014 and 4/30/2014
	3 Sample(s) Required between 5/1/2014 and 5/31/2014
	3 Sample(s) Required between 6/1/2014 and 6/30/2014
	3 Sample(s) Required between 7/1/2014 and 7/31/2014
	3 Sample(s) Required between 8/1/2014 and 8/31/2014
	3 Sample(s) Required between 9/1/2014 and 9/30/2014
	3 Sample(s) Required between 10/1/2014 and 10/31/2014
	3 Sample(s) Required between 11/1/2014 and 11/30/2014
	3 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	3 Sample(s) Required between 1/1/2014 and 1/31/2014
	3 Sample(s) Required between 2/1/2014 and 2/28/2014
	3 Sample(s) Required between 3/1/2014 and 3/31/2014
	3 Sample(s) Required between 4/1/2014 and 4/30/2014
	3 Sample(s) Required between 5/1/2014 and 5/31/2014
	3 Sample(s) Required between 6/1/2014 and 6/30/2014
	3 Sample(s) Required between 7/1/2014 and 7/31/2014
	3 Sample(s) Required between 8/1/2014 and 8/31/2014
	3 Sample(s) Required between 9/1/2014 and 9/30/2014
	3 Sample(s) Required between 10/1/2014 and 10/31/2014
	3 Sample(s) Required between 11/1/2014 and 11/30/2014
	3 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: LAKEMORE, VILLAGE OF DISTRIBUTION 1796 CANTON ROAD	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7701812 LAKEMORE VILLAGE PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: LAKEMORE, VILLAGE OF DISTRIBUTION	Facility Class: CLASS 1
	SMP ID: DS202	2470 SANITARIUM CITY ROAD GAR/	

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7702112 MAPLEWOOD PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758615	Facility Name: MAPLEWOOD MHP STU 1	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7702112 MAPLEWOOD PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7760604	Facility Name: MAPLEWOOD PARK STU 2	
Location	SMP ID: EP002	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7702112 MAPLEWOOD PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: MAPLEWOOD PARK DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: MAPLEWOOD PARK DISTRIBUTION ADDRESS NOT KNOWN	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 02/14/2014

2014 ENTRY POINT SCHEDULE

OH7702212 MAYFIELD MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758616	Facility Name: MAYFIELD MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
<i>Sample for all the analytes listed below:</i>	
<i>GROSS ALPHA - 4002 RADIUM-228 - 4030</i>	
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7702212 MAYFIELD MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: MAYFIELD MOBILE HOME PK. DISTRIBUTION
Location SMP ID: DS000

Table with 2 columns: Chemicals and Monitoring Requirements. Rows include LEAD - 1030 AND COPPER - 1022 (Not Required), TOTAL COLIFORM (TCR) - 3100 (1 Sample(s) Required between 1/1/2014 and 12/31/2014), and TOTAL CHLORINE - 1000 (1 Sample(s) Required between 1/1/2014 and 12/31/2014).

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: MAYFIELD MOBILE HOME PK. DISTRIBUTION
Location SMP ID: DS201 ADDRESS NOT KNOWN

Table with 2 columns: Chemicals and Monitoring Requirements. Row: DISINFECTION BYPRODUCTS (1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201)

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) - 2456
2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7702512 HUDSON ESTATES PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758617	Facility Name: HUDSON HOMES	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
ARSENIC - 1005	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7702512 HUDSON ESTATES PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: HUDSON ESTATES DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	---

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: HUDSON ESTATES DISTRIBUTION 32 ASH	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7702703 MUNROE FALLS CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: MUNROE FALLS, CITY OF DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 Not Required

ASBESTOS - 1094 Not Required

TOTAL COLIFORM (TCR) - 3100

6 Sample(s) Required between 1/1/2014 and 1/31/2014

6 Sample(s) Required between 2/1/2014 and 2/28/2014

6 Sample(s) Required between 3/1/2014 and 3/31/2014

6 Sample(s) Required between 4/1/2014 and 4/30/2014

6 Sample(s) Required between 5/1/2014 and 5/31/2014

6 Sample(s) Required between 6/1/2014 and 6/30/2014

6 Sample(s) Required between 7/1/2014 and 7/31/2014

6 Sample(s) Required between 8/1/2014 and 8/31/2014

6 Sample(s) Required between 9/1/2014 and 9/30/2014

6 Sample(s) Required between 10/1/2014 and 10/31/2014

6 Sample(s) Required between 11/1/2014 and 11/30/2014

6 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000

6 Sample(s) Required between 1/1/2014 and 1/31/2014

6 Sample(s) Required between 2/1/2014 and 2/28/2014

6 Sample(s) Required between 3/1/2014 and 3/31/2014

6 Sample(s) Required between 4/1/2014 and 4/30/2014

6 Sample(s) Required between 5/1/2014 and 5/31/2014

6 Sample(s) Required between 6/1/2014 and 6/30/2014

6 Sample(s) Required between 7/1/2014 and 7/31/2014

6 Sample(s) Required between 8/1/2014 and 8/31/2014

6 Sample(s) Required between 9/1/2014 and 9/30/2014

6 Sample(s) Required between 10/1/2014 and 10/31/2014

6 Sample(s) Required between 11/1/2014 and 11/30/2014

6 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: MUNROE FALLS, CITY OF DISTRIBUTION KIMPTON SCHOOLS	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 10/15/2014

2014 DISTRIBUTION SCHEDULE

OH7702703 MUNROE FALLS CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: MUNROE FALLS, CITY OF DISTRIBUTION	Facility Class: CLASS 1
	SMP ID: DS202	MULBERRY GARDENS	

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 11/8/2014 and 11/14/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7702912 NIMISILA MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758621	Facility Name: NIMISILA MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7702912 NIMISILA MOBILE HOME PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: NIMISILA MOBILE HOME PAR DISTRIBUTION
Location SMP ID: DS000

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx

TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000 1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: NIMISILA MOBILE HOME PAR DISTRIBUTION
Location SMP ID: DS201 ADDRESS NOT KNOWN

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) - 2456
2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7703212 OAK KNOLL ESTATES

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758623	Facility Name: OAK KNOLLS ESTATES	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7703212 OAK KNOLL ESTATES

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **OAK KNOLL ESTATES DISTRIBUTION**
Location SMP ID: **DS000**

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100
1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000
1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **OAK KNOLL ESTATES DISTRIBUTION**
Location SMP ID: **DS201** ADDRESS NOT KNOWN

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7703812 REX HILL ESTATES, LLC

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758626	Facility Name: REX HILL ESTATES MHP	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7703812 REX HILL ESTATES, LLC

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: REX HILL ESTATES DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: REX HILL ESTATES DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7704012 WESTERN RESERVE VILLAGE

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758627	Facility Name: WESTERN RESERVE VILLAGE STU 1
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7704012 WESTERN RESERVE VILLAGE

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: WESTERN RESERVE VILLAGE DISTRIBUTION
Location SMP ID: DS000

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: WESTERN RESERVE VILLAGE DISTRIBUTION
Location SMP ID: DS201 ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7704212 AQUA OHIO - SHEPARD HILLS PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758629	Facility Name: AQUA OHIO - SHEPARD HILLS WATER CO
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7704212 AQUA OHIO - SHEPARD HILLS PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: SHEPARD HILLS WATER COMP DISTRIBUTIO	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: SHEPARD HILLS WATER COMP DISTRIBUTIO 10740 VALLEYVIEW	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704212 AQUA OHIO - SHEPARD HILLS PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SHEPARD HILLS WATER COMP DISTRIBUTIO	Facility Class: CLASS 1
	SMP ID: DS202	10240 VALLEYVIEW	

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS

1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704303 SILVER LAKE VILLAGE PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: SILVER LAKE, VILLAGE OF DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 10 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

ASBESTOS - 1094 Not Required

TOTAL COLIFORM (TCR) - 3100

3 Sample(s) Required between 1/1/2014 and 1/31/2014

3 Sample(s) Required between 2/1/2014 and 2/28/2014

3 Sample(s) Required between 3/1/2014 and 3/31/2014

3 Sample(s) Required between 4/1/2014 and 4/30/2014

3 Sample(s) Required between 5/1/2014 and 5/31/2014

3 Sample(s) Required between 6/1/2014 and 6/30/2014

3 Sample(s) Required between 7/1/2014 and 7/31/2014

3 Sample(s) Required between 8/1/2014 and 8/31/2014

3 Sample(s) Required between 9/1/2014 and 9/30/2014

3 Sample(s) Required between 10/1/2014 and 10/31/2014

3 Sample(s) Required between 11/1/2014 and 11/30/2014

3 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000

3 Sample(s) Required between 1/1/2014 and 1/31/2014

3 Sample(s) Required between 2/1/2014 and 2/28/2014

3 Sample(s) Required between 3/1/2014 and 3/31/2014

3 Sample(s) Required between 4/1/2014 and 4/30/2014

3 Sample(s) Required between 5/1/2014 and 5/31/2014

3 Sample(s) Required between 6/1/2014 and 6/30/2014

3 Sample(s) Required between 7/1/2014 and 7/31/2014

3 Sample(s) Required between 8/1/2014 and 8/31/2014

3 Sample(s) Required between 9/1/2014 and 9/30/2014

3 Sample(s) Required between 10/1/2014 and 10/31/2014

3 Sample(s) Required between 11/1/2014 and 11/30/2014

3 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: SILVER LAKE, VILLAGE OF DISTRIBUTION 3144 MAYFIELD	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704303 SILVER LAKE VILLAGE PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SILVER LAKE, VILLAGE OF DISTRIBUTION	Facility Class: CLASS 1
	SMP ID: DS202	2961 KENT RD.	

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS

1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704503 STOW PUBLIC WATER SYSTEM

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: STOW DISTRIBUTION	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
------------------	--------------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	40 Sample(s) Required between 1/1/2014 and 1/31/2014
	40 Sample(s) Required between 2/1/2014 and 2/28/2014
	40 Sample(s) Required between 3/1/2014 and 3/31/2014
	40 Sample(s) Required between 4/1/2014 and 4/30/2014
	40 Sample(s) Required between 5/1/2014 and 5/31/2014
	40 Sample(s) Required between 6/1/2014 and 6/30/2014
	40 Sample(s) Required between 7/1/2014 and 7/31/2014
	40 Sample(s) Required between 8/1/2014 and 8/31/2014
	40 Sample(s) Required between 9/1/2014 and 9/30/2014
	40 Sample(s) Required between 10/1/2014 and 10/31/2014
	40 Sample(s) Required between 11/1/2014 and 11/30/2014
	40 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	40 Sample(s) Required between 1/1/2014 and 1/31/2014
	40 Sample(s) Required between 2/1/2014 and 2/28/2014
	40 Sample(s) Required between 3/1/2014 and 3/31/2014
	40 Sample(s) Required between 4/1/2014 and 4/30/2014
	40 Sample(s) Required between 5/1/2014 and 5/31/2014
	40 Sample(s) Required between 6/1/2014 and 6/30/2014
	40 Sample(s) Required between 7/1/2014 and 7/31/2014
	40 Sample(s) Required between 8/1/2014 and 8/31/2014
	40 Sample(s) Required between 9/1/2014 and 9/30/2014
	40 Sample(s) Required between 10/1/2014 and 10/31/2014
	40 Sample(s) Required between 11/1/2014 and 11/30/2014
	40 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: STOW DISTRIBUTION 4238 FISHCREEK RD.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
------------------	--------------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS201
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS201
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS201
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704503 STOW PUBLIC WATER SYSTEM

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: STOW DISTRIBUTION 4199 HUDSON DR.	Facility Class: CLASS 2
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS202
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS202
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS202
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS203	Facility Name: STOW DISTRIBUTION 3105 SURREY HILL	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS203
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS203
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS203
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS203

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS204	Facility Name: STOW DISTRIBUTION 5238 YOUNG RD.	Facility Class: CLASS 2
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS204
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS204
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS204
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS204

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704703 TALLMADGE CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014****DISTRIBUTION MONITORING SCHEDULE**

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: TALLMADGE, CITY OF DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	30 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	--

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	20 Sample(s) Required between 1/1/2014 and 1/31/2014
	20 Sample(s) Required between 2/1/2014 and 2/28/2014
	20 Sample(s) Required between 3/1/2014 and 3/31/2014
	20 Sample(s) Required between 4/1/2014 and 4/30/2014
	20 Sample(s) Required between 5/1/2014 and 5/31/2014
	20 Sample(s) Required between 6/1/2014 and 6/30/2014
	20 Sample(s) Required between 7/1/2014 and 7/31/2014
	20 Sample(s) Required between 8/1/2014 and 8/31/2014
	20 Sample(s) Required between 9/1/2014 and 9/30/2014
	20 Sample(s) Required between 10/1/2014 and 10/31/2014
	20 Sample(s) Required between 11/1/2014 and 11/30/2014
	20 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	20 Sample(s) Required between 1/1/2014 and 1/31/2014
	20 Sample(s) Required between 2/1/2014 and 2/28/2014
	20 Sample(s) Required between 3/1/2014 and 3/31/2014
	20 Sample(s) Required between 4/1/2014 and 4/30/2014
	20 Sample(s) Required between 5/1/2014 and 5/31/2014
	20 Sample(s) Required between 6/1/2014 and 6/30/2014
	20 Sample(s) Required between 7/1/2014 and 7/31/2014
	20 Sample(s) Required between 8/1/2014 and 8/31/2014
	20 Sample(s) Required between 9/1/2014 and 9/30/2014
	20 Sample(s) Required between 10/1/2014 and 10/31/2014
	20 Sample(s) Required between 11/1/2014 and 11/30/2014
	20 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: TALLMADGE, CITY OF DISTRIBUTION 4450 CRYSTAL PKWY	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS201
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS201
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS201
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



OH7704703 TALLMADGE CITY PWS

System Type: Community

Operating Period: 1/1 to 12/31

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: TALLMADGE, CITY OF DISTRIBUTION 230 N MUNROE RD	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS202
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS202
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS202
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS203	Facility Name: TALLMADGE, CITY OF DISTRIBUTION 448 WEST AVE.	Facility Class: CLASS 1
--------------------------	---	---	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS203
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS203
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS203
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS203

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS204	Facility Name: TALLMADGE, CITY OF DISTRIBUTION 464 NORTHEAST AVE.	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 1/8/2014 and 1/14/2014 at SMP: DS204
	1 Sample(s) Required between 4/8/2014 and 4/14/2014 at SMP: DS204
	1 Sample(s) Required between 7/8/2014 and 7/14/2014 at SMP: DS204
	1 Sample(s) Required between 10/8/2014 and 10/14/2014 at SMP: DS204

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7704812 SEASONS REHAB AND CARE CENTER

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758634	Facility Name: SEASONS REHAB AND CARE CENTER
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
ARSENIC - 1005	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 7/1/2014 and 9/30/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7704812 SEASONS REHAB AND CARE CENTER

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SEASONS REHAB AND CARE CENT DISTRIBI
	SMP ID: DS000	

Chemicals	Monitoring Requirements
------------------	--------------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: SEASONS REHAB AND CARE CENT DISTRIBI
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
------------------	--------------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7704912 INDIAN SPRINGS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758635	Facility Name: INDIAN SPRINGS TRAILER PARK
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7704912 INDIAN SPRINGS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **INDIAN SPRINGS DISTRIBUTION**
Location SMP ID: **DS000**

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **INDIAN SPRINGS DISTRIBUTION**
Location SMP ID: **DS201** **4341 RIVERVIEW ROAD**

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7705112 WAYSIDE FARM NURSING HOME

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758636	Facility Name: WAYSIDE FARM NURSING HOME
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014



OH7705112 WAYSIDE FARM NURSING HOME

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: WAYSIDE FARM NURSING HOM DISTRIBUTIO
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: WAYSIDE FARM NURSING HOM DISTRIBUTIO
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7705312 WILLOW REST TRAILER PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758637	Facility Name: WILLOW REST TRAILER PARK STU 1
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7705312 WILLOW REST TRAILER PARK

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7760607	Facility Name: WILLOW REST TRAILER PARK STU 2
Location	SMP ID: EP002	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7705312 WILLOW REST TRAILER PARK

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: WILLOW REST TRAILER PARK DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2014 and 1/31/2014
	1 Sample(s) Required between	2/1/2014 and 2/28/2014
	1 Sample(s) Required between	3/1/2014 and 3/31/2014
	1 Sample(s) Required between	4/1/2014 and 4/30/2014
	1 Sample(s) Required between	5/1/2014 and 5/31/2014
	1 Sample(s) Required between	6/1/2014 and 6/30/2014
	1 Sample(s) Required between	7/1/2014 and 7/31/2014
	1 Sample(s) Required between	8/1/2014 and 8/31/2014
	1 Sample(s) Required between	9/1/2014 and 9/30/2014
	1 Sample(s) Required between	10/1/2014 and 10/31/2014
	1 Sample(s) Required between	11/1/2014 and 11/30/2014
	1 Sample(s) Required between	12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between	1/1/2014 and 1/31/2014
	1 Sample(s) Required between	2/1/2014 and 2/28/2014
	1 Sample(s) Required between	3/1/2014 and 3/31/2014
	1 Sample(s) Required between	4/1/2014 and 4/30/2014
	1 Sample(s) Required between	5/1/2014 and 5/31/2014
	1 Sample(s) Required between	6/1/2014 and 6/30/2014
	1 Sample(s) Required between	7/1/2014 and 7/31/2014
	1 Sample(s) Required between	8/1/2014 and 8/31/2014
	1 Sample(s) Required between	9/1/2014 and 9/30/2014
	1 Sample(s) Required between	10/1/2014 and 10/31/2014
	1 Sample(s) Required between	11/1/2014 and 11/30/2014
	1 Sample(s) Required between	12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: WILLOW REST TRAILER PARK DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7706012 WHISPERING HEIGHTS CONDO

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758641	Facility Name: WHISPERING HEIGHTS CONDOMINIUM
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7706012 WHISPERING HEIGHTS CONDO

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WHISPERING HEIGHTS CONDO DISTRIBUTIO**
Location SMP ID: **DS000**

Chemicals **Monitoring Requirements**

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100
1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000
1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **WHISPERING HEIGHTS CONDO DISTRIBUTIO**
Location SMP ID: **DS201** **ADDRESS NOT KNOWN**

Chemicals **Monitoring Requirements**

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7706612 FRAZIER LTD

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758644	Facility Name: FRAZIER LTD	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7706612 FRAZIER LTD

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: FRAZIER LTD DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: FRAZIER LTD DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7707012 LORANTFFY CARE CENTER

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758647	Facility Name: LORANTFFY CARE CENTER	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7707012 LORANTFFY CARE CENTER

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: LORANTFFY CARE CENTER DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: LORANTFFY CARE CENTER DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7707112 PINE MILL RIDGE 525 PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758648	Facility Name: PINE MILL RIDGE NO 525	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7707112 PINE MILL RIDGE 525 PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: PINE MILL RIDGE 525 DISTRIBUTION
Location SMP ID: DS000

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx

TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000 1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: PINE MILL RIDGE 525 DISTRIBUTION
Location SMP ID: DS201 ADDRESS NOT KNOWN

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) - 2456
2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7707212 PINE MILL RIDGE 2 PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758649	Facility Name: PINE MILL RIDGE NO 2	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014



OH7707212 PINE MILL RIDGE 2 PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PINE MILL RIDGE 2 DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: PINE MILL RIDGE 2 DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7707312 PINE MILL RIDGE 2500 PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758650	Facility Name: PINE MILL RIDGE NO 2500	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7707312 PINE MILL RIDGE 2500 PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: PINE MILL RIDGE 2500 DISTRIBUTION
Location SMP ID: DS000

Chemicals Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx

TOTAL COLIFORM (TCR) - 3100 1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000 1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: DS1 Facility Name: PINE MILL RIDGE 2500 DISTRIBUTION
Location SMP ID: DS201 ADDRESS NOT KNOWN

Chemicals Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) - 2456
2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7707412 PEBBLE CREEK CONVALESCENT CENTER

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758651	Facility Name: PEBBLE CREEK CONVALESCENT CENTER
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7707412 PEBBLE CREEK CONVALESCENT CENTER

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PEBBLE CREEK CONVALESCEN DISTRIBUTI
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	---

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: PEBBLE CREEK CONVALESCEN DISTRIBUTI
	SMP ID: DS201	670 JAVIS ROAD

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7708012 INTERVAL BROTHERHOOD HOME

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758656	Facility Name: INTERVAL BROTHERHOOD HOME STU 1
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7708012 INTERVAL BROTHERHOOD HOME

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7760608	Facility Name: INTERVAL BROTHERHOOD STU 2
Location	SMP ID: EP002	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7708012 INTERVAL BROTHERHOOD HOME

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: INTERVAL BROTHERHOOD HOM DISTRIBUTI
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	Not Required
-------------------------------	--------------

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: INTERVAL BROTHERHOOD HOM DISTRIBUTI
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7708112 TOWBRIDGE DEVELOPMENT

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758657	Facility Name: TOWBRIDGE DEVELOPMENT
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
ARSENIC - 1005	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7708112 TOWBRIDGE DEVELOPMENT

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: TOWBRIDGE DEVELOPMENT DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2014 and	1/31/2014
	1 Sample(s) Required between	2/1/2014 and	2/28/2014
	1 Sample(s) Required between	3/1/2014 and	3/31/2014
	1 Sample(s) Required between	4/1/2014 and	4/30/2014
	1 Sample(s) Required between	5/1/2014 and	5/31/2014
	1 Sample(s) Required between	6/1/2014 and	6/30/2014
	1 Sample(s) Required between	7/1/2014 and	7/31/2014
	1 Sample(s) Required between	8/1/2014 and	8/31/2014
	1 Sample(s) Required between	9/1/2014 and	9/30/2014
	1 Sample(s) Required between	10/1/2014 and	10/31/2014
	1 Sample(s) Required between	11/1/2014 and	11/30/2014
	1 Sample(s) Required between	12/1/2014 and	12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between	1/1/2014 and	1/31/2014
	1 Sample(s) Required between	2/1/2014 and	2/28/2014
	1 Sample(s) Required between	3/1/2014 and	3/31/2014
	1 Sample(s) Required between	4/1/2014 and	4/30/2014
	1 Sample(s) Required between	5/1/2014 and	5/31/2014
	1 Sample(s) Required between	6/1/2014 and	6/30/2014
	1 Sample(s) Required between	7/1/2014 and	7/31/2014
	1 Sample(s) Required between	8/1/2014 and	8/31/2014
	1 Sample(s) Required between	9/1/2014 and	9/30/2014
	1 Sample(s) Required between	10/1/2014 and	10/31/2014
	1 Sample(s) Required between	11/1/2014 and	11/30/2014
	1 Sample(s) Required between	12/1/2014 and	12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: TOWBRIDGE DEVELOPMENT DISTRIBUTION ADDRESS NOT KNOWN	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7708812 ST. LUKE LUTHERAN COMMUNITY - PORTAGE LA

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758661	Facility Name: ST LUKE LUTHERAN COMMUNITY - PORTAGE LAK
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 10/1/2014 and 12/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7708812 ST. LUKE LUTHERAN COMMUNITY - PORTAGE LA

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **ST. LUKE LUTHERAN COMMUNITY - PORTAG**
Location SMP ID: **DS000**

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100
1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000
1 Sample(s) Required between 1/1/2014 and 1/31/2014
1 Sample(s) Required between 2/1/2014 and 2/28/2014
1 Sample(s) Required between 3/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 4/30/2014
1 Sample(s) Required between 5/1/2014 and 5/31/2014
1 Sample(s) Required between 6/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 7/31/2014
1 Sample(s) Required between 8/1/2014 and 8/31/2014
1 Sample(s) Required between 9/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 10/31/2014
1 Sample(s) Required between 11/1/2014 and 11/30/2014
1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **ST. LUKE LUTHERAN COMMUNITY - PORTAG**
Location SMP ID: **DS201** ADDRESS NOT KNOWN

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7709012 HIGHPOINT VILLA APTS.

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758663	Facility Name: HIGHPOINT VILLA APTS	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7709012 HIGHPOINT VILLA APTS.

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: HIGHPOINT VILLA APTS. DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	---

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: HIGHPOINT VILLA APTS. DISTRIBUTION
	SMP ID: DS201	3780 SOUTH VIONA DRIVE

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7709112 PENGUIN CONDOMINIUMS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758664	Facility Name: PENGUIN CONDOMINIUMS	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7709112 PENGUIN CONDOMINIUMS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PENGUIN CONDOMINIUMS DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
-----------------------	--

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: PENGUIN CONDOMINIUMS DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7709212 PINE MILL RIDGE 515 PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758665	Facility Name: PINE MILL RIDGE NO 515	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7709212 PINE MILL RIDGE 515 PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PINE MILL RIDGE 515 DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	---

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014
	1 Sample(s) Required between 2/1/2014 and 2/28/2014
	1 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 4/30/2014
	1 Sample(s) Required between 5/1/2014 and 5/31/2014
	1 Sample(s) Required between 6/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 7/31/2014
	1 Sample(s) Required between 8/1/2014 and 8/31/2014
	1 Sample(s) Required between 9/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 10/31/2014
	1 Sample(s) Required between 11/1/2014 and 11/30/2014
	1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: PINE MILL RIDGE 515 DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7709412 FIRESTONE TRACE PWS

System Type: Community

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761457	Facility Name: FIRESTONE TRACE	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
RADIOLOGICALS	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7709412 FIRESTONE TRACE PWS

System Type: Community

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

**** REMINDER: ** Consumer Confidence Report (CCR) is due July 1, 2014**

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: FIRESTONE TRACE DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 1/31/2014 1 Sample(s) Required between 2/1/2014 and 2/28/2014 1 Sample(s) Required between 3/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 4/30/2014 1 Sample(s) Required between 5/1/2014 and 5/31/2014 1 Sample(s) Required between 6/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 7/31/2014 1 Sample(s) Required between 8/1/2014 and 8/31/2014 1 Sample(s) Required between 9/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 10/31/2014 1 Sample(s) Required between 11/1/2014 and 11/30/2014 1 Sample(s) Required between 12/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: FIRESTONE TRACE DISTRIBUTION
	SMP ID: DS201	MEADOW LANE CIRCLE

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7720412 J & K SUBWAY-MANCHESTER RD #31339 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **J & K SUBWAY-MANCHESTER RD. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758670** Facility Name: **J & K SUBWAY, INC. #31339**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7720612 MCDONALDS-MANCHESTER ROAD PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758672	Facility Name: MCDONALDS MANCHESTER RD
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014

OH7720812 BEST STOP PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BEST STOP DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758674** Facility Name: **BEST STOP**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7720912 DUG OUT

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DUG OUT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758675** Facility Name: **DUG OUT**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7721012 BOSTON MILLS SKI RESORT

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BOSTON MILLS SKI RESORT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	2 Sample(s) Required between 1/1/2014 and 1/31/2014
	2 Sample(s) Required between 2/1/2014 and 2/28/2014
	2 Sample(s) Required between 3/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758676** Facility Name: **BOSTON MILLS SKI RESORT**
Location SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7721112 RUBBER ASSOCIATES

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758677	Facility Name: RUBBER ASSOCIATES INC	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 7/1/2014 and 9/30/2014



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7721112 RUBBER ASSOCIATES

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: RUBBER ASSOCIATES DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7721212 RITE AID - 2456 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **RITE AID - S. MAIN ST. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758678** Facility Name: **RITE AID STORE 2456**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7721512 HAMETOWN BAPTIST CHURCH

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758681	Facility Name: HAMETOWN BAPTIST CHURCH
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7721512 HAMETOWN BAPTIST CHURCH

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: HAMETOWN BAPTIST CHURCH DISTRIBUTIO
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7721712 LIBERTY COURT CONDOMINIUM

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LIBERTY COURT CONDOMINIUM DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758683** Facility Name: **LIBERTY COURT CONDOMINIUM**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7722012 CROWN POINT ECOLOGY CENTER

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CROWN POINT ECOLOGY CTR DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758686** Facility Name: **CROWN POINT ECOLOGY CENTER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7722112 FAIRLAWN SWIM AND TENNIS CLUB

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **FAIRLAWN SWIM&TENNIS CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758687** Facility Name: **FAIRLAWN SWIM AND TENNIS CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7722312 KIDS ACADEMY OF COPLEY

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758689	Facility Name: KIDS ACADEMY OF COPLEY	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7722312 KIDS ACADEMY OF COPLEY

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: KIDS ACADEMY OF COPLEY DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7722412 PARKSIDE CHURCH FAMILY CENTER-GREEN CAMP

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **PARKSIDE CH. FAMILY GREEN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758690** Facility Name: **PARKSIDE CH-FAM CENTER-GREEN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7722512 WOLF CREEK WINERY

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WOLF CREEK WINERY DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758691** Facility Name: **WOLF CREEK WINERY**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7722712 WARWICK AUCTION

System Type: Transient Noncommunity

Operating Period: 10/1 to 5/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WARWICK AUCTION DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758693** Facility Name: **WARWICK AUCTION**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7722812 GOODYEAR BOATING AND YACHTING ASSOCIATIO

System Type: Transient Noncommunity

Operating Period: 4/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: GOODYEAR BOATING & YACHTING ASSOCIATION
Location SMP ID: DS000 Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758694 Facility Name: GOODYEAR BOATING & YACHTING ASSOC
Location SMP ID: EP001 Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7722912 LOBOY GAS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LOBOY GAS DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758695** Facility Name: **LOBOY GAS**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7724112 STEVES MOTEL PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758704** Facility Name: **STEVES MOTEL**

Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals

Monitoring Requirements


NITRITE - 1041

Not Required

NITRATE - 1040

1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7724312 G AND LS MOTEL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **G & LS MOTEL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758706** Facility Name: **G AND LS MOTEL**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7724412 MANCHESTER PLAZA

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER PLAZA DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758707** Facility Name: **MANCHESTER PLAZA**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7724512 GHENT CHRISTIAN CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: GHENT CHRISTIAN CHURCH DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7760091	Facility Name: GHENT CHRISTIAN CHURCH
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7724712 TADMOR TEMPLE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TADMOR TEMPLE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758709** Facility Name: **TADMOR TEMPLE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7724812 SANDBAR

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **SANDBAR DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758710** Facility Name: **SANDBAR**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 7/1/2014 and 9/30/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7725212 KIDS AHEAD LEARNING CENTER-WEST

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7760657	Facility Name: KIDS AHEAD LEARNING CENTER - WEST
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7725212 KIDS AHEAD LEARNING CENTER-WEST

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: KIDS AHEAD LEARNING CENTER-WEST DIST
	SMP ID: DS000	

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

Not Required

TOTAL COLIFORM (TCR) - 3100

1 Sample(s) Required between	1/1/2014	and	3/31/2014
1 Sample(s) Required between	4/1/2014	and	6/30/2014
1 Sample(s) Required between	7/1/2014	and	9/30/2014
1 Sample(s) Required between	10/1/2014	and	12/31/2014

OH7725312 HOPE COMMUNITY CHURCH PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **HOPE COMMUNITY CHURCH**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7760911** Facility Name: **HOPE COMMUNITY CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7725512 OUR LADY OF THE ELMS ATHLETIC COMPLEX PW

System Type: Transient Noncommunity

Operating Period: 4/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **OUR LADY OF THE ELMS ATHLETIC COMPLEX DI**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7760767** Facility Name: **OUR LADY OF THE ELMS ATHLETIC COMPLEX**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7725712 COMMUNITY HEALTH CARE MANCHESTER PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: COMMUNITY HEALTH CARE MANCHESTER DISTRIB
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7760799	Facility Name: COMMUNITY HEALTH CARE MANCHESTER
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7726012 GURU NANAK FOUNDATION PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **GURU NANAK FOUNDATION DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7760850** Facility Name: **GURU NANAK FOUNDATION**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7726412 ODNR-OLD STATE PARK (PORTAGE LAKES) PWS

System Type: Transient Noncommunity

Operating Period: 4/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **ODNR-OLD STATE PARK (PORTAGE LAKES) DIST**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7760919** Facility Name: **ODNR OLD STATE PARK (PORTAGE LAKES)**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7726812 RICHFIELD PUBLIC LIBRARY PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **RICHFIELD PUBLIC LIBRARY DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7760976** Facility Name: **RICHFIELD PUBLIC LIBRARY**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7726912 SUMMIT COUNTY SHERIFFS TRAINING FACILITY

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: SUMMIT COUNTY SHERIFFS TRAINING FACILITY
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7760991	Facility Name: SUMMIT COUNTY SHERIFFS TRAINING FACILITY
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7727012 CAMPY NOAH-LDC PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CAMPY NOAH-LDC DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7760996** Facility Name: **CAMPY NOAH-LDC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7727112 CAMP Y NOAH-MAIN KYBO PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7760997	Facility Name: CAMP Y NOAH-MAIN KYBO
Location SMP ID: EP001	Facility Source: Ground Water
Facility Class: CLASS A	

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7727412 LOYOLA RETREAT HOUSE, INC PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LOYOLA RETREAT HOUSE, INC DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761021** Facility Name: **LOYOLA RETREAT HOUSE, INC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7727612 THORSON BAKER AND ASSOC INC 2 PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761147	Facility Name: THORSON BAKER & ASSOC INC 2
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7727712 KOZMIC KORNER PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761266	Facility Name: KOZMIC KORNER	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7727712 KOZMIC KORNER PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: KOZMIC KORNER DISTRIBUTION
	SMP ID: DS000	

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

Not Required

TOTAL COLIFORM (TCR) - 3100

1 Sample(s) Required between	1/1/2014	and	3/31/2014
1 Sample(s) Required between	4/1/2014	and	6/30/2014
1 Sample(s) Required between	7/1/2014	and	9/30/2014
1 Sample(s) Required between	10/1/2014	and	12/31/2014

OH7727912 JUBILEE DONUTS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **JUBILEE DONUTS DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761309** Facility Name: **JUBILEE DONUTS**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7728112 SAINT PEREGRINE CHAPEL SCHOOL PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761369	Facility Name: SAINT PEREGRINE CHAPEL-SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7728112 SAINT PEREGRINE CHAPEL SCHOOL PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SAINT PEREGRINE CHAPEL DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
<i>Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx</i>	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7728712 MANCHESTER CHRISTIAN CHURCH PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER CHRISTIANCHURCH DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761563** Facility Name: **MANCESTER CHRISTIAN CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7728912 ROSEANNE DILAURO MD BLDG PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: ROSEANNE DILAURO MD BLDG DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7761611	Facility Name: ROSEANNE DILAURO MD BLDG
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7729212 WEST AKRON ACC NAZARENE CHURCH PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7761648	Facility Name: WEST AKRON ACC NAZARENE CHURCH
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7729412 DOLLAR GENERAL 6168 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DOLLAR GENERAL 6168 DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761680** Facility Name: **DOLLAR GENERAL 6168**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7729812 MANCHESTER FOOTBALL FIELD PWS

System Type: Transient Noncommunity

Operating Period: 4/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER FOOTBALL FIELD DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761714** Facility Name: **MANCHESTER FOOTBALL FIELD**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7729912 RIVERSIDE ALLIANCE CHURCH PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761775	Facility Name: RIVERSIDE ALLIANCE CHURCH
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
ARSENIC - 1005	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 6/1/2014 and 10/31/2014



OH7729912 RIVERSIDE ALLIANCE CHURCH PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: RIVERSIDE ALLIANCE CHURCH DISTRIBUTIO
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7731012 BRANDYWINE COUNTRY CLUB

System Type: Transient Noncommunity

Operating Period: 4/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BRANDYWINE COUNTRY CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758718** Facility Name: **BRANDYWINE COUNTRY CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7731112 BROOKSIDE COUNTRY CLUB

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: BROOKSIDE COUNTRY CLUB DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758719	Facility Name: BROOKSIDE COUNTRY CLUB	
Location SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7731212 WILS GRILLE AND PUB

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WILS GRILLE & PUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758720** Facility Name: **WILS GRILLE & PUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 3/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7731619 CAMP LEDGEWOOD

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CAMP LEDGEWOOD DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758723** Facility Name: **CAMP LEDGEWOOD**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7732112 CAMPY NOAH-DINING HALL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CAMPY NOAH-DINING HALL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758726** Facility Name: **CAMPY NOAH-DINING HALL**
Location SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7733012 COUNTRY CLUB OF HUDSON-KITCHEN PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COUNTRY CLUB OF HUDSON-K DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758729** Facility Name: **COUNTRY CLUB OF HUDSON KITCHEN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7733112 COUNTRY CLUB OF HUDSON-PRO/MAI PWS

System Type: Transient Noncommunity

Operating Period: 3/1 to 11/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COUNTRY CLUB OF HUDSON-P DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758730** Facility Name: **COUNTRY CLUB OF HUDSON PRO MAI**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7733212 COUNTRY CLUB OF HUDSON-1/2 PWS

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COUNTRY CLUB OF HUDSON-1 DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758731** Facility Name: **COUNTRY CLUB OF HUDSON**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7733512 LIFE CENTER PLUS FITNESS CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758733	Facility Name: LIFE CENTER PLUS FIT CTR	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 3	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7733512 LIFE CENTER PLUS FITNESS CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: LIFE CENTER PLUS FIT CTR DISTRIBUTION
	SMP ID: DS000	

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022	10 Sample(s) Required between	1/1/2014	and	6/30/2014
	10 Sample(s) Required between	7/1/2014	and	12/31/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between	1/1/2014	and	3/31/2014
	1 Sample(s) Required between	4/1/2014	and	6/30/2014
	1 Sample(s) Required between	7/1/2014	and	9/30/2014
	1 Sample(s) Required between	10/1/2014	and	12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7735012 GRILL ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758740	Facility Name: GRILL ELEMENTARY SCHOOL	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required

OH7735412 NORTH END

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **NORTH END DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758743** Facility Name: **NORTH END**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7736212 LAKE KIM TAM PARK

System Type: Transient Noncommunity

Operating Period: 6/1 to 8/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LAKE KIM TAM PARK DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758746** Facility Name: **LAKE TIM TAM PARK**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7736612 R AND S LAND DEVELOPMENT, LLC

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **R&S LAND DEVELOPMENT, LLC DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758749** Facility Name: **R&S LAND DEVELOPMENT, LLC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7737412 WOLF CREEK TAVERN

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WOLF CREEK TAVERN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758751** Facility Name: **WOLF CREEK TAVERN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7737612 OCCASIONS PARTY CENTRE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **OCCASIONS PARTY CENTRE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758753** Facility Name: **OCCASIONS PARTY CENTRE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7738012 MERIDIAN SUN TEMPLE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: MERIDIAN SUN TEMPLE DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758754	Facility Name: MERIDIAN SUN TEMPLE
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7738512 FIREHOUSE GRILL AND PUB

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **FIREHOUSE GRILL & PUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758758** Facility Name: **ABBEYS RESTAURANT & LOUNGE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7738612 WELCHS DAIRY CREAM PWS

System Type: Transient Noncommunity

Operating Period: 4/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: WELCHS DAIRY CREAM DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758759	Facility Name: WELCHS DAIRY CREAM
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7738812 NORTH WOODS INC.

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **NORTH WOODS INC. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758760** Facility Name: **NORTH WOODS INC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7740312 SOUTH PARK LOUNGE PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **SOUTH PARK LOUNGE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758769** Facility Name: **SOUTH PARK LOUNGE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7740412 FARMER BOY RESTAURANT

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758770	Facility Name: FARMER BOY RESTAURANT	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 3	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7740412 FARMER BOY RESTAURANT

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: FARMER BOY RESTAURANT DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
<i>Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx</i>	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7741512 RICHFIELD UNITED CHURCH OF CHRIST

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758776	Facility Name: RICHFIELD UN CHURCH CHRIST	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7741512 RICHFIELD UNITED CHURCH OF CHRIST

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: RICHFIELD UN CH OF CHRIS DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
<i>Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx</i>	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7741712 SILVER CREEK CHRISTIAN CHURCH PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: SILVER CREEK CHRISTIAN CHURCH DISTRIBUTI
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758777	Facility Name: SHERMAN CHURCH OF CHRIST
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7742612 DUKE N DUCHESS 247 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DUKE N DUCHESS 247 DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758781** Facility Name: **DUKE-N-DUCHESS NO 247**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7742712 GIANT OIL STATION #432

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: GIANT OIL STATION 22489 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758782	Facility Name: GIANT OIL STATION 22489
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7742912 SPRING HILL JUNIOR HIGH

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758783	Facility Name: SPRING HILL JUNIOR HIGH SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7742912 SPRING HILL JUNIOR HIGH

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SPRING HILL JUNIOR HIGH DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7743412 STO-KENT FAMILY ENTERTAINMENT PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **STO-KENT FAMILY ENTERTAINMENT DISTRIBUTI**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758786** Facility Name: **STO-KENT LANES INC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7743612 TRINITY CHURCH OF NAZARENE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TRINITY CH OF NAZARENE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758788** Facility Name: **TRINITY CHURCH OF NAZARENE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7743712 TOMASOS ITALIAN VILLA

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: TOMASOS ITALIAN VILLA DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758789	Facility Name: TOMASOS ITALIAN VILLA
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7743912 TURKEYFOOT ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758790	Facility Name: TURKEYFOOT ELEMENTARY SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7743912 TURKEYFOOT ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: TURKEYFOOT ELEMENTARY SC DISTRIBUTI
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: TURKEYFOOT ELEMENTARY SC DISTRIBUTI
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 11/1/2014 and 11/7/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7744712 THE UPPER DECK

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **THE UPPER DECK DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758795** Facility Name: **UPPER DECK**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7745012 TRUE WEALTH DESIGN II, LLC

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: TRUE WEALTH DESIGN II DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758798	Facility Name: TRUE WEALTH DESIGN II	Facility Class: CLASS A
Location SMP ID: EP001	Facility Source: Ground Water	

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7745212 RIVER OF LIFE ASSEMBLY OF GOD AKRON, INC

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **RIVER OF LIFE ASSEMBLY OF GOD AKRON DIST**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758800** Facility Name: **RIVER OF LIFE ASSEMBLY OF GOD AKRON, INC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7745412 BATH TOWNSHIP OFFICE

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758802	Facility Name: BATH TOWNSHIP OFFICES	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7745412 BATH TOWNSHIP OFFICE

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: BATH TOWNSHIP OFFICE DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: BATH TOWNSHIP OFFICE DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7745512 BATH UNITED CHURCH OF CHRIST-MAIN

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BATH UNITED CHOFCHT-MAIN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758803** Facility Name: **BATH UNITED CHOFCHT MAIN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7745812 HOUSE OF EBERHARDT FUNERAL HOME

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BILLOWS CHAPEL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758805** Facility Name: **BILLOWS CHAPEL**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7745912 BOSTON HEIGHTS FRIENDS CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BOSTON HEIGHTS FRIENDS C DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758806** Facility Name: **BOSTON HEIGHTS FRIENDS CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7746912 GHENT SQUARE LIMITED

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758808	Facility Name: GHENT SQUARE LTD
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7746912 GHENT SQUARE LIMITED

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: GHENT SQUARE LIMITED DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
-----------	-------------------------

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
-------------------------------	---

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: GHENT SQUARE LIMITED DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
-----------	-------------------------

DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201
-------------------------	---

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7747312 JAH, INC.

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **JAH, INC. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758811** Facility Name: **JERRYS SUNOCO**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7747712 LAKEVIEW CHRISTIAN CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LAKEVIEW CHRISTIAN CHURCH DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758813** Facility Name: **LAKEVIEW CHRISTIAN CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7748012 MESSIAH LUTHERAN CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MESSIAH LUTHERAN CHURCH DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758814** Facility Name: **MESSIAH LUTHERAN CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7748912 THE RESERVE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **THE RESERVE. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758816** Facility Name: **THE RESERVE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7749012 BATH UNITED CHURCH OF CHRIST-HALL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BATH UNITED CHOFCHT-HALL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758817** Facility Name: **BATH UNITED CHOFCHT HALL**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7749912 DOUG CHEVROLET

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758821	Facility Name: DOUG CHEVROLET	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7750512 BATH ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758822	Facility Name: BATH ELEMENTARY SCHOOL	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 1/1/2014 and 3/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7750512 BATH ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: BATH ELEMENTARY SCHOOL DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7751022 WOODRIDGE INTERMEDIATE SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758825	Facility Name: WOODRIDGE INTERMEDIATE SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7751022 WOODRIDGE INTERMEDIATE SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: WOODRIDGE INTERMEDIATE SCHOOL DISTR
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: WOODRIDGE INTERMEDIATE SCHOOL DISTR
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7751122 BUDGET INN

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BUDGET INN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Surface Water**

Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7751222 CAMP CHRISTOPHER

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CAMP CHRISTOPHER DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758827** Facility Name: **CAMP CHRISTOPHER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7751312 SIDELINES BAR AND GRILL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: UNCLE B'S BAR & GRILLE DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758828	Facility Name: UNCLE B'S BAR & GRILLE
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7751612 TESCHNERS TAVERN

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758829** Facility Name: **TESCHNERS TAVERN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7752012 HAMMOND CORNERS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **HAMMOND CORNERS BISTRO DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758830** Facility Name: **HAMOND CORNERS BISTRO**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7752212 DON-EL MOTEL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DON-EL MOTEL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758832** Facility Name: **DON-EL MOTEL**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7753022 LANNINGS RESTAURANT

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LANNINGS RESTAURANT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758836** Facility Name: **LANNINGS RESTAURANT**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7753412 KEN STEWARTS LODGE PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758838	Facility Name: KEN STEWARTS LODGE	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7753412 KEN STEWARTS LODGE PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: KEN STEWARTS LODGE DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Sampling Location	Facility ID: DS1	Facility Name: KEN STEWARTS LODGE DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7753712 LOYAL OAK GOLF COURSE-CLUB

System Type: Transient Noncommunity

Operating Period: 4/1 to 10/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LOYAL OAK GOLF CRSE-CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758839** Facility Name: **LOYAL OAK GOLF CRSE CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7753912 DOUGS DINNER BUCKET PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: DOUGS DINNER BUCKET DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758841	Facility Name: DOUGS DINNER BUCKET
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7754612 OLD STONE JAIL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **OLD STONE JAIL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758843** Facility Name: **OLD STONE JAIL**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7754712 OLD TRAIL SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758844	Facility Name: OLD TRAIL SCHOOL	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7754712 OLD TRAIL SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: OLD TRAIL SCHOOL DISTRIBUTION
--------------------------	---	---

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: OLD TRAIL SCHOOL DISTRIBUTION ADDRESS NOT KNOWN
--------------------------	---	---

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: OLD TRAIL SCHOOL DISTRIBUTION ADDRESS NOT KNOWN
--------------------------	---	---

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7755612 ST. BERNARD GOLF CLUB

System Type: Transient Noncommunity

Operating Period: 3/1 to 10/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: ST. BERNARD GOLF CLUB DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758848	Facility Name: ST BERNARD GOLF COURSE
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7755812 SWEET HENRIES PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **SWEET HENRIES DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758849** Facility Name: **SWEET HENRIES**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7756312 NORTON PUB

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **NORTON PUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758851** Facility Name: **NORTON PUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7757012 AKRON YACHT CLUB

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758855** Facility Name: **AKRON YACHT CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 4/1/2014 and 6/30/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7757212 APOSTOLIC CHRISTIAN CHURCH-NORTON

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: APOSTOLIC CHRISTIAN CH.NORT DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758856	Facility Name: APOSTOLIC CHRISTIAN CHURCH-NORTON
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7757412 CHAPPARELLS COMMUNITY CENTER

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CHAPPARELL'S COMM.CENTER DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758857** Facility Name: **CHAPPARELL'S COMM CENTER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7758412 THEOS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **THEOS DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758860** Facility Name: **THEOS**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7758912 DBA: CLEARVIEW INN PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CLEARVIEW INN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758862** Facility Name: **CLEARVIEW INN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7759112 HIGHPOINT CHRISTIAN CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **HIGHPOINT CHRISTIAN CHURCH DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758863** Facility Name: **HIGHPOINT CHRISTIAN CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7759212 GIANT EAGLE 179 PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758864	Facility Name: GIANT EAGLE NO 179	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7759212 GIANT EAGLE 179 PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: GIANT EAGLE 179 DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7762312 SCHMIDDY'S AT THE LAKE

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DISTRIBUTION**

Location SMP ID: **DS000** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014


ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758876** Facility Name: **SCHMIDDY'S AT THE LAKE**

Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7762412 MAGIC CITY DRIVE-IN THEATER

System Type: Transient Noncommunity

Operating Period: 4/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MAGIC CITY DRIVE-IN THEA DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758877** Facility Name: **MAGIC CITY DRIVE-IN THEATER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7762512 MANCHESTER MIDDLE SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758878	Facility Name: MANCHESTER MIDDLE SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7762512 MANCHESTER MIDDLE SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: MANCHESTER MIDDLE SCHOOL DISTRIBUTI
--------------------------	---	---

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: MANCHESTER MIDDLE SCHOOL DISTRIBUTI ADDRESS NOT KNOWN
--------------------------	---	---

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: MANCHESTER MIDDLE SCHOOL DISTRIBUTI ADDRESS NOT KNOWN
--------------------------	---	---

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7762612 MANCHESTER TAVERN PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER TAVERN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7761854** Facility Name: **MANCHESTER TAVERN**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7762812 MANCHESTER UNITED METHODIST CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER UN.METH. CH. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758880** Facility Name: **MANCHESTER UN METH CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7763512 NORTON BAPTIST CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **NORTON BAPTIST CHURCH DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758882** Facility Name: **NORTON BAPTIST CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7763912 ODNR-NIMISILA RES CAMP 1

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **ODNR-NIMISILA RES-CAMP-1 DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758885** Facility Name: **ODNR NIMISILA RES CAMP-1**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7765212 PORTAGE LAKE EAGLES 2736 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: PORTAGE LAKE EAGLES 273 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758891	Facility Name: PORTAGE LAKE EAGLES NO 2736
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7765412 THE TONIX BAR PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **THE TONIX BAR DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758893** Facility Name: **THE TONIX BAR**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7767012 REDWOOD SWIM CLUB

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **REDWOOD SWIM CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758894** Facility Name: **REDWOOD SWIM CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7767912 ROSE VILLA RESTAURANT

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: ROSE VILLA RESTAURANT DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758898	Facility Name: ROSE VILLA RESTAURANT
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7768312 SCHROP JUNIOR HIGH SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758901	Facility Name: SCHROP JUNIOR HIGH SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7768312 SCHROP JUNIOR HIGH SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SCHROP JUNIOR HIGH SCH DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7768512 CLUB DESIREES PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CLUB DESIREES DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758902** Facility Name: **CLUB DESIREES**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7768812 DANOS LAKESIDE PUB PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DANOS LAKESIDE PUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758904** Facility Name: **DANOS LAKESIDE PUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 7/1/2014 and 9/30/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7769012 SPRINGHILLS GOLF CLUB

System Type: Transient Noncommunity

Operating Period: 4/1 to 11/30

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **SPRINGHILLS GOLF CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758905** Facility Name: **SPRING HILLS GOLF CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7769412 TAVERNE OF RICHFIELD

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: TAVERNE OF RICHFIELD DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758907	Facility Name: TAVERNE OF RICHFIELD
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7769912 SILVER CRICKET PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **SILVER CRICKET DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758909** Facility Name: **SILVER CRICKET**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770112 GRACE BIBLE CHURCH - AKRON

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758910** Facility Name: **GRACE BIBLE CHURCH - AKRON**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770212 TRINITY LUTHERAN CHURCH-L. OAK

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TRINITY LUTHERAN CH.-L. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758911** Facility Name: **TRINITY LUTHERAN CH L OAK**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770312 FRANKLIN PARK CIVIC CENTER

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **FRANKLIN PARK CIVIC CENT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758912** Facility Name: **FRANKLIN PARK CIVIC CENTER**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770412 TURKEYFOOT ISLAND CLUB

System Type: Transient Noncommunity

Operating Period: 4/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TURKEYFOOT ISLAND CLUB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758913** Facility Name: **TURKEYFOOT ISLAND CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770512 TURKEYFOOT LAKES GOLF-MAINTENANCE

System Type: Transient Noncommunity

Operating Period: 3/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TURKEYFOOT LAKES GOLF-MAINT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758914** Facility Name: **TURKEYFOOT LAKES GOLF MAINTENANCE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770612 TURKEYFOOT LAKES GOLF-CLUBHOUSE

System Type: Transient Noncommunity

Operating Period: 3/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TURKEYFOOT LAKES GOLF-CLUBHOUSE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758915** Facility Name: **TURKEYFOOT LAKES GOLF CLUBHOUSE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770812 TURKEYFOOT SPORTSMAN CLUB

System Type: Transient Noncommunity

Operating Period: 4/1 to 10/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TURKEYFOOT SPORTSMAN CLU DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758917** Facility Name: **TURKEYFOOT SPORTSMAN CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7770912 TURKEYFOOT LANES

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: TURKEYFOOT LANES DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758918	Facility Name: TURKEYFOOT LANES
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7771412 GREEN VALLEY METHODIST

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **GREEN VALLEY METHODIST DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758920** Facility Name: **GREEN VALLEY METHODIST CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7772112 YOUNG ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758924	Facility Name: YOUNG ELEMENTARY SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7772112 YOUNG ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: YOUNG ELEMENTARY SCHOOL DISTRIBUTIO
	SMP ID: DS000	

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

Not Required

TOTAL COLIFORM (TCR) - 3100

1 Sample(s) Required between	1/1/2014	and	3/31/2014
1 Sample(s) Required between	4/1/2014	and	6/30/2014
1 Sample(s) Required between	7/1/2014	and	9/30/2014
1 Sample(s) Required between	10/1/2014	and	12/31/2014

OH7772712 AKRON ROTARY CAMP PWS

System Type: Transient Noncommunity

Operating Period: 6/1 to 8/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: AKRON ROTARY CAMP DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758929	Facility Name: AKRON ROTARY CAMP
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7772912 LADIES CHOICE HAIR FASHIONS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **LADIES CHOICE HAIR FASH. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758930** Facility Name: **LADIES CHOICE HAIR FASHIONS**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7773012 PRIME 93 RESTAURANT

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758931	Facility Name: PRIME 93 RESTAURANT	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 7/1/2014 and 9/30/2014



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7773012 PRIME 93 RESTAURANT

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PRIME 93 DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7773212 ARROWHEAD ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758932	Facility Name: ARROWHEAD ELEMENTARY SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7773212 ARROWHEAD ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **ARROWHEAD ELEMENTARY SCH DISTRIBUT**
Location SMP ID: **DS000**

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **ARROWHEAD ELEMENTARY SCH DISTRIBUT**
Location SMP ID: **DS201** **ADDRESS NOT KNOWN**

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 12/1/2014 and 12/7/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7773412 B AND D NIMISILA GARDENS INC

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **B AND D NIMISILA GARDENS INC DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758933** Facility Name: **B AND D NIMISILA GARDENS INC**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7773712 BONGIORNOS PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **BONGIORNOS. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758934** Facility Name: **BONGIORNOS-TP**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7774012 BOYER KINDERGARTEN CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758935	Facility Name: BOYER KINDERGARTEN CENTER
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7774012 BOYER KINDERGARTEN CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: BOYER KINDERGARTEN CENTE DISTRIBUTIC
	SMP ID: DS000	

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022

Not Required

TOTAL COLIFORM (TCR) - 3100

1 Sample(s) Required between	1/1/2014	and	3/31/2014
1 Sample(s) Required between	4/1/2014	and	6/30/2014
1 Sample(s) Required between	7/1/2014	and	9/30/2014
1 Sample(s) Required between	10/1/2014	and	12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7775012 COPLEY FAIRLAWN MID SCH - NORTH WING

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758941	Facility Name: COPLEY JUNIOR HIGH SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7775012 COPLEYP FAIRLAWN MID SCH - NORTH WING

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: COPLEYP FAIRLAWN MID SCH- DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7775712 CRAFTSMAN RECREATION CLUB

System Type: Transient Noncommunity

Operating Period: 6/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **CRAFTSMAN RECREATION CL. DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758945** Facility Name: **CRAFTSMAN RECREATION CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7775912 DIETZ'S LANDING PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DIETZ'S LANDING DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758946** Facility Name: **DIETZ LANDING RESTAURANT**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7776112 THE FALCON LOUNGE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **THE FALCON LOUNGE DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758948** Facility Name: **THE FALCON LOUNGE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7776612 HILLSIDE PARK-1

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **HILLSIDE PARK-1 DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758951** Facility Name: **HILLSIDE PARK 1**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7777512 COPE PHARMACY, INC.

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COPE PHARMACY DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758955** Facility Name: **COPE PHARMACY**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7777612 FRANKLIN SPARKLE MARKET

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758956	Facility Name: FRANKLIN SPARKLE MARKET	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7777612 FRANKLIN SPARKLE MARKET

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: FRANKLIN SPARKLE MARKET DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7778012 MANCHESTER HIGH SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758959	Facility Name: MANCHESTER HIGH SCHOOL	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7778012 MANCHESTER HIGH SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER HIGH SCHOOL DISTRIBUTION**
Location SMP ID: **DS000**

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 10 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100
1 Sample(s) Required between 1/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000
1 Sample(s) Required between 1/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER HIGH SCHOOL DISTRIBUTION**
Location SMP ID: **DS201** ADDRESS NOT KNOWN

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Facility ID: **DS1** Facility Name: **MANCHESTER HIGH SCHOOL DISTRIBUTION**
Location SMP ID: **DS202** ADDRESS NOT KNOWN

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7778112 NOLLEY ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758960	Facility Name: NOLLEY ELEMENTARY SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	1 Sample(s) Required between 4/1/2014 and 6/30/2014



OH7778112 NOLLEY ELEMENTARY SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: NOLLEY ELEMENTARY SCHOOL DISTRIBUTI
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required

Sampling Location	Facility ID: DS1	Facility Name: NOLLEY ELEMENTARY SCHOOL DISTRIBUTI
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1	Facility Name: NOLLEY ELEMENTARY SCHOOL DISTRIBUTI
	SMP ID: DS202	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7778312 GASOLINE ALLEY

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **GASOLINE ALLEY DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758961** Facility Name: **GASOLINE ALLEY**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7779212 PLEVRIS AUTO SERVICE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: PLEVRIS AUTO SERVICE DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758964	Facility Name: PLEVRIS AUTO SERVICE
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7779412 ROYAL GARDENS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378


ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758965** Facility Name: **ROYAL GARDENS**

Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7780112 MAYFAIR CHRISTIAN SCHOOL PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758970	Facility Name: MAYFAIR CHRISTIAN SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7780112 MAYFAIR CHRISTIAN SCHOOL PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: MAYFAIR JR ACADEMY 7TH D DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

OH7781912 EAST LIBERTY CHURCH OF THE NAZARENE PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **EAST LIBERTY CHURCH OF THE NAZARENE DIST**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758976** Facility Name: **EAST LIBERTY CHURCH OF THE NAZARENE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7782112 METROPARKS CASCADE VALLEY PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **METROPKS-CASCADE VALLEY DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758977** Facility Name: **CASCADE VALLEY PARK**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7782412 THORSON BAKER AND ASSOC INC 1 PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7761388	Facility Name: THORSON BAKER & ASSOC INC 1	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required

OH7783312 HALE FARM - HERRICK WELL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: HALE FARM - HERRICK WELL DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758983	Facility Name: HALE FARM HERRICK WELL	
Location SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7783912 COPLEY UNITED METHODIST CHURCH

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COPLEY UNITED METHODIST DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7758986** Facility Name: **COPLEY UNITED METHODIST CHURCH**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7784112 GIANT OIL STATION #438

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: GIANT OIL STATION 22470 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758988	Facility Name: GIANT OIL STATION 22470
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7784212 NORTON PUBLIC LIBRARY

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: NORTON PUBLIC LIBRARY DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758989	Facility Name: NORTON PUBLIC LIBRARY
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7784412 SOUTH MAIN CENTRE LTD

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758990	Facility Name: SOUTH MAIN CENTRE LTD	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7784412 SOUTH MAIN CENTRE LTD

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: SOUTH MAIN CENTRE LTD DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: SOUTH MAIN CENTRE LTD DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7784512 PARKSIDE CHURCH-GREEN CAMPUS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: PARKSIDE CHURCH-GREEN CAMPUS DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7758991	Facility Name: PARKSIDE CHURCH-GREEN CAMPUS
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7785312 OHIO EDISON KENT

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7758998	Facility Name: OHIO EDISON CO STOW-KENT LINE SHOP
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7786112 PIONEER PLASTICS CORP.

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759002	Facility Name: PIONEER PLASTICS INC	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7786112 PIONEER PLASTICS CORP.

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PIONEER PLASTICS CORP. DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 6/1/2014 and 9/30/2014
<i>Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx</i>	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7786512 CON-WAY CENTRAL EXPRESS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759005	Facility Name: CON-WAY CENTRAL EXPRESS INC	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7786512 CON-WAY CENTRAL EXPRESS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: CON-WAY CENTRAL EXPRESS DISTRIBUTION
	SMP ID: DS000	

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between	6/1/2014 and	9/30/2014
-------------------------------	------------------------------	--------------	-----------

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7786612 MCAFEE TOOL AND DIE, INC

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759006	Facility Name: MCAFEE TOOL AND DIE INC	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7786612 MCAFEE TOOL AND DIE, INC

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: MCAFEE TOOL AND DIE, INC DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7787112 HOLLAND

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759010	Facility Name: USF HOLLAND	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7787212 YRC WORLDWIDE

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759011	Facility Name: YRC WORLDWIDE	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7787212 YRC WORLDWIDE

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: YRC WORLDWIDE DISTRIBUTION	Facility Class: CLASS 1
--------------------------	---	--	--------------------------------

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7787812 OIG LIMITED PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759015	Facility Name: OIG LIMITED	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS 3

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7787812 OIG LIMITED PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PERKIN ELMER LIFE SCIENCES DISTRIBUTIC
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7788212 ARLINGTON ROAD COMMONS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759017	Facility Name: ARLINGTON ROAD COMMONS
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7788412 CLEVELAND AVE PROPERTIES

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759019	Facility Name: CLEVELAND AVENUE PROPERTIES
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7788512 MAIN PARKWAY CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759020	Facility Name: MAIN PARKWAY CENTER	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required

OH7788712 JEHOVAHS WITNESS-BARBER PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **JEHOVAHS WITNESS-BARBER DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759022** Facility Name: **JEHOVAHS WITNESS-BARBERTON**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7788812 PORTAGE LAKES LIBRARY

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **PORTAGE LAKES LIBRARY DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759023** Facility Name: **PORTAGE LAKES LIBRARY**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7789612 VALLEY OFFICE PARK 2 PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759030	Facility Name: VALLEY OFFICE PARK NO 2	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7789612 VALLEY OFFICE PARK 2 PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **VALLEY OFFICE PARK 2 DISTRIBUTION**
Location SMP ID: **DS000**

Chemicals

Monitoring Requirements

LEAD - 1030 AND COPPER - 1022 5 Sample(s) Required between 6/1/2014 and 9/30/2014

Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: <http://epa.ohio.gov/ddagw/reporting.aspx>

TOTAL COLIFORM (TCR) - 3100
1 Sample(s) Required between 1/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 12/31/2014

TOTAL CHLORINE - 1000
1 Sample(s) Required between 1/1/2014 and 3/31/2014
1 Sample(s) Required between 4/1/2014 and 6/30/2014
1 Sample(s) Required between 7/1/2014 and 9/30/2014
1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Facility ID: **DS1** Facility Name: **VALLEY OFFICE PARK 2 DISTRIBUTION**
Location SMP ID: **DS201** ADDRESS NOT KNOWN

Chemicals

Monitoring Requirements

DISINFECTION BYPRODUCTS 1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7790712 LEXI-COMP INC.

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759037	Facility Name: LEXI COMP INC	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required

OH7791112 WOODYS RESTAURANT PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WOODYS RESTAURANT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759041** Facility Name: **WOODYS RESTAURANT**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7791512 RING AROUND THE ROSIE DAY CARE

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759043	Facility Name: RING AROUND THE ROSIE DAY CARE
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required

OH7791712 RAIN TREE GOLF COURSE

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: RAIN TREE GOLF COURSE DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759045	Facility Name: RAIN TREE GOLF COURSE
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7792012 DENNYS RESTAURANT-ARLINGTON PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DENNYS RESTAURANT-ARLIN DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759047** Facility Name: **DENNYS RESTAURANT ARLIN NO 2063**
Location SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7792112 BILL HWANGS RESTAURANT

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: BILL HWANGS RESTAURANT DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759048	Facility Name: BILL HWANGS RESTAURANT
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7792212 IBH MEMORIAL EDUCATION CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759049	Facility Name: IBH MEMORIAL EDUCATION CENTER
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7792212 IBH MEMORIAL EDUCATION CENTER

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: IBH MEMORIAL EDUCATION CENTER DISTRIE
	SMP ID: DS000	

Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1	Facility Name: IBH MEMORIAL EDUCATION CENTER DISTRIE
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7792312 HILLWOOD CHAPEL

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **HILLWOOD CHAPEL DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759050** Facility Name: **HILLWOOD CHAPEL**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 10/1/2014 and 12/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7792912 WHITE CASTLE (ARLINGTON)

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **WHITE CASTLE (ARLINGTON) DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759055** Facility Name: **WHITE CASTLE ARLINGTON**
Location SMP ID: **EP001** Facility Source: **Ground Water** Facility Class: **CLASS A**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7793012 COPLEY FAIRLAWN MID SCHOOL - SOUTH WING

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759056	Facility Name: COPLEY FAIRLAWN MIDDLE SCH
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS 1

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7793012 COPLEY FAIRLAWN MID SCHOOL - SOUTH WING

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1 SMP ID: DS000	Facility Name: COPLEY FAIRLAWN MID SCH- DISTRIBUTION
--------------------------	---	---

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014
TOTAL CHLORINE - 1000	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Samples should be collected at the same time and place as the Total Coliform samples.

Sampling Location	Facility ID: DS1 SMP ID: DS201	Facility Name: COPLEY FAIRLAWN MID SCH- DISTRIBUTION ADDRESS NOT KNOWN
--------------------------	---	---

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

Sampling Location	Facility ID: DS1 SMP ID: DS202	Facility Name: COPLEY FAIRLAWN MID SCH- DISTRIBUTION ADDRESS NOT KNOWN
--------------------------	---	---

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS202

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7793412 ODNR-DISTRICT 3

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **ODNR - DISTRICT 3 DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759059** Facility Name: **ODNR DISTRICT 3**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7794212 THE LAKE CAMPGROUND

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1 Facility Name: DISTRIBUTION
Location SMP ID: DS000 Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759067 Facility Name: THE LAKE CAMPGROUND WTP
Location SMP ID: EP001 Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7794412 SPEE-D-FOODS - S MAIN ST

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.


Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759069	Facility Name: SPEE-D FOODS INC NO 21
Location SMP ID: EP001	Facility Source: Ground Water
Facility Class: CLASS A	

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7794512 PORTAGE LAKES PLAZA

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759070	Facility Name: PORTAGE LAKES PLAZA	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 DISTRIBUTION SCHEDULE

OH7794512 PORTAGE LAKES PLAZA

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: PORTAGE LAKES PLAZA DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7795612 SPRING GARDEN WALDORF SCHOOL

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759077	Facility Name: SPRING GARDEN WALDORF SCHOOL
Location	SMP ID: EP001	Facility Source: Ground Water
		Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7795712 MANCHESTER ADMINISTRATION BUILDING PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling	Facility ID: 7759078	Facility Name: MANCHESTER ADMIN BUILDING	
Location	SMP ID: EP001	Facility Source: Ground Water	Facility Class: CLASS A

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals	Monitoring Requirements
INORGANICS	Not Required
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014
SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1	Not Required
VOLATILE ORGANIC CHEMICALS (VOC)	Not Required



OH7795712 MANCHESTER ADMINISTRATION BUILDING PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Location	Facility ID: DS1	Facility Name: MANCHESTER ADMIN. BUILD DISTRIBUTION
	SMP ID: DS000	

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	Not Required
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014

Sampling Location	Facility ID: DS1	Facility Name: MANCHESTER ADMIN. BUILD DISTRIBUTION
	SMP ID: DS201	ADDRESS NOT KNOWN

Chemicals	Monitoring Requirements
DISINFECTION BYPRODUCTS	1 Sample(s) Required between 7/1/2014 and 9/30/2014 at SMP: DS201

Sample for all the analytes listed below:

- 1) TOTAL HALOACETIC ACIDS (HAA5) – 2456
- 2) TTHM - 2950

OH7796412 COPLEY POLICE DEPARTMENT

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COPLEY POLICE DEPARTMENT DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759083** Facility Name: **COPLEY POLICE DEPARTMENT**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7796512 METROPARKS-SILVER CREEK BATHHOUSE

System Type: Transient Noncommunity

Operating Period: 4/1 to 10/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **METROPKS-SILVER CREEK BA DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759084** Facility Name: **METROPARKS-SILVER CREEK BATHHOUSE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	1 Sample(s) Required between 6/1/2014 and 10/31/2014
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7796712 COMFORT INN - ARLINGTON

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **COMFORT INN - ARLINGTON DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759086** Facility Name: **COMFORT INN - ARLINGTON**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7797412 GRIFFITHS PARK SWIM CLUB PWS

System Type: Transient Noncommunity

Operating Period: 4/1 to 9/30

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **GRIFFITHS PARK SWIM CLB DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759092** Facility Name: **GRIFFITHS PARK SWIM CLUB**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7797512 THE LAKE - WELL 2

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759093** Facility Name: **THE LAKE - WELL 2**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7797712 THE LAKE CAMPGROUND - BATHHOUSE

System Type: Transient Noncommunity

Operating Period: 5/1 to 9/30

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759095** Facility Name: **THE LAKE CAMPGROUND - BATHHOUSE**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7798112 METROPARKS-COVENTRY OAKS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **METROPKS-COVENTRY OAKS DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759099** Facility Name: **METROPKS FIRESTONE PAVILION**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7798312 CIRCLE K #5592 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: CIRCLE K #5592 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759101	Facility Name: CIRCLE K #5592
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7798412 CIRCLE K #5613

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: CIRCLE K #5613 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759102	Facility Name: CIRCLE K #5613
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7798812 KNACKS SUNOCO PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **KNACKS SUNOCO DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759105** Facility Name: **KNACKS SHELL STATION**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7798912 SIX-NINETEEN MARATHON

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **SIX-NINETEEN MARATHON DISTRIBUTION**
Location SMP ID: **DS000** Facility Source: **Ground Water**


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: **7759106** Facility Name: **SIX NINETEEN MARATHON**
Location SMP ID: **EP001** Facility Source: **Ground Water**

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7799212 LIBERTY GREEN PLAZA

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Minimal Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: LIBERTY GREEN PLAZA DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759109	Facility Name: LIBERTY GREEN PLAZA
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!

OH7799612 SPEEDWAY GAS UNIT 3672 PWS

System Type: Transient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: DS1	Facility Name: SPEEDWAY GAS UNIT 3672 DISTRIBUTION
Location SMP ID: DS000	Facility Source: Ground Water


Chemicals	Monitoring Requirements
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014
	1 Sample(s) Required between 4/1/2014 and 6/30/2014
	1 Sample(s) Required between 7/1/2014 and 9/30/2014
	1 Sample(s) Required between 10/1/2014 and 12/31/2014

ENTRY POINT MONITORING SCHEDULE

Sampling Facility ID: 7759112	Facility Name: SPEEDWAY 3672
Location SMP ID: EP001	Facility Source: Ground Water

Chemicals	Monitoring Requirements
NITRITE - 1041	Not Required
NITRATE - 1040	1 Sample(s) Required between 6/1/2014 and 10/31/2014

Where to Collect Samples For a Small Public Water System



Beginning January 1, 2014, failing to sample for total coliform or nitrate will cost you \$150 or more in penalties for each monitoring violation. A list of drinking water sample collection services that can assist you with collecting water samples is located at: <http://epa.ohio.gov/portals/28/documents/PWS/DWSample.pdf>.

Save a dime. Sample on time!



Effective Date: 01/01/2014

2014 ENTRY POINT SCHEDULE

OH7799913 TTB CANTON ROAD PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

ENTRY POINT MONITORING SCHEDULE

Sampling Location	Facility ID: 7762495	Facility Name: TTB CANTON ROAD	Facility Class: CLASS A
	SMP ID: EP001	Facility Source: Ground Water	

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

Chemicals

Monitoring Requirements

INORGANICS 1 Sample(s) Required between 1/1/2014 and 5/31/2014

Sample for all the analytes listed below:

ANTIMONY, TOTAL - 1074 ARSENIC - 1005 BARIUM - 1010 BERYLLIUM, TOTAL - 1075 CADMIUM - 1015 CHROMIUM - 1020

CYANIDE - 1024 FLUORIDE - 1025 MERCURY - 1035 NICKEL - 1036 SELENIUM - 1045 THALLIUM, TOTAL - 1085

NITRITE - 1041 Not Required

NITRATE - 1040 1 Sample(s) Required between 6/1/2014 and 10/31/2014

SYNTHETIC ORGANIC CHEMICALS (SOC) GROUP 1 Not Required

VOLATILE ORGANIC CHEMICALS (VOC)

1 Sample(s) Required between 1/1/2014 and 3/31/2014

1 Sample(s) Required between 4/1/2014 and 6/30/2014

1 Sample(s) Required between 7/1/2014 and 9/30/2014

1 Sample(s) Required between 10/1/2014 and 12/31/2014



OH7799913 TTB CANTON ROAD PWS

System Type: Nontransient Noncommunity

Operating Period: 1/1 to 12/31

Groundwater Rule Substantial Treatment System

THIS SCHEDULE MAY NOT INCLUDE ALL MONITORING REQUIREMENTS FOR YOUR SYSTEM.

Contact your district office to review additional monitoring for operating parameters, and/or other monitoring requirements not included on this schedule. For water emergencies that occur after hours, please call 800-282-9378

DISTRIBUTION MONITORING SCHEDULE

Sampling Facility ID: **DS1** Facility Name: **TTB CANTON ROAD DISTRIBUTION**
Location SMP ID: **DS000**

Chemicals	Monitoring Requirements
LEAD - 1030 AND COPPER - 1022	5 Sample(s) Required between 1/1/2014 and 6/30/2014 5 Sample(s) Required between 7/1/2014 and 12/31/2014
<i>Lead Consumer Notice needs issued to sampling participants within thirty days of receipt of results and verification submitted to Ohio EPA within ninety days from the end of the monitoring period. Submit Form 5105 with appendix to Ohio EPA within ten days from the end of the monitoring period. Forms are available online at: http://epa.ohio.gov/ddagw/reporting.aspx</i>	
TOTAL COLIFORM (TCR) - 3100	1 Sample(s) Required between 1/1/2014 and 3/31/2014 1 Sample(s) Required between 4/1/2014 and 6/30/2014 1 Sample(s) Required between 7/1/2014 and 9/30/2014 1 Sample(s) Required between 10/1/2014 and 12/31/2014