



State of Ohio Environmental Protection Agency

OHIO E.P.A.

APR 19 2010 MAILING ADDRESS:

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

ENTERED DIRECTOR'S JOURNAL P.O. Box 1049
Columbus, OH 43216-1049

APR 19 2010

I certify this to be a true and accurate copy of the
official documents as filed in the records of the Ohio
Environmental Protection Agency.

Steve Geiger, President
Geiger Excavating
65 Southwind Drive
Gahanna, Ohio 43230

By: [Signature] Date: 4-19-10

**RE: Former Bedford II Landfill, Franklin County
Explosive Gas Monitoring Plan Approval**

Dear Mr. Geiger:

On October 8, 2009, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Central District Office (CDO) received a request titled "Explosive Gas Monitoring Plan", for the Bedford II Landfill (Facility) located at 1041 Enterprise Drive, Gahanna, Ohio. Revisions to the explosive gas monitoring plan (EGMP) were received on February 8, 2010. The EGMP was prepared by Hull and associates on behalf of Geiger Excavating pursuant to Ohio Administrative Code (OAC) Rule 3745-27-12 as effective August 15, 2003.

Ohio EPA has reviewed the EGMP as revised and has determined that it meets the applicable requirements. Therefore, I approve the EGMP for the Former Bedford II Landfill. The owner shall implement the EGMP pursuant to the following conditions:

CONDITIONS

1. All activities shall be conducted in strict accordance with the plans, specifications, and information submitted as part of the EGMP. There may be no deviation from the approved plans without the express, written approval of Ohio EPA. Any future activities may require additional Ohio EPA approval.
2. Not later than sixty (60) days after the effective date of this approval, Geiger Excavating shall implement the EGMP.
3. Issuance of this approval does not constitute expressed or implied agreement that the monitoring of the Facility performed and implemented in accordance with the approved EGMP and/or its terms and conditions will constitute compliance with applicable federal and state laws, rules, and regulations, nor does issuance of this plan approval ensure that necessary operating permits or licenses will be granted.

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Steve Geiger, President
Geiger Excavating
Page 2

4. Nothing in this letter shall be construed to authorize any waiver from the requirements of any applicable federal or state laws or regulations. This authorization shall not be interpreted to release Geiger Excavating or others from responsibility under Ohio Revised Code (ORC) Chapters 3704, 3714, 3734, or 6111; under the Federal Clean Water Act, the Resource Conservation and Recovery Act, the Toxic Substances Control Act, or the Comprehensive Environmental Response, Compensation, and Liability Act; or from other applicable requirements for remedying conditions resulting from any release of contaminants to the environment.


END OF CONDITIONS

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer Kevin Boyce," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you have any questions concerning this approval, please contact Allan Hurtt of Ohio EPA, DSIWM-CDO at 614-728-3889.

Sincerely,



Chris Korleski
Director

CK/KM/sw

cc: Jeff Gibbs, Franklin County Health Department
Steve Gross, Hull and Associates
Duane Snyder, DSIWM-CDO