

**RESOLUTION**  
**OF THE EASTGATE REGIONAL COUNCIL OF GOVERNMENTS AMENDING  
THE CLEAN WATER ACT SECTION 208 WATER QUALITY MANAGEMENT  
PLAN (208 WQMP) TO MODIFY THE MEANDER 201 FACILITY PLANNING  
AREA (FPA) AND THE YOUNGSTOWN 201 FPA.**

**WHEREAS**, Eastgate Regional Council of Governments (Eastgate) is the Designated Water Quality Management Agency for the Youngstown-Warren Standard Metropolitan Statistical Area consisting of Mahoning and Trumbull Counties; and

**WHEREAS**, Eastgate is requesting a boundary adjustment for the Meander 201 FPA and Youngstown 201 FPA in order to correctly illustrate the current wastewater flow for an area within Austintown township; and

**WHEREAS**, the area currently falls within both the Meander 201 FPA and Youngstown 201 FPA; and

**WHEREAS**, the current wastewater infrastructure for the area lies within the Meander 201 FPA and conveys generated waste to the Meander wastewater treatment plant; and

**WHEREAS**, the attached map, *"Meander and Youngstown 201 Facility Planning Area Wastewater Treatment Options Modification"*, illustrates the requested adjustment; and

**WHEREAS**, the Ohio Environmental Protection Agency (Ohio EPA) uses the 208 WQMP as the basis for the issuance of a Permit-To-Install (PTI) for new sanitary sewer lines and related infrastructure projects. The Ohio EPA will not approve a PTI if the application is inconsistent with Eastgate's approved 208 WQMP; and

**WHEREAS**, at the request of Eastgate, and with written concurrence from the Mahoning County Sanitary Engineers Office and the city of Youngstown, Eastgate amended the 208 AWQMP to reflect the correct, established boundary; and

**NOW, THEREFORE, BE IT RESOLVED** the General Policy Board of the Eastgate Regional Council of Governments, State of Ohio, hereby amends the 208 AWQMP, modifying the Meander 201 FPA and Youngstown 201 FPA boundary as illustrated on the *"Meander and Youngstown 201 Facility Planning Area Wastewater Treatment Options Modification"* map.


Passed this 28th day of July, 2014.

**ATTEST:**

  
\_\_\_\_\_  
John R. Getchey, Executive Director

  
\_\_\_\_\_  
Daniel Claypool, Chairman

# Meander and Youngstown 201 Facility Planning Area Wastewater Treatment Options Modification



Removed from Youngstown  
Added to Meander

Meander  
201

Youngstown  
201

Mahoning

New



-  Wastewater Treatment Plant
-  201 Boundary
-  201 Change Area
-  Cities
-  Villages
-  Preserved Lands
-  Currently Sewered
-  Sewer Only
-  Maybe Serviced by POTW or OSND



**RESOLUTION**  
**OF THE EASTGATE REGIONAL COUNCIL OF GOVERNMENTS AMENDING**  
**THE CLEAN WATER ACT SECTION 208 WATER QUALITY MANAGEMENT**  
**PLAN (208 WQMP) TO MODIFY THE DAMASCUS 201 FACILITY PLANNING**  
**AREA (FPA).**

**WHEREAS**, Eastgate Regional Council of Governments (Eastgate) is the Designated Water Quality Management Agency for the Youngstown-Warren Standard Metropolitan Statistical Area consisting of Mahoning and Trumbull Counties; and

**WHEREAS**, the Mahoning County Sanitary Engineer requested a boundary adjustment for the Damascus 201 FPA in order to extend sanitary sewer into Columbiana County to provide service to the Butler Mobile City neighborhood; and

**WHEREAS**, the Mahoning County Sanitary Engineer is the Primary Management Agency for the Damascus 201 FPA and unincorporated areas within Mahoning County; and

**WHEREAS**, the State of Ohio prepares and maintains a 208 Plan for sixty-four counties not within an areawide planning region, which includes Columbiana County; and

**WHEREAS**, the attached map, "*Proposed Damascus 201 Facility Planning Area Wastewater Treatment Options*", illustrates the requested change; and

**WHEREAS**, the Ohio Environmental Protection Agency (Ohio EPA) uses the 208 WQMP as the basis for the issuance of a Permit-To-Install (PTI) for new sanitary sewer lines and related infrastructure projects. The Ohio EPA will not approve a PTI if the application is inconsistent with Eastgate's approved 208 WQMP; and

**WHEREAS**, the State of Ohio reviewed the proposed change and written letters from the Mahoning County Sanitary Engineer and Columbiana County Engineer and found all documentation to be sufficient to satisfy the state bench mark under the State's 208 prescribed prescriptions ; and

**WHEREAS**, at the request of the Mahoning County Sanitary Engineer, and with written concurrence from the Columbiana County Engineer, a Eastgate amended the 208 AWQMP to reflect the boundary change; and

**NOW, THEREFORE, BE IT RESOLVED** the General Policy Board of the Eastgate Regional Council of Governments, State of Ohio, hereby amends the 208 AWQMP, modifying the Damascus 201 FPA boundary as illustrated on the map, "*Damascus 201 Facility Planning Area Wastewater Treatment Options*".


Passed this 1st day of May, 2014.

**ATTEST:**

  
John R. Getchey, Executive Director

  
Daniel Claypool, Chairman


# Proposed Damascus 201 Facility Planning Area Wastewater Treatment Options



	<ul style="list-style-type: none"> <li> Wastewater Treatment Plant</li> <li> 201 Boundary</li> <li> Proposed 201 Boundary</li> </ul>	<ul style="list-style-type: none"> <li> Cities</li> <li> Villages</li> <li> Preserved Lands</li> </ul>	<ul style="list-style-type: none"> <li> Currently Sewered</li> <li> Sewer Only</li> <li> Maybe Serviced by POTW or OSND</li> </ul>
<p>0      0.25      0.5      0.75      1</p> <p>Miles</p>			



# Damascus 201 Facility Planning Area Wastewater Treatment Options



	<p>⊗ Wastewater Treatment Plant</p> <p>▭ 201 Boundary</p>	<p>▭ Cities</p> <p>▭ Villages</p> <p>▨ Preserved Lands</p>	<p>■ Currently Sewered</p> <p>■ Sewer Only</p> <p>■ Maybe Serviced by POTW or OSND</p>	
<p>0      0.25      0.5      0.75      1 Miles</p> 