



Division of Surface Water Response to Comments

Rule: Permit to Install Rules OAC Chapter 3745-42

Agency Contact for this Package

Division Contact: Mark Stump
Division of Surface Water
614-644-2028
mark.stump@epa.ohio.gov

Ohio EPA held an interested party comment period from June 10, 2016 to July 12, 2016 regarding Permit to Install program rules. This document summarizes the comments and questions received during the associated comment period.

Ohio EPA reviewed and considered all comments received during the public comment period. By law, Ohio EPA has authority to consider specific issues related to protection of the environment and public health.

In an effort to help you review this document, the questions are grouped by topic and organized in a consistent format. The name of the commenter follows the comment in parentheses.

Comment 1: Columbus supports the proposed rule changes and applauds Ohio EPA for the clarifications, inclusions of material currently contained in agency guidance, and other changes that will assist permittees and publicly owned wastewater utilities in meeting their regulatory obligations. (City of Columbus)

Response 1: No response required.

Comment 2: There appear to be two minor typographical errors in the draft rules. Draft Rule 3745-42-01(T)(1) – second line reads “dounf,” and should probably read “found.” Draft Rule 3745-42-07(D)(3) [Comment:] reads “as define” probably should read “as defined.” (City of Columbus)

Response 2: The typographical errors have been corrected in the proposed rules.

End of Response to Comments