

**Lake County General Health District  
 Illicit Discharge Form-Mentor**

<b>Object ID:</b> <b>Local Watershed:</b>
--

**Inventory:**

Inspection Date: \_\_\_\_\_ Time: \_\_\_\_\_  
 Nearest Address: \_\_\_\_\_ Township/Village/City: \_\_\_\_\_  
 Primary Inspector: \_\_\_\_\_ Secondary Inspector: \_\_\_\_\_  
 Date of Last Visit: \_\_\_\_\_ Weather Condition: \_\_\_\_\_  
 Last Precipitation: \_\_\_\_\_ Dry Weather Flow: YES / NO

**Visual Observation**

**Outfall Material/Size:** \_\_\_\_\_

**Headwall: Yes/No** \_\_\_\_\_

**Flow Condition:** Plugged / Open / Inhibited / Not Applicable

**Structural Condition:** Corrosion / Cracking / Normal / Not Applicable

**Color:** Clear / Red / Yellow / Brown / Green / Tannin / Gray / Black / White / Cloudy / Other \_\_\_\_\_

**Odor:** None / Chlorine / Fuel or Oil / Fishy / Musty / Sewage / Sulfur / Chemical / Detergent/ Other \_\_\_\_\_

**Floatables:** None / Oil / Sheen / Garbage / Sewage / Other \_\_\_\_\_

**Turbidity:** Clear / Slightly Turbid / Moderately Turbid / Very Turbid / Suspended Solids / N/A

**Field Screening:**

Field Parameters	Measurement/Comments
Nitrate (ppm) *	
Phosphate (ppm)	
pH	
Conductivity (mS/25 °C)	
Dissolved Oxygen (%)	
Dissolved Oxygen (mg/L)	
Temperature (°C) **	
Approximate Flow Rate (gal/min)	
Salinity	

Photo file: \_\_\_\_\_

Comments: \_\_\_\_\_