



**City of Avon
Storm Water Pollution Prevention Plan (SWPPP)**

**Parks Department Building
Little League Park
36784 Detroit Rd.**

Index

Storm Water Contact	3
Facility Inventory	4
List of Best Management Practices (BMPs)	5
Spill Response Plan / Location of Spill Kits	6
Certification of Non-Storm Water Discharges	7
Little League Park Inspection Checklist	8
Map of Little League Park Property	10
Attachments	11

Contact Person

The contact person for the Little League Park Building located at 36784 Detroit Rd. is _____.

The contact person shall be responsible for the required site inspections, reporting changes in status to the storm water manager and assisting the storm water manager in the implantation, maintenance and revision of the SWPPP.

The contact person shall attend storm water meetings that relate to this and other facilities under the direction of the storm water manager.

Facility Inventory

- 1) Inventory of Exposed Material
 - a) all equipment and parts for the Parks Department
 - b) stockpiles of erodible materials

- 2) Spills and Leaks
 - a) releases from storage drums and outdoor storage containers
 - b) releases from fuel storage tank
 - c) releases from stockpiles of erodible materials

Facility Best Management Practices (BMPs)

- a) Storage of salvaged materials and supplies stored separately from scrap materials.
- b) Scrap materials and waste stored in an enclosed dumpster with the lid closed.
- c) Sediment and erosion controls shall be implemented around stockpiles of erodible materials stored out in the yard. (i.e. silt fence, tarps, sediment trap)
- d) Washing of machinery and vehicles shall be done where the conveying system is intercepted by the oil / water separator.
- e) Informational and educational material shall be available to the public in an area open and accessible to the public.

Spill Response Plan

- 1) When an oil, grease, fuel or hazardous substance spill occurs within the Little League Park premises, (inside or outside the building), immediately locate and detain the spill.
- 2) Protect all drains from the spill entering the conveying system.
- 3) Use the “spill kit” to contain and absorb the spill if the spill is less than five (5) gallons.
- 4) For spills that are five (5) gallons or more, use the “spill kit” and immediately report the spill to the Fire Department.

Location of Utilities “spill kits”

Certification of Non-Storm Water Discharges

The facility contact person shall certify the non-storm water discharge of the facility not less than once each year.

The visual inspection of the dry weather discharge shall be recorded and a copy sent to the storm water manager.

Records of inspection and monitoring information shall include:

- a) Date, exact place and time of inspection or sampling
- b) The initials or name of the inspector

All records of inspection shall be retained for at least six (6) years from the date of the inspection or sample.

Little League Park Inspection Checklist
36784 Detroit Rd

Date:

Inspector:

Dumpster Containment:

Is the dumpster container free of leakage?

Monthly
YES NO

Is the lid closed?

YES NO

Stockpiles of Erodible Materials:

Do stockpiles of erodible materials have containment?

Monthly
YES NO

Is the containment free from defects?

YES NO

Does the containment control the runoff?

YES NO

Little League Park Site Map

Attachments