OhioEPA
: of Ohio Environmental Protection Agency

STREET ADDRESS:
Lazarus Government Center
122 South Front St.
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

MAILING ADDRESS:
Lazarus Government Center
P. O. Box 1049
Columbus, OH 43216-1049

September 25, 2002

RE: Pre-CERCLIS Screening Assessment
St Albans Dump Site
Licking County, Granville, Ohio

Ms. Laura Ripley
U.S. EPA Region V
Early Action Project Manager
Office of Superfund - SE4J
77 West Jackson Blvd.
Chicago, IL 60604

Dear Ms Ripley:

The Ohio Environmental Protection Agency (Ohio EPA), Division of Emergency and Remedial Response (DERR), has complete a file review fro the St Albans Dump Site, Lobdell Road and Lobdell Creek, Granville, Ohio. The complete Pre-CERCLIS Screening Assessment checklist/decision form is attached. Please consider this document partial fulfillment of our grant.

If you have any question regarding the above recommendation or need additional information, please contact me at (614) 836-8758 or Kelvin.Jones@epa.state.oh.us.

Sincerely,

Kelvin Jones
Site Investigator
Division of Emergency & Remedial Response

cc: Samir Yebaile, DERR, CDO w/attach
Kevin Clouse, DERR, CO w/o attach
Jeff Wander, DERR-SIFU, w/o attach
Debbie Strayton, DERR, CDO w/o attach

PRE-CERCLIS SCREENING ASSESSMENT CHECKLIST/DECISION FORM

The checklist can be used to assist the site investigator during Pre-CERCLIS screening. This checklist should document the rationale for the decision as to whether further steps in the site investigation process are required under CERCLA. Use additional sheets, if necessary.

Checklist Preparer: Kelvin Jones, Environmental Special II (Name/Title) — September 3, 2002 (Date)

4675 Homer Ohio Lane (Address) — (614) 836-8758 (Phone)

Kelvin.Jones@epa.state.oh.us (E-mail Address)

Site Name: St Albans Dump Site

Previous names (if any): _____

Site Location: St Albans Dump Site is located at Lobdell Rd & Lobdell Creek in Licking County and Granville, Ohio.
(See attached description and map).

Latitude: (if applicable) 40° 06 17.00 **Longitude:** 082° 35 50.00

PHASE A - CERCLA Eligibility Evaluation

If the answer to any one of these is yes, the sites can be NFRAPed or Archived	**YES**	**NO**
1.Is the site non-existent, or is it not a duplicate (or "alias") of another site?	□	x
2. Is the site being addressed by some other remedial program (Federal, State, or Tribal)?	□	x
3. Are the hazardous substances potentially released at the site excluded statutorally (e.g., petroleum, natural gas, natural gas liquids, synthetic gas usable for fuel, normal application of fertilizer, release located in a workplace, naturally occurring, or regulated by the NRC< UMTRCA, or OSHA)?	□	x
4. Are the hazardous substances potentially released at the site excluded by policy considerations (e.g., deferred to RCRA Corrective Action, FIFRA, or Brownfields)?	□	x
5. Is there insufficient data (provided by the State) to verify that a release has occurred (e.g., based on potentially unreliable sources or with no information to support the presence of hazardous substances or CERCLA eligible pollutants and contaminants)?	□	x
6. Is there sufficient documentation that clearly demonstrates that there is no potential for a release that could cause adverse environmental or human health impacts (e.g., comprehensive remedial investigation equivalent data showing no release above ARARS, completed removal action, previous HRS score determined, or an EPA approved risk assessment completed)?	□	x

Please explain all yes answer(s). _____

PHASE B - INITIAL SITE EVALUATION

Use Exhibit A to make site assessment decisions based on the answers below:	YES	NO
Is there documentation indicating that a target (e.g., drinking water wells, drinking surface water intakes, etc.) has been exposed to a hazardous substance released from the site?	☐	x
Is there an apparent release at the site with no documentation of exposed targets, but there are targets on-site or immediately adjacent to the site?	☐	x
Is there an apparent release and no documented on-site targets, but there are nearby targets (e.g., targets within 1 mile)?	☐	x
Is there no indication of a hazardous substance release, and there are uncontained sources containing CERCLA hazardous substances, but there is a potential to release with targets present on-site or in proximity to the site?	☐	x
No documented onsite or nearby targets.	☐	x
No uncontained sources containing CERCLA eligible substances are present on site.	☐	x
There are no releases or potential to release.	☐	x

Please explain all yes answer(s). _____

_____

_____

_____

EPA Regional Review and Site Assessment Decision

Check the box(es) that apply:
☐ NFRAP/Archive
☐ APA
☐ Full PA
☐ Combined PA/SI
☐ SI

Defer/Refer to:
☐ Removal Program
☐ State/Tribal Program
☐ RCRA
☐ Brownfields
☐ Other: _____

Regional EPA Reviewer: _____ _____
Print Name/Signature Date

PRE-CERCLIS SCREENING ASSESSMENT CHECKLIST/DECISION FORM

The checklist can be used to assist the site investigator during Pre-CERCLIS screening. This checklist should document the rationale for the decision as to whether further steps in the site investigation process are required under CERCLA. Use additional sheets, if necessary.

Checklist Preparer: Kelvin Jones, Environmental Special II (Name/Title) — September 3, 2002 (Date)

4675 Homer Ohio Lane (Address) — (614) 836-8758 (Phone)

Kelvin.Jones@epa.state.oh.us (E-mail Address)

Site Name: St Albans Dump Site

Previous names (if any): _____

Site Location: St Albans Dump Site is located at Lobdell Rd & Lobdell Creek in Licking County and Granville, Ohio.
(See attached description and map).

Latitude: (if applicable) 40° 06 17.00 **Longitude:** 082° 35 50.00

PHASE A - CERCLA Eligibility Evaluation

If the answer to any one of these is yes, the sites can be NFRAPed or Archived	**YES**	**NO**
1. Is the site non-existent, or is it not a duplicate (or "alias") of another site?	□	x
2. Is the site being addressed by some other remedial program (Federal, State, or Tribal)?	□	x
3. Are the hazardous substances potentially released at the site excluded statutorally (e.g., petroleum, natural gas, natural gas liquids, synthetic gas usable for fuel, normal application of fertilizer, release located in a workplace, naturally occurring, or regulated by the NRC< UMTRCA, or OSHA)?	□	x
4. Are the hazardous substances potentially released at the site excluded by policy considerations (e.g., deferred to RCRA Corrective Action, FIFRA, or Brownfields)?	□	x
5. Is there insufficient data (provided by the State) to verify that a release has occurred (e.g., based on potentially unreliable sources or with no information to support the presence of hazardous substances or CERCLA eligible pollutants and contaminants)?	□	x
6. Is there sufficient documentation that clearly demonstrates that there is no potential for a release that could cause adverse environmental or human health impacts (e.g., comprehensive remedial investigation equivalent data showing no release above ARARS, completed removal action, previous HRS score determined, or an EPA approved risk assessment completed)?	□	x

Please explain all yes answer(s). _____

PHASE B - INITIAL SITE EVALUATION

Use Exhibit A to make site assessment decisions based on the answers below:	YES	NO
Is there documentation indicating that a target (e.g., drinking water wells, drinking surface water intakes, etc.) has been exposed to a hazardous substance released from the site?	☐	x
Is there an apparent release at the site with no documentation of exposed targets, but there are targets on-site or immediately adjacent to the site?	☐	x
Is there an apparent release and no documented on-site targets, but there are nearby targets (e.g., targets within 1 mile)?	☐	x
Is there no indication of a hazardous substance release, and there are uncontained sources containing CERCLA hazardous substances, but there is a potential to release with targets present on-site or in proximity to the site?	☐	x
No documented onsite or nearby targets.	☐	x
No uncontained sources containing CERCLA eligible substances are present on site.	☐	x
There are no releases or potential to release.	☐	x

Please explain all yes answer(s). _____

EPA Regional Review and Site Assessment Decision

Check the box(es) that apply:

☒ NFRAP/Archive
☐ APA
☐ Full PA
☐ Combined PA/SI
☐ SI

Defer/Refer to:

☐ Removal Program
☐ State/Tribal Program
☐ RCRA
☐ Brownfields
☐ Other: _____

Regional EPA Reviewer: Laura J. Ripley (Print Name/Signature) 9/30/02 (Date)

ST. ALBANS DUMP PRE - CERCLIS SCREENING (PCS)
Summary Report

Site Description:

St. Albans Dump was a Municipal and Solid Wasted Landfill. It is located at Lobdell Road in Licking County, and Alexandria, Ohio. The St. Albans Dump can be found on a 3 acre parcel of a total of 61 acres located on the United States Geological Survey (USGS) Granville, Quadrangle, 7.5 Minute Series Topographic map (Figure 1).

The land boundaries at St Albans are Lobdell Road, farm land and Lobdell Creek. The sites' north boundary is Lobdell Rd, with a flat surface on top. The east boundary to southeast begins sloping or descending into a 100 foot ravine ridge that circles around to the west. It connects with Lobdell Creek at the base of the ravine and re-connects to Lobdell Road. Lobdell Creek is a tributary to Raccoon Creek, that flows southeast.

The investigation of St Albans is being conducted to address historical complaints concerning landfill practices which may have lead to hazardous waste exposure. The EPA records show past samples did not have an impact. On July 3, 2002 Ohio EPA took three (3) sediment, and five (5) surface water samples to verify if contamination exist from outbreaks into the surface water. Ground water samples were attempted, but refusal was met each time. There are no homes or schools within 200 feet of the landfill.

The Ohio EPA records indicate that there have been seven (7) site visits to St Albans since 1977 until current. The initial complaint dealt with strong odors and paper debris blowing throughout the community. There was no impact to Sediment and Surface water samples collected during this period. The landfill was ordered close in 1978 by Ohio EPA and, in 1991 Ohio EPA performed a site reconnaissance to address flooding concerns. The South Licking Watershed Conservancy District discussed building a Dam. The project was never formalized and Ohio EPA conducted a Preliminary Assessment (PA) in 1993. Soil and surface water samples were taken, and the surface water samples were not usable due the laboratory exceeding holding times. The soil data indicated the presence of herbicides and pesticides; chlordane, dieldrin, and 4,4DDT. The metals lead and zinc were also found, but are naturally occurring constituents of Ohio and could be an attribute of nature. Other site visits of Ohio EPA physically observed empty pesticide drums. In 1997, Ohio EPA over saw Nuway Services dig five (5) trenches at St Albans. They were 50 feet in length and 15 feet in depth. These trenches were also part of the Dam evaluations. Many things were observed from burnt ashes, drinking straws, empty 55 gallon drums, household waste, broken glass and tires.

Western Licking County is located in the Glaciated Plateau physiographic province of central Ohio. This area is characterized by broad valleys and rolling hills with a maximum topographic relief of approximately 200 feet. The general geology consists of Pleistocene glacial till and outwash deposits overlying Mississippian Age bedrock. In the vicinity of the site, water well logs indicate varying thick nesses of glacial till overlying shale and sandstone bedrock. Thickness of the till range from approximately 40 feet to 120 feet. The Bedrock is exposed in an outcropping on the embankment below the site (ODNR; ODNR, 1993).

The sites Hydrology. Regionally, aquifers are located in glacial outwash deposits and in the bedrock. Well logs for water wells in the vicinity of St Albans Dump indicate ground water is obtained from the bedrock aquifer at a depth between 100 - 150 feet below the surface. The static water level is between 40 feet to 95 feet below the surface and the aquifer is under confining or semi-confining conditions (ODNR, 1993). Shallow ground water or perched water tables are known to exist in sand and gravel seams in the glacial till above the bedrock in the vicinity (Ohio EPA, 1993). Based on surface topography, the general direction of ground water flows is likely to the south (USGS, 1982).

Previous Sampling Results

The objective was different during the previous investigation for Ohio EPA. The main concern was the impact to sediment, soil, and surface water for the proposed Watershed Dam. Ground water was never part of the objective. During Ohio EPA's July 2, 2002 sampling investigation; sampling of the ground water was attempted. Ohio EPA did not have success. Ohio EPA's Geoprobe ™ direct push apparatus attempted to retrieve ground water at depths of 14, 19, and 22 feet. Each time they hit a dry hole or refusal to bedrock.

Potential Sources

Based on the lack of ground water information, potential source areas were identified: as ground water, sediment, and surface water. Soil was no longer an issue because the soil was disturb during the time of trench digging. And, soil data had not changed since previous sampling. Even though sediment samples were collected before, there are several water outbreaks from this ridge. Surface water samples previously collected were not serviceable due to laboratory exceeding holding time. Therefore, the focus on these sources were sampled to determine any extent of contamination.

Source Investigation Screening/Sampling

The purpose of this Pre-CERCLIS Screening was to evaluate the ground water, sediment, and surface waters resources on the St Albans property to determine the potential source and extent of contamination and to demonstrate whether or not the site should proceed to the CERCLIS Integrated Assessment process. A total of three (3) sediment samples and five (5) surface water samples were collected by Ohio EPA DERR staff. No ground water samples were collected due to refusals at bedrock. In addition, duplicates and a Trip Blank were taken. They were sent Ohio EPA's laboratory for confirming analysis. Appendix A will provide a summary of the analytical data. No significant concentrations were observed.

Site Pathways

Soil and Air:

Soil and Air samples were not scheduled to be collected during this investigation. Ohio EPA DERR staff collect soil samples when performing a State lead 1993 Preliminary Assessement. At that time, the presence of low concentrations SVOC's Acetone, Methylene Chloride; pesticides Chlordane, Dieldrin, 4,4DDT; metals lead and zinc were found.

In 1997 the Ohio EPA DERR staff oversaw the trench digging of Nuways Services. No samples were taken at that time. However, Ohio EPA's staff did observe municapal and other househole waste. The trenches were backfilled with its original soil and other clean fill after each digging. There were complaints of paper debris blown in the air, but no air samples were taken. The landfill is currently cap. Since the Air sample were not collected, there is no Air data to report.

Sediment and Surface water:

On July 2, 2002, the Ohio EPA DERR staff collected surface water and sediment samples from potential leachate outbreaks and Lobdell creek. Sample data collected from Lobdell creek and the Ravine did not reveal any significant hits.

Ground Water:

On July 2, 2002, the Ohio EPA DERR staff did not collect ground water samples due to refusal at bedrock.

Conclusion

In the recent sampling at St Albans July 2, 2002. There were no significant concentration in the raw sampling data which would confirm the presence of contamination in the sediment or surface water. Ohio EPA has found no reason to move this site on to the next step in the remedial process, since no significant contamination has been found at the site. Therefore it has been determine that this site should not be placed into CERCLIS.

REFFERENCES

1. *AST Environmental Inc., and Nuway Services 1997*

2. *Licking County Health Department 1997*

3. *ODNR , ODNR 1993*

4. *Ohio Atlas & Gazetter, Fourth Edition, 1995*

5. *Ohio Environmental Protection Agency, Division of Emergency Remedial Response Central Office Site Investigation Field Unit , Preliminary Assessment 1993*

6. *Ohio Environmental Protection Agency, Division of Emgergency Remedial Response CDO Inter-Office Communication, Field Activity Report 1997*

7. *Ohio Environmental Protection Agency, Division of Environmental Services Lab Data 2002*

8. *Ohio Environmental Protection Agency, Division of Emergency Remedial Response Central Office Site Investigation Field Unit , GIS Data 2002*

9. *Ross Analyticl Services, Inc. 1995*

10. *U.S. Geological Survey (USGS) Grandville Quadrangle 7.5 minute series Topographic Map*



0 375 750 1,500 Feet

St Albans Dump
Site Location Map
Figure 1

N



0 320 640 1,280 Feet

St Albans Dump
Sample Location Map
Figure 2

N

OhioEPA

Division of Emergency & Remedial Response

GEOGRAPHIC INFORMATION SYSTEM 15-MILE RADIUS MAP

NATURAL HERITAGE DATA

Saint Alban's Dump



Site
US Endangered/Threatened Species
Ohio Endangered/Threatened Species

Public Surface Water Systems
Community
Non-Community/Transient
Non-Community/Non-Transient

Rivers & Streams
Wetland Area
Lakes & Ponds
Limit of Radius From Site
County Boundaries

N

4 0 4 8 Miles

Population Data

RADIUS	TOTAL	WHITE	BLACK	INDIAN	ASIAN	AWAII_PA	OTHER	HOUSING
3.00 - 4.00	2040	1995	11	5	11	0	19	760
2.00 - 3.00	1359	1330	8	3	7	0	9	499
1.00 - 2.00	855	840	4	4	2	0	5	304
0.50 - 1.00	251	247	1	2	0	0	1	86
0.25 - 0.50	63	62	0	0	0	0	0	22
0.00 - 0.25	21	21	0	0	0	0	0	7
TOTALS	4589	4495	24	14	20	0	34	1678

Natural Heritage Data

ID	STATUS	DISTANCE	SCI_NAME	COM_NAME
1	State Endangered	1.5013	POTENTILLA ARGUTA	TALL CINQUEFOIL
2	State Threatened	4.4136	TRIPHORA TRIANTHOPHORA	THREE-BIRDS-ORCHID
3	State Endangered	9.4693	PLETHOBASUS CYPHYUS	SHEEPNOSE
4	State Endangered	9.5204	FUSCONAIA MACULATA MACULATA	LONG-SOLID
5	State Endangered	9.6126	VERMIVORA CHRYSOPTERA	GOLDEN-WINGED WARBLER
6	State Threatened	10.1413	UNIOMERUS TETRALASMUS	PONDHORN
7	State Threatened	11.5027	ERIMYZON SUCETTA	LAKE CHUBSUCKER
8	State Endangered	11.5090	NOTROPIS HETEROLEPIS	BLACKNOSE SHINER
9	State Threatened	11.7474	BARTRAMIA LONGICAUDA	UPLAND SANDPIPER
10	State Threatened	12.1231	MYRIOPHYLLUM SIBIRICUM	AMERICAN WATER-MILFOIL
11	State Endangered	12.1334	SISTRURUS CATENATUS	EASTERN MASSASAUGA
12	State Endangered	12.2097	CIRCUS CYANEUS	NORTHERN HARRIER
13	State Endangered	12.2521	IXOBRYCHUS EXILIS	LEAST BITTERN
14	State Threatened	12.3198	MYRIOPHYLLUM SIBIRICUM	AMERICAN WATER-MILFOIL
15	State Threatened	12.8692	BARTRAMIA LONGICAUDA	UPLAND SANDPIPER
16	State Endangered	13.1930	NOTROPIS HETEROLEPIS	BLACKNOSE SHINER
17	State Threatened	13.4113	TRIPHORA TRIANTHOPHORA	THREE-BIRDS-ORCHID
18	State Threatened	13.6149	MENYANTHES TRIFOLIATA	BUCKBEAN
19	State Endangered	13.6149	SCHEUCHZERIA PALUSTRIS	SCHEUCHZERIA
20	State Threatened	13.6149	POGONIA OPHIOGLOSSOIDES	ROSE POGONIA
21	State Endangered	13.6149	CAREX LIMOSA	MUD SEDGE
22	State Endangered	14.2592	CAREX DECOMPOSITA	CYPRESS-KNEE SEDGE
23	State Threatened	14.3596	CAREX LUPULIFORMIS	FALSE HOP SEDGE
24	State Endangered	14.3596	CAREX DECOMPOSITA	CYPRESS-KNEE SEDGE
25	State Threatened	14.7435	TRIPHORA TRIANTHOPHORA	THREE-BIRDS-ORCHID

Ohio EPA

Division of Emergency & Remedial Response

GEOGRAPHIC INFORMATION SYSTEM 4-MILE RADIUS MAP

PUBLIC GROUND WATER SYSTEMS

Saint Alban's Dump



Site

Public Ground Water Systems
- Community
- Non-Community/Transient
- Non-Community/Non-Transient

Rivers & Streams
Wellhead Protection Area
Lakes & Ponds
Limit of Radius From Site
County Boundaries

1 0 1 Miles

N

Ground water Data

ID	PWS_ID	SYS_TYPE	NAME	ADDRESS	CITY	S	DISTANC	POPULATION
1	4559612	Non-Community/Transient	THE LINKS AT ECHO SPRING	5940 LOUDEN STREET ROAD	JOHNSTOWN	O	3.1666	268
2	4557812	Non-Community/Transient	RACCOON INTERNATIONAL GC	3275 WORTHINGTON RD SW	GRANVILLE	O	3.2923	138
3	4547312	Non-Community/Transient	WINDSONG WESTERN WORLD	8713 WORTHINGTON ROAD	ALEXANDRIA	O	3.6421	53
4	4558212	Non-Community/Transient	LAZY R CAMPGROUND	2340 DRY CREEK RD	GRANVILLE	O	3.7293	300

OhioEPA

Division of Emergency & Remedial Response

GEOGRAPHIC INFORMATION SYSTEM 4-MILE RADIUS MAP

Licking County
Saint Alban's Dump



- Site
- School
- Hospital
- Public Surface Water Systems
- Public Ground Water Systems
- US Endangered/Threatened Species
- Ohio Endangered/Threatened Species
- Wetland Area
- Lakes & Ponds
- Wellhead Protection Area
- Limit of Radius From Site
- County Boundaries
- Rivers & Streams
- Railroad
- State and Federal Highways
- Local Roads
- Municipal Roads

N

2 0 2 Miles

Surface water Systems

ID_	PWS_ID	SYS_SOURCE	SYS_TYPE	NAME	ADDRESS	CITY	STATE	DISTANCE	POPULATION
1	4502314	Surface Water	Community	NEWARK, CITY OF	PO BOX 4100	NEWARK	OH	9.9138	46000
2	2100711	Surface Water	Community	LAKE OF THE WOODS WATER	326 GRANGER ST	GRANVILLE	OH	14.6015	426

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48173	**EPA Method**	8270		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<0.53	0.53	07/24/2002	
Acenaphthylene	000208-96-8	<0.53	0.53	07/24/2002	
Acetophenone	000098-86-2	<0.53	0.53	07/24/2002	
2-Acetylaminofluorene	000053-96-3	<0.53	0.53	07/24/2002	
4-Aminobiphenyl	000092-67-1	<2.6	2.6	07/24/2002	R
Aniline	000062-53-3	<2.6	2.6	07/24/2002	
Anthracene	000120-12-7	<0.53	0.53	07/24/2002	
Benz[a]anthracene	000056-55-3	<0.53	0.53	07/24/2002	
Benzo[a]pyrene	000050-32-8	<0.53	0.53	07/24/2002	
Benzo[b]fluoranthene	000205-99-2	<0.53	0.53	07/24/2002	
Benzo[g,h,i]perylene	000191-24-2	<0.53	0.53	07/24/2002	
Benzo[k]fluoranthene	000207-08-9	<0.53	0.53	07/24/2002	
Benzyl alcohol	000100-51-6	<0.53	0.53	07/24/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<0.53	0.53	07/24/2002	
bis(2-Chloroethyl)ether	000111-44-4	<0.53	0.53	07/24/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<0.53	0.53	07/24/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<0.53	0.53	07/24/2002	
4-Bromophenyl-phenylether	000101-55-3	<0.53	0.53	07/24/2002	
Butylbenzylphthalate	000085-68-7	<0.53	0.53	07/24/2002	
4-Chloro-3-methylphenol	000059-50-7	<0.53	0.53	07/24/2002	
4-Chloroaniline	000106-47-8	<0.53	0.53	07/24/2002	R
2-Chloronaphthalene	000091-58-7	<0.53	0.53	07/24/2002	
2-Chlorophenol	000095-57-8	<0.53	0.53	07/24/2002	
4-Chlorophenyl-phenylether	007005-72-3	<0.53	0.53	07/24/2002	
Chrysene	000218-01-9	<0.53	0.53	07/24/2002	
Di-n-butylphthalate	000084-74-2	<0.53	0.53	07/24/2002	
Di-n-octylphthalate	000117-84-0	<0.53	0.53	07/24/2002	
Dibenz[a,h]anthracene	000053-70-3	<0.53	0.53	07/24/2002	
Dibenzofuran	000132-64-9	<0.53	0.53	07/24/2002	
1,3-Dichlorobenzene	000541-73-1	<0.53	0.53	07/24/2002	
1,4-Dichlorobenzene	000106-46-7	<0.53	0.53	07/24/2002	
1,2-Dichlorobenzene	000095-50-1	<0.53	0.53	07/24/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.6	2.6	07/24/2002	
2,6-Dichlorophenol	000087-65-0	<0.53	0.53	07/24/2002	
2,4-Dichlorophenol	000120-83-2	<0.53	0.53	07/24/2002	
Diethylphthalate	000084-66-2	<0.53	0.53	07/24/2002	
p-Dimethylaminoazobenzene	000060-11-7	<0.53	0.53	07/24/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.6	2.6	07/24/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.6	2.6	07/24/2002	
2,4-Dimethylphenol	000105-67-9	<0.53	0.53	07/24/2002	
Dimethylphthalate	000131-11-3	<0.53	0.53	07/24/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<0.53	0.53	07/24/2002	
1,3-Dinitrobenzene	000099-65-0	<0.53	0.53	07/24/2002	
2,4-Dinitrophenol	000051-28-5	<2.6	2.6	07/24/2002	
2,6-Dinitrotoluene	000606-20-2	<0.53	0.53	07/24/2002	
2,4-Dinitrotoluene	000121-14-2	<0.53	0.53	07/24/2002	
Dinoseb	000088-85-7	<0.53	0.53	07/24/2002	
Diphenylamine	000122-39-4	<0.53	0.53	07/24/2002	
Ethyl methanesulfonate	000062-50-0	<0.53	0.53	07/24/2002	
Fluoranthene	000206-44-0	<0.53	0.53	07/24/2002	
Fluorene	000086-73-7	<0.53	0.53	07/24/2002	
Hexachlorobenzene	000118-74-1	<0.53	0.53	07/24/2002	
Hexachlorobutadiene	000087-68-3	<0.53	0.53	07/24/2002	
Hexachlorocyclopentadiene	000077-47-4	<0.53	0.53	07/24/2002	
Hexachloroethane	000067-72-1	<0.53	0.53	07/24/2002	
Hexachloropropene	001888-71-7	<0.53	0.53	07/24/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<0.53	0.53	07/24/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analys.. Data Report

Sample	48173	**EPA Method**	8270		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<0.53	0.53	07/24/2002	
Methyl methanesulfonate	000066-27-3	<0.53	0.53	07/24/2002	
3-Methylcholanthrene	000056-49-5	<0.53	0.53	07/24/2002	
2-Methylnaphthalene	000091-57-6	<0.53	0.53	07/24/2002	
3&4-Methylphenol	000106-44-5	<0.53	0.53	07/24/2002	
2-Methylphenol	000095-48-7	<0.53	0.53	07/24/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<0.53	0.53	07/24/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<0.53	0.53	07/24/2002	
N-Nitrosomorpholine	000059-89-2	<0.53	0.53	07/24/2002	
N-Nitrosopiperidine	000100-75-4	<0.53	0.53	07/24/2002	
N-Nitrosopyrrolidine	000930-55-2	<0.53	0.53	07/24/2002	
Naphthalene	000091-20-3	<0.53	0.53	07/24/2002	
1,4-Naphthoquinone	000130-15-4	<0.53	0.53	07/24/2002	
1-Naphthylamine	000134-32-7	<0.53	0.53	07/24/2002	R
2-Naphthylamine	000091-59-8	<0.53	0.53	07/24/2002	R
5-Nitro-o-toluidine	000099-55-8	<0.53	0.53	07/24/2002	R
2-Nitroaniline	000088-74-4	<0.53	0.53	07/24/2002	
3-Nitroaniline	000099-09-2	<0.53	0.53	07/24/2002	R
4-Nitroaniline	000100-01-6	<0.53	0.53	07/24/2002	R
Nitrobenzene	000098-95-3	<0.53	0.53	07/24/2002	
4-Nitrophenol	000100-02-7	<2.6	2.6	07/24/2002	
2-Nitrophenol	000088-75-5	<0.53	0.53	07/24/2002	
Pentachlorobenzene	000608-93-5	<0.53	0.53	07/24/2002	
Pentachlorophenol	000087-86-5	<0.53	0.53	07/24/2002	
Phenacetin	000062-44-2	<0.53	0.53	07/24/2002	
Phenanthrene	000085-01-8	<0.53	0.53	07/24/2002	
Phenol	000108-95-2	<0.53	0.53	07/24/2002	
2-Picoline	000109-06-8	<0.53	0.53	07/24/2002	
Pronamide	023950-58-5	<0.53	0.53	07/24/2002	
Pyrene	000129-00-0	<0.53	0.53	07/24/2002	
Safrole	000094-59-7	<0.53	0.53	07/24/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<0.53	0.53	07/24/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<0.53	0.53	07/24/2002	
o-Toluidine	000095-53-4	<2.6	2.6	07/24/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.53	0.53	07/24/2002	
2,4,6-Trichlorophenol	000088-06-2	<0.53	0.53	07/24/2002	
2,4,5-Trichlorophenol	000095-95-4	<0.53	0.53	07/24/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By [signature] **On** 3/6/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy : Data Report

Sample	48173	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<0.060	0.06	07/09/2002	
Benzene	000071-43-2	<0.048	0.048	07/09/2002	
Bromobenzene	000108-86-1	<0.048	0.048	07/09/2002	
Bromochloromethane	000074-97-5	<0.048	0.048	07/09/2002	
Bromodichloromethane	000075-27-4	<0.048	0.048	07/09/2002	
Bromoform	000075-25-2	<0.048	0.048	07/09/2002	
Bromomethane	000074-83-9	<0.048	0.048	07/09/2002	
2-Butanone	000078-93-3	<0.048	0.048	07/09/2002	
n-Butylbenzene	000104-51-8	<0.048	0.048	07/09/2002	
sec-Butylbenzene	000135-98-8	<0.048	0.048	07/09/2002	
tert-Butylbenzene	000098-06-6	<0.048	0.048	07/09/2002	
Carbon disulfide	000075-15-0	<0.048	0.048	07/09/2002	
Carbon tetrachloride	000056-23-5	<0.048	0.048	07/09/2002	
Chlorobenzene	000108-90-7	<0.048	0.048	07/09/2002	
Chloroethane	000075-00-3	<0.048	0.048	07/09/2002	
Chloroform	000067-66-3	<0.048	0.048	07/09/2002	
Chloromethane	000074-87-3	<0.048	0.048	07/09/2002	
2-Chlorotoluene	000095-49-8	<0.048	0.048	07/09/2002	
4-Chlorotoluene	000106-43-4	<0.048	0.048	07/09/2002	
Dibromochloromethane	000124-48-1	<0.048	0.048	07/09/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.048	0.048	07/09/2002	
1,2-Dibromoethane	000106-93-4	<0.048	0.048	07/09/2002	
Dibromomethane	000074-95-3	<0.048	0.048	07/09/2002	
1,2-Dichlorobenzene	000095-50-1	<0.048	0.048	07/09/2002	
1,3-Dichlorobenzene	000541-73-1	<0.048	0.048	07/09/2002	
1,4-Dichlorobenzene	000106-46-7	<0.048	0.048	07/09/2002	
Dichlorodifluoromethane	000075-71-8	<0.048	0.048	07/09/2002	
1,1-Dichloroethane	000075-34-3	<0.048	0.048	07/09/2002	
1,2-Dichloroethane	000107-06-2	<0.048	0.048	07/09/2002	
1,1-Dichloroethene	000075-35-4	<0.048	0.048	07/09/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.048	0.048	07/09/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.048	0.048	07/09/2002	
1,2-Dichloropropane	000078-87-5	<0.048	0.048	07/09/2002	
1,3-Dichloropropane	000142-28-9	<0.048	0.048	07/09/2002	
2,2-Dichloropropane	000594-20-7	<0.048	0.048	07/09/2002	
1,1-Dichloropropene	000563-58-6	<0.048	0.048	07/09/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.048	0.048	07/09/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.048	0.048	07/09/2002	
Ethylbenzene	000100-41-4	<0.048	0.048	07/09/2002	
Hexachlorobutadiene	000087-68-3	<0.048	0.048	07/09/2002	
2-Hexanone	000591-78-6	<0.048	0.048	07/09/2002	
Isopropylbenzene	000098-82-8	<0.048	0.048	07/09/2002	
4-Isopropyltoluene	000099-87-6	<0.048	0.048	07/09/2002	
Methylene chloride	000075-09-2	<0.048	0.048	07/09/2002	
4-Methyl-2-pentanone	000108-10-1	<0.048	0.048	07/09/2002	
Naphthalene	000091-20-3	<0.048	0.048	07/09/2002	
n-Propylbenzene	000103-65-1	<0.048	0.048	07/09/2002	
Styrene	000100-42-5	<0.048	0.048	07/09/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.048	0.048	07/09/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.048	0.048	07/09/2002	
Tetrachloroethene	000127-18-4	<0.048	0.048	07/09/2002	
Toluene	000108-88-3	<0.048	0.048	07/09/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.048	0.048	07/09/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.048	0.048	07/09/2002	
1,1,1-Trichloroethane	000071-55-6	<0.048	0.048	07/09/2002	
1,1,2-Trichloroethane	000079-00-5	<0.048	0.048	07/09/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy : Data Report

Sample	48173	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.048	0.048	07/09/2002	
Trichlorofluoromethane	000075-69-4	<0.048	0.048	07/09/2002	
1,2,3-Trichloropropane	000096-18-4	<0.048	0.048	07/09/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.048	0.048	07/09/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.048	0.048	07/09/2002	
Vinyl chloride	000075-01-4	<0.048	0.048	07/09/2002	
o-Xylene	000095-47-6	<0.048	0.048	07/09/2002	
Total m&p-xylenes	000108-38-3	<0.048	0.048	07/09/2002	

Field Comments	
Lab Comments	
QC / Sample Comments	
Approved By	TR **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48173	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	ug/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<5.3	5.3	07/15/2002	
a-BHC	000319-84-6	<5.3	5.3	07/15/2002	
b-BHC	000319-85-7	<5.3	5.3	07/15/2002	
d-BHC	000319-86-8	<5.3	5.3	07/15/2002	
y-BHC	000058-89-9	<5.3	5.3	07/15/2002	
4,4'-DDD	000072-54-8	<5.3	5.3	07/15/2002	
4,4'-DDE	000072-55-9	<5.3	5.3	07/15/2002	
4,4'-DDT	000050-29-3	<5.3	5.3	07/15/2002	
Dieldrin	000060-57-1	<5.3	5.3	07/15/2002	
Endosulfan I	000959-98-8	<5.3	5.3	07/15/2002	
Endosulfan II	033213-65-9	<5.3	5.3	07/15/2002	
Endosulfan sulfate	001031-07-8	<5.3	5.3	07/15/2002	
Endrin	000072-20-8	<5.3	5.3	07/15/2002	
Endrin aldehyde	007421-93-4	<5.3	5.3	07/15/2002	
Heptachlor	000076-44-8	<5.3	5.3	07/15/2002	
Heptachlor epoxide	001024-57-3	<5.3	5.3	07/15/2002	
Methoxychlor	000072-43-5	<5.3	5.3	07/15/2002	
Mirex	002385-85-5	<5.3	5.3	07/15/2002	
Hexachlorobenzene	000118-74-1	<5.3	5.3	07/15/2002	
PCB-1016	012674-11-2	<26.6	26.6	07/15/2002	
PCB-1221	011104-28-2	<26.6	26.6	07/15/2002	
PCB-1232	011141-16-5	<26.6	26.6	07/15/2002	
PCB-1242	053469-21-9	<26.6	26.6	07/15/2002	
PCB-1248	012672-29-6	<26.6	26.6	07/15/2002	
PCB-1254	011097-69-1	<26.6	26.6	07/15/2002	
PCB-1260	011096-82-5	<26.6	26.6	07/15/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TR **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Ana.,sis Data Report

26-Jul-02

Sample 48168

Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected		07/02/2002 11:00 AM		**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Sediment 1 St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
% Solids	% Solids	P70318	74.1	%	07/03/2002	
Arsenic-SW846_SED	Arsenic	P1002	12.6	mg/kg	07/19/2002	
ICP_SED	Aluminum	P1105	6480	mg/kg	07/18/2002	
ICP_SED	Barium	P1007	54.3	mg/kg	07/18/2002	
ICP_SED	Beryllium	P1012	<2.5	mg/kg	07/18/2002	
ICP_SED	Calcium	P916	20000	mg/kg	07/18/2002	
ICP_SED	Chromium	P1034	<15	mg/kg	07/18/2002	
ICP_SED	Cobalt	P1037	<25	mg/kg	07/18/2002	
ICP_SED	Copper	P1042	10.8	mg/kg	07/18/2002	
ICP_SED	Iron	P1045	16100	mg/kg	07/18/2002	
ICP_SED	Lead	P1051	<20	mg/kg	07/18/2002	
ICP_SED	Magnesium	P927	6960	mg/kg	07/18/2002	
ICP_SED	Manganese	P1055	374	mg/kg	07/18/2002	
ICP_SED	Nickel	P1067	<20	mg/kg	07/18/2002	
ICP_SED	Potassium	P937	1310	mg/kg	07/18/2002	
ICP_SED	Sodium	P929	<2500	mg/kg	07/18/2002	
ICP_SED	Strontium	P1082	33	mg/kg	07/18/2002	
ICP_SED	Titanium	P01152	32	mg/kg	07/18/2002	
ICP_SED	Vanadium	P1087	25	mg/kg	07/18/2002	
ICP_SED	Zinc	P1092	63.6	mg/kg	07/18/2002	
Selenium-SW846_SED	Selenium	P1147	<2.5	mg/kg	07/22/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By GA **On** 7-26-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy: Data Report

Sample	48172	**EPA Method**	8270		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
Begin		**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 10:15 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<0.49	0.49	07/24/2002	
Acenaphthylene	000208-96-8	<0.49	0.49	07/24/2002	
Acetophenone	000098-86-2	<0.49	0.49	07/24/2002	
2-Acetylaminofluorene	000053-96-3	<0.49	0.49	07/24/2002	
4-Aminobiphenyl	000092-67-1	<2.4	2.4	07/24/2002	R
Aniline	000062-53-3	<2.4	2.4	07/24/2002	
Anthracene	000120-12-7	<0.49	0.49	07/24/2002	
Benz[a]anthracene	000056-55-3	<0.49	0.49	07/24/2002	
Benzo[a]pyrene	000050-32-8	<0.49	0.49	07/24/2002	
Benzo[b]fluoranthene	000205-99-2	<0.49	0.49	07/24/2002	
Benzo[g,h,i]perylene	000191-24-2	<0.49	0.49	07/24/2002	
Benzo[k]fluoranthene	000207-08-9	<0.49	0.49	07/24/2002	
Benzyl alcohol	000100-51-6	<0.49	0.49	07/24/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<0.49	0.49	07/24/2002	
bis(2-Chloroethyl)ether	000111-44-4	<0.49	0.49	07/24/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<0.49	0.49	07/24/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<0.49	0.49	07/24/2002	
4-Bromophenyl-phenylether	000101-55-3	<0.49	0.49	07/24/2002	
Butylbenzylphthalate	000085-68-7	<0.49	0.49	07/24/2002	
4-Chloro-3-methylphenol	000059-50-7	<0.49	0.49	07/24/2002	
4-Chloroaniline	000106-47-8	<0.49	0.49	07/24/2002	R
2-Chloronaphthalene	000091-58-7	<0.49	0.49	07/24/2002	
2-Chlorophenol	000095-57-8	<0.49	0.49	07/24/2002	
4-Chlorophenyl-phenylether	007005-72-3	<0.49	0.49	07/24/2002	
Chrysene	000218-01-9	<0.49	0.49	07/24/2002	
Di-n-butylphthalate	000084-74-2	<0.49	0.49	07/24/2002	
Di-n-octylphthalate	000117-84-0	<0.49	0.49	07/24/2002	
Dibenz[a,h]anthracene	000053-70-3	<0.49	0.49	07/24/2002	
Dibenzofuran	000132-64-9	<0.49	0.49	07/24/2002	
1,3-Dichlorobenzene	000541-73-1	<0.49	0.49	07/24/2002	
1,4-Dichlorobenzene	000106-46-7	<0.49	0.49	07/24/2002	
1,2-Dichlorobenzene	000095-50-1	<0.49	0.49	07/24/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.4	2.4	07/24/2002	
2,6-Dichlorophenol	000087-65-0	<0.49	0.49	07/24/2002	
2,4-Dichlorophenol	000120-83-2	<0.49	0.49	07/24/2002	
Diethylphthalate	000084-66-2	<0.49	0.49	07/24/2002	
p-Dimethylaminoazobenzene	000060-11-7	<0.49	0.49	07/24/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.4	2.4	07/24/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.4	2.4	07/24/2002	R
2,4-Dimethylphenol	000105-67-9	<0.49	0.49	07/24/2002	
Dimethylphthalate	000131-11-3	<0.49	0.49	07/24/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<0.49	0.49	07/24/2002	
1,3-Dinitrobenzene	000099-65-0	<0.49	0.49	07/24/2002	
2,4-Dinitrophenol	000051-28-5	<2.4	2.4	07/24/2002	
2,6-Dinitrotoluene	000606-20-2	<0.49	0.49	07/24/2002	
2,4-Dinitrotoluene	000121-14-2	<0.49	0.49	07/24/2002	
Dinoseb	000088-85-7	<0.49	0.49	07/24/2002	
Diphenylamine	000122-39-4	<0.49	0.49	07/24/2002	
Ethyl methanesulfonate	000062-50-0	<0.49	0.49	07/24/2002	
Fluoranthene	000206-44-0	<0.49	0.49	07/24/2002	
Fluorene	000086-73-7	<0.49	0.49	07/24/2002	
Hexachlorobenzene	000118-74-1	<0.49	0.49	07/24/2002	
Hexachlorobutadiene	000087-68-3	<0.49	0.49	07/24/2002	
Hexachlorocyclopentadiene	000077-47-4	<0.49	0.49	07/24/2002	
Hexachloroethane	000067-72-1	<0.49	0.49	07/24/2002	
Hexachloropropene	001888-71-7	<0.49	0.49	07/24/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<0.49	0.49	07/24/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy[illegible] Data Report

Sample	48172	**EPA Method**	8270		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 10:15 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<0.49	0.49	07/24/2002	
Methyl methanesulfonate	000066-27-3	<0.49	0.49	07/24/2002	
3-Methylcholanthrene	000056-49-5	<0.49	0.49	07/24/2002	
2-Methylnaphthalene	000091-57-6	<0.49	0.49	07/24/2002	
3&4-Methylphenol	000106-44-5	<0.49	0.49	07/24/2002	
2-Methylphenol	000095-48-7	<0.49	0.49	07/24/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<0.49	0.49	07/24/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<0.49	0.49	07/24/2002	
N-Nitrosomorpholine	000059-89-2	<0.49	0.49	07/24/2002	
N-Nitrosopiperidine	000100-75-4	<0.49	0.49	07/24/2002	
N-Nitrosopyrrolidine	000930-55-2	<0.49	0.49	07/24/2002	
Naphthalene	000091-20-3	<0.49	0.49	07/24/2002	
1,4-Naphthoquinone	000130-15-4	<0.49	0.49	07/24/2002	
1-Naphthylamine	000134-32-7	<0.49	0.49	07/24/2002	R
2-Naphthylamine	000091-59-8	<0.49	0.49	07/24/2002	R
5-Nitro-o-toluidine	000099-55-8	<0.49	0.49	07/24/2002	R
2-Nitroaniline	000088-74-4	<0.49	0.49	07/24/2002	
3-Nitroaniline	000099-09-2	<0.49	0.49	07/24/2002	R
4-Nitroaniline	000100-01-6	<0.49	0.49	07/24/2002	R
Nitrobenzene	000098-95-3	<0.49	0.49	07/24/2002	
4-Nitrophenol	000100-02-7	<2.4	2.4	07/24/2002	
2-Nitrophenol	000088-75-5	<0.49	0.49	07/24/2002	
Pentachlorobenzene	000608-93-5	<0.49	0.49	07/24/2002	
Pentachlorophenol	000087-86-5	<0.49	0.49	07/24/2002	
Phenacetin	000062-44-2	<0.49	0.49	07/24/2002	
Phenanthrene	000085-01-8	<0.49	0.49	07/24/2002	
Phenol	000108-95-2	<0.49	0.49	07/24/2002	
2-Picoline	000109-06-8	<0.49	0.49	07/24/2002	
Pronamide	023950-58-5	<0.49	0.49	07/24/2002	
Pyrene	000129-00-0	<0.49	0.49	07/24/2002	
Safrole	000094-59-7	<0.49	0.49	07/24/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<0.49	0.49	07/24/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<0.49	0.49	07/24/2002	
o-Toluidine	000095-53-4	<2.4	2.4	07/24/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.49	0.49	07/24/2002	
2,4,6-Trichlorophenol	000088-06-2	<0.49	0.49	07/24/2002	
2,4,5-Trichlorophenol	000095-95-4	<0.49	0.49	07/24/2002	
Tridecane	000629-50-5	1	0	07/24/2002	NJ
Tridecane, 5-propyl-	055045-11-9	1	0	07/24/2002	NJ

Field Comments

Lab Comments

QC / Sample Comments

Approved By [illegible] **On** 8/6/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy: Data Report

Sample 48172 **EPA Method** 8260B
Date Received 07/03/2002 12:31 PM **Matrix** SED **Units** mg/kg
Begin **End** **Collected by** YEBAILE, SAMIR
Date Collected 07/02/2002 10:15 AM **Sample Type** COMPLIANCE
Program CO-DERR **Station ID**
Client RCRA_DERR **Customer ID** CO020702 ISIFU
Location Sediment 2 St. Albans Dump

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<0.045	0.045	07/09/2002	
Benzene	000071-43-2	<0.036	0.036	07/09/2002	
Bromobenzene	000108-86-1	<0.036	0.036	07/09/2002	
Bromochloromethane	000074-97-5	<0.036	0.036	07/09/2002	
Bromodichloromethane	000075-27-4	<0.036	0.036	07/09/2002	
Bromoform	000075-25-2	<0.036	0.036	07/09/2002	
Bromomethane	000074-83-9	<0.036	0.036	07/09/2002	
2-Butanone	000078-93-3	<0.036	0.036	07/09/2002	
n-Butylbenzene	000104-51-8	<0.036	0.036	07/09/2002	
sec-Butylbenzene	000135-98-8	<0.036	0.036	07/09/2002	
tert-Butylbenzene	000098-06-6	<0.036	0.036	07/09/2002	
Carbon disulfide	000075-15-0	<0.036	0.036	07/09/2002	
Carbon tetrachloride	000056-23-5	<0.036	0.036	07/09/2002	
Chlorobenzene	000108-90-7	<0.036	0.036	07/09/2002	
Chloroethane	000075-00-3	<0.036	0.036	07/09/2002	
Chloroform	000067-66-3	<0.036	0.036	07/09/2002	
Chloromethane	000074-87-3	<0.036	0.036	07/09/2002	
2-Chlorotoluene	000095-49-8	<0.036	0.036	07/09/2002	
4-Chlorotoluene	000106-43-4	<0.036	0.036	07/09/2002	
Dibromochloromethane	000124-48-1	<0.036	0.036	07/09/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.036	0.036	07/09/2002	
1,2-Dibromoethane	000106-93-4	<0.036	0.036	07/09/2002	
Dibromomethane	000074-95-3	<0.036	0.036	07/09/2002	
1,2-Dichlorobenzene	000095-50-1	<0.036	0.036	07/09/2002	
1,3-Dichlorobenzene	000541-73-1	<0.036	0.036	07/09/2002	
1,4-Dichlorobenzene	000106-46-7	<0.036	0.036	07/09/2002	
Dichlorodifluoromethane	000075-71-8	<0.036	0.036	07/09/2002	
1,1-Dichloroethane	000075-34-3	<0.036	0.036	07/09/2002	
1,2-Dichloroethane	000107-06-2	<0.036	0.036	07/09/2002	
1,1-Dichloroethene	000075-35-4	<0.036	0.036	07/09/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.036	0.036	07/09/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.036	0.036	07/09/2002	
1,2-Dichloropropane	000078-87-5	<0.036	0.036	07/09/2002	
1,3-Dichloropropane	000142-28-9	<0.036	0.036	07/09/2002	
2,2-Dichloropropane	000594-20-7	<0.036	0.036	07/09/2002	
1,1-Dichloropropene	000563-58-6	<0.036	0.036	07/09/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.036	0.036	07/09/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.036	0.036	07/09/2002	
Ethylbenzene	000100-41-4	<0.036	0.036	07/09/2002	
Hexachlorobutadiene	000087-68-3	<0.036	0.036	07/09/2002	
2-Hexanone	000591-78-6	<0.036	0.036	07/09/2002	
Isopropylbenzene	000098-82-8	<0.036	0.036	07/09/2002	
4-Isopropyltoluene	000099-87-6	<0.036	0.036	07/09/2002	
Methylene chloride	000075-09-2	<0.036	0.036	07/09/2002	
4-Methyl-2-pentanone	000108-10-1	<0.036	0.036	07/09/2002	
Naphthalene	000091-20-3	<0.036	0.036	07/09/2002	
n-Propylbenzene	000103-65-1	<0.036	0.036	07/09/2002	
Styrene	000100-42-5	<0.036	0.036	07/09/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.036	0.036	07/09/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.036	0.036	07/09/2002	
Tetrachloroethene	000127-18-4	<0.036	0.036	07/09/2002	
Toluene	000108-88-3	<0.036	0.036	07/09/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.036	0.036	07/09/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.036	0.036	07/09/2002	
1,1,1-Trichloroethane	000071-55-6	<0.036	0.036	07/09/2002	
1,1,2-Trichloroethane	000079-00-5	<0.036	0.036	07/09/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48172	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 10:15 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.036	0.036	07/09/2002	
Trichlorofluoromethane	000075-69-4	<0.036	0.036	07/09/2002	
1,2,3-Trichloropropane	000096-18-4	<0.036	0.036	07/09/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.036	0.036	07/09/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.036	0.036	07/09/2002	
Vinyl chloride	000075-01-4	<0.036	0.036	07/09/2002	
o-Xylene	000095-47-6	<0.036	0.036	07/09/2002	
Total m&p-xylenes	000108-38-3	<0.036	0.036	07/09/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TK **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy ; Data Report

Sample	48172	**EPA Method**			
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	%
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:15 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
% Solids	P70318	80.8	0	07/18/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By **On**

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48172	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	ug/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:15 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<4.9	4.9	07/15/2002	
a-BHC	000319-84-6	<4.9	4.9	07/15/2002	
b-BHC	000319-85-7	<4.9	4.9	07/15/2002	
d-BHC	000319-86-8	<4.9	4.9	07/15/2002	
y-BHC	000058-89-9	<4.9	4.9	07/15/2002	
4,4'-DOD	000072-54-8	<4.9	4.9	07/15/2002	
4,4'-DDE	000072-55-9	<4.9	4.9	07/15/2002	
4,4'-DDT	000050-29-3	<4.9	4.9	07/15/2002	
Dieldrin	000060-57-1	<4.9	4.9	07/15/2002	
Endosulfan I	000959-98-8	<4.9	4.9	07/15/2002	
Endosulfan II	033213-65-9	<4.9	4.9	07/15/2002	
Endosulfan sulfate	001031-07-8	<4.9	4.9	07/15/2002	
Endrin	000072-20-8	<4.9	4.9	07/15/2002	
Endrin aldehyde	007421-93-4	<4.9	4.9	07/15/2002	
Heptachlor	000076-44-8	<4.9	4.9	07/15/2002	
Heptachlor epoxide	001024-57-3	<4.9	4.9	07/15/2002	
Methoxychlor	000072-43-5	<4.9	4.9	07/15/2002	
Mirex	002385-85-5	<4.9	4.9	07/15/2002	
Hexachlorobenzene	000118-74-1	<4.9	4.9	07/15/2002	
PCB-1016	012674-11-2	<24.5	24.5	07/15/2002	
PCB-1221	011104-28-2	<24.5	24.5	07/15/2002	
PCB-1232	011141-16-5	<24.5	24.5	07/15/2002	
PCB-1242	053469-21-9	<24.5	24.5	07/15/2002	
PCB-1248	012672-29-6	<24.5	24.5	07/15/2002	
PCB-1254	011097-69-1	<24.5	24.5	07/15/2002	
PCB-1260	011096-82-5	<24.5	24.5	07/15/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TR **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Analysis Data Report

26-Jul-02

Sample 48169

Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected			07/02/2002 10:15 AM	**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Sediment 2 St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
% Solids	% Solids	P70318	82.6	%	07/03/2002	
Arsenic-SW846_SED	Arsenic	P1002	10.2	mg/kg	07/19/2002	
ICP_SED	Aluminum	P110S	4730	mg/kg	07/18/2002	
ICP_SED	Barium	P1007	29.3	mg/kg	07/18/2002	
ICP_SED	Beryllium	P1012	<2.0	mg/kg	07/18/2002	
ICP_SED	Calcium	P916	38600	mg/kg	07/18/2002	
ICP_SED	Chromium	P1034	<12	mg/kg	07/18/2002	
ICP_SED	Cobalt	P1037	<20	mg/kg	07/18/2002	
ICP_SED	Copper	P1042	10.8	mg/kg	07/18/2002	
ICP_SED	Iron	P1045	14900	mg/kg	07/18/2002	
ICP_SED	Lead	P1051	<16	mg/kg	07/18/2002	
ICP_SED	Magnesium	P927	13200	mg/kg	07/18/2002	
ICP_SED	Manganese	P1055	286	mg/kg	07/18/2002	
ICP_SED	Nickel	P1067	<16	mg/kg	07/18/2002	
ICP_SED	Potassium	P937	1070	mg/kg	07/18/2002	
ICP_SED	Sodium	P929	<2020	mg/kg	07/18/2002	
ICP_SED	Strontium	P1082	43	mg/kg	07/18/2002	
ICP_SED	Titanium	P01152	24	mg/kg	07/18/2002	
ICP_SED	Vanadium	P1087	25	mg/kg	07/18/2002	
ICP_SED	Zinc	P1092	53.0	mg/kg	07/18/2002	
Selenium-SW846_SED	Selenium	P1147	<2.0	mg/kg	07/22/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By SR **On** 7-26-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic An. / . Data Report

Sample	48171	**EPA Method**	8270
Date Received	07/03/2002 12:31 PM	**Matrix**	SED
Begin		**End**	
Date Collected		07/02/2002 11:00 AM	
Program	CO-DERR		
Client	RCRA_DERR		
Location	Sediment 3 St. Albans Dump		

Units	mg/kg				
Collected by	YEBAILE, SAMIR				
Sample Type	COMPLIANCE				
Station ID					
Customer ID	CO020702 ISIFU				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<0.52	0.52	07/24/2002	
Acenaphthylene	000208-96-8	<0.52	0.52	07/24/2002	
Acetophenone	000098-86-2	<0.52	0.52	07/24/2002	
2-Acetylaminofluorene	000053-96-3	<0.52	0.52	07/24/2002	
4-Aminobiphenyl	000092-67-1	<2.6	2.6	07/24/2002	R
Aniline	000062-53-3	<2.6	2.6	07/24/2002	
Anthracene	000120-12-7	<0.52	0.52	07/24/2002	
Benz[a]anthracene	000056-55-3	<0.52	0.52	07/24/2002	
Benzo[a]pyrene	000050-32-8	<0.52	0.52	07/24/2002	
Benzo[b]fluoranthene	000205-99-2	<0.52	0.52	07/24/2002	
Benzo[g,h,i]perylene	000191-24-2	<0.52	0.52	07/24/2002	
Benzo[k]fluoranthene	000207-08-9	<0.52	0.52	07/24/2002	
Benzyl alcohol	000100-51-6	<0.52	0.52	07/24/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<0.52	0.52	07/24/2002	
bis(2-Chloroethyl)ether	000111-44-4	<0.52	0.52	07/24/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<0.52	0.52	07/24/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	0.71	0.52	07/24/2002	
4-Bromophenyl-phenylether	000101-55-3	<0.52	0.52	07/24/2002	
Butylbenzylphthalate	000085-68-7	<0.52	0.52	07/24/2002	
4-Chloro-3-methylphenol	000059-50-7	<0.52	0.52	07/24/2002	
4-Chloroaniline	000106-47-8	<0.52	0.52	07/24/2002	
2-Chloronaphthalene	000091-58-7	<0.52	0.52	07/24/2002	
2-Chlorophenol	000095-57-8	<0.52	0.52	07/24/2002	
4-Chlorophenyl-phenylether	007005-72-3	<0.52	0.52	07/24/2002	
Chrysene	000218-01-9	<0.52	0.52	07/24/2002	
Di-n-butylphthalate	000084-74-2	<0.52	0.52	07/24/2002	
Di-n-octylphthalate	000117-84-0	<0.52	0.52	07/24/2002	
Dibenz[a,h]anthracene	000053-70-3	<0.52	0.52	07/24/2002	
Dibenzofuran	000132-64-9	<0.52	0.52	07/24/2002	
1,3-Dichlorobenzene	000541-73-1	<0.52	0.52	07/24/2002	
1,4-Dichlorobenzene	000106-46-7	<0.52	0.52	07/24/2002	
1,2-Dichlorobenzene	000095-50-1	<0.52	0.52	07/24/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.6	2.6	07/24/2002	
2,6-Dichlorophenol	000087-65-0	<0.52	0.52	07/24/2002	
2,4-Dichlorophenol	000120-83-2	<0.52	0.52	07/24/2002	
Diethylphthalate	000084-66-2	<0.52	0.52	07/24/2002	
p-Dimethylaminoazobenzene	000060-11-7	<0.52	0.52	07/24/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.6	2.6	07/24/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.6	2.6	07/24/2002	R
2,4-Dimethylphenol	000105-67-9	<0.52	0.52	07/24/2002	
Dimethylphthalate	000131-11-3	<0.52	0.52	07/24/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<0.52	0.52	07/24/2002	
1,3-Dinitrobenzene	000099-65-0	<0.52	0.52	07/24/2002	
2,4-Dinitrophenol	000051-28-5	<2.6	2.6	07/24/2002	
2,6-Dinitrotoluene	000606-20-2	<0.52	0.52	07/24/2002	
2,4-Dinitrotoluene	000121-14-2	<0.52	0.52	07/24/2002	
Dinoseb	000088-85-7	<0.52	0.52	07/24/2002	
Diphenylamine	000122-39-4	<0.52	0.52	07/24/2002	
Ethyl methanesulfonate	000062-50-0	<0.52	0.52	07/24/2002	
Fluoranthene	000206-44-0	<0.52	0.52	07/24/2002	
Fluorene	000086-73-7	<0.52	0.52	07/24/2002	
Hexachlorobenzene	000118-74-1	<0.52	0.52	07/24/2002	
Hexachlorobutadiene	000087-68-3	<0.52	0.52	07/24/2002	
Hexachlorocyclopentadiene	000077-47-4	<0.52	0.52	07/24/2002	
Hexachloroethane	000067-72-1	<0.52	0.52	07/24/2002	
Hexachloropropene	001888-71-7	<0.52	0.52	07/24/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<0.52	0.52	07/24/2002	

RECEIVED
AUG 09 2002
OHIO EPA/CDO

OhioEPA Division of Environmental Services

Laboratory Organic An... Data Report

Sample	48171	**EPA Method**	8270		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<0.52	0.52	07/24/2002	
Methyl methanesulfonate	000066-27-3	<0.52	0.52	07/24/2002	
3-Methylcholanthrene	000056-49-5	<0.52	0.52	07/24/2002	
2-Methylnaphthalene	000091-57-6	<0.52	0.52	07/24/2002	
3&4-Methylphenol	000106-44-5	<0.52	0.52	07/24/2002	
2-Methylphenol	000095-48-7	<0.52	0.52	07/24/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<0.52	0.52	07/24/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<0.52	0.52	07/24/2002	
N-Nitrosomorpholine	000059-89-2	<0.52	0.52	07/24/2002	
N-Nitrosopiperidine	000100-75-4	<0.52	0.52	07/24/2002	
N-Nitrosopyrrolidine	000930-55-2	<0.52	0.52	07/24/2002	
Naphthalene	000091-20-3	<0.52	0.52	07/24/2002	
1,4-Naphthoquinone	000130-15-4	<0.52	0.52	07/24/2002	
1-Naphthylamine	000134-32-7	<0.52	0.52	07/24/2002	R
2-Naphthylamine	000091-59-8	<0.52	0.52	07/24/2002	R
5-Nitro-o-toluidine	000099-55-8	<0.52	0.52	07/24/2002	R
2-Nitroaniline	000088-74-4	<0.52	0.52	07/24/2002	
3-Nitroaniline	000099-09-2	<0.52	0.52	07/24/2002	R
4-Nitroaniline	000100-01-6	<0.52	0.52	07/24/2002	R
Nitrobenzene	000098-95-3	<0.52	0.52	07/24/2002	
4-Nitrophenol	000100-02-7	<2.6	2.6	07/24/2002	
2-Nitrophenol	000088-75-5	<0.52	0.52	07/24/2002	
Pentachlorobenzene	000608-93-5	<0.52	0.52	07/24/2002	
Pentachlorophenol	000087-86-5	<0.52	0.52	07/24/2002	
Phenacetin	000062-44-2	<0.52	0.52	07/24/2002	
Phenanthrene	000085-01-8	<0.52	0.52	07/24/2002	
Phenol	000108-95-2	<0.52	0.52	07/24/2002	
2-Picoline	000109-06-8	<0.52	0.52	07/24/2002	
Pronamide	023950-58-5	<0.52	0.52	07/24/2002	
Pyrene	000129-00-0	<0.52	0.52	07/24/2002	
Safrole	000094-59-7	<0.52	0.52	07/24/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<0.52	0.52	07/24/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<0.52	0.52	07/24/2002	
o-Toluidine	000095-53-4	<2.6	2.6	07/24/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.52	0.52	07/24/2002	
2,4,6-Trichlorophenol	000088-06-2	<0.52	0.52	07/24/2002	
2,4,5-Trichlorophenol	000095-95-4	<0.52	0.52	07/24/2002	
Tetratetracontane	007098-22-8	2	0	07/24/2002	NJ
Hexatriacontane	000630-06-8	1	0	07/24/2002	NJ

Field Comments

Lab Comments

QC / Sample Comments

Approved By TK **On** 8/6/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic An. / Data Report

Sample	48171	**EPA Method**			
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	%
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
% Solids	P70318	77.0	0	07/18/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By **On**

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic An[illegible] Data Report

Sample	48171	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
Date Collected	**Begin**	**End**	07/02/2002 11:00 AM	**Collected by**	YEBAILE, SAMIR
				Sample Type	CDMPLIANCE
Program	CD-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CD020702 ISIFU
Location	Sediment 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<0.052	0.052	07/09/2002	
Benzene	000071-43-2	<0.042	0.042	07/09/2002	
Bromobenzene	000108-86-1	<0.042	0.042	07/09/2002	
Bromochloromethane	000074-97-5	<0.042	0.042	07/09/2002	
Bromodichloromethane	000075-27-4	<0.042	0.042	07/09/2002	
Bromoform	000075-25-2	<0.042	0.042	07/09/2002	
Bromomethane	000074-83-9	<0.042	0.042	07/09/2002	
2-Butanone	000078-93-3	<0.042	0.042	07/09/2002	
n-Butylbenzene	000104-51-8	<0.042	0.042	07/09/2002	
sec-Butylbenzene	000135-98-8	<0.042	0.042	07/09/2002	
tert-Butylbenzene	000098-06-6	<0.042	0.042	07/09/2002	
Carbon disulfide	000075-15-0	<0.042	0.042	07/09/2002	
Carbon tetrachloride	000056-23-5	<0.042	0.042	07/09/2002	
Chlorobenzene	000108-90-7	<0.042	0.042	07/09/2002	
Chloroethane	000075-00-3	<0.042	0.042	07/09/2002	
Chloroform	000067-66-3	<0.042	0.042	07/09/2002	
Chloromethane	000074-87-3	<0.042	0.042	07/09/2002	
2-Chlorotoluene	000095-49-8	<0.042	0.042	07/09/2002	
4-Chlorotoluene	000106-43-4	<0.042	0.042	07/09/2002	
Dibromochloromethane	000124-48-1	<0.042	0.042	07/09/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.042	0.042	07/09/2002	
1,2-Dibromoethane	000106-93-4	<0.042	0.042	07/09/2002	
Dibromomethane	000074-95-3	<0.042	0.042	07/09/2002	
1,2-Dichlorobenzene	000095-50-1	<0.042	0.042	07/09/2002	
1,3-Dichlorobenzene	000541-73-1	<0.042	0.042	07/09/2002	
1,4-Dichlorobenzene	000106-46-7	<0.042	0.042	07/09/2002	
Dichlorodifluoromethane	000075-71-8	<0.042	0.042	07/09/2002	
1,1-Dichloroethane	000075-34-3	<0.042	0.042	07/09/2002	
1,2-Dichloroethane	000107-06-2	<0.042	0.042	07/09/2002	
1,1-Dichloroethene	000075-35-4	<0.042	0.042	07/09/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.042	0.042	07/09/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.042	0.042	07/09/2002	
1,2-Dichloropropane	000078-87-5	<0.042	0.042	07/09/2002	
1,3-Dichloropropane	000142-28-9	<0.042	0.042	07/09/2002	
2,2-Dichloropropane	000594-20-7	<0.042	0.042	07/09/2002	
1,1-Dichloropropene	000563-58-6	<0.042	0.042	07/09/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.042	0.042	07/09/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.042	0.042	07/09/2002	
Ethylbenzene	000100-41-4	<0.042	0.042	07/09/2002	
Hexachlorobutadiene	000087-68-3	<0.042	0.042	07/09/2002	
2-Hexanone	000591-78-6	<0.042	0.042	07/09/2002	
Isopropylbenzene	000098-82-8	<0.042	0.042	07/09/2002	
4-Isopropyltoluene	000099-87-6	<0.042	0.042	07/09/2002	
Methylene chloride	000075-09-2	<0.042	0.042	07/09/2002	
4-Methyl-2-pentanone	000108-10-1	<0.042	0.042	07/09/2002	
Naphthalene	000091-20-3	<0.042	0.042	07/09/2002	
n-Propylbenzene	000103-65-1	<0.042	0.042	07/09/2002	
Styrene	000100-42-5	<0.042	0.042	07/09/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.042	0.042	07/09/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.042	0.042	07/09/2002	
Tetrachloroethene	000127-18-4	<0.042	0.042	07/09/2002	
Toluene	000108-88-3	<0.042	0.042	07/09/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.042	0.042	07/09/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.042	0.042	07/09/2002	
1,1,1-Trichloroethane	000071-55-6	<0.042	0.042	07/09/2002	
1,1,2-Trichloroethane	000079-00-5	<0.042	0.042	07/09/2002	

OhioEPA Division of Environmental Services

Laboratory Organic An: Data Report

Sample	48171	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	mg/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:00 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.042	0.042	07/09/2002	
Trichlorofluoromethane	000075-69-4	<0.042	0.042	07/09/2002	
1,2,3-Trichloropropane	000096-18-4	<0.042	0.042	07/09/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.042	0.042	07/09/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.042	0.042	07/09/2002	
Vinyl chloride	000075-01-4	<0.042	0.042	07/09/2002	
o-Xylene	000095-47-6	<0.042	0.042	07/09/2002	
Total m&p-xylenes	000108-38-3	<0.042	0.042	07/09/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By R **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48171	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Units**	ug/kg
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:00 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Sediment 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<5.2	5.2	07/15/2002	
a-BHC	000319-84-6	<5.2	5.2	07/15/2002	
b-BHC	000319-85-7	<5.2	5.2	07/15/2002	
d-BHC	000319-86-8	<5.2	5.2	07/15/2002	
y-BHC	000058-89-9	<5.2	5.2	07/15/2002	
4,4'-DDD	000072-54-8	<5.2	5.2	07/15/2002	
4,4'-DDE	000072-55-9	<5.2	5.2	07/15/2002	
4,4'-DDT	000050-29-3	<5.2	5.2	07/15/2002	
Dieldrin	000060-57-1	<5.2	5.2	07/15/2002	
Endosulfan I	000959-98-8	<5.2	5.2	07/15/2002	
Endosulfan II	033213-65-9	<5.2	5.2	07/15/2002	
Endosulfan sulfate	001031-07-8	<5.2	5.2	07/15/2002	
Endrin	000072-20-8	<5.2	5.2	07/15/2002	
Endrin aldehyde	007421-93-4	<5.2	5.2	07/15/2002	
Heptachlor	000076-44-8	<5.2	5.2	07/15/2002	
Heptachlor epoxide	001024-57-3	<5.2	5.2	07/15/2002	
Methoxychlor	000072-43-5	<5.2	5.2	07/15/2002	
Mirex	0023B5-85-5	<5.2	5.2	07/15/2002	
Hexachlorobenzene	000118-74-1	<5.2	5.2	07/15/2002	
PCB-1016	012674-11-2	<25.8	25.8	07/15/2002	
PCB-1221	011104-28-2	<25.8	25.8	07/15/2002	
PCB-1232	011141-16-5	<25.8	25.8	07/15/2002	
PCB-1242	053469-21-9	<25.8	25.8	07/15/2002	
PCB-1248	012672-29-6	<25.8	25.8	07/15/2002	
PCB-1254	011097-69-1	<25.8	25.8	07/15/2002	
PCB-1260	011096-82-5	<25.8	25.8	07/15/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TK **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Analysis Data Report

26-Jul-02

Sample 48170

Date Received	07/03/2002 12:31 PM	**Matrix**	SED	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected			07/02/2002 11:00 AM	**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Sediment 3 St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
% Solids	% Solids	P70318	76.1	%	07/03/2002	
Arsenic-SW846_SED	Arsenic	P1002	10.1	mg/kg	07/19/2002	
ICP_SED	Aluminum	P1105	3510	mg/kg	07/18/2002	
ICP_SED	Barium	P1007	35.7	mg/kg	07/18/2002	
ICP_SED	Beryllium	P1012	<2.5	mg/kg	07/18/2002	
ICP_SED	Calcium	P916	20800	mg/kg	07/18/2002	
ICP_SED	Chromium	P1034	<15	mg/kg	07/18/2002	
ICP_SED	Cobalt	P1037	<25	mg/kg	07/18/2002	
ICP_SED	Copper	P1042	9.3	mg/kg	07/18/2002	
ICP_SED	Iron	P1045	13400	mg/kg	07/18/2002	
ICP_SED	Lead	P1051	<20	mg/kg	07/18/2002	
ICP_SED	Magnesium	P927	7020	mg/kg	07/18/2002	
ICP_SED	Manganese	P1055	332	mg/kg	07/18/2002	
ICP_SED	Nickel	P1067	<20	mg/kg	07/18/2002	
ICP_SED	Potassium	P937	<992	mg/kg	07/18/2002	
ICP_SED	Sodium	P929	<2480	mg/kg	07/18/2002	
ICP_SED	Strontium	P1082	29	mg/kg	07/18/2002	
ICP_SED	Titanium	P01152	<25	mg/kg	07/18/2002	
ICP_SED	Vanadium	P1087	<25	mg/kg	07/18/2002	
ICP_SED	Zinc	P1092	62.2	mg/kg	07/18/2002	
Selenium-SW846_SED	Selenium	P1147	<2.5	mg/kg	07/22/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By SR **On** 7-26-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48166	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 10:00 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CD020702 ISIFU
Location	Surface Water 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<5.00	5	07/08/2002	
Benzene	000071-43-2	<0.50	0.5	07/08/2002	
Bromobenzene	000108-86-1	<0.50	0.5	07/08/2002	
Bromochloromethane	000074-97-5	<0.50	0.5	07/08/2002	
Bromodichloromethane	000075-27-4	<0.50	0.5	07/08/2002	
Bromoform	000075-25-2	<0.50	0.5	07/08/2002	
Bromomethane	000074-83-9	<0.50	0.5	07/08/2002	
2-Butanone	000078-93-3	<1.00	1	07/08/2002	
n-Butylbenzene	000104-51-8	<0.50	0.5	07/08/2002	
sec-Butylbenzene	000135-98-8	<0.50	0.5	07/08/2002	
tert-Butylbenzene	000098-06-6	<0.50	0.5	07/08/2002	
Carbon disulfide	000075-15-0	<1.00	1	07/08/2002	
Carbon tetrachloride	000056-23-5	<0.50	0.5	07/08/2002	
Chlorobenzene	000108-90-7	<0.50	0.5	07/08/2002	
Chloroethane	000075-00-3	<0.50	0.5	07/08/2002	
Chloroform	000067-66-3	<0.50	0.5	07/08/2002	
Chloromethane	000074-87-3	<0.50	0.5	07/08/2002	
2-Chlorotoluene	000095-49-8	<0.50	0.5	07/08/2002	
4-Chlorotoluene	000106-43-4	<0.50	0.5	07/08/2002	
Dibromochloromethane	000124-48-1	<0.50	0.5	07/08/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.50	0.5	07/08/2002	
1,2-Dibromoethane	000106-93-4	<0.50	0.5	07/08/2002	
Dibromomethane	000074-95-3	<0.50	0.5	07/08/2002	
1,2-Dichlorobenzene	000095-50-1	<0.50	0.5	07/08/2002	
1,3-Dichlorobenzene	000541-73-1	<0.50	0.5	07/08/2002	
1,4-Dichlorobenzene	000106-46-7	<0.50	0.5	07/08/2002	
Dichlorodifluoromethane	000075-71-8	<0.50	0.5	07/08/2002	
1,1-Dichloroethane	000075-34-3	<0.50	0.5	07/08/2002	
1,2-Dichloroethane	000107-06-2	<0.50	0.5	07/08/2002	
1,1-Dichloroethene	000075-35-4	<0.50	0.5	07/08/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.50	0.5	07/08/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.50	0.5	07/08/2002	
1,2-Dichloropropane	000078-87-5	<0.50	0.5	07/08/2002	
1,3-Dichloropropane	000142-28-9	<0.50	0.5	07/08/2002	
2,2-Dichloropropane	000594-20-7	<0.50	0.5	07/08/2002	
1,1-Dichloropropene	000563-58-6	<0.50	0.5	07/08/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.50	0.5	07/08/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.50	0.5	07/08/2002	
Ethylbenzene	000100-41-4	<0.50	0.5	07/08/2002	
Hexachlorobutadiene	000087-68-3	<0.50	0.5	07/08/2002	
2-Hexanone	000591-78-6	<1.00	1	07/08/2002	
Isopropylbenzene	000098-82-8	<0.50	0.5	07/08/2002	
4-Isopropyltoluene	000099-87-6	<0.50	0.5	07/08/2002	
Methylene chloride	000075-09-2	<0.50	0.5	07/08/2002	
4-Methyl-2-pentanone	000108-10-1	<1.00	1	07/08/2002	
Naphthalene	000091-20-3	<0.50	0.5	07/08/2002	
n-Propylbenzene	000103-65-1	<0.50	0.5	07/08/2002	
Styrene	000100-42-5	<0.50	0.5	07/08/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.50	0.5	07/08/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.50	0.5	07/08/2002	
Tetrachloroethene	000127-18-4	<0.50	0.5	07/08/2002	
Toluene	000108-88-3	<0.50	0.5	07/08/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.50	0.5	07/08/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.50	0.5	07/08/2002	
1,1,1-Trichloroethane	000071-55-6	<0.50	0.5	07/08/2002	
1,1,2-Trichloroethane	000079-00-5	<0.50	0.5	07/08/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48166	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.50	0.5	07/08/2002	
Trichlorofluoromethane	000075-69-4	<0.50	0.5	07/08/2002	
1,2,3-Trichloropropane	000096-18-4	<0.50	0.5	07/08/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.50	0.5	07/08/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.50	0.5	07/08/2002	
Vinyl chloride	000075-01-4	<0.50	0.5	07/08/2002	
o-Xylene	000095-47-6	<0.50	0.5	07/08/2002	
Total m&p-xylenes	000108-38-3	<0.50	0.5	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TR **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of E[illegible]onmental Services

Laboratory Organic Analysis Data Report

Sample	48166	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 1 St. Albans Dump				

Parameter	Cas Number	Result	Dl.	Analyzed	Qualifier
Aldrin	000309-00-2	<0.0021	0.0021	07/09/2002	
a-BHC	000319-84-6	<0.0021	0.0021	07/09/2002	
b-BHC	000319-85-7	0.0024	0.0021	07/09/2002	
d-BHC	000319-86-8	0.0058	0.0021	07/09/2002	
y-BHC	000058-89-9	<0.0021	0.0021	07/09/2002	
4,4'-DDD	000072-54-8	<0.0062	0.0062	07/09/2002	
4,4'-DDE	000072-55-9	<0.0021	0.0021	07/09/2002	
4,4'-DDT	000050-29-3	<0.0062	0.0062	07/09/2002	
Dieldrin	000060-57-1	0.0080	0.0021	07/09/2002	
Endosulfan I	000959-98-8	<0.0021	0.0021	07/09/2002	
Endosulfan II	033213-65-9	<0.0021	0.0021	07/09/2002	
Endosulfan sulfate	001031-07-8	<0.021	0.021	07/09/2002	
Endrin	000072-20-8	<0.0021	0.0021	07/09/2002	
Endrin aldehyde	007421-93-4	<0.0062	0.0062	07/09/2002	
Heptachlor	000076-44-8	<0.0021	0.0021	07/09/2002	
Heptachlor epoxide	001024-57-3	0.0045	0.0021	07/09/2002	P
Methoxychlor	000072-43-5	<0.010	0.01	07/09/2002	
Mirex	002385-85-5	<0.010	0.01	07/09/2002	
Hexachlorobenzene	000118-74-1	<0.0021	0.0021	07/09/2002	
PCB-1016	012674-11-2	<0.10	0.1	07/09/2002	
PCB-1221	011104-28-2	<0.10	0.1	07/09/2002	
PCB-1232	011141-16-5	<0.10	0.1	07/09/2002	
PCB-1242	053469-21-9	<0.10	0.1	07/09/2002	
PCB-1248	012672-29-6	<0.10	0.1	07/09/2002	
PCB-1254	011097-69-1	<0.10	0.1	07/09/2002	
PCB-1260	011096-82-5	<0.10	0.1	07/09/2002	

RECEIVED
AUG 07 2002
OHIO EPA/CDO

Field Comments

Lab Comments

QC / Sample Comments

Approved By TR **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample 48166 **EPA Method** 8270

Date Received 07/03/2002 12:18 PM **Matrix** SW **Units** ug/L

Begin **End** **Collected by** YEBAILE, SAMIR

Date Collected 07/02/2002 10:00 AM **Sample Type** COMPLIANCE

Program CO-DERR **Station ID**

Client RCRA_OERR **Customer ID** CO020702 ISIFU

Location Surface Water 1 St. Albans Dump

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<2.1	2.1	07/23/2002	
Acenaphthylene	000208-96-8	<2.1	2.1	07/23/2002	
Acetophenone	000098-86-2	<2.1	2.1	07/23/2002	
2-Acetylaminofluorene	000053-96-3	<2.1	2.1	07/23/2002	
4-Aminobiphenyl	000092-67-1	<2.1	2.1	07/23/2002	R
Aniline	000062-53-3	<2.1	2.1	07/23/2002	
Anthracene	000120-12-7	<2.1	2.1	07/23/2002	
Benz[a]anthracene	000056-55-3	<2.1	2.1	07/23/2002	
Benzo[a]pyrene	000050-32-8	<2.1	2.1	07/23/2002	
Benzo[b]fluoranthene	000205-99-2	<2.1	2.1	07/23/2002	
Benzo[g,h,i]perylene	000191-24-2	<2.1	2.1	07/23/2002	
Benzo[k]fluoranthene	000207-08-9	<2.1	2.1	07/23/2002	
Benzyl alcohol	000100-51-6	<2.1	2.1	07/23/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<2.1	2.1	07/23/2002	
bis(2-Chloroethyl)ether	000111-44-4	<2.1	2.1	07/23/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<2.1	2.1	07/23/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<2.1	2.1	07/23/2002	
4-Bromophenyl-phenylether	000101-55-3	<2.1	2.1	07/23/2002	
Butylbenzylphthalate	000085-68-7	<2.1	2.1	07/23/2002	
4-Chloro-3-methylphenol	000059-50-7	<2.1	2.1	07/23/2002	
4-Chloroaniline	000106-47-8	<2.1	2.1	07/23/2002	R
2-Chloronaphthalene	000091-58-7	<2.1	2.1	07/23/2002	
2-Chlorophenol	000095-57-8	<2.1	2.1	07/23/2002	
4-Chlorophenyl-phenylether	007005-72-3	<2.1	2.1	07/23/2002	
Chrysene	000218-01-9	<2.1	2.1	07/23/2002	
Di-n-butylphthalate	000084-74-2	<2.1	2.1	07/23/2002	
Di-n-octylphthalate	000117-84-0	<2.1	2.1	07/23/2002	
Dibenz[a,h]anthracene	000053-70-3	<2.1	2.1	07/23/2002	
Dibenzofuran	000132-64-9	<2.1	2.1	07/23/2002	
1,3-Dichlorobenzene	000541-73-1	<2.1	2.1	07/23/2002	
1,4-Dichlorobenzene	000106-46-7	<2.1	2.1	07/23/2002	
1,2-Dichlorobenzene	000095-50-1	<2.1	2.1	07/23/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.1	2.1	07/23/2002	
2,6-Dichlorophenol	000087-65-0	<2.1	2.1	07/23/2002	
2,4-Dichlorophenol	000120-83-2	<2.1	2.1	07/23/2002	
Diethylphthalate	000084-66-2	<2.1	2.1	07/23/2002	
p-Dimethylaminoazobenzene	000060-11-7	<2.1	2.1	07/23/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.1	2.1	07/23/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.1	2.1	07/23/2002	R
2,4-Dimethylphenol	000105-67-9	<2.1	2.1	07/23/2002	
Dimethylphthalate	000131-11-3	<2.1	2.1	07/23/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<2.1	2.1	07/23/2002	
1,3-Dinitrobenzene	000099-65-0	<2.1	2.1	07/23/2002	
2,4-Dinitrophenol	000051-28-5	<2.1	2.1	07/23/2002	
2,6-Dinitrotoluene	000606-20-2	<2.1	2.1	07/23/2002	
2,4-Dinitrotoluene	000121-14-2	<2.1	2.1	07/23/2002	
Dinoseb	000088-85-7	<2.1	2.1	07/23/2002	
Diphenylamine	000122-39-4	<2.1	2.1	07/23/2002	
Ethyl methanesulfonate	000062-50-0	<2.1	2.1	07/23/2002	
Fluoranthene	000206-44-0	<2.1	2.1	07/23/2002	
Fluorene	000086-73-7	<2.1	2.1	07/23/2002	
Hexachlorobenzene	000118-74-1	<2.1	2.1	07/23/2002	
Hexachlorobutadiene	000087-68-3	<2.1	2.1	07/23/2002	
Hexachlorocyclopentadiene	000077-47-4	<2.1	2.1	07/23/2002	
Hexachloroethane	000067-72-1	<2.1	2.1	07/23/2002	
Hexachloropropene	001888-71-7	<2.1	2.1	07/23/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<2.1	2.1	07/23/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48166	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIPU
Location	Surface Water 1 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<2.1	2.1	07/23/2002	
Methyl methanesulfonate	000066-27-3	<2.1	2.1	07/23/2002	
3-Methylcholanthrene	000056-49-5	<2.1	2.1	07/23/2002	
2-Methylnaphthalene	000091-57-6	<2.1	2.1	07/23/2002	
3&4-Methylphenol	000106-44-5	<2.1	2.1	07/23/2002	
2-Methylphenol	000095-48-7	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<2.1	2.1	07/23/2002	
N-Nitrosomorpholine	000059-89-2	<2.1	2.1	07/23/2002	
N-Nitrosopiperidine	000100-75-4	<2.1	2.1	07/23/2002	
N-Nitrosopyrrolidine	000930-55-2	<2.1	2.1	07/23/2002	
Naphthalene	000091-20-3	<2.1	2.1	07/23/2002	
1,4-Naphthoquinone	000130-15-4	<2.1	2.1	07/23/2002	
1-Naphthylamine	000134-32-7	<2.1	2.1	07/23/2002	R
2-Naphthylamine	000091-59-8	<2.1	2.1	07/23/2002	R
5-Nitro-o-toluidine	000099-55-8	<2.1	2.1	07/23/2002	R
2-Nitroaniline	000088-74-4	<2.1	2.1	07/23/2002	
3-Nitroaniline	000099-09-2	<2.1	2.1	07/23/2002	R
4-Nitroaniline	000100-01-6	<2.1	2.1	07/23/2002	R
Nitrobenzene	000098-95-3	<2.1	2.1	07/23/2002	
4-Nitrophenol	000100-02-7	<2.1	2.1	07/23/2002	UJ
2-Nitrophenol	000088-75-5	<2.1	2.1	07/23/2002	
Pentachlorobenzene	000608-93-5	<2.1	2.1	07/23/2002	
Pentachlorophenol	000087-86-5	<2.1	2.1	07/23/2002	
Phenacetin	000062-44-2	<2.1	2.1	07/23/2002	
Phenanthrene	000085-01-8	<2.1	2.1	07/23/2002	
Phenol	000108-95-2	<2.1	2.1	07/23/2002	
2-Picoline	000109-06-8	<2.1	2.1	07/23/2002	
Pronamide	023950-58-5	<2.1	2.1	07/23/2002	
Pyrene	000129-00-0	<2.1	2.1	07/23/2002	
Safrole	000094-59-7	<2.1	2.1	07/23/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<2.1	2.1	07/23/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<2.1	2.1	07/23/2002	
o-Toluidine	000095-53-4	<2.1	2.1	07/23/2002	
1,2,4-Trichlorobenzene	000120-82-1	<2.1	2.1	07/23/2002	
2,4,6-Trichlorophenol	000088-06-2	<2.1	2.1	07/23/2002	
2,4,5-Trichlorophenol	000095-95-4	<2.1	2.1	07/23/2002	
2,6,10-Dodecatrien-1-ol, 3,7,11-tr	000106-28-5	1	0	07/23/2002	NJ

Field Comments

Lab Comments

QC / Sample Comments

Approved By TJR **On** 8/1/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Analysis Data Report

26-Jul-02

Sample 48157

Date Received	07/03/2002 12:07 PM	**Matrix**	SW	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected			07/02/2002 10:00 AM	**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Dup A Surface Water 1 St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
Arsenic-SW846_(WAT)	Arsenic	P1002	<5.0	ug/L	07/16/2002	
ICP_(WAT)	Aluminum	P110S	707	ug/L	07/16/2002	
ICP_(WAT)	Barium	P1007	60	ug/L	07/16/2002	
ICP_(WAT)	Beryllium	P1012	<5	ug/L	07/16/2002	
ICP_(WAT)	Cadmium	P1027	<5	ug/L	07/16/2002	
ICP_(WAT)	Calcium	P916	102	mg/L	07/16/2002	
ICP_(WAT)	Chromium	P1034	<30	ug/L	07/16/2002	
ICP_(WAT)	Cobalt	P1037	<S0	ug/L	07/16/2002	
ICP_(WAT)	Copper	P1042	<10	ug/L	07/16/2002	
ICP_(WAT)	Hardness, Total	P900	415	mg/L	07/16/2002	
ICP_(WAT)	Iron	P104S	534	ug/L	07/16/2002	
ICP_(WAT)	Magnesium	P927	39	mg/L	07/16/2002	
ICP_(WAT)	Manganese	P1055	10	ug/L	07/16/2002	
ICP_(WAT)	Nickel	P1067	<40	ug/L	07/16/2002	
ICP_(WAT)	Potassium	P937	6	mg/L	07/16/2002	
ICP_(WAT)	Sodium	P929	12	mg/L	07/16/2002	
ICP_(WAT)	Strontium	P1082	362	ug/L	07/16/2002	
ICP_(WAT)	Titanium	P01152	<50	ug/L	07/16/2002	
ICP_(WAT)	Vanadium	P1087	<S0	ug/L	07/16/2002	
ICP_(WAT)	Zinc	P1092	45	ug/L	07/16/2002	
Lead-SW846_(WAT)	Lead	P1051	<2.0	ug/L	07/17/2002	
Selenium-SW846_(WAT)	Selenium	P1147	<5.0	ug/L	07/22/2002	
Cyanide_Total	Cyanide, Total	P720	<10	ug/L	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By SR **On** 7-26-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48165	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
Begin		**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 10:30 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<5.00	5	07/08/2002	
Benzene	000071-43-2	<0.50	0.5	07/08/2002	
Bromobenzene	000108-86-1	<0.50	0.5	07/08/2002	
Bromochloromethane	000074-97-5	<0.50	0.5	07/08/2002	
Bromodichloromethane	000075-27-4	<0.50	0.5	07/08/2002	
Bromoform	000075-25-2	<0.50	0.5	07/08/2002	
Bromomethane	000074-83-9	<0.50	0.5	07/08/2002	
2-Butanone	000078-93-3	<1.00	1	07/08/2002	
n-Butylbenzene	000104-51-8	<0.50	0.5	07/08/2002	
sec-Butylbenzene	000135-98-8	<0.50	0.5	07/08/2002	
tert-Butylbenzene	000098-06-6	<0.50	0.5	07/08/2002	
Carbon disulfide	000075-15-0	<1.00	1	07/08/2002	
Carbon tetrachloride	000056-23-5	<0.50	0.5	07/08/2002	
Chlorobenzene	000108-90-7	<0.50	0.5	07/08/2002	
Chloroethane	000075-00-3	<0.50	0.5	07/08/2002	
Chloroform	000067-66-3	<0.50	0.5	07/08/2002	
Chloromethane	000074-87-3	<0.50	0.5	07/08/2002	
2-Chlorotoluene	000095-49-8	<0.50	0.5	07/08/2002	
4-Chlorotoluene	000106-43-4	<0.50	0.5	07/08/2002	
Dibromochloromethane	000124-48-1	<0.50	0.5	07/08/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.50	0.5	07/08/2002	
1,2-Dibromoethane	000106-93-4	<0.50	0.5	07/08/2002	
Dibromomethane	000074-95-3	<0.50	0.5	07/08/2002	
1,2-Dichlorobenzene	000095-50-1	<0.50	0.5	07/08/2002	
1,3-Dichlorobenzene	000541-73-1	<0.50	0.5	07/08/2002	
1,4-Dichlorobenzene	000106-46-7	<0.50	0.5	07/08/2002	
Dichlorodifluoromethane	000075-71-8	<0.50	0.5	07/08/2002	
1,1-Dichloroethane	000075-34-3	<0.50	0.5	07/08/2002	
1,2-Dichloroethane	000107-06-2	<0.50	0.5	07/08/2002	
1,1-Dichloroethene	000075-35-4	<0.50	0.5	07/08/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.50	0.5	07/08/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.50	0.5	07/08/2002	
1,2-Dichloropropane	000078-87-5	<0.50	0.5	07/08/2002	
1,3-Dichloropropane	000142-28-9	<0.50	0.5	07/08/2002	
2,2-Dichloropropane	000594-20-7	<0.50	0.5	07/08/2002	
1,1-Dichloropropene	000563-58-6	<0.50	0.5	07/08/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.50	0.5	07/08/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.50	0.5	07/08/2002	
Ethylbenzene	000100-41-4	<0.50	0.5	07/08/2002	
Hexachlorobutadiene	000087-68-3	<0.50	0.5	07/08/2002	
2-Hexanone	000591-78-6	<1.00	1	07/08/2002	
Isopropylbenzene	000098-82-8	<0.50	0.5	07/08/2002	
4-Isopropyltoluene	000099-87-6	<0.50	0.5	07/08/2002	
Methylene chloride	000075-09-2	<0.50	0.5	07/08/2002	
4-Methyl-2-pentanone	000108-10-1	<1.00	1	07/08/2002	
Naphthalene	000091-20-3	<0.50	0.5	07/08/2002	
n-Propylbenzene	000103-65-1	<0.50	0.5	07/08/2002	
Styrene	000100-42-5	<0.50	0.5	07/08/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.50	0.5	07/08/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.50	0.5	07/08/2002	
Tetrachloroethene	000127-18-4	<0.50	0.5	07/08/2002	
Toluene	000108-88-3	<0.50	0.5	07/08/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.50	0.5	07/08/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.50	0.5	07/08/2002	
1,1,1-Trichloroethane	000071-55-6	<0.50	0.5	07/08/2002	
1,1,2-Trichloroethane	000079-00-5	<0.50	0.5	07/08/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48165	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 10:30 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.50	0.5	07/08/2002	
Trichlorofluoromethane	000075-69-4	<0.50	0.5	07/08/2002	
1,2,3-Trichloropropane	000096-18-4	<0.50	0.5	07/08/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.50	0.5	07/08/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.50	0.5	07/08/2002	
Vinyl chloride	000075-01-4	<0.50	0.5	07/08/2002	
o-Xylene	000095-47-6	<0.50	0.5	07/08/2002	
Total m&p-xylenes	000108-38-3	<0.50	0.5	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TR **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of E' 'ronmental Services

Laboratory Organic Analysis Data Report

Sample	48165	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:30 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<0.0020	0.002	07/09/2002	
a-BHC	000319-84-6	<0.0020	0.002	07/09/2002	
b-BHC	000319-85-7	<0.0020	0.002	07/09/2002	
d-BHC	000319-86-8	0.0059	0.002	07/09/2002	UJ
y-BHC	000058-89-9	<0.0020	0.002	07/09/2002	
4,4'-ODD	000072-54-8	<0.0061	0.0061	07/09/2002	
4,4'-DDE	000072-55-9	<0.0020	0.002	07/09/2002	
4,4'-DDT	000050-29-3	<0.0061	0.0061	07/09/2002	
Dieldrin	000060-57-1	0.0083	0.002	07/09/2002	
Endosulfan I	000959-98-8	<0.0020	0.002	07/09/2002	
Endosulfan II	033213-65-9	<0.0020	0.002	07/09/2002	
Endosulfan sulfate	001031-07-8	<0.020	0.02	07/09/2002	
Endrin	000072-20-8	<0.0020	0.002	07/09/2002	
Endrin aldehyde	007421-93-4	<0.0061	0.0061	07/09/2002	
Heptachlor	000076-44-8	<0.0020	0.002	07/09/2002	
Heptachlor epoxide	001024-57-3	0.0051	0.002	07/09/2002	P
Methoxychlor	000072-43-5	<0.010	0.01	07/09/2002	
Mirex	002385-85-5	<0.010	0.01	07/09/2002	
Hexachlorobenzene	000118-74-1	<0.0020	0.002	07/09/2002	
PCB-1016	012674-11-2	<0.10	0.1	07/09/2002	
PCB-1221	011104-28-2	<0.10	0.1	07/09/2002	
PCB-1232	011141-16-5	<0.10	0.1	07/09/2002	
PCB-1242	053469-21-9	<0.10	0.1	07/09/2002	
PCB-1248	012672-29-6	<0.10	0.1	07/09/2002	
PCB-1254	011097-69-1	<0.10	0.1	07/09/2002	
PCB-1260	011096-82-5	<0.10	0.1	07/09/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By R **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy : Data Report

Sample	48165	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 10:30 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<2.1	2.1	07/23/2002	
Acenaphthylene	000208-96-8	<2.1	2.1	07/23/2002	
Acetophenone	000098-86-2	<2.1	2.1	07/23/2002	
2-Acetylaminofluorene	000053-96-3	<2.1	2.1	07/23/2002	
4-Aminobiphenyl	000092-67-1	<2.1	2.1	07/23/2002	R
Aniline	000062-53-3	<2.1	2.1	07/23/2002	
Anthracene	000120-12-7	<2.1	2.1	07/23/2002	
Benz[a]anthracene	000056-55-3	<2.1	2.1	07/23/2002	
Benzo[a]pyrene	000050-32-8	<2.1	2.1	07/23/2002	
Benzo[b]fluoranthene	000205-99-2	<2.1	2.1	07/23/2002	
Benzo[g,h,i]perylene	000191-24-2	<2.1	2.1	07/23/2002	
Benzo[k]fluoranthene	000207-08-9	<2.1	2.1	07/23/2002	
Benzyl alcohol	000100-51-6	<2.1	2.1	07/23/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<2.1	2.1	07/23/2002	
bis(2-Chloroethyl)ether	000111-44-4	<2.1	2.1	07/23/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<2.1	2.1	07/23/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<2.1	2.1	07/23/2002	
4-Bromophenyl-phenylether	000101-55-3	<2.1	2.1	07/23/2002	
Butylbenzylphthalate	000085-68-7	<2.1	2.1	07/23/2002	
4-Chloro-3-methylphenol	000059-50-7	<2.1	2.1	07/23/2002	
4-Chloroaniline	000106-47-8	<2.1	2.1	07/23/2002	R
2-Chloronaphthalene	000091-58-7	<2.1	2.1	07/23/2002	
2-Chlorophenol	000095-57-8	<2.1	2.1	07/23/2002	
4-Chlorophenyl-phenylether	007005-72-3	<2.1	2.1	07/23/2002	
Chrysene	000218-01-9	<2.1	2.1	07/23/2002	
Di-n-butylphthalate	000084-74-2	<2.1	2.1	07/23/2002	
Di-n-octylphthalate	000117-84-0	<2.1	2.1	07/23/2002	
Dibenz[a,h]anthracene	000053-70-3	<2.1	2.1	07/23/2002	
Dibenzofuran	000132-64-9	<2.1	2.1	07/23/2002	
1,3-Dichlorobenzene	000541-73-1	<2.1	2.1	07/23/2002	
1,4-Dichlorobenzene	000106-46-7	<2.1	2.1	07/23/2002	
1,2-Dichlorobenzene	000095-50-1	<2.1	2.1	07/23/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.1	2.1	07/23/2002	
2,6-Dichlorophenol	000087-65-0	<2.1	2.1	07/23/2002	
2,4-Dichlorophenol	000120-83-2	<2.1	2.1	07/23/2002	
Diethylphthalate	000084-66-2	<2.1	2.1	07/23/2002	
p-Dimethylaminoazobenzene	000060-11-7	<2.1	2.1	07/23/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.1	2.1	07/23/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.1	2.1	07/23/2002	R
2,4-Dimethylphenol	000105-67-9	<2.1	2.1	07/23/2002	
Dimethylphthalate	000131-11-3	<2.1	2.1	07/23/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<2.1	2.1	07/23/2002	
1,3-Dinitrobenzene	000099-65-0	<2.1	2.1	07/23/2002	
2,4-Dinitrophenol	000051-28-5	<2.1	2.1	07/23/2002	
2,6-Dinitrotoluene	000606-20-2	<2.1	2.1	07/23/2002	
2,4-Dinitrotoluene	000121-14-2	<2.1	2.1	07/23/2002	
Dinoseb	000088-85-7	<2.1	2.1	07/23/2002	
Diphenylamine	000122-39-4	<2.1	2.1	07/23/2002	
Ethyl methanesulfonate	000062-50-0	<2.1	2.1	07/23/2002	
Fluoranthene	000206-44-0	<2.1	2.1	07/23/2002	
Fluorene	000086-73-7	<2.1	2.1	07/23/2002	
Hexachlorobenzene	000118-74-1	<2.1	2.1	07/23/2002	
Hexachlorobutadiene	000087-68-3	<2.1	2.1	07/23/2002	
Hexachlorocyclopentadiene	000077-47-4	<2.1	2.1	07/23/2002	
Hexachloroethane	000067-72-1	<2.1	2.1	07/23/2002	
Hexachloropropene	001888-71-7	<2.1	2.1	07/23/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<2.1	2.1	07/23/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy : Data Report

Sample	48165	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
Date Collected	**Begin**	**End**	07/02/2002 10:30 AM	**Collected by**	YEBAILE, SAMIR
				Sample Type	COMPLIANCE
Program	CO-OERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 2 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<2.1	2.1	07/23/2002	
Methyl methanesulfonate	000066-27-3	<2.1	2.1	07/23/2002	
3-Methylcholanthrene	000056-49-5	<2.1	2.1	07/23/2002	
2-Methylnaphthalene	000091-57-6	<2.1	2.1	07/23/2002	
3&4-Methylphenol	000106-44-5	<2.1	2.1	07/23/2002	
2-Methylphenol	000095-48-7	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<2.1	2.1	07/23/2002	
N-Nitrosomorpholine	000059-89-2	<2.1	2.1	07/23/2002	
N-Nitrosopiperidine	000100-75-4	<2.1	2.1	07/23/2002	
N-Nitrosopyrrolidine	000930-55-2	<2.1	2.1	07/23/2002	
Naphthalene	000091-20-3	<2.1	2.1	07/23/2002	
1,4-Naphthoquinone	000130-15-4	<2.1	2.1	07/23/2002	
1-Naphthylamine	000134-32-7	<2.1	2.1	07/23/2002	R
2-Naphthylamine	000091-59-8	<2.1	2.1	07/23/2002	R
5-Nitro-o-toluidine	000099-55-8	<2.1	2.1	07/23/2002	R
2-Nitroaniline	000088-74-4	<2.1	2.1	07/23/2002	
3-Nitroaniline	000099-09-2	<2.1	2.1	07/23/2002	R
4-Nitroaniline	000100-01-6	<2.1	2.1	07/23/2002	R
Nitrobenzene	000098-95-3	<2.1	2.1	07/23/2002	
4-Nitrophenol	000100-02-7	<2.1	2.1	07/23/2002	
2-Nitrophenol	000088-75-5	<2.1	2.1	07/23/2002	
Pentachlorobenzene	000608-93-5	<2.1	2.1	07/23/2002	
Pentachlorophenol	000087-86-5	<2.1	2.1	07/23/2002	
Phenacetin	000062-44-2	<2.1	2.1	07/23/2002	
Phenanthrene	000085-01-8	<2.1	2.1	07/23/2002	
Phenol	000108-95-2	<2.1	2.1	07/23/2002	
2-Picoline	000109-06-8	<2.1	2.1	07/23/2002	
Pronamide	023950-58-5	<2.1	2.1	07/23/2002	
Pyrene	000129-00-0	<2.1	2.1	07/23/2002	
Safrole	000094-59-7	<2.1	2.1	07/23/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<2.1	2.1	07/23/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<2.1	2.1	07/23/2002	
o-Toluidine	000095-53-4	<2.1	2.1	07/23/2002	
1,2,4-Trichlorobenzene	000120-82-1	<2.1	2.1	07/23/2002	
2,4,6-Trichlorophenol	000088-06-2	<2.1	2.1	07/23/2002	
2,4,5-Trichlorophenol	000095-95-4	<2.1	2.1	07/23/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By [signature] **On** 8/1/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Ana.,sis Data Report

26-Jul-02

Sample 48158

Date Received	07/03/2002 12:07 PM	**Matrix**	SW	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected		07/02/2002 10:00 AM		**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Oup B Surface Water 2 St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
Arsenic-SW846_(WAT)	Arsenic	P1002	<5.0	ug/L	07/16/2002	
ICP_(WAT)	Aluminum	P1105	608	ug/L	07/16/2002	
ICP_(WAT)	Barium	P1007	61	ug/L	07/16/2002	
ICP_(WAT)	Beryllium	P1012	<5	ug/L	07/16/2002	
ICP_(WAT)	Cadmium	P1027	<5	ug/L	07/16/2002	
ICP_(WAT)	Calcium	P916	103	mg/L	07/16/2002	
ICP_(WAT)	Chromium	P1034	<30	ug/L	07/16/2002	
ICP_(WAT)	Cobalt	P1037	<50	ug/L	07/16/2002	
ICP_(WAT)	Copper	P1042	<10	ug/L	07/16/2002	
ICP_(WAT)	Hardness, Total	P900	418	mg/L	07/16/2002	
ICP_(WAT)	Iron	P1045	680	ug/L	07/16/2002	
ICP_(WAT)	Magnesium	P927	39	mg/L	07/16/2002	
ICP_(WAT)	Manganese	P1055	15	ug/L	07/16/2002	
ICP_(WAT)	Nickel	P1067	<40	ug/L	07/16/2002	
ICP_(WAT)	Potassium	P937	6	mg/L	07/16/2002	
ICP_(WAT)	Sodium	P929	12	mg/L	07/16/2002	
ICP_(WAT)	Strontium	P1082	361	ug/L	07/16/2002	
ICP_(WAT)	Titanium	P01152	<50	ug/L	07/16/2002	
ICP_(WAT)	Vanadium	P1087	<50	ug/L	07/16/2002	
ICP_(WAT)	Zinc	P1092	52	ug/L	07/16/2002	
Lead-SW846_(WAT)	Lead	P1051	<2.0	ug/L	07/17/2002	
Selenium-SW846_(WAT)	Selenium	P1147	<5.0	ug/L	07/22/2002	
Cyanide_Total	Cyanide, Total	P720	<10	ug/L	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By SR **On** 7-26-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic A[illegible]s Data Report

Sample	48164	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:20 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<5.00	5	07/08/2002	
Benzene	000071-43-2	<0.50	0.5	07/08/2002	
Bromobenzene	000108-86-1	<0.50	0.5	07/08/2002	
Bromochloromethane	000074-97-5	<0.50	0.5	07/08/2002	
Bromodichloromethane	000075-27-4	<0.50	0.5	07/08/2002	
Bromoform	000075-25-2	<0.50	0.5	07/08/2002	
Bromomethane	000074-83-9	<0.50	0.5	07/08/2002	
2-Butanone	000078-93-3	<1.00	1	07/08/2002	
n-Butylbenzene	000104-51-8	<0.50	0.5	07/08/2002	
sec-Butylbenzene	000135-98-8	<0.50	0.5	07/08/2002	
tert-Butylbenzene	000098-06-6	<0.50	0.5	07/08/2002	
Carbon disulfide	000075-15-0	<1.00	1	07/08/2002	
Carbon tetrachloride	000056-23-5	<0.50	0.5	07/08/2002	
Chlorobenzene	000108-90-7	<0.50	0.5	07/08/2002	
Chloroethane	000075-00-3	0.71	0.5	07/08/2002	
Chloroform	000067-66-3	<0.50	0.5	07/08/2002	
Chloromethane	000074-87-3	<0.50	0.5	07/08/2002	
2-Chlorotoluene	000095-49-8	<0.50	0.5	07/08/2002	
4-Chlorotoluene	000106-43-4	<0.50	0.5	07/08/2002	
Dibromochloromethane	000124-48-1	<0.50	0.5	07/08/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.50	0.5	07/08/2002	
1,2-Dibromoethane	000106-93-4	<0.50	0.5	07/08/2002	
Dibromomethane	000074-95-3	<0.50	0.5	07/08/2002	
1,2-Dichlorobenzene	000095-50-1	<0.50	0.5	07/08/2002	
1,3-Dichlorobenzene	000541-73-1	<0.50	0.5	07/08/2002	
1,4-Dichlorobenzene	000106-46-7	<0.50	0.5	07/08/2002	
Dichlorodifluoromethane	000075-71-8	<0.50	0.5	07/08/2002	
1,1-Dichloroethane	000075-34-3	<0.50	0.5	07/08/2002	
1,2-Dichloroethane	000107-06-2	<0.50	0.5	07/08/2002	
1,1-Dichloroethene	000075-35-4	<0.50	0.5	07/08/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.50	0.5	07/08/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.50	0.5	07/08/2002	
1,2-Dichloropropane	000078-87-5	<0.50	0.5	07/08/2002	
1,3-Dichloropropane	000142-28-9	<0.50	0.5	07/08/2002	
2,2-Dichloropropane	000594-20-7	<0.50	0.5	07/08/2002	
1,1-Dichloropropene	000563-58-6	<0.50	0.5	07/08/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.50	0.5	07/08/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.50	0.5	07/08/2002	
Ethylbenzene	000100-41-4	<0.50	0.5	07/08/2002	
Hexachlorobutadiene	000087-68-3	<0.50	0.5	07/08/2002	
2-Hexanone	000591-78-6	<1.00	1	07/08/2002	
Isopropylbenzene	000098-82-8	<0.50	0.5	07/08/2002	
4-Isopropyltoluene	000099-87-6	<0.50	0.5	07/08/2002	
Methylene chloride	000075-09-2	<0.50	0.5	07/08/2002	
4-Methyl-2-pentanone	000108-10-1	<1.00	1	07/08/2002	
Naphthalene	000091-20-3	<0.50	0.5	07/08/2002	
n-Propylbenzene	000103-65-1	<0.50	0.5	07/08/2002	
Styrene	0D0100-42-5	<0.50	0.5	07/08/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.50	0.5	07/08/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.50	0.5	07/08/2002	
Tetrachloroethene	000127-18-4	<0.50	0.5	07/08/2002	
Toluene	000108-88-3	<0.50	0.5	07/08/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.50	0.5	07/08/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.50	0.5	07/08/2002	
1,1,1-Trichloroethane	000071-55-6	<0.50	0.5	07/08/2002	
1,1,2-Trichloroethane	000079-00-5	<0.50	0.5	07/08/2002	

OhioEPA Division of Environmental Services

Laboratory Organic An. / . Data Report

Sample	48164	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:20 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.50	0.5	07/08/2002	
Trichlorofluoromethane	000075-69-4	<0.50	0.5	07/08/2002	
1,2,3-Trichloropropane	000096-18-4	<0.50	0.5	07/08/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.50	0.5	07/08/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.50	0.5	07/08/2002	
Vinyl chloride	000075-01-4	<0.50	0.5	07/08/2002	
o-Xylene	000095-47-6	<0.50	0.5	07/08/2002	
Total m&p-xylenes	000108-38-3	<0.50	0.5	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By K **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48164	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:20 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<0.0021	0.0021	07/09/2002	
a-BHC	000319-84-6	<0.0021	0.0021	07/09/2002	
b-BHC	000319-85-7	<0.0021	0.0021	07/09/2002	
d-BHC	000319-86-8	<0.0021	0.0021	07/09/2002	
y-BHC	000058-89-9	<0.0021	0.0021	07/09/2002	
4,4'-DDD	000072-54-8	<0.0062	0.0062	07/09/2002	
4,4'-DDE	000072-55-9	<0.0021	0.0021	07/09/2002	
4,4'-DDT	000050-29-3	<0.0062	0.0062	07/09/2002	
Dieldrin	000060-57-1	0.0068	0.0021	07/09/2002	J
Endosulfan I	000959-98-8	<0.0021	0.0021	07/09/2002	
Endosulfan II	033213-65-9	<0.0021	0.0021	07/09/2002	
Endosulfan sulfate	001031-07-8	<0.021	0.021	07/09/2002	
Endrin	000072-20-8	<0.0021	0.0021	07/09/2002	
Endrin aldehyde	007421-93-4	<0.0062	0.0062	07/09/2002	
Heptachlor	000076-44-8	<0.0021	0.0021	07/09/2002	
Heptachlor epoxide	001024-57-3	<0.0021	0.0021	07/09/2002	
Methoxychlor	000072-43-5	<0.010	0.01	07/09/2002	
Mirex	002385-85-5	<0.010	0.01	07/09/2002	
Hexachlorobenzene	000118-74-1	<0.0021	0.0021	07/09/2002	
PCB-1016	012674-11-2	<0.10	0.1	07/09/2002	
PCB-1221	011104-28-2	<0.10	0.1	07/09/2002	
PCB-1232	011141-16-5	<0.10	0.1	07/09/2002	
PCB-1242	053469-21-9	<0.10	0.1	07/09/2002	
PCB-1248	012672-29-6	<0.10	0.1	07/09/2002	
PCB-1254	011097-69-1	<0.10	0.1	07/09/2002	
PCB-1260	011096-82-5	<0.10	0.1	07/09/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By [signature] **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample 48164	**EPA Method** 8270		
Date Received 07/03/2002 12:18 PM	**Matrix** SW	**Units** ug/L	
Begin	**End**	**Collected by** YEBAILE, SAMIR	
Date Collected	07/02/2002 11:20 AM	**Sample Type** COMPLIANCE	
Program CO-DERR		**Station ID**	
Client RCRA_DERR		**Customer ID** CO020702 ISIRJ	
Location Surface Water 3 St. Albans Dump			

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<2.1	2.1	07/23/2002	
Acenaphthylene	000208-96-8	<2.1	2.1	07/23/2002	
Acetophenone	000098-86-2	<2.1	2.1	07/23/2002	
2-Acetylaminofluorene	000053-96-3	<2.1	2.1	07/23/2002	
4-Aminobiphenyl	000092-67-1	<2.1	2.1	07/23/2002	R
Aniline	000062-53-3	<2.1	2.1	07/23/2002	
Anthracene	000120-12-7	<2.1	2.1	07/23/2002	
Benz[a]anthracene	000056-55-3	<2.1	2.1	07/23/2002	
Benzo[a]pyrene	000050-32-8	<2.1	2.1	07/23/2002	
Benzo[b]fluoranthene	000205-99-2	<2.1	2.1	07/23/2002	
Benzo[g,h,i]perylene	000191-24-2	<2.1	2.1	07/23/2002	
Benzo[k]fluoranthene	000207-08-9	<2.1	2.1	07/23/2002	
Benzyl alcohol	000100-51-6	<2.1	2.1	07/23/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<2.1	2.1	07/23/2002	
bis(2-Chloroethyl)ether	000111-44-4	<2.1	2.1	07/23/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<2.1	2.1	07/23/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<2.1	2.1	07/23/2002	
4-Bromophenyl-phenylether	000101-55-3	<2.1	2.1	07/23/2002	
Butylbenzylphthalate	000085-68-7	<2.1	2.1	07/23/2002	
4-Chloro-3-methylphenol	000059-50-7	<2.1	2.1	07/23/2002	
4-Chloroaniline	000106-47-8	<2.1	2.1	07/23/2002	R
2-Chloronaphthalene	000091-58-7	<2.1	2.1	07/23/2002	
2-Chlorophenol	000095-57-8	<2.1	2.1	07/23/2002	
4-Chlorophenyl-phenylether	007005-72-3	<2.1	2.1	07/23/2002	
Chrysene	000218-01-9	<2.1	2.1	07/23/2002	
Di-n-butylphthalate	000084-74-2	<2.1	2.1	07/23/2002	
Di-n-octylphthalate	000117-84-0	<2.1	2.1	07/23/2002	
Dibenz[a,h]anthracene	000053-70-3	<2.1	2.1	07/23/2002	
Dibenzofuran	000132-64-9	<2.1	2.1	07/23/2002	
1,3-Dichlorobenzene	000541-73-1	<2.1	2.1	07/23/2002	
1,4-Dichlorobenzene	000106-46-7	<2.1	2.1	07/23/2002	
1,2-Dichlorobenzene	000095-50-1	<2.1	2.1	07/23/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.1	2.1	07/23/2002	
2,6-Dichlorophenol	000087-65-0	<2.1	2.1	07/23/2002	
2,4-Dichlorophenol	000120-83-2	<2.1	2.1	07/23/2002	
Diethylphthalate	000084-66-2	<2.1	2.1	07/23/2002	
p-Dimethylaminoazobenzene	000060-11-7	<2.1	2.1	07/23/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.1	2.1	07/23/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.1	2.1	07/23/2002	R
2,4-Dimethylphenol	000105-67-9	<2.1	2.1	07/23/2002	
Dimethylphthalate	000131-11-3	<2.1	2.1	07/23/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<2.1	2.1	07/23/2002	
1,3-Dinitrobenzene	000099-65-0	<2.1	2.1	07/23/2002	
2,4-Dinitrophenol	000051-28-5	<2.1	2.1	07/23/2002	
2,6-Dinitrotoluene	000606-20-2	<2.1	2.1	07/23/2002	
2,4-Dinitrotoluene	000121-14-2	<2.1	2.1	07/23/2002	
Dinoseb	000088-85-7	<2.1	2.1	07/23/2002	
Diphenylamine	000122-39-4	<2.1	2.1	07/23/2002	
Ethyl methanesulfonate	000062-50-0	<2.1	2.1	07/23/2002	
Fluoranthene	000206-44-0	<2.1	2.1	07/23/2002	
Fluorene	000086-73-7	<2.1	2.1	07/23/2002	
Hexachlorobenzene	000118-74-1	<2.1	2.1	07/23/2002	
Hexachlorobutadiene	000087-68-3	<2.1	2.1	07/23/2002	
Hexachlorocyclopentadiene	000077-47-4	<2.1	2.1	07/23/2002	
Hexachloroethane	000067-72-1	<2.1	2.1	07/23/2002	
Hexachloropropene	001888-71-7	<2.1	2.1	07/23/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<2.1	2.1	07/23/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48164	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:20 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 3 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<2.1	2.1	07/23/2002	
Methyl methanesulfonate	000066-27-3	<2.1	2.1	07/23/2002	
3-Methylcholanthrene	000056-49-5	<2.1	2.1	07/23/2002	
2-Methylnaphthalene	000091-57-6	<2.1	2.1	07/23/2002	
3&4-Methylphenol	000106-44-5	<2.1	2.1	07/23/2002	
2-Methylphenol	000095-48-7	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<2.1	2.1	07/23/2002	
N-Nitrosomorpholine	000059-89-2	<2.1	2.1	07/23/2002	
N-Nitrosopiperidine	000100-75-4	<2.1	2.1	07/23/2002	
N-Nitrosopyrrolidine	000930-55-2	<2.1	2.1	07/23/2002	
Naphthalene	000091-20-3	<2.1	2.1	07/23/2002	
1,4-Naphthoquinone	000130-15-4	<2.1	2.1	07/23/2002	
1-Naphthylamine	000134-32-7	<2.1	2.1	07/23/2002	R
2-Naphthylamine	000091-59-8	<2.1	2.1	07/23/2002	R
5-Nitro-o-toluidine	000099-55-8	<2.1	2.1	07/23/2002	R
2-Nitroaniline	000088-74-4	<2.1	2.1	07/23/2002	
3-Nitroaniline	000099-09-2	<2.1	2.1	07/23/2002	R
4-Nitroaniline	000100-01-6	<2.1	2.1	07/23/2002	R
Nitrobenzene	000098-95-3	<2.1	2.1	07/23/2002	
4-Nitrophenol	000100-02-7	<2.1	2.1	07/23/2002	
2-Nitrophenol	000088-75-5	<2.1	2.1	07/23/2002	
Pentachlorobenzene	000608-93-5	<2.1	2.1	07/23/2002	
Pentachlorophenol	000087-86-5	<2.1	2.1	07/23/2002	
Phenacetin	000062-44-2	<2.1	2.1	07/23/2002	
Phenanthrene	000085-01-8	<2.1	2.1	07/23/2002	
Phenol	000108-95-2	<2.1	2.1	07/23/2002	
2-Picoline	000109-06-8	<2.1	2.1	07/23/2002	
Pronamide	023950-58-5	<2.1	2.1	07/23/2002	
Pyrene	000129-00-0	<2.1	2.1	07/23/2002	
Safrole	000094-59-7	<2.1	2.1	07/23/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<2.1	2.1	07/23/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<2.1	2.1	07/23/2002	
o-Toluidine	000095-53-4	<2.1	2.1	07/23/2002	
1,2,4-Trichlorobenzene	000120-82-1	<2.1	2.1	07/23/2002	
2,4,6-Trichlorophenol	000088-06-2	<2.1	2.1	07/23/2002	
2,4,5-Trichlorophenol	000095-95-4	<2.1	2.1	07/23/2002	
2,6,10-Dodecatrien-1-ol, 3,7,11-tr	004602-84-0	1	0	07/23/2002	NJ

Field Comments

Lab Comments

QC / Sample Comments

Approved By TR **On** 8/1/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Analysis Data Report

26-Jul-02

Sample 48159

Date Received	07/03/2002 12:07 PM	**Matrix**	SW	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected		07/02/2002 11:30 AM		**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Surface Water 3 St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
Arsenic-SW846_(WAT)	Arsenic	P1002	<5.0	ug/L	07/16/2002	
ICP_(WAT)	Aluminum	P1105	<200	ug/L	07/16/2002	
ICP_(WAT)	Barium	P1007	66	ug/L	07/16/2002	
ICP_(WAT)	Beryllium	P1012	<5	ug/L	07/16/2002	
ICP_(WAT)	Cadmium	P1027	<5	ug/L	07/16/2002	
ICP_(WAT)	Calcium	P916	77	mg/L	07/16/2002	
ICP_(WAT)	Chromium	P1034	<30	ug/L	07/16/2002	
ICP_(WAT)	Cobalt	P1037	<50	ug/L	07/16/2002	
ICP_(WAT)	Copper	P1042	<10	ug/L	07/16/2002	
ICP_(WAT)	Hardness, Total	P900	291	mg/L	07/16/2002	
ICP_(WAT)	Iron	P1045	188	ug/L	07/16/2002	
ICP_(WAT)	Magnesium	P927	24	mg/L	07/16/2002	
ICP_(WAT)	Manganese	P1055	<10	ug/L	07/16/2002	
ICP_(WAT)	Nickel	P1067	<40	ug/L	07/16/2002	
ICP_(WAT)	Potassium	P937	4	mg/L	07/16/2002	
ICP_(WAT)	Sodium	P929	12	mg/L	07/16/2002	
ICP_(WAT)	Strontium	P1082	744	ug/L	07/16/2002	
ICP_(WAT)	Titanium	P01152	<50	ug/L	07/16/2002	
ICP_(WAT)	Vanadium	P1087	<50	ug/L	07/16/2002	
ICP_(WAT)	Zinc	P1092	<10	ug/L	07/16/2002	
Lead-SW846_(WAT)	Lead	P1051	<2.0	ug/L	07/17/2002	
Selenium-SW846_(WAT)	Selenium	P1147	<5.0	ug/L	07/22/2002	
Cyanide_Free	Cyanide, Free	P718	<5	ug/L	07/16/2002	
Cyanide_Total	Cyanide, Total	P720	<10	ug/L	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By SK **On** 7-26-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy[illegible] Data Report

Sample	48163	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
Begin		**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:00 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 4 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<5.00	5	07/08/2002	
Benzene	000071-43-2	<0.50	0.5	07/08/2002	
Bromobenzene	000108-86-1	<0.50	0.5	07/08/2002	
Bromochloromethane	000074-97-5	<0.50	0.5	07/08/2002	
Bromodichloromethane	000075-27-4	<0.50	0.5	07/08/2002	
Bromoform	000075-25-2	<0.50	0.5	07/08/2002	
Bromomethane	000074-83-9	<0.50	0.5	07/08/2002	
2-Butanone	000078-93-3	<1.00	1	07/08/2002	
n-Butylbenzene	000104-51-8	<0.50	0.5	07/08/2002	
sec-Butylbenzene	000135-98-8	<0.50	0.5	07/08/2002	
tert-Butylbenzene	000098-06-6	<0.50	0.5	07/08/2002	
Carbon disulfide	000075-15-0	<1.00	1	07/08/2002	
Carbon tetrachloride	000056-23-5	<0.50	0.5	07/08/2002	
Chlorobenzene	000108-90-7	<0.50	0.5	07/08/2002	
Chloroethane	000075-00-3	<0.50	0.5	07/08/2002	
Chloroform	000067-66-3	<0.50	0.5	07/08/2002	
Chloromethane	000074-87-3	<0.50	0.5	07/08/2002	
2-Chlorotoluene	000095-49-8	<0.50	0.5	07/08/2002	
4-Chlorotoluene	000106-43-4	<0.50	0.5	07/08/2002	
Dibromochloromethane	000124-48-1	<0.50	0.5	07/08/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.50	0.5	07/08/2002	
1,2-Dibromoethane	000106-93-4	<0.50	0.5	07/08/2002	
Dibromomethane	000074-95-3	<0.50	0.5	07/08/2002	
1,2-Dichlorobenzene	000095-50-1	<0.50	0.5	07/08/2002	
1,3-Dichlorobenzene	000541-73-1	<0.50	0.5	07/08/2002	
1,4-Dichlorobenzene	000106-46-7	<0.50	0.5	07/08/2002	
Dichlorodifluoromethane	000075-71-8	<0.50	0.5	07/08/2002	
1,1-Dichloroethane	000075-34-3	<0.50	0.5	07/08/2002	
1,2-Dichloroethane	000107-06-2	<0.50	0.5	07/08/2002	
1,1-Dichloroethene	000075-35-4	<0.50	0.5	07/08/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.50	0.5	07/08/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.50	0.5	07/08/2002	
1,2-Dichloropropane	000078-87-5	<0.50	0.5	07/08/2002	
1,3-Dichloropropane	000142-28-9	<0.50	0.5	07/08/2002	
2,2-Dichloropropane	000594-20-7	<0.50	0.5	07/08/2002	
1,1-Dichloropropene	000563-58-6	<0.50	0.5	07/08/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.50	0.5	07/08/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.50	0.5	07/08/2002	
Ethylbenzene	000100-41-4	<0.50	0.5	07/08/2002	
Hexachlorobutadiene	000087-68-3	<0.50	0.5	07/08/2002	
2-Hexanone	000591-78-6	<1.00	1	07/08/2002	
Isopropylbenzene	000098-82-8	<0.50	0.5	07/08/2002	
4-Isopropyltoluene	000099-87-6	<0.50	0.5	07/08/2002	
Methylene chloride	000075-09-2	<0.50	0.5	07/08/2002	
4-Methyl-2-pentanone	000108-10-1	<1.00	1	07/08/2002	
Naphthalene	000091-20-3	<0.50	0.5	07/08/2002	
n-Propylbenzene	000103-65-1	<0.50	0.5	07/08/2002	
Styrene	000100-42-5	<0.50	0.5	07/08/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.50	0.5	07/08/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.50	0.5	07/08/2002	
Tetrachloroethene	000127-18-4	<0.50	0.5	07/08/2002	
Toluene	000108-88-3	<0.50	0.5	07/08/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.50	0.5	07/08/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.50	0.5	07/08/2002	
1,1,1-Trichloroethane	000071-55-6	<0.50	0.5	07/08/2002	
1,1,2-Trichloroethane	000079-00-5	<0.50	0.5	07/08/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48163	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 4 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.50	0.5	07/08/2002	
Trichlorofluoromethane	000075-69-4	<0.50	0.5	07/08/2002	
1,2,3-Trichloropropane	000096-18-4	<0.50	0.5	07/08/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.50	0.5	07/08/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.50	0.5	07/08/2002	
Vinyl chloride	000075-01-4	<0.50	0.5	07/08/2002	
o-Xylene	000095-47-6	<0.50	0.5	07/08/2002	
Total m&p-xylenes	000108-38-3	<0.50	0.5	07/08/2002	

Field Comments	
Lab Comments	
QC / Sample Comments	
Approved By	TK **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48163	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 4 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<0.0020	0.002	07/09/2002	
a-BHC	000319-84-6	0.0038	0.002	07/09/2002	P
b-BHC	000319-85-7	<0.0020	0.002	07/09/2002	
d-BHC	000319-86-8	<0.0020	0.002	07/09/2002	
y-BHC	000058-89-9	0.0054	0.002	07/09/2002	
4,4'-DDD	000072-54-8	<0.0061	0.0061	07/09/2002	
4,4'-DDE	000072-55-9	<0.0020	0.002	07/09/2002	
4,4'-DDT	000050-29-3	<0.0061	0.0061	07/09/2002	
Dieldrin	000060-57-1	0.0065	0.002	07/09/2002	J
Endosulfan I	000959-98-8	<0.0020	0.002	07/09/2002	
Endosulfan II	033213-65-9	<0.0020	0.002	07/09/2002	
Endosulfan sulfate	001031-07-8	<0.020	0.02	07/09/2002	
Endrin	000072-20-8	<0.0020	0.002	07/09/2002	
Endrin aldehyde	007421-93-4	<0.0061	0.0061	07/09/2002	
Heptachlor	000076-44-8	<0.0020	0.002	07/09/2002	
Heptachlor epoxide	001024-57-3	0.0027	0.002	07/09/2002	P
Methoxychlor	000072-43-5	<0.010	0.01	07/09/2002	
Mirex	002385-85-5	<0.010	0.01	07/09/2002	
Hexachlorobenzene	000118-74-1	<0.0020	0.002	07/09/2002	
PCB-1016	012674-11-2	<0.10	0.1	07/09/2002	
PCB-1221	011104-28-2	<0.10	0.1	07/09/2002	
PCB-1232	011141-16-5	<0.10	0.1	07/09/2002	
PCB-1242	053469-21-9	<0.10	0.1	07/09/2002	
PCB-1248	012672-29-6	<0.10	0.1	07/09/2002	
PCB-1254	011097-69-1	<0.10	0.1	07/09/2002	
PCB-1260	011096-82-5	<0.10	0.1	07/09/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TK **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48163	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 4 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<2.0	2	07/23/2002	
Acenaphthylene	000208-96-8	<2.0	2	07/23/2002	
Acetophenone	000098-86-2	<2.0	2	07/23/2002	
2-Acetylaminofluorene	000053-96-3	<2.0	2	07/23/2002	
4-Aminobiphenyl	000092-67-1	<2.0	2	07/23/2002	R
Aniline	000062-53-3	<2.0	2	07/23/2002	
Anthracene	000120-12-7	<2.0	2	07/23/2002	
Benz[a]anthracene	000056-55-3	<2.0	2	07/23/2002	
Benzo[a]pyrene	000050-32-8	<2.0	2	07/23/2002	
Benzo[b]fluoranthene	000205-99-2	<2.0	2	07/23/2002	
Benzo[g,h,i]perylene	000191-24-2	<2.0	2	07/23/2002	
Benzo[k]fluoranthene	000207-08-9	<2.0	2	07/23/2002	
Benzyl alcohol	000100-51-6	<2.0	2	07/23/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<2.0	2	07/23/2002	
bis(2-Chloroethyl)ether	000111-44-4	<2.0	2	07/23/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<2.0	2	07/23/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<2.0	2	07/23/2002	
4-Bromophenyl-phenylether	000101-55-3	<2.0	2	07/23/2002	
Butylbenzylphthalate	000085-68-7	<2.0	2	07/23/2002	
4-Chloro-3-methylphenol	000059-50-7	<2.0	2	07/23/2002	
4-Chloroaniline	000106-47-8	<2.0	2	07/23/2002	R
2-Chloronaphthalene	000091-58-7	<2.0	2	07/23/2002	
2-Chlorophenol	000095-57-8	<2.0	2	07/23/2002	
4-Chlorophenyl-phenylether	007005-72-3	<2.0	2	07/23/2002	
Chrysene	000218-01-9	<2.0	2	07/23/2002	
Di-n-butylphthalate	000084-74-2	<2.0	2	07/23/2002	
Di-n-octylphthalate	000117-84-0	<2.0	2	07/23/2002	
Dibenz[a,h]anthracene	000053-70-3	<2.0	2	07/23/2002	
Dibenzofuran	000132-64-9	<2.0	2	07/23/2002	
1,3-Dichlorobenzene	000541-73-1	<2.0	2	07/23/2002	
1,4-Dichlorobenzene	000106-46-7	<2.0	2	07/23/2002	
1,2-Dichlorobenzene	000095-50-1	<2.0	2	07/23/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.0	2	07/23/2002	
2,6-Dichlorophenol	000087-65-0	<2.0	2	07/23/2002	
2,4-Dichlorophenol	000120-83-2	<2.0	2	07/23/2002	
Diethylphthalate	000084-66-2	<2.0	2	07/23/2002	
p-Dimethylaminoazobenzene	000060-11-7	<2.0	2	07/23/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.0	2	07/23/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.0	2	07/23/2002	R
2,4-Dimethylphenol	000105-67-9	<2.0	2	07/23/2002	
Dimethylphthalate	000131-11-3	<2.0	2	07/23/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<2.0	2	07/23/2002	
1,3-Dinitrobenzene	000099-65-0	<2.0	2	07/23/2002	
2,4-Dinitrophenol	000051-28-5	<2.0	2	07/23/2002	
2,6-Dinitrotoluene	000606-20-2	<2.0	2	07/23/2002	
2,4-Dinitrotoluene	000121-14-2	<2.0	2	07/23/2002	
Dinoseb	000088-85-7	<2.0	2	07/23/2002	
Diphenylamine	000122-39-4	<2.0	2	07/23/2002	
Ethyl methanesulfonate	000062-50-0	<2.0	2	07/23/2002	
Fluoranthene	000206-44-0	<2.0	2	07/23/2002	
Fluorene	000086-73-7	<2.0	2	07/23/2002	
Hexachlorobenzene	000118-74-1	<2.0	2	07/23/2002	
Hexachlorobutadiene	000087-68-3	<2.0	2	07/23/2002	
Hexachlorocyclopentadiene	000077-47-4	<2.0	2	07/23/2002	
Hexachloroethane	000067-72-1	<2.0	2	07/23/2002	
Hexachloropropene	001888-71-7	<2.0	2	07/23/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<2.0	2	07/23/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48163	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 4 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<2.0	2	07/23/2002	
Methyl methanesulfonate	000066-27-3	<2.0	2	07/23/2002	
3-Methylcholanthrene	000056-49-5	<2.0	2	07/23/2002	
2-Methylnaphthalene	000091-57-6	<2.0	2	07/23/2002	
3&4-Methylphenol	000106-44-5	<2.0	2	07/23/2002	
2-Methylphenol	000095-48-7	<2.0	2	07/23/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<2.0	2	07/23/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<2.0	2	07/23/2002	
N-Nitrosomorpholine	000059-89-2	<2.0	2	07/23/2002	
N-Nitrosopiperidine	000100-75-4	<2.0	2	07/23/2002	
N-Nitrosopyrrolidine	000930-55-2	<2.0	2	07/23/2002	
Naphthalene	000091-20-3	<2.0	2	07/23/2002	
1,4-Naphthoquinone	000130-15-4	<2.0	2	07/23/2002	
1-Naphthylamine	000134-32-7	<2.0	2	07/23/2002	R
2-Naphthylamine	000091-59-8	<2.0	2	07/23/2002	R
5-Nitro-o-toluidine	000099-55-8	<2.0	2	07/23/2002	R
2-Nitroaniline	000088-74-4	<2.0	2	07/23/2002	
3-Nitroaniline	000099-09-2	<2.0	2	07/23/2002	R
4-Nitroaniline	000100-01-6	<2.0	2	07/23/2002	R
Nitrobenzene	000098-95-3	<2.0	2	07/23/2002	
4-Nitrophenol	000100-02-7	<2.0	2	07/23/2002	
2-Nitrophenol	000088-75-5	<2.0	2	07/23/2002	
Pentachlorobenzene	000608-93-5	<2.0	2	07/23/2002	
Pentachlorophenol	000087-86-5	<2.0	2	07/23/2002	
Phenacetin	000062-44-2	<2.0	2	07/23/2002	
Phenanthrene	000085-01-8	<2.0	2	07/23/2002	
Phenol	000108-95-2	<2.0	2	07/23/2002	
2-Picoline	000109-06-8	<2.0	2	07/23/2002	
Pronamide	023950-58-5	<2.0	2	07/23/2002	
Pyrene	000129-00-0	<2.0	2	07/23/2002	
Safrole	000094-59-7	<2.0	2	07/23/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<2.0	2	07/23/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<2.0	2	07/23/2002	
o-Toluidine	000095-53-4	<2.0	2	07/23/2002	
1,2,4-Trichlorobenzene	000120-82-1	<2.0	2	07/23/2002	
2,4,6-Trichlorophenol	000088-06-2	<2.0	2	07/23/2002	
2,4,5-Trichlorophenol	000095-95-4	<2.0	2	07/23/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TK **On** 8/1/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Analysis Data Report

26-Jul-02

Sample 48160

Date Received	07/03/2002 12:07 PM	**Matrix**	SW	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected			07/02/2002 11:06 AM	**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Surface Water 4 St. Albuns Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
Arsenic-SW846_(WAT)	Arsenic	P1002	<5.0	ug/L	07/16/2002	
ICP_(WAT)	Aluminum	P1105	470	ug/L	07/16/2002	
ICP_(WAT)	Barium	P1007	68	ug/L	07/16/2002	
ICP_(WAT)	Beryllium	P1012	<5	ug/L	07/16/2002	
ICP_(WAT)	Cadmium	P1027	<5	ug/L	07/16/2002	
ICP_(WAT)	Calcium	P916	77	mg/L	07/16/2002	
ICP_(WAT)	Chromium	P1034	<30	ug/L	07/16/2002	
ICP_(WAT)	Cobalt	P1037	<50	ug/L	07/16/2002	
ICP_(WAT)	Copper	P1042	<10	ug/L	07/16/2002	
ICP_(WAT)	Hardness, Total	P900	291	mg/L	07/16/2002	
ICP_(WAT)	Iron	P1045	497	ug/L	07/16/2002	
ICP_(WAT)	Magnesium	P927	24	mg/L	07/16/2002	
ICP_(WAT)	Manganese	P10SS	19	ug/L	07/16/2002	
ICP_(WAT)	Nickel	P1067	<40	ug/L	07/16/2002	
ICP_(WAT)	Potassium	P937	4	mg/L	07/16/2002	
ICP_(WAT)	Sodium	P929	11	mg/L	07/16/2002	
ICP_(WAT)	Strontium	P1082	722	ug/L	07/16/2002	
ICP_(WAT)	Titanium	P01152	<50	ug/L	07/16/2002	
ICP_(WAT)	Vanadium	P1087	<S0	ug/L	07/16/2002	
ICP_(WAT)	Zinc	P1092	<10	ug/L	07/16/2002	
Lead-SW846_(WAT)	Lead	P1051	<2.0	ug/L	07/17/2002	
Selenium-SW846_(WAT)	Selenium	P1147	<5.0	ug/L	07/22/2002	
Cyanide_Total	Cyanide, Total	P720	<10	ug/L	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By JR **On** 7-16-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy , Data Report

Sample	48162	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:30 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 5 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<5.00	5	07/08/2002	
Benzene	000071-43-2	<0.50	0.5	07/08/2002	
Bromobenzene	000108-86-1	<0.50	0.5	07/08/2002	
Bromochloromethane	000074-97-5	<0.50	0.5	07/08/2002	
Bromodichloromethane	000075-27-4	<0.50	0.5	07/08/2002	
Bromoform	000075-25-2	<0.50	0.5	07/08/2002	
Bromomethane	000074-83-9	<0.50	0.5	07/08/2002	
2-Butanone	000078-93-3	<1.00	1	07/08/2002	
n-Butylbenzene	000104-51-8	<0.50	0.5	07/08/2002	
sec-Butylbenzene	000135-98-8	<0.50	0.5	07/08/2002	
tert-Butylbenzene	000098-06-6	<0.50	0.5	07/08/2002	
Carbon disulfide	000075-15-0	<1.00	1	07/08/2002	
Carbon tetrachloride	000056-23-5	<0.50	0.5	07/08/2002	
Chlorobenzene	000108-90-7	<0.50	0.5	07/08/2002	
Chloroethane	000075-00-3	<0.50	0.5	07/08/2002	
Chloroform	000067-66-3	<0.50	0.5	07/08/2002	
Chloromethane	000074-87-3	<0.50	0.5	07/08/2002	
2-Chlorotoluene	000095-49-8	<0.50	0.5	07/08/2002	
4-Chlorotoluene	000106-43-4	<0.50	0.5	07/08/2002	
Dibromochloromethane	000124-48-1	<0.50	0.5	07/08/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.50	0.5	07/08/2002	
1,2-Dibromoethane	000106-93-4	<0.50	0.5	07/08/2002	
Dibromomethane	000074-95-3	<0.50	0.5	07/08/2002	
1,2-Dichlorobenzene	000095-50-1	<0.50	0.5	07/08/2002	
1,3-Dichlorobenzene	000541-73-1	<0.50	0.5	07/08/2002	
1,4-Dichlorobenzene	000106-46-7	<0.50	0.5	07/08/2002	
Dichlorodifluoromethane	000075-71-8	<0.50	0.5	07/08/2002	
1,1-Dichloroethane	000075-34-3	<0.50	0.5	07/08/2002	
1,2-Dichloroethane	000107-06-2	<0.50	0.5	07/08/2002	
1,1-Dichloroethene	000075-35-4	<0.50	0.5	07/08/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.50	0.5	07/08/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.50	0.5	07/08/2002	
1,2-Dichloropropane	000078-87-5	<0.50	0.5	07/08/2002	
1,3-Dichloropropane	000142-28-9	<0.50	0.5	07/08/2002	
2,2-Dichloropropane	000594-20-7	<0.50	0.5	07/08/2002	
1,1-Dichloropropene	000563-58-6	<0.50	0.5	07/08/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.50	0.5	07/08/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.50	0.5	07/08/2002	
Ethylbenzene	000100-41-4	<0.50	0.5	07/08/2002	
Hexachlorobutadiene	000087-68-3	<0.50	0.5	07/08/2002	
2-Hexanone	000591-78-6	<1.00	1	07/08/2002	
Isopropylbenzene	000098-82-8	<0.50	0.5	07/08/2002	
4-Isopropyltoluene	000099-87-6	<0.50	0.5	07/08/2002	
Methylene chloride	000075-09-2	<0.50	0.5	07/08/2002	UJ
4-Methyl-2-pentanone	000108-10-1	<1.00	1	07/08/2002	
Naphthalene	000091-20-3	<0.50	0.5	07/08/2002	
n-Propylbenzene	000103-65-1	<0.50	0.5	07/08/2002	
Styrene	000100-42-5	<0.50	0.5	07/08/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.50	0.5	07/08/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.50	0.5	07/08/2002	
Tetrachloroethene	000127-18-4	<0.50	0.5	07/08/2002	
Toluene	000108-88-3	<0.50	0.5	07/08/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.50	0.5	07/08/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.50	0.5	07/08/2002	
1,1,1-Trichloroethane	000071-55-6	<0.50	0.5	07/08/2002	
1,1,2-Trichloroethane	000079-00-5	<0.50	0.5	07/08/2002	

OhioEPA **Division of Environmental Services**

Laboratory Organic Analysis Data Report

Sample	48162	**EPA Method**	8260B		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
Date Collected	**Begin**	**End**	07/02/2002 11:30 AM	**Collected by**	YEBAILE, SAMIR
				Sample Type	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 5 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.50	0.5	07/08/2002	
Trichlorofluoromethane	000075-69-4	<0.50	0.5	07/08/2002	
1,2,3-Trichloropropane	000096-18-4	<0.50	0.5	07/08/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.50	0.5	07/08/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.50	0.5	07/08/2002	
Vinyl chloride	000075-01-4	<0.50	0.5	07/08/2002	
o-Xylene	000095-47-6	<0.50	0.5	07/08/2002	
Total m&p-xylenes	000108-38-3	<0.50	0.5	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By K **On** 7/23/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48162	**EPA Method**	8081/8082A		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:30 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water S St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Aldrin	000309-00-2	<0.0021	0.0021	07/09/2002	
a-BHC	000319-84-6	0.0040	0.0021	07/09/2002	P
b-BHC	000319-85-7	<0.0021	0.0021	07/09/2002	
d-BHC	000319-86-8	<0.0021	0.0021	07/09/2002	
g-BHC	000058-89-9	<0.0021	0.0021	07/09/2002	
4,4'-DDD	000072-54-8	<0.0063	0.0063	07/09/2002	
4,4'-DDE	000072-55-9	<0.0021	0.0021	07/09/2002	
4,4'-DDT	000050-29-3	<0.0063	0.0063	07/09/2002	
Dieldrin	000060-57-1	0.0066	0.0021	07/09/2002	J
Endosulfan I	000959-98-8	<0.0021	0.0021	07/09/2002	
Endosulfan II	033213-65-9	<0.0021	0.0021	07/09/2002	
Endosulfan sulfate	001031-07-8	<0.021	0.021	07/09/2002	
Endrin	000072-20-8	<0.0021	0.0021	07/09/2002	
Endrin aldehyde	007421-93-4	<0.0063	0.0063	07/09/2002	
Heptachlor	000076-44-8	<0.0021	0.0021	07/09/2002	
Heptachlor epoxide	001024-57-3	<0.0021	0.0021	07/09/2002	
Methoxychlor	000072-43-5	<0.011	0.011	07/09/2002	
Mirex	002385-85-5	<0.011	0.011	07/09/2002	
Hexachlorobenzene	000118-74-1	<0.0021	0.0021	07/09/2002	
PCB-1016	012674-11-2	<0.11	0.11	07/09/2002	
PCB-1221	011104-28-2	<0.11	0.11	07/09/2002	
PCB-1232	011141-16-5	<0.11	0.11	07/09/2002	
PCB-1242	053469-21-9	<0.11	0.11	07/09/2002	
PCB-1248	012672-29-6	<0.11	0.11	07/09/2002	
PCB-1254	011097-69-1	<0.11	0.11	07/09/2002	
PCB-1260	011096-82-5	<0.11	0.11	07/09/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By TK **On** 7/25/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48162	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected			07/02/2002 11:30 AM	**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water S St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acenaphthene	000083-32-9	<2.1	2.1	07/23/2002	
Acenaphthylene	000208-96-8	<2.1	2.1	07/23/2002	
Acetophenone	000098-86-2	<2.1	2.1	07/23/2002	
2-Acetylaminofluorene	000053-96-3	<2.1	2.1	07/23/2002	
4-Aminobiphenyl	000092-67-1	<2.1	2.1	07/23/2002	R
Aniline	000062-53-3	<2.1	2.1	07/23/2002	
Anthracene	000120-12-7	<2.1	2.1	07/23/2002	
Benz[a]anthracene	000056-55-3	<2.1	2.1	07/23/2002	
Benzo[a]pyrene	000050-32-8	<2.1	2.1	07/23/2002	
Benzo[b]fluoranthene	000205-99-2	<2.1	2.1	07/23/2002	
Benzo[g,h,i]perylene	000191-24-2	<2.1	2.1	07/23/2002	
Benzo[k]fluoranthene	000207-08-9	<2.1	2.1	07/23/2002	
Benzyl alcohol	000100-51-6	<2.1	2.1	07/23/2002	
bis(2-Chloroethoxy)methane	000111-91-1	<2.1	2.1	07/23/2002	
bis(2-Chloroethyl)ether	000111-44-4	<2.1	2.1	07/23/2002	
bis(2-Chloroisopropyl)ether	000108-60-1	<2.1	2.1	07/23/2002	
bis(2-Ethylhexyl)phthalate	000117-81-7	<2.1	2.1	07/23/2002	
4-Bromophenyl-phenylether	000101-55-3	<2.1	2.1	07/23/2002	
Butylbenzylphthalate	000085-68-7	<2.1	2.1	07/23/2002	
4-Chloro-3-methylphenol	000059-50-7	<2.1	2.1	07/23/2002	
4-Chloroaniline	000106-47-8	<2.1	2.1	07/23/2002	R
2-Chloronaphthalene	000091-58-7	<2.1	2.1	07/23/2002	
2-Chlorophenol	000095-57-8	<2.1	2.1	07/23/2002	
4-Chlorophenyl-phenylether	007005-72-3	<2.1	2.1	07/23/2002	
Chrysene	000218-01-9	<2.1	2.1	07/23/2002	
Di-n-butylphthalate	000084-74-2	<2.1	2.1	07/23/2002	
Di-n-octylphthalate	000117-84-0	<2.1	2.1	07/23/2002	
Dibenz[a,h]anthracene	000053-70-3	<2.1	2.1	07/23/2002	
Dibenzofuran	000132-64-9	<2.1	2.1	07/23/2002	
1,3-Dichlorobenzene	000541-73-1	<2.1	2.1	07/23/2002	
1,4-Dichlorobenzene	000106-46-7	<2.1	2.1	07/23/2002	
1,2-Dichlorobenzene	000095-50-1	<2.1	2.1	07/23/2002	
3,3'-Dichlorobenzidine	000091-94-1	<2.1	2.1	07/23/2002	
2,6-Dichlorophenol	000087-65-0	<2.1	2.1	07/23/2002	
2,4-Dichlorophenol	000120-83-2	<2.1	2.1	07/23/2002	
Diethylphthalate	000084-66-2	<2.1	2.1	07/23/2002	
p-Dimethylaminoazobenzene	000060-11-7	<2.1	2.1	07/23/2002	
7,12-Dimethylbenz[a]anthracene	000057-97-6	<2.1	2.1	07/23/2002	
3,3'-Dimethylbenzidine	000119-93-7	<2.1	2.1	07/23/2002	R
2,4-Dimethylphenol	000105-67-9	<2.1	2.1	07/23/2002	
Dimethylphthalate	000131-11-3	<2.1	2.1	07/23/2002	
4,6-Dinitro-2-methylphenol	000534-52-1	<2.1	2.1	07/23/2002	
1,3-Dinitrobenzene	000099-65-0	<2.1	2.1	07/23/2002	
2,4-Dinitrophenol	000051-28-5	<2.1	2.1	07/23/2002	
2,6-Dinitrotoluene	000606-20-2	<2.1	2.1	07/23/2002	
2,4-Dinitrotoluene	000121-14-2	<2.1	2.1	07/23/2002	
Dinoseb	000088-85-7	<2.1	2.1	07/23/2002	
Diphenylamine	000122-39-4	<2.1	2.1	07/23/2002	
Ethyl methanesulfonate	000062-50-0	<2.1	2.1	07/23/2002	
Fluoranthene	000206-44-0	<2.1	2.1	07/23/2002	
Fluorene	000086-73-7	<2.1	2.1	07/23/2002	
Hexachlorobenzene	000118-74-1	<2.1	2.1	07/23/2002	
Hexachlorobutadiene	000087-68-3	<2.1	2.1	07/23/2002	
Hexachlorocyclopentadiene	000077-47-4	<2.1	2.1	07/23/2002	
Hexachloroethane	000067-72-1	<2.1	2.1	07/23/2002	
Hexachloropropene	001888-71-7	<2.1	2.1	07/23/2002	
Indeno[1,2,3-cd]pyrene	000193-39-5	<2.1	2.1	07/23/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analy Data Report

Sample	48162	**EPA Method**	8270		
Date Received	07/03/2002 12:18 PM	**Matrix**	SW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/02/2002 11:30 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Surface Water 5 St. Albans Dump				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Isophorone	000078-59-1	<2.1	2.1	07/23/2002	
Methyl methanesulfonate	000066-27-3	<2.1	2.1	07/23/2002	
3-Methylcholanthrene	000056-49-5	<2.1	2.1	07/23/2002	
2-Methylnaphthalene	000091-57-6	<2.1	2.1	07/23/2002	
3&4-Methylphenol	000106-44-5	<2.1	2.1	07/23/2002	
2-Methylphenol	000095-48-7	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-butylamine	000924-16-3	<2.1	2.1	07/23/2002	
N-Nitroso-di-n-propylamine	000621-64-7	<2.1	2.1	07/23/2002	
N-Nitrosomorpholine	000059-89-2	<2.1	2.1	07/23/2002	
N-Nitrosopiperidine	000100-75-4	<2.1	2.1	07/23/2002	
N-Nitrosopyrrolidine	000930-55-2	<2.1	2.1	07/23/2002	
Naphthalene	000091-20-3	<2.1	2.1	07/23/2002	
1,4-Naphthoquinone	000130-15-4	<2.1	2.1	07/23/2002	
1-Naphthylamine	000134-32-7	<2.1	2.1	07/23/2002	R
2-Naphthylamine	000091-59-8	<2.1	2.1	07/23/2002	R
5-Nitro-o-toluidine	000099-55-8	<2.1	2.1	07/23/2002	R
2-Nitroaniline	000088-74-4	<2.1	2.1	07/23/2002	
3-Nitroaniline	000099-09-2	<2.1	2.1	07/23/2002	R
4-Nitroaniline	000100-01-6	<2.1	2.1	07/23/2002	R
Nitrobenzene	000098-95-3	<2.1	2.1	07/23/2002	
4-Nitrophenol	000100-02-7	<2.1	2.1	07/23/2002	
2-Nitrophenol	000088-75-5	<2.1	2.1	07/23/2002	
Pentachlorobenzene	000608-93-5	<2.1	2.1	07/23/2002	
Pentachlorophenol	000087-86-5	<2.1	2.1	07/23/2002	
Phenacetin	000062-44-2	<2.1	2.1	07/23/2002	
Phenanthrene	000085-01-8	<2.1	2.1	07/23/2002	
Phenol	000108-95-2	<2.1	2.1	07/23/2002	
2-Picoline	000109-06-8	<2.1	2.1	07/23/2002	
Pronamide	023950-58-5	<2.1	2.1	07/23/2002	
Pyrene	000129-00-0	<2.1	2.1	07/23/2002	
Safrole	000094-59-7	<2.1	2.1	07/23/2002	
1,2,4,5-Tetrachlorobenzene	000095-94-3	<2.1	2.1	07/23/2002	
2,3,4,6-Tetrachlorophenol	000058-90-2	<2.1	2.1	07/23/2002	
o-Toluidine	000095-53-4	<2.1	2.1	07/23/2002	
1,2,4-Trichlorobenzene	000120-82-1	<2.1	2.1	07/23/2002	
2,4,6-Trichlorophenol	000088-06-2	<2.1	2.1	07/23/2002	
2,4,5-Trichlorophenol	000095-95-4	<2.1	2.1	07/23/2002	

Field Comments	
Lab Comments	
QC / Sample Comments	
Approved By	[signature] **On** 8/1/02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Inorganic Analysis Data Report

26-Jul-02

Sample 48161

Date Received	07/03/2002 12:07 PM	**Matrix**	SW	**Collected by**	YEBAILE, SAMIR
	Begin	**End**		**Sample Type**	COMPLIANCE
Date Collected		07/02/2002 11:30 AM		**Station ID**	
Program	CO-DERR			**Customer ID**	CO020702 ISIFU
Client	RCRA_DERR				
Location	Surface Water S St. Albans Dump				

Analysis	Parameter	Storet	Result	Units	Date	Qualifier
Arsenic-SW846_(WAT)	Arsenic	P1002	<5.0	ug/L	07/16/2002	
ICP_(WAT)	Aluminum	P1105	<200	ug/L	07/16/2002	
ICP_(WAT)	Barium	P1007	65	ug/L	07/16/2002	
ICP_(WAT)	Beryllium	P1012	<5	ug/L	07/16/2002	
ICP_(WAT)	Cadmium	P1027	<5	ug/L	07/16/2002	
ICP_(WAT)	Calcium	P916	76	mg/L	07/16/2002	
ICP_(WAT)	Chromium	P1034	<30	ug/L	07/16/2002	
ICP_(WAT)	Cobalt	P1037	<50	ug/L	07/16/2002	
ICP_(WAT)	Copper	P1042	<10	ug/L	07/16/2002	
ICP_(WAT)	Hardness, Total	P900	289	mg/L	07/16/2002	
ICP_(WAT)	Iron	P1045	101	ug/L	07/16/2002	
ICP_(WAT)	Magnesium	P927	24	mg/L	07/16/2002	
ICP_(WAT)	Manganese	P1055	<10	ug/L	07/16/2002	
ICP_(WAT)	Nickel	P1067	<40	ug/L	07/16/2002	
ICP_(WAT)	Potassium	P937	4	mg/L	07/16/2002	
ICP_(WAT)	Sodium	P929	11	mg/L	07/16/2002	
ICP_(WAT)	Strontium	P1082	729	ug/L	07/16/2002	
ICP_(WAT)	Titanium	P01152	<50	ug/L	07/16/2002	
ICP_(WAT)	Vanadium	P1087	<50	ug/L	07/16/2002	
ICP_(WAT)	Zinc	P1092	<10	ug/L	07/16/2002	
Lead-SW846_(WAT)	Lead	P1051	<2.0	ug/L	07/17/2002	
Selenium-SW846_(WAT)	Selenium	P1147	<5.0	ug/L	07/22/2002	
Cyanide_Free	Cyanide, Free	P718	<5	ug/L	07/16/2002	
Cyanide_Total	Cyanide, Total	P720	<10	ug/L	07/08/2002	

Field Comments

Lab Comments

QC / Sample Comments

Approved By SR **On** 7-24-02

Definition Of Qualifiers is attached when required

OhioEPA Division of Environmental Services

Laboratory Organic Analy s Data Report

Sample	48174	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	RW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/03/2002 12:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Trip blank				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Acetone	000067-64-1	<5.00	5	07/08/2002	
Benzene	000071-43-2	<0.50	0.5	07/08/2002	
Bromobenzene	000108-86-1	<0.50	0.5	07/08/2002	
Bromochloromethane	000074-97-5	<0.50	0.5	07/08/2002	
Bromodichloromethane	000075-27-4	<0.50	0.5	07/08/2002	
Bromoform	000075-25-2	<0.50	0.5	07/08/2002	
Bromomethane	000074-83-9	<0.50	0.5	07/08/2002	
2-Butanone	000078-93-3	<1.00	1	07/08/2002	
n-Butylbenzene	000104-51-8	<0.50	0.5	07/08/2002	
sec-Butylbenzene	000135-98-8	<0.50	0.5	07/08/2002	
tert-Butylbenzene	000098-06-6	<0.50	0.5	07/08/2002	
Carbon disulfide	000075-15-0	<1.00	1	07/08/2002	
Carbon tetrachloride	000056-23-5	<0.50	0.5	07/08/2002	
Chlorobenzene	000108-90-7	<0.50	0.5	07/08/2002	
Chloroethane	000075-00-3	<0.50	0.5	07/08/2002	
Chloroform	000067-66-3	<0.50	0.5	07/08/2002	
Chloromethane	000074-87-3	<0.50	0.5	07/08/2002	
2-Chlorotoluene	000095-49-8	<0.50	0.5	07/08/2002	
4-Chlorotoluene	000106-43-4	<0.50	0.5	07/08/2002	
Dibromochloromethane	000124-48-1	<0.50	0.5	07/08/2002	
1,2-Dibromo-3-chloropropane	000096-12-8	<0.50	0.5	07/08/2002	
1,2-Dibromoethane	000106-93-4	<0.50	0.5	07/08/2002	
Dibromomethane	000074-95-3	<0.50	0.5	07/08/2002	
1,2-Dichlorobenzene	000095-50-1	<0.50	0.5	07/08/2002	
1,3-Dichlorobenzene	000541-73-1	<0.50	0.5	07/08/2002	
1,4-Dichlorobenzene	000106-46-7	<0.50	0.5	07/08/2002	
Dichlorodifluoromethane	000075-71-8	<0.50	0.5	07/08/2002	
1,1-Dichloroethane	000075-34-3	<0.50	0.5	07/08/2002	
1,2-Dichloroethane	000107-06-2	<0.50	0.5	07/08/2002	
1,1-Dichloroethene	000075-35-4	<0.50	0.5	07/08/2002	
cis-1,2-Dichloroethene	000156-59-2	<0.50	0.5	07/08/2002	
trans-1,2-Dichloroethene	000156-60-5	<0.50	0.5	07/08/2002	
1,2-Dichloropropane	000078-87-5	<0.50	0.5	07/08/2002	
1,3-Dichloropropane	000142-28-9	<0.50	0.5	07/08/2002	
2,2-Dichloropropane	000594-20-7	<0.50	0.5	07/08/2002	
1,1-Dichloropropene	000563-58-6	<0.50	0.5	07/08/2002	
cis-1,3-Dichloropropene	010061-01-5	<0.50	0.5	07/08/2002	
trans-1,3-Dichloropropene	010061-02-6	<0.50	0.5	07/08/2002	
Ethylbenzene	000100-41-4	<0.50	0.5	07/08/2002	
Hexachlorobutadiene	000087-68-3	<0.50	0.5	07/08/2002	
2-Hexanone	000591-78-6	<1.00	1	07/08/2002	
Isopropylbenzene	000098-82-8	<0.50	0.5	07/08/2002	
4-Isopropyltoluene	000099-87-6	<0.50	0.5	07/08/2002	
Methylene chloride	000075-09-2	<0.50	0.5	07/08/2002	
4-Methyl-2-pentanone	000108-10-1	<1.00	1	07/08/2002	
Naphthalene	000091-20-3	<0.50	0.5	07/08/2002	
n-Propylbenzene	000103-65-1	<0.50	0.5	07/08/2002	
Styrene	000100-42-5	<0.50	0.5	07/08/2002	
1,1,1,2-Tetrachloroethane	000630-20-6	<0.50	0.5	07/08/2002	
1,1,2,2-Tetrachloroethane	000079-34-5	<0.50	0.5	07/08/2002	
Tetrachloroethene	000127-18-4	<0.50	0.5	07/08/2002	
Toluene	000108-88-3	<0.50	0.5	07/08/2002	
1,2,3-Trichlorobenzene	000087-61-6	<0.50	0.5	07/08/2002	
1,2,4-Trichlorobenzene	000120-82-1	<0.50	0.5	07/08/2002	
1,1,1-Trichloroethane	000071-55-6	<0.50	0.5	07/08/2002	
1,1,2-Trichloroethane	000079-00-5	<0.50	0.5	07/08/2002	

OhioEPA Division of Environmental Services

Laboratory Organic Analysis Data Report

Sample	48174	**EPA Method**	8260B		
Date Received	07/03/2002 12:31 PM	**Matrix**	RW	**Units**	ug/L
	Begin	**End**		**Collected by**	YEBAILE, SAMIR
Date Collected		07/03/2002 12:00 AM		**Sample Type**	COMPLIANCE
Program	CO-DERR			**Station ID**	
Client	RCRA_DERR			**Customer ID**	CO020702 ISIFU
Location	Trip blank				

Parameter	Cas Number	Result	DL	Analyzed	Qualifier
Trichloroethene	000079-01-6	<0.50	0.5	07/08/2002	
Trichlorofluoromethane	000075-69-4	<0.50	0.5	07/08/2002	
1,2,3-Trichloropropane	000096-18-4	<0.50	0.5	07/08/2002	
1,2,4-Trimethylbenzene	000095-63-6	<0.50	0.5	07/08/2002	
1,3,5-Trimethylbenzene	000108-67-8	<0.50	0.5	07/08/2002	
Vinyl chloride	000075-01-4	<0.50	0.5	07/08/2002	
o-Xylene	000095-47-6	<0.50	0.5	07/08/2002	
Total m&p-xylenes	000108-38-3	<0.50	0.5	07/08/2002	

Field Comments	Trip Blank made at the field facility with AST water by DERR
Lab Comments	3 vials submitted
QC / Sample Comments	
Approved By	TR **On** 7/23/02

Definition Of Qualifiers is attached when required