



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center  
50 W. Town St., Suite 700  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049  
Columbus, OH 43216-1049

4/1/2009

Mr. J. Leighty  
Thermoseal Inc.  
2350 Campbell Road  
Sidney, OH 45365-9573

Certified Mail

Facility ID: 0575010161  
Permit Number: P0088883  
County: Shelby

RE: PRELIMINARY PROPOSED AIR POLLUTION TITLE V PERMIT  
Permit Type: Renewal

Dear Permit Holder:

Enclosed is the Ohio EPA Preliminary Proposed Title V permit that was issued in draft form on 1/27/2009. The comment period for the Draft permit has ended. We are now ready to submit this permit to U.S. EPA for approval.

We are submitting this for your review and comment. If you do not agree with the Preliminary Proposed Title V permit as written, you now have the opportunity to raise your concerns. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page <http://www.epa.state.oh.us/dapc> in Microsoft Word and Adobe Acrobat format. Comments will be accepted as a marked-up copy of the permit or in narrative format. Any comments must be sent to the following within 14 days of your receipt of this letter:

Andrew Hall  
Permit Review/Development Section  
Ohio EPA, DAPC  
50 West Town Street, Suite 700  
Columbus, Ohio 43215

and Ohio EPA DAPC, Southwest District Office  
401 East Fifth Street  
Dayton, OH 45402

If you believe that it is necessary to have an informal conference with us, then, as part of your written comments, you should request a conference concerning the written comments.

If comments are not submitted within 14 days of your receipt of this letter, we will forward the proposed permit to U.S. EPA for approval. All comments received will be carefully considered before proceeding with the proposed permit.

Sincerely,

Michael W. Ahern, Manager  
Permit Issuance and Data Management Section, DAPC

Cc: Ohio EPA DAPC, Southwest District Office





**State of Ohio Environmental Protection Agency  
Division of Air Pollution Control**

## **PRELIMINARY PROPOSED**

### **Air Pollution Title V Permit for Thermoseal Inc.**

Facility ID: 0575010161

Permit Number: P0088883

Permit Type: Renewal

Issued: 4/1/2009

Effective: To be entered upon final issuance

Expiration: To be entered upon final issuance





**Air Pollution Title V Permit**  
for  
Thermoseal Inc.

**Table of Contents**

Authorization..... 1

A. Standard Terms and Conditions ..... 2

    1. Federally Enforceable Standard Terms and Conditions ..... 3

    2. Monitoring and Related Record Keeping and Reporting Requirements ..... 3

    3. Scheduled Maintenance ..... 6

    4. Risk Management Plans ..... 6

    5. Title IV Provisions ..... 6

    6. Severability Clause ..... 7

    7. General Requirements..... 7

    8. Fees ..... 8

    9. Marketable Permit Programs ..... 8

    10. Reasonably Anticipated Operating Scenarios ..... 8

    11. Reopening for Cause ..... 8

    12. Federal and State Enforceability..... 9

    13. Compliance Requirements..... 9

    14. Permit Shield ..... 10

    15. Operational Flexibility ..... 10

    16. Emergencies ..... 11

    17. Off-Permit Changes ..... 11

    18. Compliance Method Requirements..... 12

    19. Insignificant Activities or Emissions Levels..... 12

    20. Permit to Install Requirement..... 12

    21. Air Pollution Nuisance..... 12

    22. Permanent Shutdown of an Emissions Unit..... 12

    23. Title VI Provisions ..... 13

    24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only..... 13

    25. Records Retention Requirements Under State Law Only..... 13

    26. Inspections and Information Requests..... 13

    27. Scheduled Maintenance/Malfunction Reporting ..... 14

    28. Permit Transfers ..... 14



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

- 29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations ..... 14
- B. Facility-Wide Terms and Conditions ..... 15
- C. Emissions Unit Terms and Conditions ..... 17
  - 1. P013, Ethanol Distillation.....18
  - 2. P017, Croftshaw Toluene Decantering.....22
  - 3. P018, Vulcan Toluene Decantering.....26
  - 4. P019, Sealex Manufacturing.....30
  - 5. P020, Planetary Mixing System#1.....34
  - 6. Emission Unit Group - Calendar Group: P002, P003, P004, P005, P015.....39
  - 7. Emission Unit Group- Mixer Group: P001, P008, P009, P011.....43



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Preliminary Proposed Title V Permit**

**Permit Number:** P0088883

**Facility ID:** 0575010161

**Effective Date:** To be entered upon final issuance

# Authorization

Facility ID: 0575010161

Facility Description: Manufacturer of gaskets, packing and sealing devices

Application Number(s): A0020108, A0020109, A0020110, A0020111, A0020112

Permit Number: P0088883

Permit Description: Title V Renewal

Permit Type: Renewal

Issue Date: 4/1/2009

Effective Date: To be entered upon final issuance

Expiration Date: To be entered upon final issuance

Superseded Permit Number:

This document constitutes issuance of an OAC Chapter 3745-77 Title V permit to:

Thermoseal Inc.  
2350 Campbell Road  
Sidney, OH 45365-9573

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Southwest District Office  
401 East Fifth Street  
Dayton, OH 45402  
(937)285-6357

The above named entity is hereby granted a Title V permit pursuant to Chapter 3745-77 of the Ohio Administrative Code. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. You will be sent a notice approximately 18 months prior to the expiration date regarding the renewal of this permit. If you do not receive a notice, please contact the Ohio EPA DAPC, Southwest District Office. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, if a timely renewal application is submitted. A renewal application will be considered timely if it is submitted no earlier than 18 months (540 days) and no later than 6 months (180 days) prior to the expiration date.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski  
Director



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Preliminary Proposed Title V Permit**

**Permit Number:** P0088883

**Facility ID:** 0575010161

**Effective Date:** To be entered upon final issuance

## **A. Standard Terms and Conditions**



**1. Federally Enforceable Standard Terms and Conditions**

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
  - (1) Standard Term and Condition A. 24., Reporting Requirements Related to Monitoring and Record Keeping Requirements of State-Only Enforceable Permit Terms and Conditions
  - (2) Standard Term and Condition A. 25., Records Retention Requirements for State-Only Enforceable Permit Terms and Conditions
  - (3) Standard Term and Condition A. 27., Scheduled Maintenance/Malfunction Reporting
  - (4) Standard Term and Condition A. 29., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations  
*(Authority for term: ORC 3704.036(A))*

**2. Monitoring and Related Record Keeping and Reporting Requirements**

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit), the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - (1) The date, place (as defined in the permit), and time of sampling or measurements.
  - (2) The date(s) analyses were performed.
  - (3) The company or entity that performed the analyses.
  - (4) The analytical techniques or methods used.
  - (5) The results of such analyses.
  - (6) The operating conditions existing at the time of sampling or measurement.  
*(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))*
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.  
*(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))*
- c) The permittee shall submit required reports in the following manner:
  - (1) All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:



Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year in accordance with Standard Term and Condition A.2.c)(2) below; and each report shall cover the previous calendar quarter. An exceedance of the visible emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the owner or operator of the affected air contaminant source or air pollution control equipment complies with the requirements of OAC rule 3745-17-07(A)(3)(c).

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

- (2) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit or, in some cases, in section B. Facility-Wide Terms and Conditions of this Title V permit), all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.



These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this Standard Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this Standard Term and Condition.

See A.29 below if no deviations occurred during the quarter.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

- (3) All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with Standard Term and Condition A.2)c)(2) above shall be submitted in the following manner:

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; Standard Terms and Conditions: A.3, A.4, A.5, A.7.e), A.8, A.13, A.15, A.19, A.20, A.21, and A.23 of this Title V permit, as well as any deviations from the requirements in section C. Emissions Unit Terms and Conditions of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with Standard Term and Condition A.2.c)(2) above shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in section B. Facility-Wide Terms and Conditions of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with Standard Term and Condition A.2.c)(2) above.



If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

*(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))*

- (4) Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."

*(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))*

- (5) Reports of any required monitoring and/or record keeping information shall be submitted to Ohio EPA DAPC, Southwest District Office.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

### **3. Scheduled Maintenance**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in Standard Term and Condition A.2.c)(1) above.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

### **4. Risk Management Plans**

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a) a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b) as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

*(Authority for term: OAC rule 3745-77-07(A)(4))*

### **5. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

*(Authority for term: OAC rule 3745-77-07(A)(5))*



## 6. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

*(Authority for term: OAC rule 3745-77-07(A)(6))*

## 7. General Requirements

- a) The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with Standard Term and Condition A.11 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f) Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable when:
  - (1) the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
  - (2) the permittee no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or
  - (3) a combination of (1) and (2) above.



The permittee shall continue to comply with all applicable OAC Chapter 3745-31 requirements for all regulated air contaminant sources once this permit ceases to be enforceable. The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

*(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))*

**8. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

*(Authority for term: OAC rule 3745-77-07(A)(8))*

**9. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

*(Authority for term: OAC rule 3745-77-07(A)(9))*

**10. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these standard terms and conditions shall apply to all operating scenarios authorized in this permit.

*(Authority for term: OAC rule 3745-77-07(A)(10))*

**11. Reopening for Cause**

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a) Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b) This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c) The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate



statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.

- d) The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.  
*(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))*

## **12. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

*(Authority for term: OAC rule 3745-77-07(B))*

## **13. Compliance Requirements**

- a) Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
  - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c) The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.



d) Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:

(1) Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted (i.e., postmarked) on or before April 30th of each year during the permit term.

(2) Compliance certifications shall include the following:

(a) An identification of each term or condition of this permit that is the basis of the certification.

(b) The permittee's current compliance status.

(c) Whether compliance was continuous or intermittent.

(d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.

(e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.

(3) Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

*(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))*

#### **14. Permit Shield**

a) Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.

b) This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

*(Authority for term: OAC rule 3745-77-07(F))*

#### **15. Operational Flexibility**

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with,



or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

*(Authority for term: OAC rules 3745-77-07(H)(1) and (2))*

## **16. Emergencies**

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

*(Authority for term: OAC rule 3745-77-07(G))*

## **17. Off-Permit Changes**

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a) The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b) The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c) The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d) The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e) The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit-to-install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

*(Authority for term: OAC rule 3745-77-07(I))*



## 18. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

*(This term is provided for informational purposes only.)*

## 19. Insignificant Activities or Emissions Levels

Each IEU that has one or more applicable requirements shall comply with those applicable requirements.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

## 20. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

## 21. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

## 22. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the responsible official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an "emissions unit" as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

*(Authority for term: OAC rule 3745-77-01)*



### 23. Title VI Provisions

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.  
(Authority for term: OAC rule 3745-77-01(H)(11))

### 24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### 25. Records Retention Requirements Under State Law Only

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

### 26. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any



reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

*(Authority for term: OAC rule 3745-77-07(C))*

## **27. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

## **28. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

*(Authority for term: OAC rule 3745-77-01(C))*

## **29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations**

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a) where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in Standard Term and Condition A.2.c)(2); or
- b) where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; or
- c) where the company's responsible official has certified that an emissions unit has been permanently shut down.



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Preliminary Proposed Title V Permit**

**Permit Number:** P0088883

**Facility ID:** 0575010161

**Effective Date:** To be entered upon final issuance

## **B. Facility-Wide Terms and Conditions**



1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
  - a) 3.
2. The following insignificant emissions units at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within the identified permit to install for the emissions unit. The insignificant emissions units listed below are subject to one or more applicable requirement contained in a permit-to-install or in the SIP-approved versions of OAC Chapters 3745-17, 3745-18 and 3745-21.
  - a) B001 Boiler #1
  - b) B002 Boiler #2
  - c) Z013 Gasoline Pressure Washer, 13-HP IC Engine
3. The following insignificant emissions units are exempt from permit requirements because they are not subject to any applicable requirements or because they meet the "de minimis" criteria established in OAC rule 3745-15-05:
  - a) Z001 Miscellaneous Natural Gas Combustion Sources
  - b) Z002 Printer #1
  - c) Z003 Distillate Fuel Oil Tank #1
  - d) Z005 Virgin Toluene Tank #3
  - e) Z006 Virgin Ethanol Tank #4
  - f) Z007 Recovered Ethanol Tank #5
  - g) Z008 Recovered Toluene Tank #2
  - h) Z009 Printer #2
  - i) Z010 Laboratory Hoods and Ovens
  - j) Z012 Waste Solvent, 8-Gallon Distillation Unit
  - k) Z014 Laboratory Mixer



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Preliminary Proposed Title V Permit**

**Permit Number:** P0088883

**Facility ID:** 0575010161

**Effective Date:** To be entered upon final issuance

## **C. Emissions Unit Terms and Conditions**



1. P013, Ethanol Distillation

**Operations, Property and/or Equipment Description:**

Continuous distillation ethanol solvent recovery system

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-08246	19.1 lbs organic compound (OC) per day.  The combined OC emissions from the emissions units ( P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018, and P020) shall not exceed 58.3 tons per rolling 30-day period.
b.	OAC rule 3745-31-05(D) (To avoid PSD requirements)	The combined OC emissions from emissions units P001 thru P005, P008, P009, P011, P013, P015, P017, P018, and P020 shall not exceed 180 tons per rolling 365 day period.
c.	OAC rule 3745-21-07(G)	The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.  See b)(2)b.

(2) Additional Terms and Conditions

a. The daily emission limitation of 19.1 pounds of organic compound (OC), from this emissions unit, is established to reflect the potential emissions from this emissions unit. Therefore, it is not necessary to establish record keeping and reporting requirements to ensure compliance with these limitations.



- b. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) Operational Restrictions

- (1) The maximum liquid organic material processed in this emissions unit shall not exceed 1,000 tons, based upon a rolling, 365-day period.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall maintain daily records of the following information for the purpose of determining the daily quantity of liquid organic material processed:
  - a. The company identification for each liquid organic material processed;
  - b. The quantity of each liquid organic material processed, in tons;
  - c. The quantity of all liquid organic materials processed (summation of b), in tons;
  - d. The rolling, 365-day summation of liquid organic materials processed, in tons; and
  - e. Documentation on whether each liquid organic material employed is photochemically reactive or not.
- (2) The permittee shall collect and record the information each day in accordance with the limits within this permit for emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017 and P020 combined. This information shall demonstrate the following:
  - a. The calculated organic compound emissions, in tons emitted per the last 30-days; and
  - b. The calculated organic compound emissions, in tons emitted per the last 365-days.



- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-08246 issued on May 18, 2004. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
  - a. All exceedances of 58.3 tons of OC emissions per rolling 30-day period;
  - b. All exceedances of 180 tons of OC emissions per rolling 365-day period;
  - c. All exceedances of the rolling 365-day liquid organic material processing of 1,000 tons; and
  - d. The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.
- (2) The permittee shall submit quarterly deviation (excursion) reports to the Director (the Ohio EPA, Southwest District Office) that identify all periods of time during which photochemically reactive materials were employed.
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-08246 issued on May 18, 2004. The reporting requirements contained in the above referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) and operational restrictions in sections b)(1) and c)(1) of this permit shall be determined in accordance with the following methods:
  - a. Emission Limitation:  
19.1 pounds of organic compound (OC) per day  
The allowable emissions are based on the following equation:  
$$E_d = \{[(M_p/2000 * 3.3) + (M_p/2000 * 0.00024)] * 24$$
Where:  
 $E_d$  = daily organic compound emissions; and  
 $M_p$  = maximum hourly capacity, in pounds, (482 lb/hr).



Emission factors are from AP-42 Table 4.7-1 (February 1980):

- i. 3.3 pounds of OC emitted per ton, condenser vent; and
- ii. 0.00024 pounds of OC emitted per ton, fugitive loading.

Applicable Compliance Method:

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous recordkeeping as long as there is no increase in the maximum hourly emissions from the above emissions units.

- b. Emission Limitation:

58.3 tons of OC per rolling 30 day period

Applicable Compliance Method:

Compliance is based on the record keeping as required in section d)(2) of this permit.

- c. Emission Limitation:

180 tons of OC per rolling 365 day period

Applicable Compliance Method:

Compliance is based on the record keeping as required in section d)(2) of this permit.

- (2) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-08246 issued on May 18, 2004. The reporting requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.

- g) Miscellaneous Requirements

- (1) None.



2. P017, Croftshaw Toluene Decantering

**Operations, Property and/or Equipment Description:**

Croftshaw Toluene Decanter System

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-08246	2.9 lbs of organic compound (OC) per day;  The combined OC emissions from the emissions units ( P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018, and P020) shall not exceed 58.3 tons per rolling 30-day period.  See c)(1).
b.	OAC rule 3745-31-05(D) (To avoid PSD requirements)	The combined OC emissions from emissions units P001 thru P005, P008, P009, P011, P013, P015, P017, P018, and P020 shall not exceed 180 tons per rolling 365 day period.
c.	OAC 3745-21-07(G)(2)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).  See b)(2)b.

(2) Additional Terms and Conditions

a. The daily emission limitation of 2.9 pounds of organic compound (OC), from this emissions unit, is established to reflect the potential emissions from this emissions unit. Therefore, it is not necessary to establish record keeping and reporting requirements to ensure compliance with these limitations.



- b. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) **Operational Restrictions**

- (1) This emissions unit shall be equipped with a solvent capture and recovery system that reduces the overall organic compound (OC) emissions by at least 90.6%, by weight, as based on a rolling 30 day period as determined by the April 3, 1998 mass balance protocol agreement between the Ohio EPA and the permittee, and the June 7, 1999 Ohio EPA letter of approval of the mass balance protocol.

d) **Monitoring and/or Recordkeeping Requirements**

- (1) The permittee shall collect and record the information each day in accordance with the limits within this permit for emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018 and P020 combined. This information shall demonstrate the following:
  - a. The calculated organic compound emissions, in tons emitted per the last 30-days;
  - b. The calculated organic compound emissions, in tons emitted per the last 365-days; and
  - c. The calculated 30-day average overall capture and control efficiency of the solvents recovery system of the organic compound emissions.

The above items shall be calculated in accordance with methods and formulas as established in the agreed upon mass balance protocol.

- (2) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-08246 issued on May 18, 2004. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit,



so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
  - a. All exceedances of 58.3 tons of OC emissions per rolling 30-day period;
  - b. All exceedances of 180 tons of OC emissions per rolling 365-day period; and
  - c. All periods in which the overall OC reduction failed to achieve 90.6%, by weight, as based on a rolling 30 day period..

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.

- (2) If no deviations (excursions) occurred during a reporting period, then the deviation (excursions) reports submitted by the permittee shall state so. The permittee shall submit the quarterly deviation reports to the Director (the Southwest District Office) in accordance with the Standard Terms and Conditions of this permit.
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-08246 issued on May 18, 2004. The reporting requirements contained in the above referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) and operational restrictions in sections b)(1) and c)(1) of this permit shall be determined in accordance with the following methods:

- a. Emission Limitation:

2.9 pounds of organic compound (OC) per day

The allowable emissions are based on the following equation:

$$Ed = \{[(Mp/2000 * 3.3) + (Mp/2000 * 0.00024)] * (1 - Cf)\} * 24$$

Where:

Ed= daily organic compound emissions;

Mp= maximum hourly capacity, in pounds, (737 lb/hr); and

Cf= overall capture and control efficiency.

Emission factors are from AP-42 Table 4.7-1(February 1980):



- i. 3.3 pounds of OC emitted per ton, condenser vent; and
- ii. 0.00024 pounds of OC emitted per ton, fugitive loading.

Applicable Compliance Method:

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous recordkeeping as long as there is no increase in the maximum hourly emissions from the above emissions units.

- b. Emission Limitation:

58.3 tons of OC per rolling 30 day period

Applicable Compliance Method:

Compliance is based on the record keeping as required of section d)(1) of this permit.

- c. Emission Limitation:

180 tons of OC per rolling 365 day period

Applicable Compliance Method:

Compliance is based on the record keeping as required of section d)(1) of this permit.

- d. Operational Restriction:

90.6%, by weight, overall OC emissions reduction, as based on a rolling 30 day period.

Applicable Compliance Method:

Compliance is based on the record keeping as required of section d)(1) of this permit.

- (2) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-08246 issued on May 18, 2004. The reporting requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.

- g) Miscellaneous Requirements

- (1) None.



3. P018, Vulcan Toluene Decantering

**Operations, Property and/or Equipment Description:**

Vulcan Toluene Decanter System

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-08246	4.7 lbs of organic compound (OC) per day;  The combined OC emissions from the emissions units ( P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018, and P020) shall not exceed 58.3 tons per rolling 30-day period.  See c)(1).
b.	OAC rule 3745-31-05(D) (To avoid PSD requirements)	The combined OC emissions from emissions units P001 thru P005, P008, P009, P011, P013, P015, P017, P018, and P020 shall not exceed 180 tons per rolling 365 day period.
c.	OAC 3745-21-07(G)(2)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).  See b)(2)b.

(2) Additional Terms and Conditions

a. The daily emission limitation of 4.7 pounds of organic compound (OC), from this emissions unit, is established to reflect the potential emissions from this emissions unit. Therefore, it is not necessary to establish record keeping and reporting requirements to ensure compliance with these limitations.



- b. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) **Operational Restrictions**

- (1) This emissions unit shall be equipped with a solvent capture and recovery system that reduces the overall organic compound (OC) emissions by at least 90.6%, by weight, as based on a rolling 30 day period as determined by the April 3, 1998 mass balance protocol agreement between the Ohio EPA and the permittee, and the June 7, 1999 Ohio EPA letter of approval of the mass balance protocol.

d) **Monitoring and/or Recordkeeping Requirements**

- (1) The permittee shall collect and record the information each day in accordance with the limits within this permit for emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018 and P020 combined. This information shall demonstrate the following:
  - a. The calculated organic compound emissions, in tons emitted per the last 30-days;
  - b. The calculated organic compound emissions, in tons emitted per the last 365-days; and
  - c. The calculated 30-day average overall capture and control efficiency of the solvents recovery system of the organic compound emissions.

The above items shall be calculated in accordance with methods and formulas as established in the agreed upon mass balance protocol.

- (2) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-08246 issued on May 18, 2004. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit,



so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.

e) Reporting Requirements

- (1) The permittee shall submit quarterly deviation (excursion) reports that identify the following:
  - a. All exceedances of 58.3 tons of OC emissions per rolling 30-day period;
  - b. All exceedances of 180 tons of OC emissions per rolling 365-day period; and
  - c. All periods in which the overall OC reduction failed to achieve 90.6%, by weight, as based on a rolling 30 day period.

The quarterly deviation (excursion) reports shall be submitted in accordance with the reporting requirements of the Standard Terms and Conditions of this permit.

- (2) If no deviations (excursions) occurred during a reporting period, then the deviation (excursions) reports submitted by the permittee shall state so. The permittee shall submit the quarterly deviation reports to the Director (the Southwest District Office) in accordance with the Standard Terms and Conditions of this permit.
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-08246 issued on May 18, 2004. The reporting requirements contained in the above referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) and operational restrictions in sections b)(1) and c)(1) of this permit shall be determined in accordance with the following methods:

- a. Emission Limitation:

4.7 pounds of organic compound (OC) per day

The allowable emissions are based on the following equation:

$$Ed = \{[(Mp/2000 * 3.3) + (Mp/2000 * 0.00024)] * (1 - Cf)\} * 24$$

Where:

Ed= daily organic compound emissions;

Mp= maximum hourly capacity, in pounds, (1246 lb/hr); and

Cf= overall capture and control efficiency.

Emission factors are from AP-42 Table 4.7-1(February 1980):



- i. 3.3 pounds of OC emitted per ton, condenser vent; and
- ii. 0.00024 pounds of OC emitted per ton, fugitive loading.

Applicable Compliance Method:

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous recordkeeping as long as there is no increase in the maximum hourly emissions from the above emissions units.

- b. Emission Limitation:

58.3 tons of OC per rolling 30 day period

Applicable Compliance Method:

Compliance is based on the record keeping as required of section d)(1) of this permit.

- c. Emission Limitation:

180 tons of OC per rolling 365 day period

Applicable Compliance Method:

Compliance is based on the record keeping as required of section d)(1) of this permit.

- d. Operational Restriction:

90.6%, by weight, overall OC emissions reduction, as based on a rolling 30 day period.

Applicable Compliance Method:

Compliance is based on the record keeping as required of section d)(1) of this permit.

- (2) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-08246 issued on May 18, 2004. The reporting requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.

- g) Miscellaneous Requirements

- (1) None.



4. P019, Sealex Manufacturing

**Operations, Property and/or Equipment Description:**

Sealex manufacturing consisting of solvent dispensers, mixing drums, tumbling machine, extruder, solvent extraction oven, stretching machines, sieve, sintering oven, spool packaging and winding equipment.

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) b)(1)c and d)(2).

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-11991	500.00 lbs OC/day and 17.8 tons OC/yr, based upon a rolling, 12-month summation of the monthly emissions.  See c)(1)
b.	OAC rule 3745-21-07(G)	The use of any photochemically reactive material, as defined in OAC rule 3745-21-01(C)(5), in this emissions unit is prohibited.  See b)(2)a.
c.	OAC rule 3745-114-01	Ohio Toxic Policy  See d)(2)

(2) Additional Terms and Conditions

a. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit



which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) Operational Restrictions

- (1) The maximum annual lubricant solvent usage rate for this emissions unit shall not exceed 17.8 tons, based upon a rolling, 12-month summation of the lubricant solvent usage rates.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall maintain monthly records of the following information for the purpose of determining the annual organic compound emissions, based upon a 12-month summation of the monthly emissions:
  - a. The company identification for each organic compound material employed;
  - b. The number of gallons of each organic compound material employed;
  - c. The organic compound content of each organic compound material, in pounds per gallon;
  - d. The OC emissions for all the liquid organic materials (Sum of (b x c) for all liquid organic materials, divided by 2000), in tons;
  - e. The rolling, 12-month summation of the total OC emissions;
  - f. The number of days the emissions unit was in operation;
  - g. The average daily OC emissions for all the liquid organic materials employed ((d/f) x 2000), in pounds average; and
  - h. Documentation on whether each liquid organic material employed is photochemically reactive or not.
- (2) Modeling to demonstrate compliance with, the Toxic Air Contaminant Statute, ORC 3704.03(F)(4)(b), was not necessary because the emissions units maximum annual emissions for each toxic air contaminant, as defined in OAC rule 3745-114-01, will be less than 1.0 ton per year. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified permit to install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any toxic air contaminant to increase to above 1.0 ton per year may require the permittee to apply for and obtain a new permit to install.



- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-11991 issued on April 2, 2002. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.

e) Reporting Requirements

- (1) The reports contained in this permit shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions, Section A.2. of this permit and shall include the following information:
  - a. An identification of each day during which the average daily organic compound emissions exceeded 500.00 pounds per day, and the actual organic compound emissions for each such day.
  - b. An identification of all exceedances of the rolling, 12-month emission limitation for OC.
- (2) The permittee shall also submit annual reports which specify the total organic compound emissions from this emissions unit for the previous calendar year. These reports can be satisfied by including these sources in the submission of the annual Fee Emission Report.
- (3) If no deviations (excursions) occurred during a reporting period, then the deviation (excursions) reports submitted by the permittee shall state so. The permittee shall submit the quarterly deviation reports to the Director (the Southwest District Office) in accordance with the Standard Terms and Conditions of this permit.
- (4) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-11991 issued on April 2, 2002. The reporting requirements contained in the above referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Emission limitation:  
  
500 lbs OC/day and 17.8 tons OC/rolling, 12-month summation  
  
Applicable compliance method:



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Preliminary Proposed Title V Permit**

**Permit Number:** P0088883

**Facility ID:** 0575010161

**Effective Date:** To be entered upon final issuance

Compliance with the daily and annual allowable OC emission limitations shall be based on the record keeping requirements specified in d)(1) of these terms and conditions.

- (2) The permittee shall employ USEPA Method 24 or formulation data to determine the OC content of all the materials.
  - (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-11991 issued on April 2, 2002. The testing requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.
- g) Miscellaneous Requirements
- (1) None.



5. P020, Planetary Mixing System #1

**Operations, Property and/or Equipment Description:**

Mixer for production of start and finish deck mash

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-14280	6.2 lbs of organic compound (OC) per day;  2.5 lb of particulate/PM <sub>10</sub> per day and 0.46 tons per year.  The combined OC emissions from emissions units (P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018, and P020) shall not exceed 58.3 tons per rolling 30-day period.  See c)(2).
b.	OAC rule 3745-31-05(D) (To avoid PSD requirements)	The combined OC emissions from emissions units P001 thru P005, P008, P009, P011, P013, P015, P017, P018, and P020 shall not exceed 180 tons per rolling 365 day period.
c.	OAC rule 3745-17-11(B)(1)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).
d.	OAC rule 3745-21-07(G)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).  See b)(2)a.



(2) Additional Terms and Conditions

- a. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) Operational Restrictions

- (1) The OC content of the gasket mash produced by the mixers, emissions units P001, P008, P009, P011, and P020, shall not exceed 50% by weight, per batch.
- (2) This emissions unit shall be equipped with a solvent capture and recovery system that reduces the overall organic compound (OC) emissions by at least 90.6%, by weight, as based on a rolling 30 day period as determined by the April 3, 1998 mass balance protocol agreement between the Ohio EPA and the permittee, and the June 7, 1999 Ohio EPA letter of approval of the mass balance protocol.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the information each day in accordance with the limits within this permit for emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018 and P020 combined. This information shall demonstrate the following:
  - a. The calculated organic compound emissions, in tons emitted per the last 30-days;
  - b. The calculated organic compound emissions, in tons emitted per the last 365-days; and
  - c. The calculated 30-day average overall capture and control efficiency of the solvents recovery system of the organic compound emissions.



The above items shall be calculated in accordance with methods and formulas as established in the agreed upon mass balance protocol.

- (2) The permittee shall maintain daily records that list the following information on the materials mixed in the emissions units P001, P008, P009, P011, and P020:
  - a. The company identification of the materials being mixed, in each batch;
  - b. The amount of non-organic compound (OC) material mixed, in each batch, in pounds;
  - c. The amount of organic compound (OC) material mixed, in each batch, in pounds;
  - d. The total amount of material mixed, in pounds, the sum of ("b" + "c");
  - e. The OC content of the materials being mixed, in percent by weight, in each batch, (the sum of: ("c"/"d" x 100%).
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-14280 issued on March 14, 2006. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.

e) Reporting Requirements

- (1) The reports contained in this permit shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions, Section A.2. of this permit and shall include the following information:
  - a. All exceedances of the rolling, 365-day OC emission limitation of 180 tons.
  - b. All exceedances of the rolling, 30-day OC emission limitation of 58.3 tons.
  - c. All records showing that the restriction on the rolling, 30-day average overall capture and control efficiency of the solvent recovery system was below the required 90.6%, by weight, for OCs.
  - d. All daily records that show the OC content of the gasket mash produced by the mixers, emissions units P001, P008, P009, P011, and P020, exceeds 50% by weight, per batch.
- (2) If no deviations (excursions) occurred during a reporting period, then the deviation (excursions) reports submitted by the permittee shall state so. The permittee shall submit the quarterly deviation reports to the Director (the Southwest District Office) in accordance with the Standard Terms and Conditions of this permit.
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-14280 issued on March 14, 2006. The reporting requirements contained in the above



referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

(1) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission limitation:

6.2 lbs of organic compound (OC) per day

Applicable compliance method:

Compliance with the daily allowable OC emissions limit shall be based on the following calculation:

$$Ed = (\text{MASPH}) \times \text{UVOC} \times (1-\text{CE}) + (\text{HSU}) \times (\text{CVOC}) \times (\text{EF}) \times (1-\text{CE}) \times 24$$

where:

Ed = allowable daily emission rate (lbs/day)

MASPH = maximum amount of material per batch per hour (2092 lbs/batch/hr)

UVOC = uncontrolled VOC [assume  $4.44 \times 10^{-4}$  lbs VOC/lb of rubber]\*

HSU = Hourly Solvent Usage (2.53 gallons / hr.)

CVOC = VOC content of the cleaning solvent (7.2 lbs VOC / gal.)

EF = 10% Cleanup emission rate

CE = control efficiency (0.906)

\* Reference: Maximum value from the November 2008 draft AP-42 Section 4.12, Internal Mixing and Milling Emission Factors for Manufacture of Rubber Products.

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous record keeping as long as there is no increase in the maximum daily emissions from the above emissions unit.

(2) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission limitation:

2.5 lb of particulate/PM<sub>10</sub> per day

Applicable compliance method:



Compliance with the daily allowable PM/PM<sub>10</sub> emissions limit shall be based on the following calculation:

$$Ed = [((MASPH) \times (UPE)) \times 24]$$

where,

Ed = allowable daily emission rate (lbs/day)

MASPH = maximum amount of material per batch per hour (2,092 lbs/batch/hr)

UPE = uncontrolled PE [assume 4.92 E -5 lbs/lb of rubber]\* \*\*

\* Reference: Maximum value from the November 2008 draft AP-42 Section 4.12, Internal Mixing and Milling Emission Factors for Manufacture of Rubber Products.

\*\* Engineering estimate to use 4.92 E-5 lbs/lb of rubber due to lack of milling and the solids are added by hand from bag into a mix of liquids. Expected minimal particulate lose.

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous record keeping as long as there is no increase in the maximum daily emissions from the above emissions units.

- (3) Compliance with the requirements of condition d)(1) will constitute compliance with the 30 day and 365 day OC emission limitations in b)(1)a and b)(1)b and the overall capture and control limit in c)(2).
- (4) Compliance with the requirements of condition c)(1) will be demonstrated by the recordkeeping requirements in d)(2).
- (5) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-14280 issued on March 14, 2006. The testing requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.

g) Miscellaneous Requirements

- (1) None.



6. Emissions Unit Group - Calender Group: P002, P003, P004, P005, P015,

EU ID	Operations, Property and/or Equipment Description
P002	Rubber bonded compressed gasket sheet manufacturing process (Calender 1)
P003	Rubber bonded compressed gasket sheet manufacturing process (Calender 2)
P004	Rubber bonded compressed gasket sheet manufacturing process (Calender 3)
P005	Rubber bonded compressed gasket sheet manufacturing process (Calender 4)
P015	Rubber bonded compressed gasket sheet manufacturing process (Calender 5)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-14280	803 lbs of organic compound (OC) per day;  The combined OC emissions from the emissions units (P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018, and P020) shall not exceed 58.3 tons per rolling 30-day period.  See c)(2).
b.	OAC rule 3745-31-05(D) (To avoid PSD requirements)	The combined OC emissions from emissions units P001 thru P005, P008, P009, P011, P013, P015, P017, P018, and P020 shall not exceed 180 tons per rolling 365 day period.
c.	OAC rule 3745-21-07(G)(2)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).  See b)(2)a.
d.	OAC rule 3745-21-07(M)(1) and (M)(2)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		rule 3745-31-05(A)(3).

(2) Additional Terms and Conditions

- a. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) Operational Restrictions

- (1) The OC content of the gasket mash utilized by these emissions units shall not exceed 50%, by weight, per batch.
- (2) These emissions units shall be equipped with a solvent capture and recovery system that reduces the overall organic compound (OC) emissions by at least 90.6%, by weight, as based on a rolling 30 day period as determined by the April 3, 1998 mass balance protocol agreement between the Ohio EPA and the permittee, and the June 7, 1999 Ohio EPA letter of approval of the mass balance protocol.

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall collect and record the information each day in accordance with the limits within this permit for emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018 and P020 combined. This information shall demonstrate the following:
  - a. The calculated organic compound emissions, in tons emitted per the last 30-days;
  - b. The calculated organic compound emissions, in tons emitted per the last 365-days; and



- c. The calculated 30-day average overall capture and control efficiency of the solvents recovery system of the organic compound emissions.

The above items shall be calculated in accordance with methods and formulas as established in the agreed upon mass balance protocol.

- (2) Because of quality control considerations, the facility does not add solvent in the calendaring process to the mash produced by the mixers. Therefore, the records required for the mixing process shall suffice to demonstrate compliance with the 50% organic content requirement for the calenders.
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-14280 issued on March 14, 2006. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.

e) Reporting Requirements

- (1) The reports contained in this permit shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions, Section A.2. of this permit and shall include the following information:
  - a. All exceedances of the rolling, 365-day OC emission limitation of 180 tons.
  - b. All exceedances of the rolling, 30-day OC emission limitation of 58.3 tons.
  - c. All records showing that the restriction on the rolling, 30-day average overall capture and control efficiency of the solvent recovery system was below the required 90.6%, by weight, for OCs.
- (2) If no deviations (excursions) occurred during a reporting period, then the deviation (excursions) reports submitted by the permittee shall state so. The permittee shall submit the quarterly deviation reports to the Director (the Southwest District Office) in accordance with the Standard Terms and Conditions of this permit.
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-14280 issued on March 14, 2006. The reporting requirements contained in the above referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Emission limitation:



803 lbs of organic compound (OC) per day

Applicable compliance method:

Compliance with the daily allowable OC emissions limit shall be based on the following calculation:

$$E_d = \{[(M_p * M_{oc}) - (M_p * M_{oc} * 0.3\%)] * (1 - C_f)\} * 24$$

where:

$E_d$  = daily organic compound emissions

$M_p$  = maximum hourly capacity, in pounds (714 lbs/hr)

$M_{oc}$  = maximum organic compound content, in percent by weight (50%)

$C_f$  = the overall capture and control efficiency (0.906)

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous record keeping as long as there is no increase in the maximum daily emissions from the above emissions unit.

- (2) Compliance with the requirements of condition d)(1) will constitute compliance with the 30 day and 365 day OC emission limitations in b)(1)a and b)(1)b and the overall capture and control limit in c)(2).
- (3) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-14280 issued on March 14, 2006. The testing requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.

g) Miscellaneous Requirements

- (1) None.



7. Emissions Unit Group - Mixer Group: P001, P008, P009, P011,

EU ID	Operations, Property and/or Equipment Description
P001	Mixer for production of mash (Mixer 1)
P008	Mixer for production of mash (Mixer 3)
P009	Mixer for production of mash (Mixer 4)
P011	Mixer for production of mash (Mixer 2)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) and PTI 05-14280	2.1 lbs of organic compound (OC) per day;  0.5 lb of particulate/PM <sub>10</sub> per day and 0.09 tons per year.  The combined OC emissions from the emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018, and P020) shall not exceed 58.3 tons per rolling 30-day period.  See c)(4).
b.	OAC rule 3745-31-05(D) (To avoid PSD requirements)	The combined OC emissions from emissions units P001 thru P005, P008, P009, P011, P013, P015, P017, P018, and P020 shall not exceed 180 tons per rolling 365 day period.
c.	OAC rule 3745-17-11(B)(1)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).  See c)(1)and c)(3).
d.	OAC rule 3745-21-07(G)(2)	The emissions limitation specified by this rule is less stringent than the emissions



	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
		limitation established pursuant to OAC rule 3745-31-05(A)(3).  See b)(2)a.
e.	OAC rule 3745-21-07(M)(1) and (M)(2)	The emissions limitation specified by this rule is less stringent than the emissions limitation established pursuant to OAC rule 3745-31-05(A)(3).

(2) Additional Terms and Conditions

- a. On February 18, 2008, OAC rule 3745-21-07 was revised to delete paragraph (G); therefore, paragraph (G) is no longer part of the State regulations. However, that rule revision has not been approved by the U.S.EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs to OAC rule 3745-21-07, the requirement of the previous OAC rule 3745-21-07(G) still exists as part of the federally approved SIP for Ohio.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the terms and conditions within this permit which are required by previous OAC rule 3745-21-07(G) will not be required and will not be federally and/or state enforceable.

Once the February 18, 2008, revised OAC rule 3745-21-07, or modified version of OAC rule 3745-21-07 is approved by the U.S. EPA and Ohio's State Implementation Plan (SIP) is revised, the permittee shall take immediate steps to assure compliance with any and all requirements of the revised OAC rule and/or SIP.

c) Operational Restrictions

- (1) These emission units shall be equipped with a filter system that reduces the overall particulate emissions from the mixing operations that has a design control efficiency of at least 99 %, and the filter system shall be maintained in accordance within design specification and good engineering practices.
- (2) The OC content of the gasket mash produced by the mixers, emissions units P001, P008, P009, P011, and P020, shall not exceed 50% by weight, per batch.
- (3) The pressure drop across the filter system shall be maintained within the range of 0.2 to 3.5 inches of water while the emissions unit is in operation.
- (4) These emissions units shall be equipped with a solvent capture and recovery system that reduces the overall organic compound (OC) emissions by at least 90.6%, by weight, as based on a rolling 30 day period as determined by the April 3, 1998 mass balance protocol agreement between the Ohio EPA and the permittee, and the June 7, 1999 Ohio EPA letter of approval of the mass balance protocol.



d) Monitoring and/or Recordkeeping Requirements

(1) The permittee shall collect and record the information each day in accordance with the limits within this permit for emissions units P001, P002, P003, P004, P005, P008, P009, P011, P013, P015, P017, P018 and P020 combined. This information shall demonstrate the following:

- a. The calculated organic compound emissions, in tons emitted per the last 30-days;
- b. The calculated organic compound emissions, in tons emitted per the last 365-days; and
- c. The calculated 30-day average overall capture and control efficiency of the solvents recovery system of the organic compound emissions.

The above items shall be calculated in accordance with methods and formulas as established in the agreed upon mass balance protocol.

(2) The permittee shall maintain daily records that list the following information on the materials mixed in the emissions units P001, P008, P009, P011, and P020:

- a. The company identification of the materials being mixed, in each batch;
- b. The amount of non-organic compound (OC) material mixed, in each batch, in pounds;
- c. The amount of organic compound (OC) material mixed, in each batch, in pounds;
- d. The total amount of material mixed, in pounds, the sum of ("b" + "c");
- e. The OC content of the materials being mixed, in percent by weight, in each batch, (the sum of: ("c"/"d" x 100%).

(3) The permittee shall properly operate and maintain equipment to monitor the pressure drop across the filter system while the emissions unit is in operation. The monitoring equipment shall be calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the filter system on a daily basis when the emissions unit is in operation.

(4) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above monitoring and record keeping requirements are as stringent as or more stringent than the monitoring and record keeping requirements contained in PTI 05-14280 issued on March 14, 2006. The monitoring and record keeping requirements contained in the above referenced PTI are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and recordkeeping requirements in the PTI.



e) Reporting Requirements

- (1) The reports contained in this permit shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions, Section A.2. of this permit and shall include the following information:
  - a. All exceedances of the rolling, 365-day OC emission limitation of 180 tons.
  - b. All exceedances of the rolling, 30-day OC emission limitation of 58.3 tons.
  - c. All records showing that the restriction on the rolling, 30-day average overall capture and control efficiency of the solvent recovery system was below the required 90.6%, by weight, for OCs.
  - d. All daily records that show the OC content of the gasket mash produced by the mixers, emissions units P001, P008, P009, P011, and P020, exceeds 50% by weight, per batch.
- (2) The permittee shall submit quarterly pressure drop deviation (excursion) reports that identify that all periods of time during which the pressure drop across the filter system did not comply with the allowable range specified in c)(3) of these terms and conditions.
- (3) If no deviations (excursions) occurred during a reporting period, then the deviation (excursions) reports submitted by the permittee shall state so. The permittee shall submit the quarterly deviation reports to the Director (the Southwest District Office) in accordance with the Standard Terms and Conditions of this permit.
- (4) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above reporting requirements are as stringent as or more stringent than the reporting requirements contained in PTI 05-14280 issued on March 14, 2006. The reporting requirements contained in the above referenced PTI are subsumed into the reporting requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying reporting requirements in the PTI.

f) Testing Requirements

- (1) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):
  - a. Emission limitation:  
2.1 lbs of organic compound (OC) per day  
  
Applicable compliance method:  
  
Compliance with the daily allowable OC emissions limit shall be based on the following calculation:  
  
$$Ed = [(MASPH) \times UVOC \times (1-CE) \times 24]$$
  
where:



Ed = allowable daily emission rate (lbs OC/day)

MASPH = maximum amount of material per batch per hour (2092 lbs/batch/hr)

UVOC = uncontrolled VOC [assume 4.44 E -4 lbs VOC/lb of rubber]\*

CE = control efficiency (0.906)

\* Reference: Maximum value from the November 2008 draft AP-42 Section 4.12, Internal Mixing and Milling Emission Factors for Manufacture of Rubber Products.

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous record keeping as long as there is no increase in the maximum daily emissions from the above emissions units.

(2) Compliance with the emission limitation(s) in b)(1) of these terms and conditions shall be determined in accordance with the following method(s):

a. Emission limitation:

0.5 lb of particulate/PM<sub>10</sub> per day

Applicable compliance method:

Compliance with the daily allowable PM/PM<sub>10</sub> emissions limit shall be based on the following calculation:

$$Ed = [((MASPH) \times UPE) \times (1-CE)) \times 24]$$

where:

Ed = allowable daily emission rate (PM/PM<sub>10</sub> lbs/day)

MASPH = maximum amount of material per batch per hour (2,092 lbs/batch/hr)

UPE = uncontrolled PE [assume 9.25 E -4 lbs/lb of rubber]\*

CE = control efficiency (99%)

\* Reference: Maximum value from the November 2008 draft AP-42 Section 4.12, Internal Mixing and Milling Emission Factors for Manufacture of Rubber Products.

This facility shall maintain records that demonstrate the maximum emissions of each pollutant emitted from the above mentioned emissions units. These records shall constitute continuous record keeping as long as there is no increase in the maximum daily emissions from the above emissions units.

(3) Compliance with the requirements of condition d)(1) will constitute compliance with the 30 day and 365 day OC emission limitations in b)(1)a and b)(1)b and the overall capture and control limit in c)(4).



State of Ohio Environmental Protection Agency  
Division of Air Pollution Control

**Preliminary Proposed Title V Permit**

**Permit Number:** P0088883

**Facility ID:** 0575010161

**Effective Date:** To be entered upon final issuance

- (4) Compliance with the requirements of condition c)(2) will be demonstrated by the recordkeeping requirements in d)(2).
  - (5) Compliance with the requirements of condition c)(3) will be demonstrated by the recordkeeping requirements in d)(3).
  - (6) Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the above testing requirements are as stringent as or more stringent than the testing requirements contained in PTI 05-14280 issued on March 14, 2006. The testing requirements contained in the above referenced PTI are subsumed into the testing requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying testing requirements in the PTI.
- g) Miscellaneous Requirements
- (1) None.