

Wayne county emission limits.

- (A) No owner or operator of any coal-fired steam generating unit, unless otherwise specified in this rule, shall cause or permit the emission of sulfur dioxide from any source to exceed a maximum of 7.2 pounds of sulfur dioxide per MM Btu actual heat input.
- (B) [Reserved]
- (C) [Reserved]
- (D) [Reserved]
- (E) The "Orrville Municipal Utility" (OEPA premise number 0285010188) or any subsequent owner or operator of the "Orrville Municipal Utility" facility located at 1115 Perry street, Orrville, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 10 through 13 (OEPA source numbers B001 through B004) to exceed a maximum of 7.0 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (F) The "Morton Salt Company, Division of Morton-Norwich Products, Incorporated" (OEPA premise number 0285020059) or any subsequent owner or operator of the "Morton Salt Company, Division of Morton-Norwich Products Incorporated," facility located at 151 South Industrial street, Rittman, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 and 2 (OEPA source numbers B001 and B003) to exceed a maximum of 7.0 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
- (G) The "Caraustar Industries, Inc." (OEPA premise number 0285020076) or any subsequent owner or operator of the "Caraustar Industries, Inc." facility located on Industrial street, Rittman, Ohio shall not cause or permit the emission of sulfur dioxide from the following sources to exceed the amounts indicated:
 - (1) Boiler numbers 1 through 3 (OEPA source numbers B001 through B003); a maximum of 7.0 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.
 - (2) Boiler number 4 (OEPA source number B004); a maximum of 1.2 pounds of sulfur dioxide per MM Btu actual heat input.
- (H) The "College of Wooster" (OEPA premise number 0285030180) or any subsequent owner or operator of the "College of Wooster" facility located on East University street, Wooster, Ohio shall not cause or permit the emission of sulfur dioxide from boiler numbers 1 through 3 (OEPA source numbers B001 through B003) to exceed a

maximum of 5.4 pounds of sulfur dioxide per MM Btu actual heat input from each boiler.

Effective: 02/17/2011

R.C. 119.032 review dates: 11/30/2010 and 11/30/2015

CERTIFIED ELECTRONICALLY
Certification

02/07/2011
Date

Promulgated Under: 119.03
Statutory Authority: 3704.03(E)
Rule Amplifies: 3704.03(A), 3704.03(E)
Prior Effective Dates: 12/28/79, 1/23/06