



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

11/26/03

CERTIFIED MAIL

**RE: Preliminary Proposed Title V
Chapter 3745-77 permit**

01-80-00-0130
Honda of America Manufacturing, Inc.
Stephen Fogle
24000 Honda Parkway
Marysville, OH 43040-9251

Dear Stephen Fogle:

Enclosed is the Ohio EPA Preliminary Proposed Title V permit that was issued in draft form on 08/18/03. The comment period for the Draft permit has ended. We are now ready to submit this permit to USEPA for approval.

We are submitting this for your review and comment. If you do not agree with the Preliminary Proposed Title V permit as written, you now have the opportunity to raise your concerns. **In order to facilitate our review of all the comments or concerns you may have with the enclosed preliminary proposed permit, please provide a hand marked-up copy of the permit showing the changes you think are necessary, along with any additional summary comments, within fourteen (14) days from your receipt of this letter to:**

**Ohio EPA, Division of Air Pollution Control
Jim Orlemann, Manager, Engineering Section
Preliminary Proposed Title V Permit Correspondence
122 South Front Street
Columbus, Ohio 43215**

and

Central District Office
3232 Alum Creek Drive
PO Box 1049
Columbus, OH 43216-1049
(614) 728-3778

Also, if you believe that it is necessary to have an informal conference with us, then, as part of your written comments, you should request a conference concerning the written comments.

If comments are not submitted within fourteen (14) days of your receipt of this letter, we will forward the proposed permit to USEPA for approval. All comments received will be carefully considered before proceeding to the proposed permit.

Sincerely,


Michael W. Ahern, Supervisor
Field Operations and Permit Section
Division of Air Pollution Control

cc: Central District Office
File, DAPC PMU



State of Ohio Environmental Protection Agency

PRELIMINARY PROPOSED TITLE V PERMIT

Issue Date: 11/26/03	Effective Date: To be entered upon final issuance	Expiration Date: To be entered upon final issuance
-----------------------------	--	---

This document constitutes issuance of a Title V permit for Facility ID: 01-80-00-0130 to:
Honda of America Manufacturing, Inc.
 24000 Honda Parkway
 Marysville, OH 43040-9251

Emissions Unit ID (Company ID)/Emissions Unit Activity Description

G003 (Assembly Gasoline) Gasoline Dispensing for fuel	P029 (AF Line 2 Quarter Glass) AF Line 2 Quarter Glass Material Application	R018 (AF Line 2 Window Adhesive) AF Line 2 Window Adhesive Application
K221 (AF Line 1 Body Primer) AF Line 1 Body Primer Application	P216 (AF Off-Line Glass Repair) Repair and Off-Line Glass Install and Material Application	R019 (AF Line 1 Glass Primer) AF Line 1 Glass Primer Application
K222 (AF Line 2 Body Primer) AF Line 2 Body Primer Application	P331 (AF Line 1 Quarter Glass) New Line 1 Quarter Glass	R020 (AF Line 1 Window Adhesive Application) Line 1 Window Adhesive Application
P008 (AF On-Line Glass Repair) On-Line Glass Install Application	R017 (AF Line 2 Glass Primer) AF Line 2 Glass Primer Application	

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Central District Office
 3232 Alum Creek Drive
 PO Box 1049
 Columbus, OH 43216-1049
 (614) 728-3778

OHIO ENVIRONMENTAL PROTECTION AGENCY

Christopher Jones
 Director

PART I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Section

1. Monitoring and Related Record Keeping and Reporting Requirements

a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.III of Part III of this Title V permit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:

- i. The date, place (as defined in the permit), and time of sampling or measurements.
- ii. The date(s) analyses were performed.
- iii. The company or entity that performed the analyses.
- iv. The analytical techniques or methods used.
- v. The results of such analyses.
- vi. The operating conditions existing at the time of sampling or measurement.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))

b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))

c. The permittee shall submit required reports in the following manner:

- i. **All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:**

Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted by January 31, April 30, July 31, and October 31 of each year in accordance with General Term and Condition A.1.c.ii below; and each report shall cover the previous calendar quarter.

In accordance with OAC rule 3745-15-06, a malfunction constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- ii. **Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.IV of Part III of this Title V permit or, in some cases, in Part II of this Title V permit, all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:**

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.

These written reports shall satisfy the requirements (in part) of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. OAC rule 3745-77-07(A)(3)(c) is not fully satisfied until the permittee addresses all other deviations of the federally enforceable requirements specified in the permit.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement overrides the reporting requirements specified in this General Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy the requirements (in part) of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this General Term and Condition.

See B.6 below if no deviations occurred during the quarter.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- iii. **All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted in the following manner:**

Written reports that identify all other deviations of the federally enforceable requirements contained in this permit, including the monitoring, record keeping, and reporting requirements, which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted to the appropriate Ohio EPA District Office or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six calendar months.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with General Term and Condition A.1.c.ii above.

If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii))

- iv. Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."

(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))

- v. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

2. **Scheduled Maintenance**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in General Term and Condition A.1.c.i above.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

3. **Risk Management Plans**

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a. a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b. as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

(Authority for term: OAC rule 3745-77-07(A)(4))

4. **Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

(Authority for term: OAC rule 3745-77-07(A)(5))

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

(Authority for term: OAC rule 3745-77-07(A)(6))

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with A.10 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

(Authority for term: OAC rule 3745-77-07(A)(7))

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

(Authority for term: OAC rule 3745-77-07(A)(8))

8. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

(Authority for term: OAC rule 3745-77-07(A)(9))

9. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

(Authority for term: OAC rule 3745-77-07(A)(10))

10. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))

11. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

(Authority for term: OAC rule 3745-77-07(B))

12. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.

- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:
 - i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
 - ii. Compliance certifications shall include the following:
 - (a) An identification of each term or condition of this permit that is the basis of the certification.
 - (b) The permittee's current compliance status.
 - (c) Whether compliance was continuous or intermittent.
 - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
 - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
 - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))

13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

(Authority for term: OAC rule 3745-77-07(F))

14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local

air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).
(Authority for term: OAC rules 3745-77-07(H)(1) and (2))

15. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.
(Authority for term: OAC rule 3745-77-07(G))

16. Off-Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b. The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA. Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(Authority for term: OAC rule 3745-77-07(I))

17. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

(This term is provided for informational purposes only.)

18. Insignificant Activities

Each insignificant activity that has one or more applicable requirements shall comply with those applicable requirements.

(Authority for term: OAC rule 3745-77-07(A)(1))

19. Permit to Install Requirement

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31. *(Authority for term: OAC rule 3745-77-07(A)(1))*

20. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07. *(Authority for term: OAC rule 3745-77-07(A)(1))*

21. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification by the responsible official of the date on which the emissions unit was permanently shut down. Authorization to operate the affected part or activity of the stationary source shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

If an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent “modification” or “installation” as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an “emissions unit” as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any monitoring, record keeping, reporting, or testing requirements, applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

B. State Only Enforceable Section

1. Reporting Requirements Related to Monitoring and Record Keeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

2. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

3. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

4. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

5. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

6. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a. where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in General Term and Condition A.1.c.ii;
- b. where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; and
- c. where the company's responsible official has certified that an emissions unit has been permanently shut down.

Part II - Specific Facility Terms and Conditions

A. State and Federally Enforcable Section

1. The permittee may be subject to the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Surface Coating of Automobiles and Light-Duty Trucks, 40 CFR Part 63, Subpart IIII. U.S. EPA failed to promulgate this standard by May 15, 2002, the Maximum Achievable Control Technology (MACT) hammer date. In accordance with 40 CFR Part 63, Subpart B (40 CFR Parts 63.50 through 63.56), the permittee shall submit an application to revise the permit to include equivalent emission limitations as a result of a case-by-case MACT determination. The application shall be submitted in two parts. The deadline to submit the Part I application, as specified in 40 CFR Part 63.53, was May 15, 2002.
2. If the final NESHAP standard is not promulgated by the deadline specified by U.S. EPA, the permittee shall submit the Part II application as specified in 40 CFR Part 63.53. The Part II application shall be submitted within 60 days after the deadline to promulgate the respective standard or by May 15, 2003, whichever is later. It must contain the following information, unless otherwise specified by future U.S. EPA regulations:
 - a. for a new affected source, the anticipated date of startup of operation;
 - b. the hazardous air pollutants (HAPs) emitted by each affected source in the relevant source category and an estimated total uncontrolled and controlled emission rate for HAPs from the affected source;
 - c. any existing federal, State, or local limitations or requirements applicable to the affected source;
 - d. for each affected emission point or group of affected emission points, an identification of control technology in place;
 - e. information relevant to establishing the MACT floor (or MACT emission limitation), and, at the option of the permittee, a recommended MACT floor; and
 - f. any other information reasonably needed by the permitting authority including, at the discretion of the permitting authority, information required pursuant to Subpart A of 40 CFR Part 63.

The Part II application for a MACT determination may, but is not required to, contain the following information:

- a. recommended emission limitations for the affected source and support information (the permittee may recommend a specific design, equipment, work practice, or operational standard, or combination thereof, as an emission limitation);
- b. a description of the control technologies that would be applied to meet the emission limitation, including technical information on the design, operation, size, estimated control efficiency and any other information deemed appropriate by the permitting authority, and identification of the affected sources to which the control technologies must be applied; and
- c. relevant parameters to be monitored and frequency of monitoring to demonstrate continuous compliance with the MACT emission limitation over the applicable reporting period.

A. State and Federally Enforcable Section (continued)

3. If the NESHAP is promulgated before the Part II application is due for the relevant source category, the permittee may be subject to the rule as an existing major source with a compliance date as specified in the NESHAP. If subject, the permittee shall submit the following notifications:
- a. Unless otherwise specified in the relevant Subpart, within 120 days after promulgation of a 40 CFR Part 63 Subpart to which the source is subject, the permittee shall submit an Initial Notification Report that contains the following information, in accordance with 40 CFR Part 63.9(b)(2):
 - i. the name and mailing address of the permittee;
 - ii. the physical location of the source if it is different from the mailing address;
 - iii. identification of the relevant MACT standard and the source's compliance date;
 - iv. a brief description of the nature, design, size, and method of operation of the source, and an identification of the types of emission points within the affected source subject to the relevant standard and the types of HAPs emitted; and
 - v. a statement confirming the facility is a major source for HAPs.
 - b. Unless otherwise specified in the relevant Subpart, within 60 days following completion of any required compliance demonstration activity specified in the relevant Subpart, the permittee shall submit a notification of compliance status that contains the following information:
 - i. the methods used to determine compliance;
 - ii. the results of any performance tests, visible emission observations, continuous monitoring systems performance evaluations, and/or other monitoring procedures or methods that were conducted;
 - iii. the methods that will be used for determining continuous compliance, including a description of monitoring and reporting requirements and test methods;
 - iv. the type and quantity of HAPs emitted by the source, reported in units and averaging times in accordance with the test methods specified in the relevant Subpart;
 - v. an analysis demonstrating whether the affected source is a major source or an area source;
 - vi. a description of the air pollution control equipment or method for each emission point, including each control device or method for each HAP and the control efficiency (percent) for each control device or method; and
 - vii. a statement of whether or not the permittee has complied with the requirements of the relevant Subpart.

A. State and Federally Enforcable Section (continued)

4. The following insignificant emissions units are located at this facility:

Z085 AF Refrigerant Tanks & Dispensing, L1, L2, & Final Repair;
Z142 APQ Repair Area;
Z155 MS Cart Painting;
Z173 MOS Cold Cleaner;
Z174 AF Cold Cleaner, Assembly Maintenance;
Z304 AF Cold Cleaner, Maintenance Cage;
Z307 VQD Cold Cleaner, Parts Washer;
Z328 MS Cold Cleaner;
Z335 Line 1 and 2 Shower Testers;
T001 MS Diesel Fuel Tank and Dispensing;
T002 AF Power Steering Fluid Tank and Dispensing Equipment;
T003 AF Windshield Washer Fluid Tank and Dispensing;
T007 AF Automatic Transmission Fluid Tank & Dispensing;
T008 AF Manual Transmission Fluid Tank & Dispensing;
T009 AF Ethylene Glycol Storage Tank and Dispensing;
T012 AF Brake Fluid Storage Tank & Dispensing;
Z318 VQD Gasoline Storage Tank;
K224 miscellaneous Sealers and Adhesive Applications (Z090) (PTI 01-7448);
K225 miscellaneous Corrosion Protection and Lubricants (Z091) (PTI 01-7448);
K226 miscellaneous manual application of coatings, brushes/spray can (PTI 01-7448); and
P223 AF Miscellaneous Solvents.

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, and well as any emission limitations and/or control requirements contained within the identified permit to install for the emissions unit. Insignificant emissions units listed above that are not subject to specific permit to install requirements are subject to one or more applicable requirements contained in the SIP-approved versions of OAC Chapters 3745-17, 3745-18, 3745-21, and 3745-23.

B. State Only Enforceable Section

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Assembly Gasoline (G003)
Activity Description: Gasoline Dispensing for fuel

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
assembly gasoline dispensing operations, including 8,000 and 20,000 gallon storage tanks	OAC rule 3745-31-05(A)(3) (PTI 01-5111)	Volatile organic compound emissions shall not exceed 7 tons per year.
	OAC rule 3745-21-09(R)	The requirements of this rule include compliance with the requirements of OAC rule 3745-21-09(R). Stage I vapor control - 90% control efficiency for volatile organic compounds (VOCs), submerged fill. See Section A.I.2.a.

2. Additional Terms and Conditions

- 2.a The permittee shall not cause, allow, or permit the transfer of gasoline to these gasoline dispensing tanks unless the following requirements are met:
 - i. the storage tanks are equipped with a submerged fill pipe; and
 - ii. for any transfer of gasoline from a delivery vessel to the storage tanks, the vapors displaced must be processed by one of the following systems:
 - (a). a vapor balance system which is designed and operated to route at least 90 percent by weight of the VOC in the displaced vapors to the delivery vessel and which is equipped with a means to prevent the discharge of displaced vapors from an unconnected vapor line; or
 - (b). a vapor control system which is designed and operated to recover at least 90 percent by weight of the VOC in the displaced vapors.

II. Operational Restrictions

1. The permittee shall comply with the following operational restrictions for the Stage I vapor control system:
 - a. the vapor balance system shall be kept in good working order and shall be used at all times during the transfer of gasoline;
 - b. there shall be no leaks in the delivery vessel pressure/vacuum relief valves and hatch covers;
 - c. there shall be no leaks in the vapor lines or liquid lines during the transfer of gasoline;
 - d. the transfer of gasoline from a delivery vessel to a stationary storage tank shall be conducted by use of submerged fill into the storage tank. The submerged fill pipe(s) are to be installed so they are within six (6) inches of the bottom of the storage tank;
 - e. all fill caps shall be "in place" and clamped during normal storage conditions; and
 - f. the permittee shall repair within 15 days any leak from the vapor balance system or vapor control system which is employed to meet the requirements of paragraph (R)(1) of OAC rule 3745-21-09 when such leak is equal to or greater than 100 percent of the lower explosive limit as propane, as determined under paragraph (K) of OAC rule 3745-21-10.
2. The permittee shall restrict the annual fuel throughput from this gasoline dispensing facility to amounts that will show compliance with the emission limit of 7.0 tons per year, calculated as required in the testing Section A.V.1 below.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the results of any leak checks, including, at a minimum, the following information:
 - a. date of inspection;
 - b. findings from the inspections (may indicate no leaks discovered or location, nature, and severity of each leak);
 - c. leak determination method;
 - d. corrective action (date each leak repaired and reasons for any repair interval in excess of 15 calendar days); and
 - e. inspector's name and signature.
2. In order to document annual emissions, the permittee shall maintain annual records of the following:
 - a. the gasoline throughput for G003; and
 - b. the annual VOC emission rate for the calendar year calculated as required in the Section A.V.1 using the total gasoline throughput for the calendar year.

IV. Reporting Requirements

1. Any leak from the vapor balance system or vapor control system that is not repaired within 15 days after identification of the leak shall be reported to the Ohio EPA Central District Office within 30 days after the repair is completed.
2. The permittee shall submit deviation reports which include any exceedance of the calculated annual VOC limit. These reports shall be submitted by January 31 for the previous calendar year.

V. Testing Requirements

1. Emission Limitation

7 tons VOC/yr

Applicable Compliance Method

Compliance with the annual VOC emission limit in Section A.I.1 of these terms and conditions shall be calculated as the sum of the VOC emissions from all gasoline storage tank filling and dispensing operations at the gasoline dispensing facility (unless otherwise exempted pursuant to OAC rule 3745-31-03). This calculation shall be based on the annual gasoline throughput for the facility and the gasoline storage tank filling and dispensing operations emission factor from USEPA publication AP-42, Fifth Edition, Table 5.2-7. The emission factor for a gasoline dispensing facility having submerged tank filling with Stage I vapor control for gasoline storage tanks is 13.0 lbs OC/1000 gallons for vehicles without on-board vapor recovery (OBVR) systems and 2.44 lbs OC/1000 gallons for vehicles utilizing OBVR systems (based on Table 5.2-7 emission factors for submerged filling, breathing and emptying, and vehicle refueling spillage losses and 40 CFR 80.098-8(d)(1) emission factor for vehicle displacement losses).

The emission factor shall be multiplied by the gallons of gasoline dispensed per year, and divided by 2000 lbs/ton.

(The emission rate (factor) is expressed in pounds (lbs) of organic compounds per 1000 gallons of gasoline throughput. The emission factor is for VOC as well as total organic compound (OC) emissions because the methane and ethane contents of gasoline are negligible.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
assembly gasoline dispensing operations, including 8,000 and 20,000 gallon underground storage tanks	none	

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 1 Body Primer (K221)

Activity Description: AF Line 1 Body Primer Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 1 body primer application</p> <p>Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rules 3745-21-09(U)(1)(g) and 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-09(U)(1)(g)</p>	<p>See Sections A.I.2.a and A.II.1 below.</p> <p>The VOC content of any body primer coating employed in this emissions unit shall not exceed 4.9 pounds per gallon, excluding water and exempt solvents.</p>

2. Additional Terms and Conditions

- All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

- Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each body primer coating applied;
 - b. the VOC content of each body primer coating as applied, excluding water and exempt solvents;
 - c. the number of gallons of each body primer coating employed; and
 - d. the total VOC emissions from all body primer coatings employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).

IV. Reporting Requirements

1. The permittee shall notify the Ohio EPA, Central District Office in writing of any monthly record showing the use of noncomplying body primer coatings (exceeding 4.9 lbs VOC/gal, as applied). The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.
3. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

The VOC content of any body primer coating employed in this emissions unit shall not exceed 4.9 pounds per gallon, excluding water and exempt solvents.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.1.

2. Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

3. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 1 body primer application</p> <p>Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 2 Body Primer (K222)
Activity Description: AF Line 2 Body Primer Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 body primer application</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rules 3745-21-09(U)(1)(g) and 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-09(U)(1)(g)</p>	<p>See Sections A.I.2.a and A.II.1 below.</p> <p>The VOC content of any body primer coating employed in this emissions unit shall not exceed 4.9 pounds per gallon, excluding water and exempt solvents.</p>

2. Additional Terms and Conditions

- All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

- Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each body primer coating applied;
 - b. the VOC content of each body primer coating as applied, excluding water and exempt solvents;
 - c. the number of gallons of each body primer coating employed; and
 - d. the total VOC emissions from all body primer coatings employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K222, R017, R018, P029 and P008 (Line 2 with on-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).

IV. Reporting Requirements

1. The permittee shall notify the Ohio EPA, Central District Office in writing of any monthly record showing the use of noncomplying body primer coating (exceeding 4.9 lbs VOC/gal, as applied). The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.
3. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

The VOC content of any body primer coating employed in this emissions unit shall not exceed 4.9 pounds per gallon, excluding water and exempt solvents.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.1.

2. Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

3. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
window glass preparation and assembly - Line 2 body primer application Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF On-Line Glass Repair (P008)

Activity Description: On-Line Glass Install Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 on-line repair</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rule 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-07(G)</p>	<p>See Sections A.I.2.a and A.II.1 below.</p> <p>None when coating non-metal; see Section A.II.2.</p>

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emission unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

II. Operational Restrictions (continued)

2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each coating, glass primer, adhesive, and wiping solvent applied;
 - b. the OC content of each coating, glass primer, adhesive, and wiping solvent, as applied;
 - c. the number of gallons of each coating, glass primer, adhesive, and wiping solvent employed; and
 - d. the total OC emissions from all coating, glass primer, adhesive, and wiping solvent employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K222, R017, R018, P029 and P008 (Line 2 with on-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.
2. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

IV. Reporting Requirements (continued)

3. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

2. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
window glass preparation and assembly - Line 2 on-line repair Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 2 Quarter Glass (P029)
Activity Description: AF Line 2 Quarter Glass Material Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 quarter glass installation</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rule 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-07(G)</p>	<p>See Sections A. I.2.a and A.II.1 below.</p> <p>None when coating non-metal; see Section A.II.2 below.</p>

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

II. Operational Restrictions (continued)

2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each adhesive, wiping solvent, and glass primer applied;
 - b. the OC content of each adhesive, wiping solvent, and glass primer applied;
 - c. the number of gallons of each adhesive, wiping solvent, and glass primer employed; and
 - d. the total OC emissions from all adhesive, wiping solvent, and glass primer employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K222, R017, R018, P029 and P008 (Line 2 with on-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.
2. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

IV. Reporting Requirements (continued)

3. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

2. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
window glass preparation and assembly - Line 2 quarter glass installation Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Off-Line Glass Repair (P216)
Activity Description: Repair and Off-Line Glass Install and Material Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
window glass preparation and assembly - Line 1 off-line repair Line 1 is comprised of emissions units K221, R019, R020, P331, and P216 (off-line repair)	OAC rule 3745-31-05(A)(3) (PTI 01-6045)	The requirements established pursuant to this rule also include compliance with the requirements of OAC rules 3745-21-09(U)(1)(g), 3745-21-09(U)(1)(i), and 3745-31-05(D).
	OAC rule 3745-31-05(D) (PTI 01-6045)	Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.
		See Sections A.I.2.a and A.II.1 below.
	OAC rule 3745-21-07(G)	None when coating non-metal; see Section A.II.2 below.
	OAC rule 3745-21-09(U)(1)(g)	When coating metal, the VOC content of any body primer coating shall not exceed 4.9 lbs/gallon, excluding water and exempt solvents.
	OAC rule 3745-21-09(U)(1)(i)	When applying adhesives to metal, the VOC content of any adhesive employed in this emission unit shall not exceed 3.0 lbs/gallon, excluding water and exempt solvents.

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.
2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each coating, glass and body primer, adhesive, and wiping solvent applied;
 - b. the VOC content of each coating, glass and body primer, adhesive, and wiping solvent (excluding water and exempt solvents), when applied to metal;
 - c. the OC/VOC content of each coating, glass and body primer, adhesive, and wiping solvent, when applied to non-metal;
 - d. the number of gallons of each coating, glass and body primer, adhesive, and wiping solvent employed; and
 - e. the total OC/VOC emissions from all coatings, glass and body primers, adhesive, and wiping solvent employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall notify the Ohio EPA, Central District Office in writing of any monthly record showing the application of noncomplying body primer coatings (exceeding 4.9 lbs VOC/gal, as applied) to metal. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days following the end of the calendar month.

IV. Reporting Requirements (continued)

2. The permittee shall notify the Ohio EPA Central District Office, in writing, of any monthly record showing the application of noncomplying adhesives (exceeding 3.0 lbs VOC/gal, as applied) to metal. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days following the end of the calendar month.
3. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.
4. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

5. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

The VOC content of any adhesive employed in this emissions unit shall not exceed 3.0 pounds per gallon, excluding water and exempt solvents, when coating metal.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.1.

2. Emission Limitation:

The VOC content of any body primer coating employed in this emissions unit shall not exceed 4.9 pounds per gallon, excluding water and exempt solvents, when coating metal.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.1.

V. Testing Requirements (continued)

3. Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

4. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
off-line glass repair, window glass assembly		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 1 Quarter Glass (P331)

Activity Description: New Line 1 Quarter Glass

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 1 quarter glass installation</p> <p>Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rule 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-07(G)</p>	<p>See Sections A.I.2.a and A.II.1 below.</p> <p>None when coating non-metal; see Section A.II.2 below.</p>

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

II. Operational Restrictions (continued)

2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each adhesive, wiping solvent, and glass primer applied;
 - b. the VOC content of each adhesive, wiping solvent, and glass primer (excluding water and exempt solvents), when applied to metal;
 - c. the OC/VOC content of each adhesive, wiping solvent, and glass primer, when applied to non-metal;
 - d. the number of gallons of each adhesive, wiping solvent, and glass primer employed; and
 - e. the total OC/VOC emissions from all adhesive, wiping solvent, and glass primer employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.
2. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

IV. Reporting Requirements (continued)

3. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

2. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
window glass preparation and assembly - Line 1 quarter glass installation Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 2 Glass Primer (R017)

Activity Description: AF Line 2 Glass Primer Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 glass primer</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rule 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvent employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-07(G)</p>	<p>See Sections A.I.2.b and A.II.1 below.</p> <p>None when coating non-metal; see Section A.II.2 below.</p>

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

II. Operational Restrictions (continued)

2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each glass primer and wiping solvent applied;
 - b. the OC content of each glass primer and wiping solvent;
 - c. the number of gallons of each glass primer and wiping solvent employed; and
 - d. the total OC emissions from all glass primer and wiping solvent employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K222, R017, R018, P029 and P008 (Line 2 with on-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.
2. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

IV. Reporting Requirements (continued)

3. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvent employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

2. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 glass primer</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 2 Window Adhesive (R018)
Activity Description: AF Line 2 Window Adhesive Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 adhesive applicatio</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p> <p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rules 3745-21-09(U)(1)(i) and 3745-31-05(D).</p>
	<p>OAC rule 3745-21-07(G)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-09(U)(1)(i)</p>	<p>See Sections A.I.2.a and A.II.1 below.</p> <p>None when coating non-metal; see Section A.II.2 below.</p> <p>When applying adhesives to metal, the volatile organic compound (VOC) content of any adhesive employed in this emission unit shall not exceed 3.0 lbs/gallon, excluding water and exempt solvents.</p>

2. Additional Terms and Conditions

- All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.
2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each adhesive applied;
 - b. the VOC content of each adhesive applied, excluding water and exempt solvents;
 - c. the number of gallons of each adhesive employed; and
 - d. the total VOC emissions from all adhesives employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K222, R017, R018, P029 and P008 (Line 2 with on-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall notify the Ohio EPA Central District Office, in writing, of any monthly record showing the application of noncomplying adhesives (exceeding 3.0 lbs VOC/gal, as applied) to metal. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.

IV. Reporting Requirements (continued)

3. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.
4. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation

The VOC content of any adhesive employed in this emissions unit shall not exceed 3.0 pounds per gallon, excluding water and exempt solvents, when coating metal.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.1.

2. Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K222, R017, R018, P029, and P008 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

3. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 2 adhesive applicatio</p> <p>Line 2 is comprised of emissions units K222, R017, R018, P029 and P008 (on-line repair)</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 1 Glass Primer (R019)

Activity Description:
AF Line 1 Glass Primer Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 1 glass primer</p> <p>Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)</p>	<p>OAC rule 3745-31-05(A)(3) (PTI 01-6045)</p>	<p>The requirements established pursuant to this rule also include compliance with the requirements of OAC rule 3745-31-05(D).</p>
	<p>OAC rule 3745-31-05(D) (PTI 01-6045)</p>	<p>Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.</p>
	<p>OAC rule 3745-21-07(G)</p>	<p>See Sections A.I.2.a and A.II.1 below.</p> <p>None when coating non-metal; see Section A.II.2 below.</p>

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous cleanup) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.

II. Operational Restrictions (continued)

2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each glass primer and wiping solvent applied;
 - b. the OC content of each glass primer and wiping solvent applied;
 - c. the number of gallons of each glass primer and wiping solvent employed; and
 - d. the total OC emissions from all glass primer and wiping solvent employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.
2. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.

IV. Reporting Requirements (continued)

3. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

2. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 1 glass primer</p> <p>Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: AF Line 1 Window Adhesive Application (R020)

Activity Description: Line 1 Window Adhesive Application

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
window glass preparation and assembly - Line 1 adhesive applicatio Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)	OAC rule 3745-31-05(A)(3) (PTI 01-6045)	The requirements established pursuant to this rule also include compliance with the requirements of OAC rules 3745-21-09(U)(1)(i) and 3745-31-05(D).
	OAC rule 3745-31-05(D) (PTI 01-6045)	Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.
	OAC rule 3745-21-07(G)	See Sections A.I.2.a and A.II.1 below. None when coating non-metal; see Section A.II.2 below.
	OAC rule 3745-21-09(U)(1)(i)	When applying adhesives to metal, the volatile organic compound (VOC) content of any adhesive employed in this emission unit shall not exceed 3.0 lbs/gallon, excluding water and exempt solvents.

2. Additional Terms and Conditions

- 2.a All cleanup materials associated with this operation are accounted for by emissions unit P223 (assembly miscellaneous solvents) under PTI 01-6323.

II. Operational Restrictions

1. Emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair) shall be limited to a combined production rate of 470,000 units (cars) per rolling, 12-month period. The total production rate shall be measured at the assembly off area (AF Off) for Lines 1 and 2.
2. To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials or materials exempt under OAC rule 3745-21-07(G)(9), shall be employed in this emissions unit when coating non-metal.

Note: The definition of "photochemically reactive material" is based upon OAC rule 3745-21-01(C)(5).

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information each month for this emissions unit:
 - a. the name and identification of each adhesive applied;
 - b. the VOC content of each adhesive applied, excluding water and exempt solvents;
 - c. the number of gallons of each adhesive employed; and
 - d. the total VOC emissions from all adhesives employed in this emissions unit.
2. The permittee shall collect and record the following information each month for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair):
 - a. the total OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in pounds or tons; and
 - b. the rolling, 12-month OC/VOC emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed, in tons.
3. The permittee shall maintain monthly records of the following for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair):
 - a. the total combined production rate, in units (cars); and
 - b. the rolling, 12-month combined production rate, in units (cars).
4. The permittee shall maintain records for each material applied to non-metal in this emissions unit that indicate whether or not the material is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall notify the Ohio EPA Central District Office, in writing, of any monthly record showing the application of noncomplying adhesives (exceeding 3.0 lbs VOC/gal, as applied) to metal. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Central District Office within 30 days following the end of the calendar month.
2. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time when a photochemically reactive material was applied to non-metal in this emissions unit. These reports shall be submitted in accordance with the reporting requirements specified in Part I, Section A.1.c.ii of the General Term and Conditions.

IV. Reporting Requirements (continued)

3. The permittee shall also submit annual reports that specify the total OC/VOC emissions from emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) for the previous calendar year. The reports shall be submitted by April 15 of each year. This reporting requirement may be satisfied by including and identifying the specific emission data for this emissions unit in the annual Fee Emission Report.
4. The permittee shall submit quarterly deviation (excursion) reports that identify any exceedances of the following:
 - a. the rolling, 12-month OC/VOC emission limitation for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair); and
 - b. the rolling, 12-month combined production rate (cars, measured at AF Off) for emissions units K221, R019, R020, P331, and P216 (Line 1 with off-line repair) and emissions units K222, R017, R018, P029, and P008 (Line 2 with on-line repair).

The deviation reports shall be submitted in accordance with General Term and Condition A.1.c.ii.

V. Testing Requirements

1. Compliance with the emission limitations specified in Section A.I shall be demonstrated in accordance with the following methods:

Emission Limitation

The VOC content of any adhesive employed in this emissions unit shall not exceed 3.0 pounds per gallon, excluding water and exempt solvents, when coating metal.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.1.

2. Emission Limitation:

Organic compound/volatile organic compound (OC/VOC) emissions from all coatings, glass and body primers, adhesives, and wiping solvents employed in emissions units K221, R019, R020, P331 and P216 shall not exceed 18.1 tons per rolling, 12-month period.

Applicable Compliance Method:

Compliance with this emission limitation shall be determined based upon the records required pursuant to Section A.III.2.

3. Formulation data from the manufacturer(s) of the coatings, glass and body primers, adhesives, and wiping solvents or analyses performed in accordance with 40 CFR Part 60, Appendix A, Method 24 shall be used to determine the OC content of each material applied.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
<p>window glass preparation and assembly - Line 1 adhesive applicatio</p> <p>Line 1 is comprised of emissions units K221, R019, R020, P331 and P216 (off-line repair)</p>		

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Facility Name: **Honda of America Mfg., Inc.**
Facility ID: **01-80-00-0130**

THIS IS THE LAST PAGE OF THE PERMIT
