



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

10/1/2008

Michael Fusek
Mansfield Plumbing Products
150 East First Street
Perrysville, OH 44864

Certified Mail
Facility ID: 0303000002
Permit Number: P0086752
County: Ashland

RE: FINAL AIR POLLUTION CONTROL TITLE V PERMIT
Permit Type: Renewal

Dear Permit Holder:

Enclosed is the Title V permit that allows you to operate the facility in the manner indicated in the permit. Because this permit may contain several conditions and restrictions, we urge you to read it carefully.

The issuance of this Title V permit is a final action of the Director and may be appealed to the Environmental Review Appeals Commission ("ERAC") under Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and describe the action complained of and the grounds for the appeal. The appeal must be filed with the ERAC within thirty (30) days after notice of the Director's action. A filing fee of \$70.00 must be submitted to the ERAC with the appeal, although the ERAC, has discretion to reduce the amount of the filing fee if you can demonstrate (by affidavit) that payment of the full amount of the fee would cause extreme hardship. If you file an appeal of this action, you must notify Ohio EPA of the filing of the appeal (by providing a copy to the Director) within three (3) days of filing your appeal with the ERAC. Ohio EPA requests that a copy of the appeal also be provided to the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the ERAC at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, OH 43215

The Ohio EPA is encouraging companies to investigate pollution prevention and energy conservation. Not only will this reduce pollution and energy consumption, but it can also save you money. If you would like to learn ways you can save money while protecting the environment, please contact our Office of Compliance Assistance and Pollution Prevention at (614) 644-3469. If you have any questions regarding this permit, please contact the Ohio EPA DAPC, Northwest District Office. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page <http://www.epa.state.oh.us/dapc>.

Sincerely,


Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA Region 5 *Via E-Mail Notification*
Ohio EPA DAPC, Northwest District Office

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director



**State of Ohio Environmental Protection Agency
Division of Air Pollution Control**

FINAL

**Title V Permit to Control Air Pollution
OAC Chapter 3745-77**

Mansfield Plumbing Products

Facility ID: 0303000002
Permit Number: P0086752
Permit Type: Renewal
Issued: 10/1/2008
Effective: 10/22/2008
Expiration: 10/22/2013



State of Ohio Environmental Protection Agency
 Division of Air Pollution Control

Title V Permit to Control Air Pollution
OAC Chapter 3745-77
 Mansfield Plumbing Products

Table of Contents

Authorization..... 1

A. Standard Terms and Conditions 2

 1. Federally Enforceable Standard Terms and Conditions 3

 2. Monitoring and Related Record Keeping and Reporting Requirements 3

 3. Scheduled Maintenance 6

 4. Risk Management Plans 6

 5. Title IV Provisions 6

 6. Severability Clause 7

 7. General Requirements 7

 8. Fees 8

 9. Marketable Permit Programs 8

 10. Reasonably Anticipated Operating Scenarios 8

 11. Reopening for Cause 8

 12. Federal and State Enforceability 9

 13. Compliance Requirements 9

 14. Permit Shield 10

 15. Operational Flexibility 10

 16. Emergencies 11

 17. Off-Permit Changes 11

 18. Compliance Method Requirements 12

 19. Insignificant Activities or Emissions Levels 12

 20. Permit to Install Requirement 12

 21. Air Pollution Nuisance 12

 22. Permanent Shutdown of an Emissions Unit 12

 23. Title VI Provisions 13

 24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only 13

 25. Records Retention Requirements Under State Law Only 13

 26. Inspections and Information Requests 13

 27. Scheduled Maintenance/Malfunction Reporting 14

 28. Permit Transfers 14



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations	14
B. Facility-Wide Terms and Conditions	15
C. Emissions Unit Terms and Conditions	18
1. P002, Clay Transfer System	19
2. P003, Glaze Ball Mills	21
3. P004, Glaze Spray Booths (Hand).....	23
4. P010, Talc Duster NBL	29
5. P011, Talc Duster Tanks	31
6. P016, Kiln #7.....	33
7. P018, Kiln #9.....	35
8. P028, Keith Refire Kiln.....	37
9. P033, Kiln #2.....	41
10. P041, Plaster Delivery System	45
11. P042, Glaze Spray Booth #1	50
12. P043, Kiln #10.....	55
13. P045, Glaze Spray Booth #2	60
14. P046, Tank Spray Machine.....	65
15. P047, Kiln #4.....	71
16. P048, Beckley Shuttle Kilns	75



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

Authorization

Facility ID: 0303000002
Facility Description: Vitreous Plumbing Fixtures
Application Number(s): A0017571, A0017572, A0017573, A0017574
Permit Number: P0086752
Permit Description: Renewal Application
Permit Type: Renewal
Issue Date: 10/1/2008
Effective Date: 10/22/2008
Expiration Date: 10/22/2013
Superseded Permit Number:

This document constitutes issuance of an OAC Chapter 3745-77 Title V permit to:

Mansfield Plumbing Products
150 East First Street
Perrysville, OH 44864

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted a Title V permit pursuant to Chapter 3745-77 of the Ohio Administrative Code. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. You will be sent a notice approximately 18 months prior to the expiration date regarding the renewal of this permit. If you do not receive a notice, please contact the Ohio EPA DAPC, Northwest District Office. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, if a timely renewal application is submitted. A renewal application will be considered timely if it is submitted no earlier than 18 months (540 days) and no later than 6 months (180 days) prior to the expiration date.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

A. Standard Terms and Conditions



1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
 - (1) Standard Term and Condition A. 24., Reporting Requirements Related to Monitoring and Record Keeping Requirements of State-Only Enforceable Permit Terms and Conditions
 - (2) Standard Term and Condition A. 25., Records Retention Requirements for State-Only Enforceable Permit Terms and Conditions
 - (3) Standard Term and Condition A. 27., Scheduled Maintenance/Malfunction Reporting
 - (4) Standard Term and Condition A. 29., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
(Authority for term: ORC 3704.036(A))

2. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit), the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))
- c) The permittee shall submit required reports in the following manner:
 - (1) All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:



Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year in accordance with Standard Term and Condition A.2.c)(2) below; and each report shall cover the previous calendar quarter. An exceedance of the visible emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the owner or operator of the affected air contaminant source or air pollution control equipment complies with the requirements of OAC rule 3745-17-07(A)(3)(c).

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- (2) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit or, in some cases, in section B. Facility-Wide Terms and Conditions of this Title V permit), all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.



These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this Standard Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this Standard Term and Condition.

See A.29 below if no deviations occurred during the quarter.
(*Authority for term: OAC rule 3745-77-07(A)(3)(c)*)

- (3) All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with Standard Term and Condition A.2)c)(2) above shall be submitted in the following manner:

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; Standard Terms and Conditions: A.3, A.4, A.5, A.7.e), A.8, A.13, A.15, A.19, A.20, A.21, and A.23 of this Title V permit, as well as any deviations from the requirements in section C. Emissions Unit Terms and Conditions of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with Standard Term and Condition A.2.c)(2) above shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in section B. Facility-Wide Terms and Conditions of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with Standard Term and Condition A.2.c)(2) above.



If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))

- (4) Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."

(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))

- (5) Reports of any required monitoring and/or record keeping information shall be submitted to Ohio EPA DAPC, Northwest District Office.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

3. Scheduled Maintenance

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in Standard Term and Condition A.2.c)(1) above.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

4. Risk Management Plans

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a) a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b) as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

(Authority for term: OAC rule 3745-77-07(A)(4))

5. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

(Authority for term: OAC rule 3745-77-07(A)(5))



6. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.
(Authority for term: OAC rule 3745-77-07(A)(6))

7. General Requirements

- a) The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with Standard Term and Condition A.11 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f) Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable when:
 - (1) the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
 - (2) the permittee no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or
 - (3) a combination of (1) and (2) above.

The permittee shall continue to comply with all applicable OAC Chapter 3745-31 requirements for all regulated air contaminant sources once this permit ceases to be enforceable. The permittee



shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))

8. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

(Authority for term: OAC rule 3745-77-07(A)(8))

9. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

(Authority for term: OAC rule 3745-77-07(A)(9))

10. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these standard terms and conditions shall apply to all operating scenarios authorized in this permit.

(Authority for term: OAC rule 3745-77-07(A)(10))

11. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a) Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b) This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c) The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.



- d) The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.
(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))

12. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.
(Authority for term: OAC rule 3745-77-07(B))

13. Compliance Requirements

- a) Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
- (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c) The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d) Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the



Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:

- (1) Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted (i.e., postmarked) on or before April 30th of each year during the permit term.
- (2) Compliance certifications shall include the following:
 - (a) An identification of each term or condition of this permit that is the basis of the certification.
 - (b) The permittee's current compliance status.
 - (c) Whether compliance was continuous or intermittent.
 - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
 - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.

(3) Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))

14. Permit Shield

- a) Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b) This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

(Authority for term: OAC rule 3745-77-07(F))

15. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as



soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

(Authority for term: OAC rules 3745-77-07(H)(1) and (2))

16. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

(Authority for term: OAC rule 3745-77-07(G))

17. Off-Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a) The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b) The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c) The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d) The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e) The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit-to-install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(Authority for term: OAC rule 3745-77-07(I))



18. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.
(This term is provided for informational purposes only.)

19. Insignificant Activities or Emissions Levels

Each IEU that has one or more applicable requirements shall comply with those applicable requirements.
(Authority for term: OAC rule 3745-77-07(A)(1))

20. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.
(Authority for term: OAC rule 3745-77-07(A)(1))

21. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.
(Authority for term: OAC rule 3745-77-07(A)(1))

22. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the responsible official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an "emissions unit" as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.
(Authority for term: OAC rule 3745-77-01)



23. Title VI Provisions

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.
(Authority for term: OAC rule 3745-77-01(H)(11))

24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

25. Records Retention Requirements Under State Law Only

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

26. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports



pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

(Authority for term: OAC rule 3745-77-07(C))

27. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

28. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

(Authority for term: OAC rule 3745-77-01(C))

29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a) where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in Standard Term and Condition A.2.c)(2); or
- b) where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; or
- c) where the company's responsible official has certified that an emissions unit has been permanently shut down.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

B. Facility-Wide Terms and Conditions



1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
 - a) 3.

2. The following insignificant emissions units at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within the identified permit to install for the emissions unit. The insignificant emissions units listed below are subject to one or more applicable requirement contained in a permit-to-install or in the SIP-approved versions of OAC Chapters 3745-17, 3745-18 and 3745-21.
 - a) B002 - JC 200 space heater;
 - b) B003 - MSI 126 Dravo heater;
 - c) B004 - MSI 9040 Dravo heater;
 - d) B005 - cover line heater;
 - e) B006 - Fulton boiler;
 - f) B008 - mold air rotation heater;
 - g) P021 - drying oven OBL;
 - h) P022 - drying oven tank;
 - i) P023 - drying oven NBL;
 - j) P036 - ware dryer NBL;
 - k) P040 - plaster mold dryers;
 - l) Z004 - electrical generator #1;
 - m) Z005 - diesel air compressor;
 - n) Z017 - make-up air #1;
 - o) Z018 - make-up air #2;
 - p) Z019 - make-up air #3;
 - q) Z020 - make-up air #4
 - r) Z021 - make-up air #5;
 - s) Z022 - make-up air #6;
 - t) Z023 - make-up air #7;
 - u) Z028 - emergency generator; and
 - v) Z029 - emergency compressor.



[Authority for term: OAC rule 3745-77-07(A)(13)]

3. The following insignificant emissions units are exempt from permit requirements because they are not subject to any applicable requirements or because they meet the "de minimis" criteria established in OAC rule 3745-15-05:
 - a) P001 - clay unloading silos;
 - b) P020 - whiteware finish;
 - c) Z002 - glaze blowoff booth;
 - d) Z007 - benchcast vacuum;
 - e) Z008 - shipping vacuum;
 - f) Z009 - new bowl line vacuum;
 - g) Z025 - whiteware finish #2;
 - h) Z026 - 500 gallon diesel storage tank;
 - i) Z027 - 1000 gallon diesel storage tank.

4. Pursuant to 40 CFR Part 64, the permittee has submitted, and the Ohio EPA has approved a compliance assurance monitoring plan for emissions units P004, P041, P042, P045 and P046 at this facility. The permittee shall comply with the provisions of the plan during any operation of the aforementioned emissions units.

[Authority for term: 40 CFR, Part 64]



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

C. Emissions Unit Terms and Conditions



1. P002, Clay Transfer System

Operations, Property and/or Equipment Description:

Automated screw conveyors and bucket elevators

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	none [See b)(2)a.]
b.	OAC rule 3745-17-11(B)	none [See b)(2)b.]

(2) Additional Terms and Conditions

a. This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.

b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) None.

e) Reporting Requirements

(1) None.

f) Testing Requirements

(1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

g) Miscellaneous Requirements

(1) None.



2. P003, Glaze Ball Mills

Operations, Property and/or Equipment Description:

Ball Mills in Glaze Room

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	none [See b)(2)a.]
b.	OAC rule 3745-17-11(B)	none [See b)(2)b.]

(2) Additional Terms and Conditions

a. This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.

b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) None.

e) Reporting Requirements

(1) None.

f) Testing Requirements

(1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

g) Miscellaneous Requirements

(1) None.



3. P004, Glaze Spray Booths (Hand)

Operations, Property and/or Equipment Description:

Glaze Spray Booths (Hand Spray)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	Visible particulate emissions (PE) shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule. [See b)(2)c.]
b.	OAC rule 3745-17-11(B)	5.22 lbs PE/hr [See b)(2)b.]
c.	OAC rule 3745-17-11(C)	See c)(1), d)(5) and b)(2)a.
d.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(6)
e.	40 CFR, Part 64 - Compliance Assurance Monitoring (CAM)	See d) and e)

(2) Additional Terms and Conditions

a. On February 1, 2008, OAC rule 3745-17-11 was revised to include paragraph (C) pertaining to requirements for controlling of particulate emissions from surface coating processes. Paragraph (C) of OAC rule 3745-17-11, and Sections c)(1) and d)(5) of this permit for this emissions unit, shall be federally enforceable on the date the U.S. EPA approves paragraph (C) of OAC rule 3745-17-11 as a revision to the Ohio State Implementation Plan.

b. The requirements to comply with this rule and with section f)(1)b. of this permit shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.

c. The requirements to comply with this rule and with section f)(1)a. of this permit shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.

[This emissions unit will be exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because the



emissions unit will no longer be subject to any mass emission limitation based on OAC rule 3745-17-11.]

c) Operational Restrictions

- (1) Any surface coating process not exempt under paragraphs (A)(1)(h) to (A)(1)(l) of OAC rule 3745-17-11 shall be controlled by a dry particulate filter, waterwash, or equivalent control device or devices. The owner or operator shall operate the control devices in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the owner or operator.

[OAC rule 3745-77-07(A)(1) and OAC rule 3745-17-11(C)]

- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(b), (c), (d) and (e)	standards for new and existing sources
-------------------------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop, in inches of water, across the cyclone during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop, in inches of water, across the cyclone on daily basis.

Whenever the monitored value for the pressure drop deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop immediately after the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.



The acceptable range for the pressure drop across the cyclone is 1 to 6 inches of water.

The range is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the range based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the range will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The CAM plan for this emissions unit has been developed for particulate emissions. The CAM performance indicators for the cyclone controlling this emissions unit are the static pressure drop across the cyclone, which was established in accordance with the manufacturer's recommendations. When the static pressure drop show operation outside the indicator range(s), the permittee shall take corrective actions to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions, and shall comply with the reporting requirements specified in Section e) below. The emissions unit and control equipment shall be operated in accordance with the approved CAM Plan, or any approved revision of the Plan. The cyclone shall not be configured to have bypass capability.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (3) At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (4) If the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance, the permittee shall promptly notify the appropriate Ohio EPA District Office or local air agency, and if necessary, submit a proposed modification to the Title V permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, re-establishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (5) Any surface coating process not exempt under paragraph (A)(1)(h) to (A)(1)(k) of OAC rule 3745-17-11 shall follow all of these work practices:
 - a. The owner or operator shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the control devices with any modifications deemed necessary by the owner or operator during the time period in which the control devices are utilized.



- b. The owner or operator shall conduct periodic inspections of the control devices to determine whether the devices are operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the owner or operator. The periodic inspections of each control device shall be performed at a frequency that is based upon the recommendation of the manufacturer of the control device, and the owner or operator shall maintain a copy of the manufacturer's recommended inspection frequency. In addition to these periodic inspections, not less than once each calendar year the owner or operator shall conduct a comprehensive inspection of the control device while the emissions unit is shut down and perform any needed maintenance and repair for the control device to ensure that it is able to routinely operate in accordance with the manufacturer's recommendations.
- c. The owner or operator shall document each inspection of a control device by maintaining a record that includes the date of the inspection, a description of each problem identified and the date it was corrected, a description of the maintenance and repairs performed, and the name of the person who performed the inspection.
- d. In the event that the control devices are not operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the owner or operator, the control devices shall be expeditiously repaired or otherwise returned to operation in accordance with such requirements. The owner or operator shall maintain documentation of those periods when the control devices are not operating in accordance with such requirements.
- e. Any documentation required under paragraphs (C)(2)(d) and (C)(2)(e) of OAC rule 3745-17-11 shall be maintained for not less than five years.
- f. Any documentation required under paragraphs (C)(2)(a) to (C)(2)(e) of OAC rule 3745-17-11 shall be maintained at the facility and shall be made available to Ohio EPA upon request.

[OAC 3745-77-07(C)(1) and OAC rule 3745-17-11(C)]

- (6) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(b), (c) and (d)	monitoring requirements for new and existing sources
63.11441(b)(2), (b)(3) and (b)(4)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]



e) Reporting Requirements

- (1) The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
- a. each period of time when the pressure drop across the cyclone field was outside of the acceptable range;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

f) Testing Requirements

- (1) Compliance with the emission limitations in section b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:

- a. Emission Limitation: Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method: If required, the method to be employed to demonstrate compliance with the VE limitation shall be OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

- b. Emission Limitation: 5.22 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this emission limitation as follows:

- i. multiply the maximum quantity of glaze employed (46 gallons/hour) by the density of the glaze (14.0 pounds/gallon);
- ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- iii. multiply the value from ii by the transfer efficiency of this operation (1-0.932); and



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

iv. multiply the value from iii by a control factor of $(1-.90)^*$.

* The estimated control efficiency of the cyclone is 90%.

If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

[OAC rule 3745-77-07(C)(1)]

g) Miscellaneous Requirements

(1) None.



4. P010, Talc Duster NBL

Operations, Property and/or Equipment Description:

Talc Dusting Tub NBL

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	none [See b)(2)a.]
b.	OAC rule 3745-17-11(B)	none [See b)(2)b.]

(2) Additional Terms and Conditions

a. This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.

b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) None.

e) Reporting Requirements

(1) None.

f) Testing Requirements

(1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

g) Miscellaneous Requirements

(1) None.



5. P011, Talc Duster Tanks

Operations, Property and/or Equipment Description:

Talc Dusting Tub Tank Line

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	none [See b)(2)a.]
b.	OAC rule 3745-17-11(B)	none [See b)(2)b.]

(2) Additional Terms and Conditions

a. This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.

b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.

c) Operational Restrictions

(1) None.

d) Monitoring and/or Recordkeeping Requirements

(1) None.

e) Reporting Requirements

(1) None.

f) Testing Requirements

(1) None.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

g) Miscellaneous Requirements

(1) None.



6. P016, Kiln #7

Operations, Property and/or Equipment Description:

Kiln #7 (Updated AP-42 factors made the unit Non-Insignificant in 2007)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	See b)(2)a.
b.	OAC rule 3745-17-11(B)	See b)(2)b.
c.	OAC rule 3745-18-06	See b)(2)c.
d.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(2)

(2) Additional Terms and Conditions

a. This emissions unit is exempt from the visible emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.

b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply since the facility is located in Ashland county.

c. The emissions unit is exempt from the requirements of OAC rule 3745-18-06 in accordance with OAC rule 3745-18-06(A).

c) Operational Restrictions

(1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1)]

(2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(a)	standards for new and existing sources
-------------	--



[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(a) and (d)	monitoring requirements for new and existing sources
63.11441(b)(1)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1)]

f) Testing Requirements

- (1) None.

g) Miscellaneous Requirements

- (1) None.



7. P018, Kiln #9

Operations, Property and/or Equipment Description:

Kiln #9 (Updated AP-42 factors made the unit Non-Insignificant in 2007)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	See b)(2)a.
b.	OAC rule 3745-17-11(B)	See b)(2)b.
c.	OAC rule 3745-18-06	See b)(2)c.
d.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(2)

(2) Additional Terms and Conditions

a. This emissions unit is exempt from the visible emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.

b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply since the facility is located in Ashland county.

c. The emissions unit is exempt from the requirements of OAC rule 3745-18-06 in accordance with OAC rule 3745-18-06(A).

c) Operational Restrictions

(1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1)]

(2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(a)	standards for new and existing sources
-------------	--



[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-07(C)(1)]

- (2) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(a) and (d)	monitoring requirements for new and existing sources
63.11441(b)(1)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1)]

f) Testing Requirements

- (1) None.

g) Miscellaneous Requirements

- (1) None.



8. P028, Keith Refire Kiln

Operations, Property and/or Equipment Description:

Refire Kiln (Updated AP-42 factors made the unit Non-Insignificant in 2007)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) g)(1)

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI #03-17397, issued 1/29/08)	0.98 lb nitrogen oxides (NOx)/hr and 4.29 tons NOx/year 0.82 lbs carbon monoxide (CO)/hr and 3.61 tons CO/year Visible particulate emissions shall not exceed 20% opacity, as a six-minute average. See b)(2)a.
b.	OAC rule 3745-17-07(A)	See b)(2)b.
c.	OAC rule 3745-17-11(B)	See b)(2)c.
d.	OAC rule 3745-18-06	See b)(2)d.
e.	OAC rule 3745-21-08(B)	See b)(2)e.

(2) Additional Terms and Conditions

a. Best available technology (BAT) control requirements for this emissions unit has been determined to be the firing of only natural gas and compliance with the terms and conditions of this permit.

Emissions from particulate matter less than 10 microns in size (PM10), sulfur dioxide (SO2) have been determined to be negligible, therefore, no limits are being established for these pollutants under OAC rule 3745-31-03(A)(3) at this time.

b. This emissions unit is exempt from the visible emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.



- c. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply since the facility is located in Ashland county.
- d. The emission limitation specified by this rule is less stringent than the uncontrolled potential to emit (PTE) for SO2 for this emissions unit. The PTE for SO2 from this emissions unit is 0.04 tons per year and was based on the maximum hourly fuel usage rate of 0.0098 (MMCF), an emission factor from AP-42, Table 1.4-3 & 4 (7/98) of 0.6 lb/10⁶ scf, a maximum operating schedule of 8760 hours per year and a conversion factor of 1 ton per 2000 lbs.
- e. The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1) and PTI #03-17397]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

f) Testing Requirements

- (1) Compliance with the emission limitations specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 0.98 lb NOx/hr and 4.29 tons NOx/yr



Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 7 of 40 CFR, Part 60, Appendix A

*The hourly potential to emit is based on the maximum hourly fuel usage rate of 0.0098 and an AP-42, Table 1.4-3 & 4 (7/98) emission factor of 0.6 lb/10⁶ scf. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

- b. Emission Limitation: 0.82 lb CO/hr and 3.61 tons CO/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 10 of 40 CFR, Part 60, Appendix A.

*The hourly potential to emit is based on the maximum hourly fuel usage rate of 0.0098 and an AP-42, Table 1.4-3 & 4 (7/98) emission factor of 84 lb/10⁶ scf. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

- c. Emission Limitation: Visible particulate emissions shall not exceed 20% opacity, as a six-minute average.

Applicable Compliance Method: If required, compliance shall be determined in accordance with the test methods and procedures specified in Method 9 of 40 CFR Part 60, Appendix A.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

- g) Miscellaneous Requirements

- (1) Modeling to demonstrate compliance with Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials or use of new materials, that would cause the emissions of



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

any pollutant that has a listed TLV to increase above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.



9. P033, Kiln #2

Operations, Property and/or Equipment Description:

Kiln #2 (Updated AP-42 factors made the unit Non-Insignificant in 2007)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) g)(1)

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI #03-17350, issued 10/30/07)	1.65 lbs carbon monoxide (CO)/hr and 7.23 tons CO/year Visible particulate emissions shall not exceed 20% opacity, as a six-minute average See b)(2)a.
b.	OAC rule 3745-17-07(A)	See b)(2)b.
c.	OAC rule 3745-17-11(B)	See b)(2)c.
d.	OAC rule 3745-18-06	See b)(2)d.
e.	OAC rule 3745-21-08(B)	See b)(2)e.
f.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(2)

(2) Additional Terms and Conditions

a. Best available technology (BAT) control requirements for this emissions unit has been determined to be the firing of only natural gas and compliance with the terms and conditions of this permit.

Emissions from particulate matter less than 10 microns in size (PM10), nitrogen oxides (NOx) and sulfur dioxide (SO2) have been determined to be negligible, therefore, no limits are being established for these pollutants under OAC rule 3745-31-05(A)(3) at this time.

b. This emissions unit is exempt from the visible emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.



- c. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply since the facility is located in Ashland county.
- d. The emission limitation specified by this rule is less stringent than the uncontrolled potential to emit (PTE) for SO2 for this emissions unit. The PTE for SO2 from this emissions unit is 0.09 ton per year and was based on the maximum hourly process capacity of 0.50 tons, an emission factor from AP-42, Table 11.7-1 (7/96) of 0.045 lbs SO2/ton, a maximum operating schedule of 8760 hours per year and a conversion factor of 1 ton per 2000 lbs.
- e. The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1) and PTI #03-17350]

- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(a)	standards for new and existing sources
-------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- (2) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:



63.11440(a) and (d)	monitoring requirements for new and existing sources
63.11441(b)(1)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

f) Testing Requirements

- (1) Compliance with the emission limitations specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 1.65 lbs CO/hr and 7.23 tons CO/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1-4 and 10 as applicable of 40 CFR, Part 60, Appendix A.

*The hourly potential to emit is based on the maximum hourly process capacity of 0.50 tons and an AP-42, Table 11.7-1 (7/98) emission factor of 3.3 lbs CO/ton. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- b. Emission Limitation: Visible particulate stack emissions shall not exceed 20% opacity, as a six-minute average.

Applicable Compliance Method: If required, compliance shall be determined in accordance with the test method and procedures specified in Method 9 of 40 CFR Part 60, Appendix A.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

g) Miscellaneous Requirements

- (1) Modeling to demonstrate compliance with Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase above 1.0 ton per year may require the permittee to apply for and obtain a new Permit to Install.



10. P041, Plaster Delivery System

Operations, Property and/or Equipment Description:

Plaster Delivery System

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	Visible particulate emissions (PE) shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.
b.	OAC rule 3745-17-11(B)	See b)(2)a.
c.	OAC rule 3745-31-05 (PTI #03-6539, issued 6/17/92)	0.17 lb PE/hr and 0.74 tons PE/yr See b)(2)b.
d.	40 CFR, Part 64 - Compliance Assurance Monitoring (CAM)	See d) and e)

(2) Additional Terms and Conditions

a. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.

b. The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(A).

c. The 0.17 lb PE/hour emission limitation was established for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limitation.

c) Operational Restrictions

(1) None.



d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop, in inches of water, across the baghouse during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop, in inches of water, across the baghouse on daily basis.

Whenever the monitored value for the pressure drop deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop immediately after the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The acceptable range for the pressure drop across the baghouse is 2 to 6 inches of water.

The range is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the range based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the range will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The CAM plan for this emissions unit has been developed for particulate emissions. The CAM performance indicators for the baghouse controlling this emissions unit are the static pressure drop across the baghouse, which was established in accordance with the manufacturer's recommendations. When the static pressure drop show operation outside the indicator range(s), the permittee shall take corrective actions to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions, and shall comply with the reporting requirements



specified in Section e) below. The emissions unit and control equipment shall be operated in accordance with the approved CAM Plan, or any approved revision of the Plan. The baghouse shall not be configured to have bypass capability.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (3) At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (4) If the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance, the permittee shall promptly notify the appropriate Ohio EPA District Office or local air agency, and if necessary, submit a proposed modification to the Title V permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, re-establishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (5) Baghouse operating parameters shall be re-verified as a result of any changes to the operating conditions of the baghouse or emissions unit. In addition to periodic monitoring of the baghouse operating parameters, the permittee also has an inspection and maintenance program for the baghouse, including but not limited to:

- a. checking the bags / filters for deterioration or degradation;
- b. checking the cleaning system for proper operation; and
- c. checking the hoppers and conveyance systems for proper operation.

Based on the results of the monitoring and inspection program, repairs to the baghouse shall be made as needed. If the current CAM indicators and/or the baghouse inspection program is considered inadequate, the permittee shall develop a Quality Improvement Plan.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (6) The permittee shall maintain a supply of replacement parts necessary to ensure ongoing proper operation of the baghouse system, including, but not limited to:

- a. filter bags;
- b. timing boards and solenoid coils (for blow down function);
- c. diaphragms and diaphragm seal kits;
- d. set of belts; and
- e. spare bearings for blower motor.



[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

e) Reporting Requirements

- (1) The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
 - a. each period of time when the pressure drop across the baghouse field was outside of the acceptable range;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

f) Testing Requirements

- (1) Compliance with the emission limitations in section b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:
 - a. Emission Limitation: Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method: If required, the method to be employed to demonstrate compliance with the VE limitation shall be OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

- b. Emission Limitation: 0.17 lb PE/hour and 0.74 tons PE/yr

Applicable Compliance Method: The permittee may demonstrate compliance with this emission limitation by multiplying the maximum amount of plaster unloaded (7,150 pounds/hour) by an estimated emission factor of 1 pound PE/100 pounds of plaster unloaded*, and then multiplying this value by a control factor of (1-0.998)**.

If required, the methods to be employed to demonstrate compliance with the emission limitation shall be Methods 1 - 5, which are located in 40 CFR, Part 60, Appendix A.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

*This emission factor was derived by the permittee from material balance calculations.

**The estimated control efficiency of the baghouse is 99.8%.

Compliance with the annual emission limitation shall be determined by multiplying the hourly emission limitation by 8760 hours/year and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-6539]

g) Miscellaneous Requirements

(1) None.



11. P042, Glaze Spray Booth #1

Operations, Property and/or Equipment Description:

Glaze Spray Booth #1

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	See b)(2)d. and b)(2)e.
b.	OAC rule 3745-17-11(B)	See b)(2)a. and b)(2)c.
c.	OAC rule 3745-31-05 (PTI #03-8221, modified 12/29/06)	1.32 lbs particulate emissions (PE)/hr and 5.8 tons PE/yr (for emissions units P042 and P045 combined) BAT also includes compliance with the requirements based on OAC rule 3745-17-07(A). [See b)(2)e.]
d.	OAC rule 3745-17-11(C)(3)	See b)(2)b.
e.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(6)
f.	40 CFR, Part 64 - Compliance Assurance Monitoring (CAM)	See d) and e)

(2) Additional Terms and Conditions

a. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.

b. On February 1, 2008, OAC rule 3745-17-11 was revised to include paragraph (C) pertaining to requirements for controlling of particulate emissions from surface coating processes. Paragraph (C) of OAC rule 3745-17-11 shall be federally enforceable on the date the U.S. EPA approves paragraph (C) of OAC rule 3745-17-11 as a revision to the Ohio State Implementation Plan.

[Any surface coating process with a permit-to-install issued after January 1, 1990 that identifies particulate emission limitations and control measures based on best available technology, best available control technology, or the lowest achievable emission rate shall comply with such limitations and measures instead of paragraphs (C)(1) and (C)(2) of this rule.]



- c. The requirements to comply with this rule shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.
- d. The requirements to comply with the visible PE limitation shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.
- e. Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

c) Operational Restrictions

- (1) The permittee shall operate the baffles and water curtain system when this emissions unit is in operation.

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 64]

- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(b), (c), (d) and (e)	standards for new and existing sources
-------------------------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall document each day whether or not the baffles and water curtain system were in service when the emissions unit was in operation.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop, in inches of water, across the water curtain during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop, in inches of water, across the water curtain on daily basis.

Whenever the monitored value for the pressure drop deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination



and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop immediately after the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The acceptable range for the pressure drop across the water curtain is 1 to 6 inches of water.

The range is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the range based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the range will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (3) The CAM plan for this emissions unit has been developed for particulate emissions. The CAM performance indicators for the water curtain controlling this emissions unit are the static pressure drop across the water curtain, which was established in accordance with the manufacturer's recommendations. When the static pressure drop show operation outside the indicator range(s), the permittee shall take corrective actions to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions, and shall comply with the reporting requirements specified in Section e) below. The emissions unit and control equipment shall be operated in accordance with the approved CAM Plan, or any approved revision of the Plan. The baghouse shall not be configured to have bypass capability.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (4) At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (5) If the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance, the permittee shall promptly notify the appropriate Ohio EPA District Office or local air agency, and if necessary, submit a proposed modification to the Title V permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, re-establishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]



- (6) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(b), (c) and (d)	monitoring requirements for new and existing sources
63.11441(b)(2), (b)(3) and (b)(4)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any daily record showing that the baffles and water curtain system were not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the event occurs.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
 - a. each period of time when the pressure drop across the water curtain was outside of the acceptable range;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

f) Testing Requirements

- (1) Compliance with the emission limitations in section b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:



- a. Emission Limitation: Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method: If required, the method to be employed to demonstrate compliance with the VE limitation shall be OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

- b. Emission Limitation: 1.32 lbs PE/hour and 5.8 tons PE/yr (for emissions units P042 and P045 combined)

Applicable Compliance Method: The permittee may demonstrate compliance with this emission limitation as follows:

- i. multiply the maximum quantity of glaze employed (87 gallons/hour) by the density of the glaze (14.0 pounds/gallon);
- ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- iii. multiply the value from ii by the transfer efficiency of this operation (1-0.86); and
- iv. multiply the value from iii by a control factor of (1-.99)*.

*The estimated control efficiency of the water curtain is 99%.

If required, the methods to be employed to demonstrate compliance with the emission limitation shall be Methods 1 - 5, which are located in 40 CFR, Part 60, Appendix A.

The annual allowable PE limitation was developed by multiplying the hourly limitation by 8760, and then dividing by 2000. Therefore, as long as compliance with the hourly limitation is shown, compliance with the annual limitation shall be assumed.

- c. [OAC rule 3745-77-07(C)(1) and PTI #03-8221]

g) Miscellaneous Requirements

- (1) None.



12. P043, Kiln #10

Operations, Property and/or Equipment Description:

Kiln #10

- a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.
 - (1) None.
- b) Applicable Emissions Limitations and/or Control Requirements
 - (1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	none [See b)(2)a.]
b.	OAC rule 3745-17-11(B)	none [See b)(2)b.]
c.	OAC rule 3745-18-06	See b)(2)c.
d.	OAC rule 3745-21-08	See b)(2)d.
e.	OAC rule 3745-31-05(A)(3) (PTI #03-17350, issued 10/30/07)	2.70 lbs particulate matter less than 10 microns in size(PM10)/hr and 11.83 tons PE/year [See b)(2)e] 2.42 lbs nitrogen oxides (NOx)/hr and 10.60 tons NOx/year 18.2 lbs carbon monoxide (CO)/hr and 79.72 tons CO/year 2.37 lbs organic compounds (OC)/hr and 10.38 tons OC/year Visible particulate emissions shall not exceed 20% opacity, as a six-minute average. See b)(2)f.
f.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(2)

- (2) Additional Terms and Conditions
 - a. This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.



- b. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- c. The emission limitation specified by this rule is less stringent than the uncontrolled potential to emit (PTE) for SO2 for this emissions unit. The PTE for SO2 from this emissions unit is 1.10 tons per year and was based on the maximum hourly process capacity of 5.50 tons, an emission factor from AP-42, Table 11.7-1 (7/96) of 0.045 lbs SO2/ton, a maximum operating schedule of 8760 hours per year and a conversion factor of 1 ton per 2000 lbs.
- d. The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

- e. All PE are assumed to be particulate matter less than 10 microns in size.
- f. Best available technology (BAT) control requirements for this emissions unit has been determined to be the firing of only natural gas and compliance with the terms and conditions of this permit.

Emissions from sulfur dioxide (SO2) have been determined to be negligible, therefore, no limits are being established under OAC rule 3745-31-05(A)(3) at this time.

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.
[OAC rule 3745-77-07(A)(1) and PTI #03-17350]
- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(a)	standards for new and existing sources
-------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements



- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- (2) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(a) and (d)	monitoring requirements for new and existing sources
63.11441(b)(1)	monitoring requirements for new and existing sources
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

f) Testing Requirements

- (1) Compliance with the emission limitations in section b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:

- a. Emission Limitation: 2.70 lbs PM10/hr and 11.83 tons PM10/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with this limitation. If required, the permittee shall demonstrate compliance in accordance with the test methods and procedures in Method 201 or 201A of 40 CFR Part 51, Appendix M. Alternative U.S. EPA approved test methods may be used with prior approval from Ohio EPA, Northwest District Office.

*The hourly potential to emit is based on the maximum hourly process capacity of 5.50 tons and an AP-42, Table 11.7-1 (7/98) emission factor of 0.49 lb PE/ton. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- b. Emission Limitation: 2.42 lbs NOx/hr and 10.60 tons NOx/year



Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 7 of 40 CFR, Part 60, Appendix A

*The hourly potential to emit is based on the maximum hourly process capacity of 5.50 tons and a vendor supplied emission factor of 0.44 lb NO_x/ton. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- c. Emission Limitation: 18.2 lbs CO/hr and 79.72 tons CO/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 10 of 40 CFR, Part 60, Appendix A.

*The hourly potential to emit is based on the maximum hourly process capacity of 5.50 tons and an AP-42, Table 11.7-1 (7/98) emission factor of 3.3 lb CO/ton. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- d. Emission Limitation: 2.37 lbs OC/hr and 10.38 tons OC/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and Method 18, 25 or 25A of 40 CFR, Part 60, Appendix A.

*The hourly potential to emit is based on the maximum hourly process capacity of 5.50 tons and an AP-42, Table 11.7-1 (7/98) emission factor of 0.43 lb OC/ton. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

- e. Emission Limitation: Visible particulate stack emissions shall not exceed 20% opacity, as a six-minute average.

Applicable Compliance Method: If required, compliance shall be determined in accordance with the test method and procedures specified in Method 9 of 40 CFR Part 60, Appendix A.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- g) Miscellaneous Requirements

- (1) None.



13. P045, Glaze Spray Booth #2

Operations, Property and/or Equipment Description:

Glaze Spray Booth #2 (Previously Z001)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	See b)(2)d. and b)(2)e.
b.	OAC rule 3745-17-11(B)	See b)(2)a. and b)(2)c.
c.	OAC rule 3745-31-05 (PTI #03-8221, modified 12/29/06)	1.32 lbs particulate emissions (PE)/hr and 5.8 tons PE/yr (for emissions units P042 and P045 combined) BAT also includes compliance with the requirements based on OAC rule 3745-17-07(A). [See b)(2)e.]
d.	OAC rule 3745-17-11(C)(3)	See b)(2)b.
e.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(6)
f.	40 CFR, Part 64 - Compliance Assurance Monitoring (CAM)	See d) and e)

(2) Additional Terms and Conditions

a. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05.

b. On February 1, 2008, OAC rule 3745-17-11 was revised to include paragraph (C) pertaining to requirements for controlling of particulate emissions from surface coating processes. Paragraph (C) of OAC rule 3745-17-11 shall be federally enforceable on the date the U.S. EPA approves paragraph (C) of OAC rule 3745-17-11 as a revision to the Ohio State Implementation Plan.

[Any surface coating process with a permit-to-install issued after January 1, 1990 that identifies particulate emission limitations and control measures based on best available technology, best available control technology, or the lowest achievable emission rate shall comply with such limitations and measures instead of paragraphs (C)(1) and (C)(2) of this rule.]



- c. The requirements to comply with this rule shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.
- d. The requirements to comply with the visible PE limitation shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.
- e. Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

c) Operational Restrictions

- (1) The permittee shall operate the baffles and water curtain system when this emissions unit is in operation.

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 64]

- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(b), (c), (d) and (e)	standards for new and existing sources
-------------------------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall document each day whether or not the baffles and water curtain system were in service when the emissions unit was in operation.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop, in inches of water, across the water curtain during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop, in inches of water, across the water curtain on daily basis.

Whenever the monitored value for the pressure drop deviates from the range specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable range specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination



and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop immediately after the corrective action, and the names of the personnel who performed the work. Investigation and records required by this paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The acceptable range for the pressure drop across the water curtain is 1 to 6 inches of water.

The range is effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the range based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the range will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (3) The CAM plan for this emissions unit has been developed for particulate emissions. The CAM performance indicators for the water curtain controlling this emissions unit are the static pressure drop across the water curtain, which was established in accordance with the manufacturer's recommendations. When the static pressure drop show operation outside the indicator range(s), the permittee shall take corrective actions to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions, and shall comply with the reporting requirements specified in Section e) below. The emissions unit and control equipment shall be operated in accordance with the approved CAM Plan, or any approved revision of the Plan. The baghouse shall not be configured to have bypass capability.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (4) At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (5) If the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance, the permittee shall promptly notify the appropriate Ohio EPA District Office or local air agency, and if necessary, submit a proposed modification to the Title V permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, re-establishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]



- (6) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(b), (c) and (d)	monitoring requirements for new and existing sources
63.11441(b)(2), (b)(3) and (b)(4)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall notify the Director (the appropriate District Office or local air agency) in writing of any daily record showing that the baffles and water curtain system were not in service when the emissions unit was in operation. The notification shall include a copy of such record and shall be sent to the Director (the appropriate District Office or local air agency) within 30 days after the event occurs.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
 - a. each period of time when the pressure drop across the water curtain was outside of the acceptable range;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop into compliance with the acceptable range, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

f) Testing Requirements

- (1) Compliance with the emission limitations in section b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:



- a. Emission Limitation: Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method: If required, the method to be employed to demonstrate compliance with the VE limitation shall be OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

- b. Emission Limitation: 1.32 lbs PE/hour and 5.8 tons PE/yr (for emissions units P042 and P045 combined)

Applicable Compliance Method: The permittee may demonstrate compliance with this emission limitation as follows:

- i. multiply the maximum quantity of glaze employed (87 gallons/hour) by the density of the glaze (14.0 pounds/gallon);
- ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- iii. multiply the value from ii by the transfer efficiency of this operation (1-0.86); and
- iv. multiply the value from iii by a control factor of (1-.99)*.

*The estimated control efficiency of the water curtain is 99%.

If required, the methods to be employed to demonstrate compliance with the emission limitation shall be Methods 1 - 5, which are located in 40 CFR, Part 60, Appendix A.

The annual allowable PE limitation was developed by multiplying the hourly limitation by 8760, and then dividing by 2000. Therefore, as long as compliance with the hourly limitation is shown, compliance with the annual limitation shall be assumed.

[OAC rule 3745-77-07(C)(1) and PTI #03-8221]

g) Miscellaneous Requirements

- (1) None.



14. P046, Tank Spray Machine

Operations, Property and/or Equipment Description:

Formerly part of P004 (Previously Z010)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-17-07(A)	Visible particulate emissions (PE) shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule. [See b)(2)b.]
b.	OAC rule 3745-17-11(B)	5.54 lbs PE/hr [See b)(2)a.]
c.	OAC rule 3745-17-11(C)	See c)(1), d)(7) and b)(2)c.
d.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(8)
e.	40 CFR, Part 64 - Compliance Assurance Monitoring (CAM)	See d) and e)

(2) Additional Terms and Conditions

a. The requirements to comply with this rule and with section f)(1)b. of this permit shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.

b. The requirements to comply with the visible PE limitation and with section f)(1)a. of this permit shall terminate on the date the U.S. EPA approves the requirements based on OAC rule 3745-17-11(C) as a revision to the Ohio SIP for particulate emissions.

[This emissions unit will be exempt from the visible PE limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because the emissions unit will no longer be subject to any mass emission limitation based on OAC rule 3745-17-11.]

c. On February 1, 2008, OAC rule 3745-17-11 was revised to include paragraph (C) pertaining to requirements for controlling of particulate emissions from surface coating processes. Paragraph (C) of OAC rule 3745-17-11, and Sections A.II.1 and A.III.7 of this permit for this emissions unit, shall be federally enforceable on



the date the U.S. EPA approves paragraph (C) of OAC rule 3745-17-11 as a revision to the Ohio State Implementation Plan

c) Operational Restrictions

- (1) Any surface coating process not exempt under paragraphs (A)(1)(h) to (A)(1)(l) of OAC rule 3745-17-11 shall be controlled by a dry particulate filter, waterwash, or equivalent control device or devices. The owner or operator shall operate the control devices in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the owner or operator.

[OAC rule 3745-77-07(A)(1) and OAC rule 3745-17-11(C)]

- (2) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(b), (c), (d) and (e)	standards for new and existing sources
-------------------------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall properly install, operate, and maintain equipment to continuously monitor and record the pressure drop, in inches of water, across the scrubber and the scrubber water flow rate, in gallons per minute, during operation of this emissions unit, including periods of startup and shutdown. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop, in inches of water, across the scrubber and the scrubber water flow rate, in gallons per minute, on a daily basis.

Whenever the monitored value for the pressure drop and/or water flow rate deviates from the values specified below, the permittee shall promptly investigate the cause of the deviation. The permittee shall maintain records of the following information for each investigation: the date and time the deviation began and the magnitude of the deviation at that time, the date(s) the investigation was conducted, the names of the personnel who conducted the investigation, and the findings and recommendations.

In response to each required investigation to determine the cause of a deviation, the permittee shall take prompt corrective action to bring the operation of the control equipment within the acceptable values specified below, unless the permittee determines that corrective action is not necessary and documents the reasons for that determination and the date and time the deviation ended. The permittee shall maintain records of the following information for each corrective action taken: a description of the corrective action, the date it was completed, the date and time the deviation ended, the total period of time (in minutes) during which there was a deviation, the pressure drop and/or scrubber water flow rate immediately after the corrective action, and the names of the personnel who performed the work. Investigation and records required by this



paragraph does not eliminate the need to comply with the requirements of OAC rule 3745-15-06 if it is determined that a malfunction has occurred.

The pressure drop across the scrubber shall be continuously maintained at a value of not less than 2 inches of water at all times while the emissions unit is in operation.

The scrubber water flow rate shall be continuously maintained at a value of not less than 25 gallons per minute at all times while the emissions unit is in operation.

The values are effective for the duration of this permit, unless revisions are requested by the permittee and approved in writing by the appropriate Ohio EPA District Office or local air agency. The permittee may request revisions to the values based upon information obtained during future particulate emission tests that demonstrate compliance with the allowable particulate emission rate for this emissions unit. In addition, approved revisions to the values will not constitute a relaxation of the monitoring requirements of this permit and may be incorporated into this permit by means of a minor permit modification.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (2) The CAM plan for this emissions unit has been developed for particulate emissions. The CAM performance indicators for the wet scrubber controlling this emissions unit are the static pressure drop across the scrubber and the scrubber water flow rate, which was established in accordance with the manufacturer's recommendations. When the static pressure drop and/or the water flow rate of the scrubber show operation outside the indicator range(s), the permittee shall take corrective actions to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions, and shall comply with the reporting requirements specified in Section e) below. The emissions unit and control equipment shall be operated in accordance with the approved CAM Plan, or any approved revision of the Plan. The baghouse shall not be configured to have bypass capability.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (3) At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]

- (4) If the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance, the permittee shall promptly notify the appropriate Ohio EPA District Office or local air agency, and if necessary, submit a proposed modification to the Title V permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, re-establishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[OAC 3745-77-07(C)(1) and 40 CFR, Part 64]



- (5) In addition to the parametric monitoring required in Section d)(4) of this permit, the permittee shall conduct visual inspections of the scrubber's spray nozzles every six (6) months. At a minimum, each spray nozzle shall be inspected for the following:
- a. excessive wear, or clogging; and
 - b. appropriate directional output to ensure that the spray is covering the entire gas stream.

Records of these inspections shall be kept in accordance with the General Terms and Conditions of this permit.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (6) The permittee shall maintain a supply of replacement nozzles, or any other parts necessary to ensure that the scrubbing system will operate properly. Any worn, or clogged nozzles shall be replaced, or fixed during the inspection.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]

- (7) Any surface coating process not exempt under paragraph (A)(1)(h) to (A)(1)(k) of OAC rule 3745-17-11 shall follow all of these work practices:

- a. The owner or operator shall maintain documentation of the manufacturer's recommendations, instructions, or operating manuals for the control devices with any modifications deemed necessary by the owner or operator during the time period in which the control devices are utilized.
- b. The owner or operator shall conduct periodic inspections of the control devices to determine whether the devices are operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the owner or operator. The periodic inspections of each control device shall be performed at a frequency that is based upon the recommendation of the manufacturer of the control device, and the owner or operator shall maintain a copy of the manufacturer's recommended inspection frequency. In addition to these periodic inspections, not less than once each calendar year the owner or operator shall conduct a comprehensive inspection of the control device while the emissions unit is shut down and perform any needed maintenance and repair for the control device to ensure that it is able to routinely operate in accordance with the manufacturer's recommendations.
- c. The owner or operator shall document each inspection of a control device by maintaining a record that includes the date of the inspection, a description of each problem identified and the date it was corrected, a description of the maintenance and repairs performed, and the name of the person who performed the inspection.
- d. In the event that the control devices are not operating in accordance with the manufacturer's recommendations, instructions, or operating manuals with any modifications deemed necessary by the owner or operator, the control devices shall be expeditiously repaired or otherwise returned to operation in accordance



with such requirements. The owner or operator shall maintain documentation of those periods when the control devices are not operating in accordance with such requirements.

- e. Any documentation required under paragraphs (C)(2)(d) and (C)(2)(e) of OAC rule 3745-17-11 shall be maintained for not less than five years.
- f. Any documentation required under paragraphs (C)(2)(a) to (C)(2)(e) of OAC rule 3745-17-11 shall be maintained at the facility and shall be made available to Ohio EPA upon request.

[OAC 3745-77-07(C)(1) and OAC rule 3745-17-11(C)]

- (8) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(b), (c) and (d)	monitoring requirements for new and existing sources
63.11441(b)(2), (b)(3) and (b)(4)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall submit quarterly reports that identify the following information concerning the operation of the control equipment during the operation of this emissions unit:
 - a. each period of time when the pressure drop across the scrubber field and/or the scrubber water flow rate was outside of the acceptable values;
 - b. an identification of each incident of deviation described in (a) where a prompt investigation was not conducted;
 - c. an identification of each incident of deviation described in (a) where prompt corrective action, that would bring the pressure drop and/or water flow rate into compliance with the acceptable value, was determined to be necessary and was not taken; and
 - d. an identification of each incident of deviation described in (a) where proper records were not maintained for the investigation and/or the corrective action.

These quarterly reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 64]



f) Testing Requirements

(1) Compliance with the emission limitations in section b)(1) of the terms and conditions of this permit shall be determined in accordance with the following methods:

a. Emission Limitation: Visible PE shall not exceed 20% opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method: If required, the method to be employed to demonstrate compliance with the VE limitation shall be OAC rule 3745-17-03(B)(1).

[OAC rule 3745-77-07(C)(1)]

b. Emission Limitation: 5.54 lbs PE/hr

Applicable Compliance Method: The permittee may demonstrate compliance with this emission limitation as follows:

- i. multiply the maximum quantity of glaze employed (530 gallons/hour) by the density of the glaze (14.0 pounds/gallon);
- ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- iii. multiply the value from ii by the transfer efficiency of this operation (1-0.9936); and
- iv. multiply the value from iii by a control factor of (1-.98)*.

* The estimated control efficiency of the cyclone is 98%.

If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

[OAC rule 3745-77-07(C)(1)]

g) Miscellaneous Requirements

(1) None.



15. P047, Kiln #4

Operations, Property and/or Equipment Description:

Kiln #4 (PTI 03-17194)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) [PTI #03-17350, issued 10/30/07]	11.81 lbs carbon monoxide (CO)/hr and 51.73 tons CO/year Visible particulate emissions shall not exceed 20% opacity, as a six-minute average. See b)(2)a.
b.	OAC rule 3745-31-05(A)(3)(a)(ii)	See b)(2)b.
c.	OAC rule 3745-17-07(A)	See b)(2)c.
d.	OAC rule 3745-17-11(B)	See b)(2)d.
e.	OAC rule 3745-18-06	See b)(2)e.
f.	OAC rule 3745-21-08(B)	See b)(2)f.
g.	40 CFR, Part 63, Subpart RRRRRR	See c)(2) and d)(2)

(2) Additional Terms and Conditions

a. Best available technology (BAT) control requirements for this emissions unit has been determined to be the firing of only natural gas and compliance with the terms and conditions of this permit.

b. The Best Available Technology (BAT) requirements under OAC rule 3745-31-05(A)(3) do not apply to the nitrogen oxides (NOx), organic compound (OC) particulate matter less than 10 microns in size (PM10), and sulfur dioxide (SO2) emissions from this air contaminant source since the uncontrolled potential to emit (PTE) for these pollutants is less than ten tons per year.

The PTE for NOx from this emissions unit is 6.92 tons per year, the PTE for OC is 6.75 tons per year, the PTE for PM10 is 7.67 tons per year and the PTE for SO2 is 0.70 ton per year. The PTE for these pollutants is based on the maximum



hourly process capacity of 3.58 tons, a maximum operating schedule of 8760 hours per year, a conversion factor of 1 ton per 2000 lbs and the following emission factors:

0.44 lb NOx/ton (based on vendor data)

0.43 lb OC/ton [based on AP-42, Table 11.7-1 (7/96)]

0.49 lb PE/ton* [based on AP-42, Table 11.7-1 (7/96)]

0.045 lb SO2/ton [based on AP-42, Table 11.7-1 (7/96)]

*All PE are assumed to be PM10

- c. This emissions unit is exempt from the visible emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- d. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply since the facility is located in Ashland county.
- e. The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- f. The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1) and PTI #03-17350]

- (2) The permittee shall comply with the applicable restrictions required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11438(a)	standards for new and existing sources
-------------	--

[OAC rule 3745-77-07(A)(1) and 40 CFR, Part 63, Subpart RRRRRR]



d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-01(C)(1) and PTI #03-17350]

- (2) The permittee shall comply with the applicable monitoring and recordkeeping requirements required under 40 CFR, Part 63, Subpart RRRRRR, including the following sections:

63.11440(a) and (d)	monitoring requirements for new and existing sources
63.11441(b)(1)	notification requirements
63.11442(a), (b), (c) and (d)	recordkeeping requirements

[OAC rule 3745-77-07(C)(1) and 40 CFR, Part 63, Subpart RRRRRR]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-01(C)(1) an PTI #03-17350]

f) Testing Requirements

- (1) Compliance with the emission limitations specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:

- a. Emission Limitation: 11.81 lbs CO/hr and 51.73 tons CO/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 10 of 40 CFR, Part 60, Appendix A.

*The hourly potential to emit is based on the maximum hourly process capacity of 3.58 tons and an AP-42, Table 11.7-1 (7/98) emission factor of 3.3 lb CO/ton. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Final Title V Permit
Permit Number: P0086752
Facility ID: 0303000002
Effective Date: 10/22/2008

- b. Emission Limitation: Visible particulate stack emissions shall not exceed 20% opacity, as a six-minute average

Applicable Compliance Method: If required, compliance shall be determined in accordance with the test method and procedures specified in Method 9 of 40 CFR Part 60, Appendix A.

[OAC rule 3745-77-07(C)(1) and PTI #03-17350]

- g) Miscellaneous Requirements

- (1) None.



16. P048, Beckley Shuttle Kilns

Operations, Property and/or Equipment Description:

Beckley Shuttle Kiln (Updated AP-42 factors made the unit Non-Insignificant in 2007)

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) g)(1)

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI #03-17397, issued 1/29/08)	1.87 lbs nitrogen oxides (NOx)/hr and 8.20 tons NOx/year 1.57 lbs carbon monoxide (CO)/hr and 6.88 tons CO/year Visible particulate emissions shall not exceed 20% opacity, as a six-minute average. See b)(2)a.
b.	OAC rule 3745-17-07(A)	See b)(2)b.
c.	OAC rule 3745-17-11(B)	See b)(2)c.
d.	OAC rule 3745-18-06	See b)(2)d.
e.	OAC rule 3745-21-08(B)	See b)(2)e.

(2) Additional Terms and Conditions

a. Best available technology (BAT) control requirements for this emissions unit has been determined to be the firing of only natural gas and compliance with the terms and conditions of this permit.

Emissions from particulate matter less than 10 microns in size (PM10), sulfur dioxide (SO2) have been determined to be negligible, therefore, no limits are being established for these pollutants under OAC rule 3745-31-03(A)(3) at this time.

b. This emissions unit is exempt from the visible emission limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.



- c. The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 lbs/hr. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply since the facility is located in Ashland county.
- d. The emission limitation specified by this rule is less stringent than the uncontrolled potential to emit (PTE) for SO₂ for this emissions unit. The PTE for SO₂ from this emissions unit is 0.05 tons per year and was based on the maximum hourly fuel usage rate of 0.0187 (MMCF), an emission factor from AP-42, Table 1.4-3 & 4 (7/98) of 0.6 lb/10⁶ scf, a maximum operating schedule of 8760 hours per year and a conversion factor of 1 ton per 2000 lbs.
- e. The permittee has satisfied the "best available control techniques and operating practices" required pursuant to OAC rule 3745-21-08(B) by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in this Permit to Install.

On November 5, 2002, OAC rule 3745-21-08 was revised to delete paragraph (B); therefore, paragraph (B) is no longer part of the State regulations. However, that rule revision has not yet been submitted to the U.S. EPA as a revision to Ohio's State Implementation Plan (SIP). Therefore, until the SIP revision occurs and the U.S. EPA approves the revisions to OAC rule 3745-21-08, the requirement to satisfy the "best available control techniques and operating practices" still exists as part of the federally-approved SIP for Ohio.

c) Operational Restrictions

- (1) The permittee shall burn only natural gas in this emissions unit.

[OAC rule 3745-77-07(A)(1) and PTI #03-17397]

d) Monitoring and/or Recordkeeping Requirements

- (1) For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

e) Reporting Requirements

- (1) The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

f) Testing Requirements

- (1) Compliance with the emission limitations specified in section b)(1) of these terms and conditions shall be determined in accordance with the following methods:



- a. Emission Limitation: 1.87 lbs NO_x/hr and 8.20 tons NO_x/yr

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 7 of 40 CFR, Part 60, Appendix A

*The hourly potential to emit is based on the maximum hourly fuel usage rate of 0.0187 (MMCF) and an AP-42, Table 1.4-3 & 4 (7/98) emission factor of 0.6 lb/10⁶ scf. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

- b. Emission Limitation: 1.57 lbs CO/hr and 6.88 tons CO/year

Applicable Compliance Method: The hourly and annual emission limitations represent the potential to emit* of the emissions unit. Therefore, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with these limitations. If required, the permittee shall demonstrate compliance with the hourly limitation by emissions testing conducted in accordance with Methods 1 through 4 and 10 of 40 CFR, Part 60, Appendix A.

*The hourly potential to emit is based on the maximum hourly fuel usage rate of 0.0187 (MMCF) and an AP-42, Table 1.4-3 & 4 (7/98) emission factor of 84 lb/10⁶ scf. The annual limitation was developed by multiplying the potential lb/hr emissions by a maximum annual operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton.

[OAC rule 3745-77-07(C)(1) and PTI #03-17397]

- g) Miscellaneous Requirements

- (1) Modeling to demonstrate compliance with Ohio EPA's "Air Toxic Policy" was not necessary because the emissions unit's maximum annual emissions for each toxic compound will be less than 1.0 ton. OAC Chapter 3745-31 requires permittees to apply for and obtain a new or modified Permit to Install prior to making a "modification" as defined by OAC rule 3745-31-01. The permittee is hereby advised that changes in the composition of the materials, or use of new materials, that would cause the emissions of any pollutant that has a listed TLV to increase above.