



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

02/15/06

**CERTIFIED MAIL**

**RE: Preliminary Proposed Title V Significant Permit Modification  
Chapter 3745-77 permit**

03-62-00-0079  
Graymont Dolime (OH), Inc.  
Keith Hille  
21880 West State Route 163  
P.O. Box 158  
Genoa, OH 43430-0158

Dear Keith Hille:

Enclosed is the Ohio EPA Preliminary Proposed Title V permit that was issued in draft form on 10/26/05. The comment period has ended. We are now ready to submit this permit to USEPA for approval.

We are submitting this for your review and comment. If you do not agree with the Preliminary Proposed Title V permit as written or with agreed-upon changes, then you have the opportunity to schedule a meeting with us to discuss your concerns.

Please contact Jim Orlemann, Engineering Section Manager, 614-644-3592, or you can telefax your request to (614) 644-3681, within fourteen (14) days from receipt of this letter if a meeting is desired. If a request for a meeting is not received within fourteen (14) days of receipt of this letter, we will forward this proposed permit (as written, or with agreed-upon changes) to USEPA for approval.

Very truly yours,

Michael W. Ahern, Supervisor  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: Northwest District Office  
File, DAPC PMU



State of Ohio Environmental Protection Agency

**PRELIMINARY PROPOSED TITLE V SIGNIFICANT PERMIT MODIFICATION**

Original Effective Date:	Expiration Date: 01/01/00	Modification Effective Date: <i>To be entered upon final issuance</i>
--------------------------	---------------------------	--

This document constitutes issuance of a Title V permit for Facility ID: 03-62-00-0079 to:

Graymont Dolime (OH), Inc.  
21880 West State Route 163  
P.O. Box 158  
Genoa, OH 43430-0158

**Emissions Unit ID (Company ID)/Emissions Unit Activity Description**

<p>F007 (Roadways and Parking Areas) Paved and unpaved plant roadways and parking areas. Formerly F003. Changed to F007 at request of OEPA (Andrea Chapman).</p> <p>F008 (Conveying (Post-Kilns)) Unit was previously Z001 and is now designated as F008 at request of OEPA (Andrea Chapman). This emission unit includes screw conveyors, belts, and elevators feeding the hydrate base silos, the pebble bin, the fines bin, and the glasshouse supply bin.</p> <p>P004 (No. 1,2,3 Packers) This emission unit includes all three St. Regis four spout packers, their spill systems and associated dust collection systems.</p> <p>P006 (Shaffer Atmospheric Hydrators) This emission unit includes the #1 and #2 Shaffer hydrators and their associated Ducon wet</p>	<p>scrubbers.</p> <p>P007 (Autoclave Pressure Hydrator No. 1) This emission unit includes the autoclave pressure hydrator #1, its aerator, and common Ducon wet scrubber system.</p> <p>P010 (Rotary Kiln No.1) This emission unit includes the No. 1 Rotary Kiln and its associated wet scrubber system.</p> <p>P013 (Primary and Secondary Crushing and Screening) This emission unit includes a 42-inch Allis Chalmers gyratory crusher, a 10-inch Allis Chalmers gyratory crusher and a 6-ft x 12-ft three deck Tyrock screen.</p> <p>P014 (Rotary Kiln No. 2)</p>	<p>This emission unit includes the No. 2 Rotary Kiln and its associated wet scrubber system.</p> <p>P015 (Rotary Kiln No. 3) This emission unit includes the No. 3 Rotary Kiln and its associated wet scrubber system.</p> <p>P016 (Autoclave Pressure Hydrator No. 2) This emission unit includes the autoclave pressure hydrator #2, its aerator, and common Ducon wet scrubber</p> <p>P020 (Autoclave Pressure Hydrator No. 3) Unit originally installed in 08/52. Replaced with identical unit in 1986. Formerly EU P017. Changed to P020 at request of OEPA (Andrea Chapman). This emission unit includes the autoclave pressure hydrator #3, its aerator, and common Ducon wet scrubber</p>
--	--	---

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Northwest District Office  
347 North Dunbridge Road  
Bowling Green, OH 43402  
(419) 352-8461

**OHIO ENVIRONMENTAL PROTECTION AGENCY**

\_\_\_\_\_  
Joseph P. Koncelik  
Director

## PART I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Section

#### 1. Monitoring and Related Record Keeping and Reporting Requirements

a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.III of Part III of this Title V permit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:

- i. The date, place (as defined in the permit), and time of sampling or measurements.
- ii. The date(s) analyses were performed.
- iii. The company or entity that performed the analyses.
- iv. The analytical techniques or methods used.
- v. The results of such analyses.
- vi. The operating conditions existing at the time of sampling or measurement.  
*(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))*

b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

*(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))*

c. The permittee shall submit required reports in the following manner:

- i. **All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:**

Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year in accordance with General Term and Condition A.1.c.ii below; and each report shall cover the previous calendar quarter.

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those

reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

- ii. **Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.IV of Part III of this Title V permit or, in some cases, in Part II of this Title V permit, all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:**

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.

These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this General Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this General Term and Condition.

See B.6 below if no deviations occurred during the quarter.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

- iii. **All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted in the following manner:**

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; General Terms and Conditions: A.2, A.3, A.4, A.6.e, A.7, A.12, A.14, A.18, A.19, A.20, and A.22 of Part I of this Title V permit, as well as any deviations from the requirements in Section A.V or A.VI of Part III of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six

calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in Part II.A of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with General Term and Condition A.1.c.ii above.

If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

*(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))*

- iv. Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."  
*(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))*
- v. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.  
*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

## 2. Scheduled Maintenance

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in General Term and Condition A.1.c.i above.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

## 3. Risk Management Plans

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a. a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b. as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

*(Authority for term: OAC rule 3745-77-07(A)(4))*

## 4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

*(Authority for term: OAC rule 3745-77-07(A)(5))*

**5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

*(Authority for term: OAC rule 3745-77-07(A)(6))*

**6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with A.10 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f. Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable upon final issuance of all applicable OAC Chapter 3745-35 operating permits and/or registrations for all subject emissions units located at the facility and:
  - i. the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a “major source” as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
  - ii. the permittee no longer meets the definition of a “major source” as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or
  - iii. a combination of i. and ii. above.

The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

*(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))*

**7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

*(Authority for term: OAC rule 3745-77-07(A)(8))*

**8. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

*(Authority for term: OAC rule 3745-77-07(A)(9))*

**9. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

*(Authority for term: OAC rule 3745-77-07(A)(10))*

**10. Reopening for Cause**

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

*(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))*

**11. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

*(Authority for term: OAC rule 3745-77-07(B))*

**12. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.

- iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:
  - i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted (i.e., postmarked) on or before April 30th of each year during the permit term.
  - ii. Compliance certifications shall include the following:
    - (a) An identification of each term or condition of this permit that is the basis of the certification.
    - (b) The permittee's current compliance status.
    - (c) Whether compliance was continuous or intermittent.
    - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
    - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
  - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

*(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))*

### 13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

*(Authority for term: OAC rule 3745-77-07(F))*

### 14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed

under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

*(Authority for term: OAC rules 3745-77-07(H)(1) and (2))*

**15. Emergencies**

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

*(Authority for term: OAC rule 3745-77-07(G))*

**16. Off-Permit Changes**

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b. The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

*(Authority for term: OAC rule 3745-77-07(I))*

**17. Compliance Method Requirements**

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

*(This term is provided for informational purposes only.)*

**18. Insignificant Activities or Emissions Levels**

Each IEU that has one or more applicable requirements shall comply with those applicable requirements.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

**19. Permit to Install Requirement**

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

**20. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

**21. Permanent Shutdown of an Emissions Unit**

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the responsible official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent “modification” or “installation” as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an “emissions unit” as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

*(Authority for term: OAC rule 3745-77-01)*

**22. Title VI Provisions**

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

*(Authority for term: OAC rule 3745-77-01(H)(11))*

**B. State Only Enforceable Section**

**1. Reporting Requirements Related to Monitoring and Record Keeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

**2. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

**3. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**4. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**5. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**6. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations

occurred during that quarter. The reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a. where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in General Term and Condition A.1.c.ii; or
- b. where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; or
- c. where the company's responsible official has certified that an emissions unit has been permanently shut down.

## **Part II - Specific Facility Terms and Conditions**

### **A. State and Federally Enforceable Section**

1. Pursuant to 40 CFR Part 64, the permittee has submitted, and the Ohio EPA has approved a compliance assurance monitoring plan for emissions units P010, P014, and P015 at this facility. The permittee shall comply with the provisions of the plan during any operation of the aforementioned emissions units.

(Authority for term: 40 CFR Part 64)

### **B. State Only Enforceable Section**

1. The following insignificant emissions units located at this facility are exempt from permit requirements because they are not subject to any applicable requirement (as defined in OAC rule 3745-77-01(H)), or because they meet the "de minimis" criteria established in OAC rule 3745-15-05:

F002 - kiln rock supply system; F003 - bondcrete loading; F004 - aggregate stockpiles; F005 - material handling equipment; F006 - limestone extraction; P001 - quicklime fines screening system; P005 - hydrate lime supply silos; P011 - pebble loading system; P018 - cement/lime blending and bagging; P019 - #4 tube mill, classifier and conveying; P901 - hydrate silo, bucket, elevator and loadout; Z002 - coal feed system; Z003 - coal milling; Z004 - coal conveying; Z005 - fines bin loading spout; Z006 - tube mills; Z007 - quicklime crushing; Z008 - four spout hand packer; and Z009 - bulk hydrate loading system.

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Roadways and Parking Areas (F007)

**Activity Description:** Paved and unpaved plant roadways and parking areas. Formerly F003. Changed to F007 at request of OEPA (Andrea Chapman).

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
roadways and parking areas	OAC rule 3745-17-07(B)	none (See A.I.2.a.)
	OAC rule 3745-17-08 (B)	none (See A.I.2.b.)

##### 2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.b This facility is not located within the areas identified in "Appendix A" of OAC rule 3745-17-08 (it is located in Ottawa County). Therefore, the requirements of OAC rule 3745-17-08(B) do not apply to this emissions unit.

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

None

##### IV. Reporting Requirements

None

##### V. Testing Requirements

None

##### VI. Miscellaneous Requirements

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Conveying (Post-Kilns) (F008)

**Activity Description:** Unit was previously Z001 and is now designated as F008 at request of OEPA (Andrea Chapman).

This emission unit includes screw conveyors, belts, and elevators feeding the hydrate base silos, the pebble bin, the fines bin, and the glasshouse supply bin.

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
post kiln conveying	OAC rule 3745-17-07(B)	none (See A.I.2.a.)
	OAC rule 3745-17-08 (B)	none (See A.I.2.b.)

##### 2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.b This facility is not located within the areas identified in "Appendix A" of OAC rule 3745-17-08 (it is located in Ottawa County). Therefore, the requirements of OAC rule 3745-17-08(B) do not apply to this emissions unit.

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

None

##### IV. Reporting Requirements

None

##### V. Testing Requirements

None

##### VI. Miscellaneous Requirements

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** No. 1,2,3 Packers (P004)

**Activity Description:** This emission unit includes all three St. Regis four spout packers, their spill systems and associated dust collection systems.

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
number 1, 2 and 3 packers, with baghouses	OAC rule 3745-17-07(A)	none (See A.I.2.a.)
	OAC rule 3745-17-11	none (See A.I.2.b.)

**2. Additional Terms and Conditions**

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- 2.b The uncontrolled mass rate of particulate emissions (UMRE) from this emissions unit is less than 10 lbs/hr. (The baghouses for this emissions unit serve as product recovery units. The UMRE is based upon the total of the particulate emissions rates from the baghouses.) Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply because the facility is located in Ottawa County.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Shaffer Atmospheric Hydrators (P006)

**Activity Description:** This emission unit includes the #1 and #2 Shaffer hydrators and their associated Ducon wet scrubbers.

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Shaffer atmospheric hydrators, with wet scrubbers	OAC rule 3745-17-07(A)	none (See A.1.2.a.)
	OAC rule 3745-17-11	none (See A.1.2.b.)

##### 2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- 2.b The uncontrolled mass rate of particulate emissions (UMRE) from this emissions unit is less than 10 lbs/hr. (The scrubbers are an integral part of this emissions unit. The UMRE is based upon the total of the particulate emission rates from the scrubbers.) Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply because the facility is located in Ottawa County.

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

None

##### IV. Reporting Requirements

None

##### V. Testing Requirements

None

##### VI. Miscellaneous Requirements

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Autoclave Pressure Hydrator No. 1 (P007)

**Activity Description:** This emission unit includes the autoclave pressure hydrator #1, its aerator, and common Ducon wet scrubber system.

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
autoclave pressure hydrator #1, with wet scrubber	OAC rule 3745-17-07(A)	none (See A.1.2.a.)
	OAC rule 3745-17-11	none (See A.1.2.b.)

##### 2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- 2.b The uncontrolled mass rate of particulate emissions (UMRE) from this emissions unit is less than 10 lbs/hr. (The scrubber is an integral part of this emissions unit. The UMRE is based upon the particulate emission rate from the scrubber.) Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply because the facility is located in Ottawa County.

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

None

##### IV. Reporting Requirements

None

##### V. Testing Requirements

None

##### VI. Miscellaneous Requirements

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Rotary Kiln No.1 (P010)

**Activity Description:** This emission unit includes the No. 1 Rotary Kiln and its associated wet scrubber system.

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
rotary kiln #1, with wet scrubber	OAC rule 3745-17-07(A)	Exempt, pursuant to OAC rule 3745-17-07(A)(3)(i) [See A.I.2.b.]
	OAC rule 3745-17-11(B)	100 lbs particulate emissions (PE)/hr (refer to section A.I.2.a of the terms and conditions of this permit.)
	OAC rule 3745-18-68(C)	14.9 lbs sulfur dioxide (SO <sub>2</sub> )/ton of product (for emissions units P010, P014 and P015, combined) [See A.I.2.c.]
	OAC rule 3745-17-07(C)	See A.I.2.b.
	40 CFR Part 64	See A.II.1 and A.II.2, A.III.1- A.III.5 and A.III.9, A.IV.1 and A.IV.4.

##### 2. Additional Terms and Conditions

**2.a** In accordance with the provisions of OAC rule 3745-17-11(A)(3), the combined hourly PE from emissions units P010, P014 and P015 shall not exceed 100 pounds.

**2.b** Pursuant to the provisions of OAC rule 3745-17-07(C), the permittee is hereby granted the following equivalent visible PE limitation for the stack serving this emissions unit in lieu of the 20% visible PE limitation specified in OAC rules 3745-17-07(A)(1)(a) and (A)(1)(b):

Except as otherwise provided in OAC rules 3745-17-07(A)(2) and (A)(3), the permittee shall not cause or allow the discharge into the ambient air from the stack serving this emissions unit any visible PE greater than 44% opacity, as a six-minute average.

**2.c** OAC rule 3745-18-68(C) states that emissions unit P010 is subject to the 14.9 lbs SO<sub>2</sub>/ton of product limit. At the time that this rule was written emissions units P010, P014, and P015 were all grouped under emissions unit P010. Therefore, all three of these emissions units (P010, P014, and P015), combined, are subject to the SO<sub>2</sub> emission limitation of 14.9 lbs/ton.

## II. Operational Restrictions

1. The scrubber water supply pressure shall be continuously maintained, when the emissions unit is in operation, at a value no less than 22 pounds per square inch, which was established during the EVEL test conducted on August 21, 2003 that demonstrated the emissions unit was in compliance.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 64.3(a)(2)]

2. The scrubber water flow rate shall be continuously maintained, when the emissions unit is in operation, at a value no less than 850 gallons per minute, which was established during the EVEL test conducted on August 21, 2003 that demonstrated the emissions unit was in compliance.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 64.3(a)(2)]

3. The permittee shall burn only petroleum coke, natural gas and/or coal in this emissions unit.

[Authority for term: OAC rule 3745-77-07(A)(1)]

4. The quality of petroleum coke and/or coal burned in this emissions unit shall meet, on as burned basis, a sulfur content (in lbs/mmBtu) that is no greater than the sulfur content (in lbs/mmBtu) measured during the most recent emission test that demonstrated the emissions unit was in compliance with the limitation of 14.9 lbs SO<sub>2</sub>/ton of product.

[Authority for term: OAC rule 3745-77-07(A)(1)]

## III. Monitoring and/or Record Keeping Requirements

1. At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(b)]

2. After approval of monitoring under this part, if the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance while providing valid data, or the results of compliance or performance testing document a need to modify the existing indicator ranges or designated conditions, the permittee shall promptly notify the permitting authority and, if necessary, submit a proposed modification to the part 70 or 71 permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, reestablishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

3. The permittee shall properly operate and maintain equipment to monitor and record the water supply pressure and the water flow rate while the emissions unit is in operation. The monitoring devices and recorder(s) shall be calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

The permittee shall collect and record the following information each day:

- a. The water supply pressure, in psig, on a once/shift basis.
- b. The water flow rate, in gpm, on a once/shift basis.
- c. A log or record of the downtime for the capture (collection) system, control device and monitoring equipment when this emissions unit was in operation.

[Authority for term: OAC rule 3745-77-07(C)(1), 40 CFR Part 64.3(a), and 40 CFR Part 64.9(b)]

### III. Monitoring and/or Record Keeping Requirements (continued)

4. In addition to the parametric monitoring required in Section A.III.3 of this permit, the permittee shall conduct visual inspections of the control equipments' spray nozzles. These inspections shall be done on an annual basis, but no more than 4 times per year, or whenever the emissions unit is not operating, provided that the emissions unit is down for a long enough period of time (i.e., 8 hours or more) to perform the visual inspection. The inspections shall include, at a minimum, the following:

- a. look for wear, or clogging of each spray nozzle; and
- b. determination of the directional output of the spray nozzle's (i.e. are the nozzle's spraying in a manner that ensures that the spray is covering the entire gas stream).

Records of these inspections shall be kept in accordance with the General Terms and Conditions of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

5. The permittee shall maintain a supply of replacement nozzles, or any other parts necessary to ensure that the scrubbing system will operate properly. Any worn, or clogged nozzles should be replaced, or fixed during the inspection.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

6. The permittee shall collect representative grab samples of the petroleum coke and/or coal that is burned in this emissions unit for each day when the emissions unit is in operation. The aforementioned grab samples shall be combined to create a monthly composite sample that is representative of the fuel burned in this emissions unit. Since a common supply bin feeds petroleum coke and/or coal to all three kilns, it is not necessary to sample each kiln. The daily grab petroleum coke and/or coal samples shall be collected from the blowpipe of each kiln, which is located between the coal mill and the burners.

The petroleum coke and/or coal sampling shall be performed in accordance with ASTM method D2234, "Collection of a Gross Sample of Coal and/or Petroleum Coke".

[Authority for term: OAC rule 3745-77-07(C)(1)]

7. Each monthly composite sample of petroleum coke and/or coal shall be analyzed for the following:

- a. sulfur content, in lbs/mmBtu; and
- b. heat content, in Btu/lb of petroleum coke and/or coal.

The methods for analysis of the petroleum coke and/or coal shall be as follows:

a. for sulfur content, "Total Sulfur in the Analysis Sample of Coal and Coke", ASTM Method D3177, or ASTM Method D4239, "Sulfur in the Analysis Sample of Coal and Coke Using High Temperature Tube Furnace Combustion Methods"; and

b. for heat content, "Gross Calorific Value of Solid Fuel by the Adiabatic Bomb Calorimeter", ASTM Method 2015; "Gross Calorific Value of Coal and Coke by the Isothermal Bomb Calorimeter", ASTM Method D3286; or "Standard Test Method for Gross Calorific Value of Coal and Coke by Microprocessor Controlled Isothermal Calorimeters", ASTM Method 1989.

Any alternative analytical methods for those mentioned above, may be used upon written approval from the Director (the appropriate District Office or local air agency)

[Authority for term: OAC rule 3745-77-07(C)(1)]

8. For each day during which the permittee burns a fuel other than petroleum coke, natural gas and/or coal, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

9. The CAM plan for this emissions unit has been developed for particulates and sulfur dioxide emissions. The CAM performance indicators for the scrubber controlling this emissions unit are water pressure and water flow\* which are based upon the results of site-specific particulates and SO<sub>2</sub> emission testing, and scrubber parametric data collected during the emission testing. When the water pressure and water flow rates of the scrubber are operating outside the indicator ranges, the permittee shall take corrective action to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions and comply with the reporting requirements specified in section A.IV.4 below. The emissions unit and control equipment shall be run in accordance with the approved CAM Plan, or any approved revision of the Plan. Scrubber operating parameters will be re-verified through periodic emission testing, or if the scrubber or emissions units operating conditions change. In addition to periodic monitoring of their scrubber operating parameters, the permittee also has an inspection and maintenance program for the scrubber. Based on the results of the monitoring and inspection program, repairs to the scrubber shall be made as needed. If the current CAM indicators and/or the scrubber inspection program is considered inadequate, the permittee will develop a Quality Improvement Plan.

\*Monitoring of the pH to ensure compliance with the SO<sub>2</sub> limit is not necessary since SO<sub>2</sub> emissions are chemically bound to the lime dust in the kiln itself. In this respect, the SO<sub>2</sub> acts more like a particulate than a gas, and is not influenced by pH.

[Authority for term: OAC rule 3745-77-07(A)(3)(a), OAC rule 3745-77-07(A)(3)(b), 40 CFR Part 64.3(a), 40 CFR Part 64.6(c), 40 CFR Part 64.7(d), and 40 CFR Part 64.8]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:
- The water supply pressure.
  - The scrubber water flow rate.

All quarterly deviation reports shall be submitted in accordance with paragraph A.1.c of the General Terms and Conditions of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.9(a)]

2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than petroleum coke, natural gas and/or coal was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee shall notify the Director (the Ohio EPA, Northwest District Office) in writing of any monthly record showing a deviation of the operational restriction of 14.9 lbs SO<sub>2</sub>/tons. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northwest District Office) within 45 days after the deviation occurs.

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. If the results of monitoring or record keeping data indicate that the particulates or sulfur dioxide emission limitations may have been exceeded, the permittee shall submit the results of that data, and document any corrective action taken to restore operation of the emissions unit, or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions. The reports shall be submitted in accordance with General Term and Condition A.1.c.iii of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1), 40 CFR Part 64.7(d) and 40 CFR Part 64.9(a)]

## V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for emissions units P010, P014 and P015 in accordance with the following requirements:
  - a. The emission testing shall be conducted within 6 months prior to permit expiration.
  - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rates for PE and SO<sub>2</sub>.
  - c. The following test methods shall be employed to demonstrate compliance with the allowable mass emission rates: for PE, Methods 1 through 5 of 40 CFR, Part 60, Appendix A, and for SO<sub>2</sub>, Methods 1 through 4 and 6 of 40 CFR, Part 60, Appendix A. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.
  - d. The tests shall be conducted while emissions units P010, P014 and P015 are operating at or near their maximum capacities(i.e. operating under conditions that cause the greatest emissions for those pollutants being tested), unless otherwise specified or approved by the Ohio EPA, Northwest District Office.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Northwest District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Northwest District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA, Northwest District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Northwest District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Northwest District Office.

[Authority for term: OAC rule 3745-17-03(B)(10), OAC rule 3745-18-04(A), and OAC rule 3745-77-07(C)(1)]

2. During any emission testing for this emissions unit, the permittee shall record the following additional information:
  - a. the sulfur content of the petroleum coke and/or coal, in lbs/mmBtu;
  - b. the total quantities of the coke and coal burned, in tons;
  - c. the water supply pressure, in psig; and
  - d. the scrubber water flow rate, in gallons/minute.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. Compliance with the emission limitations in section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 3.a Emission Limitation: Visible PE shall not exceed 44% opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method: Compliance with the visible PE limitation above shall be determined in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[Authority for term: OAC rule 3745-17-03(B)(1) and OAC rule 3745-77-07(C)(1)]

Facility Name: **Graymont Dolime (OH) Inc.**

Facility ID: **03-62-00-0079**

Emissions Unit: **Rotary Kiln No.1 (P010)**

## **V. Testing Requirements (continued)**

**3.b** Emission Limitation: 100 lbs PE/hr (for emissions units P010, P014, and P015, combined)

Applicable Compliance Method: The permittee shall demonstrate compliance with the hourly allowable PE limitation above based on the results of emission testing conducted in accordance with Methods 1 through 5, 40 CFR, Part 60, Appendix A.

[Authority for term: OAC rule 3745-17-03(B)(10) and OAC rule 3745-77-07(C)(1)]

**3.c** Emission Limitation: 14.9 lbs SO<sub>2</sub>/ton of product

Applicable Compliance Method: The permittee shall demonstrate compliance with the allowable lbs/ton SO<sub>2</sub> emission limitation based on the results of emission testing conducted in accordance with Methods 1 through 4 and 6 of 40 CFR, Part 60, Appendix A.

[Authority for term: OAC rule 3745-18-04(A) and OAC rule 3745-77-07(C)(1)]

## **VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Primary and Secondary Crushing and Screening (P013)

**Activity Description:** This emission unit includes a 42-inch Allis Chalmers gyratory crusher, a 10-inch Allis Chalmers gyratory crusher and a 6-ft x 12-ft three deck Tyrock screen.

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
primary and secondary screening and crushing	OAC rule 3745-17-07(B)	none (See A.1.2.a.)
	OAC rule 3745-17-08(B)	none (See A.1.2.b.)

**2. Additional Terms and Conditions**

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
- 2.b This facility is not located within the areas identified in "Appendix A" of OAC rule 3745-17-08 (it is located in Ottawa County). Therefore, the requirements of OAC rule 3745-17-08(B) do not apply to this emissions unit.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Rotary Kiln No. 2 (P014)

**Activity Description:** This emission unit includes the No. 2 Rotary Kiln and its associated wet scrubber system.

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
rotary kiln #2, with wet scrubber	OAC rule 3745-17-07(A)	Exempt, pursuant to OAC rule 3745-17-07(A)(3)(i) [See A.I.2.b.]
	OAC rule 3745-17-11(B)	100 lbs particulate emissions (PE)/hr (refer to section A.I.2.a of the terms and conditions of this permit.)
	OAC rule 3745-18-68(C)	14.9 lbs sulfur dioxide (SO <sub>2</sub> )/ton of product (for emissions units P010, P014 and P015, combined) [See A.I.2.c.]
	OAC rule 3745-17-07(C)	See A.I.2.b.
	40 CFR Part 64	See A.II.1 and A.II.2, A.III.1- A.III.5 and A.III.9, A.IV.1 and A.IV.4.

#### 2. Additional Terms and Conditions

- 2.a In accordance with the provisions of OAC rule 3745-17-11(A)(3), the combined hourly PE from emissions units P010, P014 and P015 shall not exceed 100 pounds.
- 2.b Pursuant to the provisions of OAC rule 3745-17-07(C), the permittee is hereby granted the following equivalent visible PE limitation for the stack serving this emissions unit in lieu of the 20% visible PE limitation specified in OAC rules 3745-17-07(A)(1)(a) and (A)(1)(b):  
  
 Except as otherwise provided in OAC rules 3745-17-07(A)(2) and (A)(3), the permittee shall not cause or allow the discharge into the ambient air from the stack serving this emissions unit any visible PE greater than 44% opacity, as a six-minute average.
- 2.c OAC rule 3745-18-68(C) states that emissions unit P010 is subject to the 14.9 lbs SO<sub>2</sub>/ton of product limit. At the time that this rule was written emissions units P010, P014, and P015 were all grouped under emissions unit P010. Therefore, all three of these emissions units (P010, P014, and P015), combined, are subject to the SO<sub>2</sub> emission limitation of 14.9 lbs/ton.

## II. Operational Restrictions

1. The scrubber water supply pressure shall be continuously maintained, when the emissions unit is in operation, at a value no less than 22 pounds per square inch, which was established during the EVEL test conducted on August 21, 2003 that demonstrated the emissions unit was in compliance.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 64.3(a)(2)]

2. The scrubber water flow rate shall be continuously maintained, when the emissions unit is in operation, at a value no less than 850 gallons per minute, which was established during the EVEL test conducted on August 21, 2003 that demonstrated the emissions unit was in compliance.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 64.3(a)(2)]

3. The permittee shall burn only petroleum coke, natural gas and/or coal in this emissions unit.

[Authority for term: OAC rule 3745-77-07(A)(1)]

4. The quality of petroleum coke and/or coal burned in this emissions unit shall meet, on as burned basis, a sulfur content (in lbs/mmBtu) that is no greater than the sulfur content (in lbs/mmBtu) measured during the most recent emission test that demonstrated the emissions unit was in compliance with the limitation of 14.9 lbs SO<sub>2</sub>/ton of product.

[Authority for term: OAC rule 3745-77-07(A)(1)]

## III. Monitoring and/or Record Keeping Requirements

1. At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(b)]

2. After approval of monitoring under this part, if the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance while providing valid data, or the results of compliance or performance testing document a need to modify the existing indicator ranges or designated conditions, the permittee shall promptly notify the permitting authority and, if necessary, submit a proposed modification to the part 70 or 71 permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, reestablishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

3. The permittee shall properly operate and maintain equipment to monitor and record the water supply pressure and the water flow rate while the emissions unit is in operation. The monitoring devices and recorder(s) shall be calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

The permittee shall collect and record the following information each day:

- a. The water supply pressure, in psig, on a once/shift basis.
- b. The water flow rate, in gpm, on a once/shift basis.
- c. A log or record of the downtime for the capture (collection) system, control device and monitoring equipment when this emissions unit was in operation.

[Authority for term: OAC rule 3745-77-07(C)(1), 40 CFR Part 64.3(a), and 40 CFR Part 64.9(b)]

### III. Monitoring and/or Record Keeping Requirements (continued)

4. In addition to the parametric monitoring required in Section A.III.3 of this permit, the permittee shall conduct visual inspections of the control equipments' spray nozzles. These inspections shall be done on an annual basis, but no more than 4 times per year, or whenever the emissions unit is not operating, provided that the emissions unit is down for a long enough period of time (i.e., 8 hours or more) to perform the visual inspection. The inspections shall include, at a minimum, the following:

- a. look for wear, or clogging of each spray nozzle; and
- b. determination of the directional output of the spray nozzle's (i.e. are the nozzle's spraying in a manner that ensures that the spray is covering the entire gas stream).

Records of these inspections shall be kept in accordance with the General Terms and Conditions of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

5. The permittee shall maintain a supply of replacement nozzles, or any other parts necessary to ensure that the scrubbing system will operate properly. Any worn, or clogged nozzles should be replaced, or fixed during the inspection.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

6. The permittee shall collect representative grab samples of the petroleum coke and/or coal that is burned in this emissions unit for each day when the emissions unit is in operation. The aforementioned grab samples shall be combined to create a monthly composite sample that is representative of the fuel burned in this emissions unit. Since a common supply bin feeds petroleum coke and/or coal to all three kilns, it is not necessary to sample each kiln. The daily grab petroleum coke and/or coal samples shall be collected from the blowpipe of each kiln, which is located between the coal mill and the burners.

The petroleum coke and/or coal sampling shall be performed in accordance with ASTM method D2234, "Collection of a Gross Sample of Coal and/or Petroleum Coke".

[Authority for term: OAC rule 3745-77-07(C)(1)]

7. Each monthly composite sample of petroleum coke and/or coal shall be analyzed for the following:

- a. sulfur content, in lbs/mmBtu; and
- b. heat content, in Btu/lb of petroleum coke and/or coal.

The methods for analysis of the petroleum coke and/or coal shall be as follows:

a. for sulfur content, "Total Sulfur in the Analysis Sample of Coal and Coke", ASTM Method D3177, or ASTM Method D4239, "Sulfur in the Analysis Sample of Coal and Coke Using High Temperature Tube Furnace Combustion Methods"; and

b. for heat content, "Gross Calorific Value of Solid Fuel by the Adiabatic Bomb Calorimeter", ASTM Method 2015; "Gross Calorific Value of Coal and Coke by the Isothermal Bomb Calorimeter", ASTM Method D3286; or "Standard Test Method for Gross Calorific Value of Coal and Coke by Microprocessor Controlled Isothermal Calorimeters", ASTM Method 1989.

Any alternative analytical methods for those mentioned above, may be used upon written approval from the Director (the appropriate District Office or local air agency)

[Authority for term: OAC rule 3745-77-07(C)(1)]

8. For each day during which the permittee burns a fuel other than petroleum coke, natural gas and/or coal, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

9. The CAM plan for this emissions unit has been developed for particulates and sulfur dioxide emissions. The CAM performance indicators for the scrubber controlling this emissions unit are water pressure and water flow\* which are based upon the results of site-specific particulates and SO<sub>2</sub> emission testing, and scrubber parametric data collected during the emission testing. When the water pressure and water flow rates of the scrubber are operating outside the indicator ranges, the permittee shall take corrective action to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions and comply with the reporting requirements specified in section A.IV.4 below. The emissions unit and control equipment shall be run in accordance with the approved CAM Plan, or any approved revision of the Plan. Scrubber operating parameters will be re-verified through periodic emission testing, or if the scrubber or emissions units operating conditions change. In addition to periodic monitoring of their scrubber operating parameters, the permittee also has an inspection and maintenance program for the scrubber. Based on the results of the monitoring and inspection program, repairs to the scrubber shall be made as needed. If the current CAM indicators and/or the scrubber inspection program is considered inadequate, the permittee will develop a Quality Improvement Plan.

\*Monitoring of the pH to ensure compliance with the SO<sub>2</sub> limit is not necessary since SO<sub>2</sub> emissions are chemically bound to the lime dust in the kiln itself. In this respect, the SO<sub>2</sub> acts more like a particulate than a gas, and is not influenced by pH.

[Authority for term: OAC rule 3745-77-07(A)(3)(a), OAC rule 3745-77-07(A)(3)(b), 40 CFR Part 64.3(a), 40 CFR Part 64.6(c), 40 CFR Part 64.7(d), and 40 CFR Part 64.8]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:
- The water supply pressure.
  - The scrubber water flow rate.

All quarterly deviation reports shall be submitted in accordance with paragraph A.1.c of the General Terms and Conditions of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.9(a)]

2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than petroleum coke, natural gas and/or coal was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee shall notify the Director (the Ohio EPA, Northwest District Office) in writing of any monthly record showing a deviation of the operational restriction of 14.9 lbs SO<sub>2</sub>/tons. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northwest District Office) within 45 days after the deviation occurs.

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. If the results of monitoring or record keeping data indicate that the particulates or sulfur dioxide emission limitations may have been exceeded, the permittee shall submit the results of that data, and document any corrective action taken to restore operation of the emissions unit, or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions. The reports shall be submitted in accordance with General Term and Condition A.1.c.iii of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1), 40 CFR Part 64.7(d) and 40 CFR Part 64.9(a)]

## V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for emissions units P010, P014 and P015 in accordance with the following requirements:
  - a. The emission testing shall be conducted within 6 months prior to permit expiration.
  - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rates for PE and SO<sub>2</sub>.
  - c. The following test methods shall be employed to demonstrate compliance with the allowable mass emission rates: for PE, Methods 1 through 5 of 40 CFR, Part 60, Appendix A, and for SO<sub>2</sub>, Methods 1 through 4 and 6 of 40 CFR, Part 60, Appendix A. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.
  - d. The tests shall be conducted while emissions units P010, P014 and P015 are operating at or near their maximum capacities(i.e. operating under conditions that cause the greatest emissions for those pollutants being tested), unless otherwise specified or approved by the Ohio EPA, Northwest District Office.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Northwest District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Northwest District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA, Northwest District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Northwest District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Northwest District Office.

[Authority for term: OAC rule 3745-17-03(B)(10), OAC rule 3745-18-04(A), and OAC rule 3745-77-07(C)(1)]

2. During any emission testing for this emissions unit, the permittee shall record the following additional information:
  - a. the sulfur content of the petroleum coke and/or coal, in lbs/mmBtu;
  - b. the total quantities of the coke and coal burned, in tons;
  - c. the water supply pressure, in psig; and
  - d. the scrubber water flow rate, in gallons/minute.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. Compliance with the emission limitations in section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 3.a Emission Limitation: Visible PE shall not exceed 44% opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method: Compliance with the visible PE limitation above shall be determined in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[Authority for term: OAC rule 3745-17-03(B)(1) and OAC rule 3745-77-07(C)(1)]

**V. Testing Requirements (continued)**

**3.b** Emission Limitation: 100 lbs PE/hr (for emissions units P010, P014, and P015, combined)

Applicable Compliance Method: The permittee shall demonstrate compliance with the hourly allowable PE limitation above based on the results of emission testing conducted in accordance with Methods 1 through 5, 40 CFR, Part 60, Appendix A.

[Authority for term: OAC rule 3745-17-03(B)(10) and OAC rule 3745-77-07(C)(1)]

**3.c** Emission Limitation: 14.9 lbs SO<sub>2</sub>/ton of product

Applicable Compliance Method: The permittee shall demonstrate compliance with the allowable lbs/ton SO<sub>2</sub> emission limitation based on the results of emission testing conducted in accordance with Methods 1 through 4 and 6 of 40 CFR, Part 60, Appendix A.

[Authority for term: OAC rule 3745-18-04(A) and OAC rule 3745-77-07(C)(1)]

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Rotary Kiln No. 3 (P015)

**Activity Description:** This emission unit includes the No. 3 Rotary Kiln and its associated wet scrubber system.

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
	OAC rule 3745-17-07(A)	Exempt, pursuant to OAC rule 3745-17-07(A)(3)(i) [See A.I.2.b.]
	OAC rule 3745-17-11(B)	100 lbs particulate emissions (PE)/hr (refer to section A.I.2.a of the terms and conditions of this permit.)
	OAC rule 3745-18-68(C)	14.9 lbs sulfur dioxide (SO <sub>2</sub> )/ton of product (for emissions units P010, P014 and P015, combined) [See A.I.2.c.]
	OAC rule 3745-17-07(C)	See A.I.2.b.
	40 CFR Part 64	See A.II.1 and A.II.2, A.III.1- A.III.5 and A.III.9, A.IV.1 and A.IV.4.

#### 2. Additional Terms and Conditions

**2.a** In accordance with the provisions of OAC rule 3745-17-11(A)(3), the combined hourly PE from emissions units P010, P014 and P015 shall not exceed 100 pounds.

**2.b** Pursuant to the provisions of OAC rule 3745-17-07(C), the permittee is hereby granted the following equivalent visible PE limitation for the stack serving this emissions unit in lieu of the 20% visible PE limitation specified in OAC rules 3745-17-07(A)(1)(a) and (A)(1)(b):

Except as otherwise provided in OAC rules 3745-17-07(A)(2) and (A)(3), the permittee shall not cause or allow the discharge into the ambient air from the stack serving this emissions unit any visible PE greater than 44% opacity, as a six-minute average.

**2.c** OAC rule 3745-18-68(C) states that emissions unit P010 is subject to the 14.9 lbs SO<sub>2</sub>/ton of product limit. At the time that this rule was written emissions units P010, P014, and P015 were all grouped under emissions unit P010. Therefore, all three of these emissions units (P010, P014, and P015), combined, are subject to the SO<sub>2</sub> emission limitation of 14.9 lbs/ton.

## II. Operational Restrictions

1. The scrubber water supply pressure shall be continuously maintained, when the emissions unit is in operation, at a value no less than 22 pounds per square inch, which was established during the EVEL test conducted on August 21, 2003 that demonstrated the emissions unit was in compliance.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 64.3(a)(2)]

2. The scrubber water flow rate shall be continuously maintained, when the emissions unit is in operation, at a value no less than 850 gallons per minute, which was established during the EVEL test conducted on August 21, 2003 that demonstrated the emissions unit was in compliance.

[Authority for term: OAC rule 3745-77-07(A)(1) and 40 CFR Part 64.3(a)(2)]

3. The permittee shall burn only petroleum coke, natural gas and/or coal in this emissions unit.

[Authority for term: OAC rule 3745-77-07(A)(1)]

4. The quality of petroleum coke and/or coal burned in this emissions unit shall meet, on as burned basis, a sulfur content (in lbs/mmBtu) that is no greater than the sulfur content (in lbs/mmBtu) measured during the most recent emission test that demonstrated the emissions unit was in compliance with the limitation of 14.9 lbs SO<sub>2</sub>/ton of product.

[Authority for term: OAC rule 3745-77-07(A)(1)]

## III. Monitoring and/or Record Keeping Requirements

1. At all times, the permittee shall maintain the monitoring, including but not limited to, maintaining necessary parts for routine repairs of the monitoring equipment.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(b)]

2. After approval of monitoring under this part, if the permittee identifies a failure to achieve compliance with an emission limitation or standard for which the approved monitoring did not provide an indication of an excursion or exceedance while providing valid data, or the results of compliance or performance testing document a need to modify the existing indicator ranges or designated conditions, the permittee shall promptly notify the permitting authority and, if necessary, submit a proposed modification to the part 70 or 71 permit to address the necessary monitoring changes. Such a modification may include, but is not limited to, reestablishing indicator ranges or designated conditions, modifying the frequency of conducting monitoring and collecting data, or the monitoring of additional parameters.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

3. The permittee shall properly operate and maintain equipment to monitor and record the water supply pressure and the water flow rate while the emissions unit is in operation. The monitoring devices and recorder(s) shall be calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

The permittee shall collect and record the following information each day:

- a. The water supply pressure, in psig, on a once/shift basis.
- b. The water flow rate, in gpm, on a once/shift basis.
- c. A log or record of the downtime for the capture (collection) system, control device and monitoring equipment when this emissions unit was in operation.

[Authority for term: OAC rule 3745-77-07(C)(1), 40 CFR Part 64.3(a), and 40 CFR Part 64.9(b)]

### III. Monitoring and/or Record Keeping Requirements (continued)

4. In addition to the parametric monitoring required in Section A.III.3 of this permit, the permittee shall conduct visual inspections of the control equipments' spray nozzles. These inspections shall be done on an annual basis, but no more than 4 times per year, or whenever the emissions unit is not operating, provided that the emissions unit is down for a long enough period of time (i.e., 8 hours or more) to perform the visual inspection. The inspections shall include, at a minimum, the following:

- a. look for wear, or clogging of each spray nozzle; and
- b. determination of the directional output of the spray nozzle's (i.e. are the nozzle's spraying in a manner that ensures that the spray is covering the entire gas stream).

Records of these inspections shall be kept in accordance with the General Terms and Conditions of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

5. The permittee shall maintain a supply of replacement nozzles, or any other parts necessary to ensure that the scrubbing system will operate properly. Any worn, or clogged nozzles should be replaced, or fixed during the inspection.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.7(e)]

6. The permittee shall collect representative grab samples of the petroleum coke and/or coal that is burned in this emissions unit for each day when the emissions unit is in operation. The aforementioned grab samples shall be combined to create a monthly composite sample that is representative of the fuel burned in this emissions unit. Since a common supply bin feeds petroleum coke and/or coal to all three kilns, it is not necessary to sample each kiln. The daily grab petroleum coke and/or coal samples shall be collected from the blowpipe of each kiln, which is located between the coal mill and the burners.

The petroleum coke and/or coal sampling shall be performed in accordance with ASTM method D2234, "Collection of a Gross Sample of Coal and/or Petroleum Coke".

[Authority for term: OAC rule 3745-77-07(C)(1)]

7. Each monthly composite sample of petroleum coke and/or coal shall be analyzed for the following:

- a. sulfur content, in lbs/mmBtu; and
- b. heat content, in Btu/lb of petroleum coke and/or coal.

The methods for analysis of the petroleum coke and/or coal shall be as follows:

a. for sulfur content, "Total Sulfur in the Analysis Sample of Coal and Coke", ASTM Method D3177, or ASTM Method D4239, "Sulfur in the Analysis Sample of Coal and Coke Using High Temperature Tube Furnace Combustion Methods"; and

b. for heat content, "Gross Calorific Value of Solid Fuel by the Adiabatic Bomb Calorimeter", ASTM Method 2015; "Gross Calorific Value of Coal and Coke by the Isothermal Bomb Calorimeter", ASTM Method D3286; or "Standard Test Method for Gross Calorific Value of Coal and Coke by Microprocessor Controlled Isothermal Calorimeters", ASTM Method 1989.

Any alternative analytical methods for those mentioned above, may be used upon written approval from the Director (the appropriate District Office or local air agency)

[Authority for term: OAC rule 3745-77-07(C)(1)]

8. For each day during which the permittee burns a fuel other than petroleum coke, natural gas and/or coal, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

9. The CAM plan for this emissions unit has been developed for particulates and sulfur dioxide emissions. The CAM performance indicators for the scrubber controlling this emissions unit are water pressure and water flow\* which are based upon the results of site-specific particulates and SO<sub>2</sub> emission testing, and scrubber parametric data collected during the emission testing. When the water pressure and water flow rates of the scrubber are operating outside the indicator ranges, the permittee shall take corrective action to restore operation of the emissions unit and/or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions and comply with the reporting requirements specified in section A.IV.4 below. The emissions unit and control equipment shall be run in accordance with the approved CAM Plan, or any approved revision of the Plan. Scrubber operating parameters will be re-verified through periodic emission testing, or if the scrubber or emissions units operating conditions change. In addition to periodic monitoring of their scrubber operating parameters, the permittee also has an inspection and maintenance program for the scrubber. Based on the results of the monitoring and inspection program, repairs to the scrubber shall be made as needed. If the current CAM indicators and/or the scrubber inspection program is considered inadequate, the permittee will develop a Quality Improvement Plan.

\*Monitoring of the pH to ensure compliance with the SO<sub>2</sub> limit is not necessary since SO<sub>2</sub> emissions are chemically bound to the lime dust in the kiln itself. In this respect, the SO<sub>2</sub> acts more like a particulate than a gas, and is not influenced by pH.

[Authority for term: OAC rule 3745-77-07(A)(3)(a), OAC rule 3745-77-07(A)(3)(b), 40 CFR Part 64.3(a), 40 CFR Part 64.6(c), 40 CFR Part 64.7(d), and 40 CFR Part 64.8]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify all periods of time during which the following scrubber parameters were not maintained at or above the required levels:
- The water supply pressure.
  - The scrubber water flow rate.

All quarterly deviation reports shall be submitted in accordance with paragraph A.1.c of the General Terms and Conditions of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and 40 CFR 64.9(a)]

2. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than petroleum coke, natural gas and/or coal was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee shall notify the Director (the Ohio EPA, Northwest District Office) in writing of any monthly record showing a deviation of the operational restriction of 14.9 lbs SO<sub>2</sub>/tons. The notification shall include a copy of such record and shall be sent to the Director (the Ohio EPA, Northwest District Office) within 45 days after the deviation occurs.

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. If the results of monitoring or record keeping data indicate that the particulates or sulfur dioxide emission limitations may have been exceeded, the permittee shall submit the results of that data, and document any corrective action taken to restore operation of the emissions unit, or its control equipment to its normal or usual manner of operation as expeditiously as practicable in accordance with good air pollution control practices for minimizing emissions. The reports shall be submitted in accordance with General Term and Condition A.1.c.iii of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1), 40 CFR Part 64.7(d) and 40 CFR Part 64.9(a)]

## V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for emissions units P010, P014 and P015 in accordance with the following requirements:
  - a. The emission testing shall be conducted within 6 months prior to permit expiration.
  - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rates for PE and SO<sub>2</sub>.
  - c. The following test methods shall be employed to demonstrate compliance with the allowable mass emission rates: for PE, Methods 1 through 5 of 40 CFR, Part 60, Appendix A, and for SO<sub>2</sub>, Methods 1 through 4 and 6 of 40 CFR, Part 60, Appendix A. Alternative U.S. EPA-approved test methods may be used with prior approval from the Ohio EPA.
  - d. The tests shall be conducted while emissions units P010, P014 and P015 are operating at or near their maximum capacities(i.e. operating under conditions that cause the greatest emissions for those pollutants being tested), unless otherwise specified or approved by the Ohio EPA, Northwest District Office.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Northwest District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Northwest District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA, Northwest District Office shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the Ohio EPA, Northwest District Office within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the Ohio EPA, Northwest District Office.

[Authority for term: OAC rule 3745-17-03(B)(10), OAC rule 3745-18-04(A), and OAC rule 3745-77-07(C)(1)]

2. During any emission testing for this emissions unit, the permittee shall record the following additional information:
  - a. the sulfur content of the petroleum coke and/or coal, in lbs/mmBtu;
  - b. the total quantities of the coke and coal burned, in tons;
  - c. the water supply pressure, in psig; and
  - d. the scrubber water flow rate, in gallons/minute.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. Compliance with the emission limitations in section A.I of the terms and conditions of this permit shall be determined in accordance with the following methods:
  - 3.a Emission Limitation: Visible PE shall not exceed 44% opacity, as a 6-minute average, except as provided by rule.

Applicable Compliance Method: Compliance with the visible PE limitation above shall be determined in accordance with the methods specified in OAC rule 3745-17-03(B)(1).

[Authority for term: OAC rule 3745-17-03(B)(1) and OAC rule 3745-77-07(C)(1)]

**V. Testing Requirements (continued)**

**3.b** Emission Limitation: 100 lbs PE/hr (for emissions units P010, P014, and P015, combined)

Applicable Compliance Method: The permittee shall demonstrate compliance with the hourly allowable PE limitation above based on the results of emission testing conducted in accordance with Methods 1 through 5, 40 CFR, Part 60, Appendix A.

[Authority for term: OAC rule 3745-17-03(B)(10) and OAC rule 3745-77-07(C)(1)]

**3.c** Emission Limitation: 14.9 lbs SO<sub>2</sub>/ton of product

Applicable Compliance Method: The permittee shall demonstrate compliance with the allowable lbs/ton SO<sub>2</sub> emission limitation based on the results of emission testing conducted in accordance with Methods 1 through 4 and 6 of 40 CFR, Part 60, Appendix A.

[Authority for term: OAC rule 3745-18-04(A) and OAC rule 3745-77-07(C)(1)]

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Autoclave Pressure Hydrator No. 2 (P016)

**Activity Description:** This emission unit includes the autoclave pressure hydrator #2, its aerator, and common Ducon wet scrubber

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
autoclave pressure hydrator #2, with wet scrubber	OAC rule 3745-17-07(A)	none (See A.1.2.a.)
	OAC rule 3745-17-11	none (See A.1.2.b.)

##### 2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- 2.b The uncontrolled mass rate of particulate emissions (UMRE) from this emissions unit is less than 10 lbs/hr. (The scrubber is an integral part of this emissions unit. The UMRE is based upon the particulate emission rate from the scrubber.) Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply because the facility is located in Ottawa County.

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

None

##### IV. Reporting Requirements

None

##### V. Testing Requirements

None

##### VI. Miscellaneous Requirements

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Autoclave Pressure Hydrator No. 3 (P020)

**Activity Description:** Unit originally installed in 08/52. Replaced with identical unit in 1986. Formerly EU P017. Changed to P020 at request of OEPA (Andrea Chapman). This emission unit includes the autoclave pressure hydrator #3, its aerator, and common Ducon wet scrubber

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
autoclave pressure hydrator #3, with scrubber	OAC rule 3745-17-07(A)	none (See A.1.2.a.)
	OAC rule 3745-17-11	none (See A.1.2.b.)

##### 2. Additional Terms and Conditions

- 2.a This emissions unit is exempt from the visible emissions limitations specified in OAC rule 3745-17-07(A), pursuant to OAC rule 3745-17-07(A)(3)(h), because OAC rule 3745-17-11 is not applicable.
- 2.b The uncontrolled mass rate of particulate emissions (UMRE) from this emissions unit is less than 10 lbs/hr. (The scrubber is an integral part of this emissions unit. The UMRE is based upon the particulate emission rate from the scrubber.) Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. Also, Table I does not apply because the facility is located in Ottawa County.

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

None

##### IV. Reporting Requirements

None

##### V. Testing Requirements

None

##### VI. Miscellaneous Requirements

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

\*\*\*\*\*

**THIS IS THE LAST PAGE OF THE PERMIT**

\*\*\*\*\*