



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

8/21/2008

Ed Brdicka
Sunny Farms Landfill
12500 West County Road 18
Fostoria, OH 44830

Certified Mail
Facility ID: 0374010199
Permit Number: P0087707
County: Seneca

RE: DRAFT AIR POLLUTION TITLE V PERMIT
Permit Type: Renewal

Dear Permit Holder:


A draft of the OAC Chapter 3745-77 Title V permit for the referenced facility has been issued. The purpose of this draft is to solicit public comments. A public notice will appear in the Ohio EPA Weekly Review and the local newspaper, The Advertiser Times. A copy of the public notice, the Statement of Basis, and the draft permit are enclosed. This permit has been posted to the Division of Air Pollution Control (DAPC) Web page <http://www.epa.state.oh.us/dapc> in Microsoft Word and Adobe Acrobat format. Comments will be accepted as a marked-up copy of the permit or in narrative format. Any comments must be sent to the following:

Andrew Hall
Permit Review/Development Section
Ohio EPA, DAPC
122 South Front Street
Columbus, Ohio 43215

and Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402

Comments and/or a request for a public hearing will be accepted within 30 days of the date the notice is published in the newspaper. You will be notified in writing if a public hearing is scheduled. A decision on processing the Title V permit will be made after consideration of comments received and oral testimony if a public hearing is conducted. You will then be provided with a Preliminary Proposed Title V permit and another opportunity to comment prior to the 45-day Proposed Title V permit submittal to U.S. EPA Region 5. The permit will be issued final after U.S. EPA review is completed and no objections to the final issuance have been received. If you have any questions, please contact Ohio EPA DAPC, Northwest District Office at (419)352-8461.

Sincerely,


Michael W. Ahern, Manager
Permit Issuance and Data Management Section, DAPC

Cc: U.S. EPA Region 5 - *Via E-Mail Notification*
Ohio EPA-NWDO; Michigan

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

PUBLIC NOTICE
ISSUANCE OF DRAFT AIR POLLUTION Title V Permit
Sunny Farms Landfill

Issue Date: 8/21/2008
Permit Number: P0087707
Permit Type: Renewal
Permit Description: Renewal Title V application
Facility ID: 0374010199
Facility Location: Sunny Farms Landfill
12500 West County Road 18,
Fostoria, OH 44830
Facility Description: Solid Waste Landfill

Chris Korleski, Director of the Ohio Environmental Protection Agency, 50 West Town Street, Columbus Ohio, has issued a draft action of an air pollution control Title V operating permit for the facility at the location identified above on the date indicated. Comments concerning this draft action, or a request for a public meeting, must be sent in writing no later than thirty (30) days from the date this notice is published. All comments, questions, requests for permit applications or other pertinent documentation, and correspondence concerning this action must be directed to Donald Waltermeyer at Ohio EPA DAPC, Northwest District Office, 347 North Dunbridge Road or (419)352-8461. The permit, which includes a detailed description of the operations, and associated statement of basis for the permit requirements, can be downloaded from the Web page: www.epa.state.oh.us/dapc

Statement of Basis For Title V Permit

Part I - General

Company Name	Sunny Farms Landfill	
Premise Number	03 74 01 0199	
What makes this facility a Title V facility?	Title V facility by rule (40 CFR 60 NSPS Subpart WWW)	
Has each insignificant emissions unit been reviewed to confirm it meets the definition in OAC rule 3745-77-01 (U)?	Yes	
Were there any common control issues associated with this facility? If yes, provide a summary of those issues and explain how the DAPC decided to resolve them.	No	
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a minor permit modification per OAC rule 3745-77-08(C)(1)	N/A	
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a significant permit modification per OAC rule 3745-77-08(C)(3)	N/A	
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a reopening per OAC rule 3745-77-08(D)	N/A	
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document resulting from a renewal per OAC rule 3745-77-08(E)	N/A	

Part II (State and Federally Enforceable Requirements)

Term and Condition	Basis	<u>Comments</u>

(paragraph)	SIP (3745-)	Other	
None			

X **Instructions for Part II:**

Each paragraph in Part II must be identified and the remainder of the table completed. If the SIP (not including 31-05) is the basis for the term and condition, identify the specific rule. If the SIP is not the basis for the term and condition, place an "N" in the column under "SIP." If the basis for the term and condition is something other than the SIP, including 3745-31-05, NSPS or MACT, a "Y" should be noted in the "Other" column, and if not, an "N" should be noted. Whether the basis for the term and condition is the "SIP" or "Other," an explanation of each term and condition in Part II must be provided in the "Comments" section.

Part III (Requirements Within the State and Federally Enforceable Section)															
Any unusual requirements or aspects of the terms and conditions in Part III that are not self-explanatory should be explained in the appropriate comment field or in a paragraph following the table for Part III.															
EU(s)	Limitation	Basis		ND	OR	M	St	ENF	R	St	Rp	St	ET	Misc	Comments
		SIP (3745-)	Other												
F002	82.5 tons PE /yr 22.3 tons PM10 /yr	31-05		N	N	Y	N	N	Y	N	Y	N	N	N	M - Fugitive dust visual inspections daily. Also – employ best available control measures (BACM) that are sufficient to minimize or eliminate visible emissions of fugitive dust ET - None normally required for fugitive particulate emissions from roadways. (Compliance is based on AP-42 emission factors.)
F002	visible emissions restriction *	31-05		N	N	Y	N	N	Y	N	Y	N	N	N	* no visible particulate emissions except for 3 minutes during any 60-minute period (for unpaved roadways) M - Fugitive dust visual inspections daily. Also – employ BACM that are sufficient to minimize or eliminate visible emissions of fugitive dust ET - None normally required for opacity.
F001	visible emissions restriction *	31-05		N	N	Y	N	N	Y	N	Y	N	N	N	* Visible fugitive PE shall not exceed 20% opacity as a three-minute average from operations not associated with asbestos-containing material (ACM) M - Fugitive dust visual inspections daily. Also – employ BACM that are sufficient to minimize or eliminate visible emissions of fugitive dust ET - None normally required for opacity.

F001 F001	N/A	17-08 (B)		Y	N	N	N	N	N	N	N	N	N	N	ND - This emissions unit(s) is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B).
F001 F001	N/A	17-07 (B)		Y	N	N	N	N	N	N	N	N	N	N	ND - This emissions unit(s) is exempt from the VE limitations specified in OAC rule 3745-17-07(B), pursuant to OAC rule 3745-17-07(B)(11)(e).
EU(s)	Limitation	Basis		ND	OR	M	St	ENF	R	St	Rp	St	ET	Misc	<u>Comments</u>
		SIP (3745-)	Other												
F001	N/A		*	Y	N	N	N	N	N	N	N	N	N	N	* This facility is not subject to 40 CFR Part 63, Subpart AAAAA, pursuant to 40 CFR 63.1935.
F001	see com ment s *	31-05		N	N	N	N	N	N	N	N	N	N	N	* emissions limits for landfill fugitive emissions: 54.9 tons NMOC/yr 36,800 tons CH4/yr 38.2 tons PE/yr (fugitive) 5.24 tons PM10/yr (fugitive) 15.0 tons CO/yr (fugitive) M, R, Rp - Compliance with the limit is based on AP-42 emission factors; therefore, it is not necessary to develop monitoring, record keeping and reporting requirements to ensure compliance with this limit. ET - None normally required for landfill fugitive emissions.
F001	see com ment s *		40 C F R 60 .7 50 et se q.	N	N	Y	N	N	Y	N	Y	N	N	N	* various monitoring, recordkeeping, and reporting requirements relating to future generation levels of NMOC from the landfill gas - established by NSPS Subpart WWW
F003	3.91 tons PE	31-05		N	N	Y	N	N	Y	N	Y	N	N	N	M - Fugitive dust visual inspections daily. Also – employ best available control measures (BACM) that

	/yr														are sufficient to minimize or eliminate visible emissions of fugitive dust ET - None normally required for fugitive particulate emissions. (Compliance is based on Ohio EPA RACM emission factors.)
F003	visible emissions restriction *	31-05		N	N	Y	N	N	Y	N	Y	N	N	N	* no visible particulate emissions except for 3 minutes during any 60-minute period (for the enclosure) M - Fugitive dust visual inspections daily. Also – employ BACM that are sufficient to minimize or eliminate visible emissions of fugitive dust ET - None normally required for opacity.

EU = emissions unit ID

ND = negative declaration (i.e., term that indicates that a particular rule(s) is (are) not applicable to a specific emissions unit)

OR = operational restriction

M = monitoring requirements

St = streamlining term used to replace a PTI monitoring, record keeping, or reporting requirement with an equivalent or more stringent requirement

ENF = did noncompliance issues drive the monitoring requirements?

R = record keeping requirements

Rp = reporting requirements

ET = emission testing requirements (not including compliance method terms)

Misc = miscellaneous requirements

X **Instructions for Part III:**

- X All non-insignificant EUs must be included in this table. For each EU, or group of similar EUs, each emission limitation and control requirement specified in section A.I.1 and A.I.2 of the permit must be identified and the remainder of the table completed.
- X If the SIP (not including OAC rule 3745-31-05) is the basis for the term and condition, identify the specific rule. If the SIP is not the basis for the term and condition, place an **AN** in the column under **SIP**. If the basis for the term and condition is something other than the SIP, including OAC rule 3745-31-05, NSPS or MACT, a **AY** should be noted in the **Other** column, and if not, an **AN** should be noted. If the basis for the term and condition is **Other**, an explanation of the basis must be provided in the **Comments** section. If OAC rule 3745-31-05 is cited in the **Other** column, please indicate in the **Comments** section whether or not all of the requirements have been transferred from the permit to install.
- § To complete the remainder of the table after **Basis**, except for the **Comments** section, simply specify a **AY** for yes or an **AN** for no. For the **AM**, **AR**, **ARp**, and **ET** columns, if **AN** is specified, there should be a brief explanation in the **Comments** section as to why there are no requirements. If a brief explanation is provided in the **Comments** section, please do not simply indicate that monitoring or testing requirements are not necessary. An explanation of why a requirement is not necessary should be specified.

When periodic monitoring requirements are established to satisfy the provisions of OAC rule 3745-77-07(A)(3)(a)(ii), the basis for the requirements must be explained. Whenever Engineering Guides have been used to establish the periodic monitoring requirements, the applicable Engineering Guide may be referenced in the **Comments** section. An example that should be clarified would be the situation where it has been determined that control equipment parametric monitoring will be used to evaluate ongoing compliance in lieu of performing frequent emission tests. In this situation, Engineering Guide #65 would be referenced along with the fact that the parametric monitoring range (or minimum value) corresponded to the range (or minimum value) documented during the most recent emission tests that demonstrated that the emissions unit was in compliance. If streamlining language is included in the **Monitoring**, **Record Keeping**, or **Reporting** requirements sections of the permit, explain which requirements are being streamlined (mark appropriate column above) and provide a brief explanation of why the streamlined term is equal to or more stringent than the **Monitoring**, **Record Keeping**, or **Reporting** requirements specified in the permit to install. If Engineering Guide #16 was used as the basis for establishing an emission test frequency, a simple note referencing the Engineering Guide in the **Comments** section would be sufficient.

Also, if a **AY** is noted under **OR**, **Misc**, **St**, **AND**, or **ENF** an explanation of the requirements must be provided in the **Comments** section. In addition to a general explanation of the **OR**, **Misc**, **St**, **AND**, and/or **ENF** the following must be provided:

1. For an operational restriction, clarify if appropriate monitoring, record keeping, and reporting requirements have been specified for the operational restriction and indicate whether or not CAM is currently applicable.
2. If a control plan and schedule is included in the **Miscellaneous Requirements** section of the permit, provide an explanation in the **Comments** section of the violation, basis for the violation, and the company's proposed control plan and schedule.
3. If the **AND** column above is marked, please identify the particular rule(s) that is (are) not applicable to the specified emissions unit.

- A. If the **ENF** column above is marked, please provide a brief explanation of the noncompliance issue(s) which prompted the use of the specified monitoring requirement.

An explanation is not required if an **AN** is noted in the **OR**, **Misc**, **St**, **AND**, or **ENF** columns.

- X **Additional information for modifications** - Several types of modifications, as defined by rule, may be processed concurrently. Please provide enough of a description for someone wishing to review the changes to the permit language to be able to identify where the change is made in the permit document. This brief description should be identified in the appropriate row in the first table of this form by replacing the **AN/A** in the applicable row(s). Please also indicate if the modification is being initiated by an appeal by including the ERAC case number in the **Comments** area. Please update the term-specific text in the SOB as warranted (full insertion or replacement is acceptable; bold italic and strike out is not needed). Note all modification/reopening rows should remain **AN/A** when developing the SOB during the initial permit development. Note: APA's and Off-permit changes do not need to be noted in the SOB.



**State of Ohio Environmental Protection Agency
Division of Air Pollution Control**

DRAFT

**Air Pollution Title V Permit
for
Sunny Farms Landfill**

Facility ID: 0374010199

Permit Number: P0087707

Permit Type: Renewal

Issued: 8/21/2008

Effective: To be entered upon final issuance

Expiration: To be entered upon final issuance



State of Ohio Environmental Protection Agency
 Division of Air Pollution Control

Air Pollution Title V Permit
 for
 Sunny Farms Landfill

Table of Contents

Authorization 1

A. Standard Terms and Conditions 2

 1. Federally Enforceable Standard Terms and Conditions 3

 2. Monitoring and Related Record Keeping and Reporting Requirements..... 3

 3. Scheduled Maintenance..... 6

 4. Risk Management Plans 6

 5. Title IV Provisions 6

 6. Severability Clause 7

 7. General Requirements 7

 8. Fees..... 8

 9. Marketable Permit Programs..... 8

 10. Reasonably Anticipated Operating Scenarios 8

 11. Reopening for Cause 8

 12. Federal and State Enforceability 9

 13. Compliance Requirements 9

 14. Permit Shield 10

 15. Operational Flexibility..... 10

 16. Emergencies 11

 17. Off-Permit Changes 11

 18. Compliance Method Requirements 11

 19. Insignificant Activities or Emissions Levels..... 12

 20. Permit to Install Requirement 12

 21. Air Pollution Nuisance 12

 22. Permanent Shutdown of an Emissions Unit 12

 23. Title VI Provisions 12

 24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only 13

 25. Records Retention Requirements Under State Law Only 13

 26. Inspections and Information Requests 13

 27. Scheduled Maintenance/Malfunction Reporting 14

 28. Permit Transfers 14



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations	14
B. Facility-Wide Terms and Conditions.....	15
C. Emissions Unit Terms and Conditions	17
1. F001, Solid Waste/Asbestos Landfill	18
2. F002, Plant Roadways and Parking Areas	39
3. F003, Railcar Unload Building.....	43



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Draft Title V Permit

Permit Number: P0087707

Facility ID: 0374010199

Effective Date: To be entered upon final issuance

Authorization

Facility ID: 0374010199
Facility Description: Refuse Systems
Application Number(s): A0018753, A0018754
Permit Number: P0087707
Permit Description: Renewal Title V application
Permit Type: Renewal
Issue Date: 8/21/2008
Effective Date: To be entered upon final issuance
Expiration Date: To be entered upon final issuance
Superseded Permit Number:

This document constitutes issuance of an OAC Chapter 3745-77 Title V permit to:

Sunny Farms Landfill
12500 West County Road 18
Fostoria, OH 44830

Ohio EPA District Office or local air agency responsible for processing and administering your permit:

Ohio EPA DAPC, Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419)352-8461

The above named entity is hereby granted a Title V permit pursuant to Chapter 3745-77 of the Ohio Administrative Code. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. You will be sent a notice approximately 18 months prior to the expiration date regarding the renewal of this permit. If you do not receive a notice, please contact the Ohio EPA DAPC, Northwest District Office. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, if a timely renewal application is submitted. A renewal application will be considered timely if it is submitted no earlier than 18 months (540 days) and no later than 6 months (180 days) prior to the expiration date.

This permit is granted subject to the conditions attached hereto.

Ohio Environmental Protection Agency

Chris Korleski
Director



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Draft Title V Permit

Permit Number: P0087707

Facility ID: 0374010199

Effective Date: To be entered upon final issuance

A. Standard Terms and Conditions



1. Federally Enforceable Standard Terms and Conditions

- a) All Standard Terms and Conditions are federally enforceable, with the exception of those listed below which are enforceable under State law only:
 - (1) Standard Term and Condition A. 24., Reporting Requirements Related to Monitoring and Record Keeping Requirements of State-Only Enforceable Permit Terms and Conditions
 - (2) Standard Term and Condition A. 25., Records Retention Requirements for State-Only Enforceable Permit Terms and Conditions
 - (3) Standard Term and Condition A. 27., Scheduled Maintenance/Malfunction Reporting
 - (4) Standard Term and Condition A. 29., Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations
(Authority for term: ORC 3704.036(A))

2. Monitoring and Related Record Keeping and Reporting Requirements

- a) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit), the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - (1) The date, place (as defined in the permit), and time of sampling or measurements.
 - (2) The date(s) analyses were performed.
 - (3) The company or entity that performed the analyses.
 - (4) The analytical techniques or methods used.
 - (5) The results of such analyses.
 - (6) The operating conditions existing at the time of sampling or measurement.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))
- b) Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))
- c) The permittee shall submit required reports in the following manner:
 - (1) All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:



Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year in accordance with Standard Term and Condition A.2.c)(2) below; and each report shall cover the previous calendar quarter. An exceedance of the visible emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the owner or operator of the affected air contaminant source or air pollution control equipment complies with the requirements of OAC rule 3745-17-07(A)(3)(c).

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- (2) Except as may otherwise be provided in the terms and conditions for a specific emissions unit (i.e., in section C. Emissions Unit Terms and Conditions of this Title V permit or, in some cases, in section B. Facility-Wide Terms and Conditions of this Title V permit), all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.



These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this Standard Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this Standard Term and Condition.

See A.29 below if no deviations occurred during the quarter.
(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- (3) All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with Standard Term and Condition A.2)c)(2) above shall be submitted in the following manner:

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; Standard Terms and Conditions: A.3, A.4, A.5, A.7.e), A.8, A.13, A.15, A.19, A.20, A.21, and A.23 of this Title V permit, as well as any deviations from the requirements in section C. Emissions Unit Terms and Conditions of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with Standard Term and Condition A.2.c)(2) above shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in section B. Facility-Wide Terms and Conditions of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with Standard Term and Condition A.2.c)(2) above.



If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))

- (4) Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."

(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))

- (5) Reports of any required monitoring and/or record keeping information shall be submitted to Ohio EPA DAPC, Northwest District Office.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

3. Scheduled Maintenance

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in Standard Term and Condition A.2.c)(1) above.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

4. Risk Management Plans

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a) a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or

- b) as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

(Authority for term: OAC rule 3745-77-07(A)(4))

5. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

(Authority for term: OAC rule 3745-77-07(A)(5))



6. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

(Authority for term: OAC rule 3745-77-07(A)(6))

7. General Requirements

- a) The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b) It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c) This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with Standard Term and Condition A.11 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d) This permit does not convey any property rights of any sort, or any exclusive privilege.
- e) The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f) Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable when:
 - (1) the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
 - (2) the permittee no longer meets the definition of a "major source" as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or



(3) a combination of (1) and (2) above.

The permittee shall continue to comply with all applicable OAC Chapter 3745-31 requirements for all regulated air contaminant sources once this permit ceases to be enforceable. The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))

8. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

(Authority for term: OAC rule 3745-77-07(A)(8))

9. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

(Authority for term: OAC rule 3745-77-07(A)(9))

10. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these standard terms and conditions shall apply to all operating scenarios authorized in this permit.

(Authority for term: OAC rule 3745-77-07(A)(10))

11. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a) Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b) This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c) The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate



statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.

- d) The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.
(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))

12. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

(Authority for term: OAC rule 3745-77-07(B))

13. Compliance Requirements

- a) Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b) Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - (1) At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - (2) Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - (3) Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - (4) As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c) The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - (1) Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - (2) An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.



d) Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:

(1) Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted (i.e., postmarked) on or before April 30th of each year during the permit term.

(2) Compliance certifications shall include the following:

(a) An identification of each term or condition of this permit that is the basis of the certification.

(b) The permittee's current compliance status.

(c) Whether compliance was continuous or intermittent.

(d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.

(e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.

(3) Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))

14. Permit Shield

a) Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.

b) This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

(Authority for term: OAC rule 3745-77-07(F))

15. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the



Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

(Authority for term: OAC rules 3745-77-07(H)(1) and (2))

16. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

(Authority for term: OAC rule 3745-77-07(G))

17. Off-Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a) The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b) The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c) The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d) The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e) The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit-to-install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(Authority for term: OAC rule 3745-77-07(I))

18. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the



permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

(This term is provided for informational purposes only.)

19. Insignificant Activities or Emissions Levels

Each IEU that has one or more applicable requirements shall comply with those applicable requirements.

(Authority for term: OAC rule 3745-77-07(A)(1))

20. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

(Authority for term: OAC rule 3745-77-07(A)(1))

21. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

(Authority for term: OAC rule 3745-77-07(A)(1))

22. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the responsible official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent "modification" or "installation" as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an "emissions unit" as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

(Authority for term: OAC rule 3745-77-01)

23. Title VI Provisions

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:



- a) Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b) Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c) Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.
(Authority for term: OAC rule 3745-77-01(H)(11))

24. Reporting Requirements Related to Monitoring and Record Keeping Requirements Under State Law Only

The permittee shall submit required reports in the following manner:

- a) Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b) Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

25. Records Retention Requirements Under State Law Only

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

26. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio



EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

(Authority for term: OAC rule 3745-77-07(C))

27. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

28. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

(Authority for term: OAC rule 3745-77-01(C))

29. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a) where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in Standard Term and Condition A.2.c)(2); or
- b) where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; or
- c) where the company's responsible official has certified that an emissions unit has been permanently shut down.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Draft Title V Permit

Permit Number: P0087707

Facility ID: 0374010199

Effective Date: To be entered upon final issuance

Sunny Farms Landfill

B. Facility-Wide Terms and Conditions



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Draft Title V Permit

Permit Number: P0087707

Facility ID: 0374010199

Effective Date: To be entered upon final issuance

1. All the following facility-wide terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only:
 - a) None.
2. There are no insignificant emissions units listed by the applicant for this facility.



State of Ohio Environmental Protection Agency
Division of Air Pollution Control

Draft Title V Permit

Permit Number: P0087707

Facility ID: 0374010199

Effective Date: To be entered upon final issuance

C. Emissions Unit Terms and Conditions



1. F001, Solid Waste/Asbestos Landfill

Operations, Property and/or Equipment Description:

landfill - municipal solid waste, construction & demolition debris, and asbestos

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI 03-17081 as modified on December 21, 2006)	54.9 tons of fugitive nonmethane organic compounds (NMOC)/year 36,800 tons of fugitive methane/year 38.2 tons of fugitive particulate emissions (PE)/year 5.24 tons fugitive particulate matter less than 10 microns (PM10) /yr 15.0 tons carbon monoxide (CO)/year Visible fugitive PE shall not exceed 20% opacity as a three-minute average Best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [See b)(2)k through b)(2)n.]
b.	40 CFR 60.750 et seq. (NSPS Subpart WWW)	See b)(2)a, b)(2)b, b)(2)g, and d) through f).
c.	40 CFR 63.1930 et seq. (MACT Subpart AAAA)	None [See Section b)(2)h.]
d.	OAC rule 3745-17-07(B)(1)	None [See Section b)(2)i.]
e.	OAC rule 3745-17-08(B)	None [See Section b)(2)j.]
f.	40 CFR 61.140 et seq. [NESHAP Subpart M]	See b)(2)p.

(2) Additional Terms and Conditions

- a. The permittee (owner or operator), for the MSW landfill having a design capacity greater than 2.5 million cubic meters by volume or 2.5 million megagrams by mass, shall calculate the landfill nonmethane organic compounds (NMOC) emission rate annually or may elect to calculate and submit an estimate of the annual NMOC emission rate for the next 5-year period, in lieu of an annual report; and if the estimated NMOC emission rate can be documented to be less than 50 megagrams for each of the next five consecutive years. The estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for the next 5 years. The NMOC emissions for each year shall be calculated using the procedures and appropriate equation contained in this permit [and 40 CFR 60.754(a)]. The landfill NMOC emissions can be calculated in 1, 2 or 3 Tiers as follows:
- i. Tier 1: the NMOC emissions are calculated using the appropriate formula and the default values from 40 CFR 60.754(a)(1);
 - ii. Tier 2: the NMOC emissions are calculated, using the appropriate formula from 40 CFR 60.754(a)(1), using the site specific NMOC concentration (instead of the default value), obtained through the sampling procedures specified in 40 CFR 60.754(a)(3), using either Method 25C or Method 18 of Part 60 appendix A;
 - iii. Tier 3: the NMOC emissions are calculated, using the appropriate formula from 40 CFR 60.754(a)(1), using the site-specific methane generation rate constant, k , determined as required in 40 CFR 60.754(a)(4), using Method 2E of Part 60 appendix A, and the site-specific NMOC concentration determined from the sampling in Tier 2, 40 CFR 60.754(a)(3).

If the actual waste acceptance rate exceeds the estimated acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the director (the Ohio EPA, Northwest District Office). The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate, or the reporting frequency shall be changed to annual.

The initial 5-year NMOC emissions report shall be submitted to the director by January 31st, following the first year in which the landfill design capacity exceeded 2.5 million cubic meters by volume or 2.5 million megagrams by mass, and shall cover the preceding calendar year and the 5 consecutive years that follow. The NMOC emissions report shall be submitted by January 31st every 5 years, until a collection and control system is installed in compliance with 60.752(b)(2) and operating in accordance with 40 CFR 60.753 and 60.755. [40 CFR 60.752(b), 60.754(a), & 60.757(b)]

- b. As long as the calculated NMOC emission rate is calculated to be less than 50 megagrams per year the permittee shall:
- i. submit the initial 5-year NMOC emission rate report and either annual or 5-year emission reports thereafter; and



- ii. recalculate the NMOC emission rate following the fifth year and every 5 years thereafter, using the procedures and calculation specified in 40 CFR 60.754(a) and contained in the testing section of this permit.

If Tier 2 is used to calculate the estimated annual NMOC emissions, the site-specific NMOC concentration shall be re-tested every 5 years, as required in 40 CFR 60.754(a)(3).

If Tier 3 is used to calculate the estimated annual NMOC emissions, the initial/original site-specific methane generation rate constant shall be used in all future annual NMOC emission calculations and reports.

The NMOC emissions report shall be submitted by January 31st every 5 years (unless reverting to annually), until such time a collection and control system is installed in compliance with 60.752(b)(2) and operated in accordance with 40 CFR 60.753 and 60.755, or the landfill is closed.

Unless other arrangements are made with the director, the permittee shall submit a permit to install (PTI) application with the first annual report where the calculated NMOC emissions exceed 50 megagrams per year, in order to permit the facility for the collection and control system(s) required by the Standards of Performance for Municipal Solid Waste Landfills, Subpart WWW.
[40 CFR 60.752(b)]

- c. The facility shall not accept for disposal any regulated asbestos containing material (RACM) as defined in the National Emission Standards for Hazardous Air Pollutants (NESHAP) for Asbestos, 40 CFR Part 61, Subpart M, Section 141 and OAC rule 3745-20, or any subsequent revisions to either rule. RACM is defined to include:
 - i. friable asbestos material;
 - ii. Category I nonfriable asbestos containing material that has become friable;
 - iii. Category I nonfriable asbestos containing material that will be or has been subjected to sanding, grinding, cutting, or abrading; or
 - iv. Category II nonfriable asbestos containing material that has a high probability of becoming or has become crumbled, pulverized, or reduced to powder by the forces expected to act on the material in the course of demolition or renovation operations regulated by this subpart.

In addition, this facility shall not accept any Category II nonfriable asbestos-containing material. For asbestos materials, the permittee shall be limited to accepting Category I nonfriable asbestos containing material that has not or will not be subjected to sanding, grinding, cutting, or abrading. The permittee shall ensure that any Category I nonfriable asbestos containing material which has not or will not be subjected to sanding, grinding, cutting, or abrading shall not become friable during processing at the landfill. Any asbestos containing material that is or becomes friable is subject to the asbestos NESHAP regulation.
[40 CFR Part 61, Subpart M & OAC 3745-20]



- d. If any asbestos material arrives at the landfill from an unregulated residence and meets the description of RACM as described in b)(2)c, the landfill shall:
 - i. cause or permit no visible emissions to the outside air from the asbestos-containing waste materials during on-site transportation, transfer, deposition or compacting operations;
 - ii. assure that deposition and burial operations be conducted in a manner which prevents handling by equipment or persons that causes asbestos-containing waste materials to be broken-up or dispersed before the materials are buried;
 - iii. cover the asbestos-containing waste material with at least twelve inches of non-asbestos-containing material, as soon as practicable after deposition, but no later than at the end of the operating day; and
 - iv. assure that during the unloading, deposition, burial and initial compaction of asbestos-containing waste materials, the disposal site is restricted adequately to deter unauthorized entry of the general public and any unauthorized personnel to within one hundred feet of the operations.
[40 CFR Part 61, Subpart M & OAC 3745-20]
- e. There shall be no open burning, in violation of OAC Chapter 3745-19, at this facility.
[OAC 3745-19]
- f. Pursuant to the authority in ORC section 3704.03(L), any representative of the director may, upon presentation of proper identification, enter at any reasonable time upon any portion of the property where this landfill is located, including any improvements thereon, to make inspections; take samples; conduct tests; examine records or reports pertaining to any emissions of air contaminants; and inspect monitoring equipment, emissions control equipment, and/or methods of operation and gas sampling. No operator or agent of this landfill shall act in any manner to refuse, hinder, or thwart this legal right of entry.
[ORC section 3704.03(L)]
- g. The permittee shall submit a permit to install (PTI) modification application and be issued a new PTI, before and where an expansion or an increase in the waste material received increases the NMOC emissions to equal or exceed 50 megagrams/year. If the amended design capacity report is not submitted with the PTI application, the permittee shall submit an amended design capacity report to the director within 90 days of the increase in the maximum design capacity of the landfill.
[40 CFR 60.752(a) & 60.757(a)]
- h. This facility is not subject to 40 CFR Part 63, Subpart AAAA, pursuant to 40 CFR 63.1935.
- i. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).



- j. The facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).

- k. The landfill fugitive dust operations/sources that are covered by this permit and subject to the requirements of OAC rule 3745-31-05 are listed below:
 - MSW/C&DD landfill operations:
 - i. daily cover and handling and placement
 - ii. solid waste handling (dumping)
 - iii. spreading, grading and compaction
 - iv. truck loading and unloading
 - v. bulldozing
 - vi. storage pile activities (loading, unloading, wind erosion)

- l. The permittee shall employ best available control measures for the above-identified landfill fugitive dust operations/sources for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance.

- m. The above-mentioned control measures shall be employed if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during any such operation until further observation confirms that use of the measures is unnecessary.

Implementation of the control measures shall not be necessary for fugitive dust sources which are covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.

- n. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-31-05.

- o. Hydrogen Sulfide Emissions Contingency Plan

As part of the best available technology requirements under OAC rule 3745-31-05(A)(3), Ohio EPA may request the permittee to develop and implement a hydrogen sulfide emissions contingency plan. If requested, the contingency plan shall meet the requirements detailed in rules developed in response to House Bill (H.B.) 397.

Under H.B. 397 signed by the governor December 22, 2005, Ohio EPA is required to develop rules governing the operation of construction and demolition debris (C&DD) landfills. One part of this bill requires Ohio EPA to require C&DD facilities to develop and implement a contingency plan for the effective action in response to hydrogen sulfide or other gas emissions. However, Ohio EPA believes it may become important for facilities other than C&DD landfills to have



in place a contingency plan to deal with potential hazardous emissions. Therefore, as a condition of this permit, if requested, the permittee will be required to develop and implement a hydrogen sulfide / other gas emission contingency plan consistent with the requirements developed in response to H.B. 397.

- p. The requirements established pursuant to this rule are less stringent or equivalent to the requirements of OAC rule 3745-31-05(A)(3).

c) Operational Restrictions

- (1) The permittee shall be limited to accepting no more than 3,000 tons of MSW per day. The permittee is also limited to accepting no more than 5,000 tons of total waste including MSW and C&DD material (as defined in Ohio Revised Code 3714.01 (C)) per day.

[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

- (2) There shall be no visible emissions from asbestos-containing waste materials (ACM) during on-site transportation, transfer, deposition, or compacting operations.

[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

- (3) The permittee shall inspect each load of ACM delivered to the facility. The inspection shall consist of a visual examination to ensure that each shipment of ACM is received intact, leak-tight containers labeled with appropriate hazard warning labels, the name of the generator, and the location of waste generation. The inspection also shall determine whether the waste shipment records accompany the consignment and accurately describe the waste material and quantity.

If on the basis of the inspection, the waste material is found to be improperly received, the load shall be disposed of in accordance with the procedures in the "Asbestos Spill Contingency Plan", and the discrepancy shall be noted on the waste shipment record.

[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

- (4) Deposition and burial operations shall be conducted in a manner which prevents handling by equipment or persons that causes asbestos-containing waste materials to be broken up or dispersed before the materials are buried.

[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

- (5) The permittee shall cover and compact asbestos wastes in accordance with the following:

- a. As soon as practicable after the placement of friable asbestos, but no later than the end of each working day, the asbestos-containing waste materials deposited at the site during the operating day shall be covered with at least 12 inches of non-ACM. Once the ACM are covered, the area may be compacted.

- b. Care should be taken to ensure that disposed asbestos shall not be re-excavated in subsequent operations. Any accidentally exposed material shall be immediately recovered in accordance with the provisions of condition 'a' above.



c. ACM shall be separated from the landfill final grade by no less than 24 inches of compacted non-ACM and a permanent cover of vegetation, or in accordance with current requirements for closure, whichever is more stringent.
[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

(6) The permittee shall implement and maintain an "Asbestos Disposal Operating Procedure and Spill Contingency Plan" ("Plan") consisting of; authorized personnel training, inspection and disposal operating procedures, non-conforming load response procedures, inventory and maintenance procedures for safety and emissions control equipment, record keeping procedures, and emergency notification procedures. Authorized personnel shall be knowledgeable in the procedures, and the Plan shall be available for inspection at this facility at all times.
[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

(7) Emissions control equipment shall be available for wetting and containing asbestos in the event of a release or non-conforming load disposal. All equipment required to implement the Plan shall be maintained in accordance with good engineering practices to ensure that the equipment is in a ready-to-use condition and in an appropriate location for use.
[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

(8) The permittee shall establish restricted access, adequate to deter the unauthorized entry of the general public and any unauthorized personnel, within 100 feet of the unloading, deposition, and burial areas of the asbestos-containing waste material. A hazard warning shall display the following information on signs not less than 20 x 14 inches in size, posted so they are visible before entering an area with asbestos waste disposal operations in progress:

"ASBESTOS WASTE DISPOSAL SITE
DO NOT CREATE DUST
BREATHING ASBESTOS IS HAZARDOUS TO YOUR HEALTH"

The letter sizes and styles shall be of a visibility at least equal to the following specifications: one inch sans serif, gothic or block in the first and second line; and at least three-fourths inches sans serif, gothic or block in the third line; and fourteen point gothic in the fourth line. Spacing between any two lines must be at least equal to the height of the upper of the two lines.
[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

d) **Monitoring and/or Recordkeeping Requirements**

(1) The permittee shall keep for at least 5 years, up-to-date, readily accessible, on-site records of the design capacity report which showed the landfill capacity to equal or exceed 2.5 million megagrams and/or 2.5 million cubic meters, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either hardcopy or electronic formats are acceptable.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.758(a)]

(2) The permittee shall maintain records of the total volume of material received each day. These records shall be maintained for a period of not less than three years, and the



records shall be available for review by the director or his representative during normal business hours.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (3) This solid waste landfill has a design capacity greater than 2.5 million megagrams or 2.5 million cubic meters; therefore, the permittee shall calculate the NMOC emission rate for the landfill using the procedures specified in 40 CFR 60.754(a)(1) and this permit, and shall maintain records of such calculations. Except as provided in 60.757(b)(1)(ii) (where NMOC emissions can be calculated to be less than 50 megagrams in each of the next 5 consecutive years), the NMOC emission rate shall be re-calculated and reported annually.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.752(b)(2)]

- (4) The permittee shall keep readily accessible documentation of the nature, date of deposition, amount, and location of asbestos-containing and/or nondegradable wastes, excluded from collection as provided in 40 CFR 60.759(a)(3)(i), as well as any nonproductive areas excluded from collection as provided in 40 CFR 60.759(a)(3)(ii).

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.758(d)(2)]

- (5) Except as otherwise provided in this section, the permittee shall perform inspections of the landfill fugitive dust operations/sources in accordance with the following frequencies:

landfill fugitive dust operations/sources:	minimum inspection frequency:
daily cover and handling and placement	once during each day of operation
solid waste handling (dumping)	once during each day of operation
spreading, grading and compaction	once during each day of operation
truck loading and unloading	once during each day of operation
bulldozing	once during each day of operation
storage pile activities [as in b)(2)k.vi]	once during each day of operation

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (6) The purpose of the inspections is to determine the need for implementing the above-mentioned control measures for particulate emissions. The inspections shall be performed during representative, normal operating conditions. No inspection shall be necessary for a for a landfill fugitive dust operation/source that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified event shall be performed as soon as such event(s) has (have) ended, except if the next inspection is within one week.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (7) The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - c. the dates the control measure(s) was (were) implemented; and
 - d. on a calendar quarter basis, the total number of days the control measure(s) was (were) implemented.



The information in d)(7)d shall be kept separately for each landfill fugitive dust operation/source listed above, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (8) The permittee shall maintain daily records of the following information:
- a. The amount of MSW material accepted by the landfill, in tons per day.
 - b. The total annual, year to date, amount of MSW material accepted by the landfill, in tons per year [sum of d)(8)a for each calendar day to date from January to December].
 - c. The amount of C&DD material accepted by the landfill as defined in Ohio Revised Code 3714.01 (C), in tons per day.
 - d. The total annual, year to date, amount of C&DD material accepted by the landfill as defined in Ohio Revised Code 3714.01 (C), in tons per year [sum of d)(8)c for each calendar day to date from January to December].
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (9) The permittee shall maintain a waste shipment record for all ACM. The waste shipment record shall be legible, complete, signed and dated by the waste generator and waste disposal site operator, and shall include the following information:
- a. The name of the work site or facility where the asbestos-containing waste was generated and the mailing address and telephone number of the facility owner.
 - b. The name, mailing address, and telephone number of the owner or operator (waste generator) responsible for handling, packing, marking, and labeling the asbestos-containing waste material.
 - c. The name, mailing address, telephone number, and site location of the active waste disposal site designated by the generator to receive the asbestos-containing waste material for disposal.
 - d. The name and address of the local, State, or U.S. EPA regional office responsible for administering the asbestos NESHAP program.
 - e. A description of the asbestos-containing waste materials included in the waste shipment.
 - f. The number and type of containers included in the waste shipment.
 - g. The approximate volume of asbestos-containing waste material included in the waste shipment, in cubic yards.
 - h. Special handling instructions or additional information relative to the waste shipment the generator may specify.
 - i. A certification that the contents of this consignment are fully and accurately described by proper shipping name and are classified, packed, marked, and



labeled, and are in all respects in proper condition for transport by highway according to applicable international and governmental regulations.

- j. The name, address, and telephone number of the transporter.
- k. A signature by the transporter to acknowledge receipt of the asbestos-containing waste shipment described by the waste generator in sections 'a' through 'j' above.
- l. A discrepancy indication space to be completed by the transporter or waste shipment owner or operator if any improperly contained asbestos waste is observed or if there is any discrepancy in the quantity of asbestos shipped and the quantity of asbestos waste received at the asbestos waste disposal site.
- m. A signature by the waste disposal site operator to acknowledge receipt of the asbestos-containing waste shipment described by the waste generator in 'a' through 'i' of this section, except as noted in the discrepancy indication space.

As soon as possible and no longer than thirty days after receipt of the waste, send the original completed copy of the signed waste shipment record to the waste generator and retain the remaining copy for the waste site disposal record.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (10) The permittee shall maintain records of the location, depth, area, and quantity in cubic yards of all asbestos-containing waste material within the disposal site, on a map or a diagram of the disposal area.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

e) Reporting Requirements

- (1) Until a collection and control system meeting the requirements of 40 CFR 60.753 and 60.755 is installed, the permittee shall submit an annual NMOC emission rate report to the director, except for the provisions for the "5-year" estimate below. The director may request such additional information as may be necessary to verify the reported NMOC emission rate.
 - a. The NMOC emission rate report shall contain an annual or 5-year estimate of the NMOC emission rate, calculated using the formula from 40 CFR 60.754(a), also contained in this permit:
 - i. The initial NMOC emission rate report may be combined with the initial design capacity report. Subsequent NMOC emission rate reports shall be submitted annually thereafter, except as provided for below.
 - ii. If the estimated NMOC emission rate as reported in the annual report to the director is less than 50 megagrams per year in each of the next 5 consecutive years, the permittee may elect to submit an estimate of the NMOC emission rate for the next 5-year period in lieu of the annual report. This estimate shall include the current amount of solid waste-in-place and the estimated waste acceptance rate for each year of the 5 years for which an NMOC emission rate is estimated. All data and calculations upon which this estimate is based shall be provided to the



director. This estimate shall be revised at least once every 5 years. If the actual waste acceptance rate exceeds the estimated waste acceptance rate in any year reported in the 5-year estimate, a revised 5-year estimate shall be submitted to the director. The revised estimate shall cover the 5-year period beginning with the year in which the actual waste acceptance rate exceeded the estimated waste acceptance rate.

b. The permittee is exempted from the requirements of submitting the annual or 5-year NMOC emission estimate report, following the installation of a collection and control system meeting the requirements of 40 CFR 60.753 and 60.755 (or other option under 40 CFR 60.752(b)(2)(iii)), or when the landfill is closed.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.757(b)]

(2) Unless otherwise approved by the director, the permittee shall submit a PTI application along with the first NMOC emissions report in which the emission rate exceeds 50 megagrams per year; and a collection and control system design plan, if applicable, shall be submitted within 1 year of the first NMOC emissions report in which the emission rate exceeds 50 megagrams per year, except as follows:

a. If the permittee elects to recalculate the NMOC emission rate after Tier 2 NMOC sampling and analysis, as provided in 40 CFR 60.754(a)(3), and the resulting rate is less than 50 megagrams per year, annual periodic reporting shall be resumed, using the Tier 2 determined site-specific NMOC concentration, until the calculated emission rate is equal to or greater than 50 megagrams per year or the landfill is closed. The revised NMOC emission rate report, with the recalculated emission rate based on NMOC sampling and analysis, shall be submitted to the director within 180 days of the first calculated emission rate exceeding 50 megagrams per year.

b. If the permittee elects to recalculate the NMOC emission rate after determining a site-specific methane generation rate constant (k), as provided in Tier 3 in 40 CFR 60.754(a)(4), and the resulting NMOC emission rate is less than 50 megagrams per year, annual periodic reporting shall be resumed. The resulting site-specific methane generation rate constant (k) shall be used in the emission rate calculation until such time as the emissions rate calculation results in an exceedance of 50 megagrams per year. The revised NMOC emission rate report, based on the provisions of 40 CFR 754(a)(4) and the resulting site-specific methane generation rate constant (k), shall be submitted to the director within 1 year of the first calculated emission rate exceeding 50 megagrams per year.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.757(c)]

(3) The permittee shall submit a closure report to the Division of Air Pollution Control at the appropriate Ohio EPA office of jurisdiction, within 30 days of waste acceptance cessation. Permanent closure shall be conducted in accordance with the requirements of 40 CFR 258.60; and the Ohio EPA may request additional information, as may be necessary, to verify that all of these conditions are met. If a closure report has been submitted to the Ohio EPA, no additional wastes may be placed into the landfill without filing a notification of modification as described in 40 CFR 60.7(a)(4).

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.757(d)]



- (4) The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
 - a. Each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. Each instance when a control measure that was to be implemented as a result of an inspection was not implemented.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (5) The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency;
 - b. each instance when a control measure, that was to be performed as a result of an inspection, was not implemented;
 - c. any day where more than 3,000 tons per day of MSW material was accepted; and/or
 - d. any day where more than 5,000 tons per day of total waste (which includes MSW and C&DD material) was accepted.

These reports shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions of this permit.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (6) The permittee shall submit quarterly reports summarizing the asbestos disposal activities. The reports shall contain the following information:
 - a. The name, address, and location of the facility; the calendar period covered by the report; and any changes in the methods of storage or the disposal operations.
 - b. A list of all asbestos-containing waste consignments received, including the date received, the name of the waste generator, the name and location of the facility where the load originated, the quantity of asbestos, and any discrepancy or non-conformity discovered.

These quarterly reports shall be submitted no later than January 31, April 30, July 31, and October 31 and shall cover the previous calendar quarters.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (7) As soon as possible and no longer than 30 days after receipt of the waste (ACM), the permittee shall send a copy of the signed waste shipment record to the waste generator.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (8) Upon discovering a discrepancy between the quantity of waste designated on a waste shipment record and the quantity actually received, the permittee shall attempt to reconcile the discrepancy with the waste generator. If the discrepancy is not resolved



within 15 days after receiving the waste, immediately report in writing to the State, local, district, or U.S. EPA regional office responsible for administering the asbestos NESHAP program for the waste generator (identified in the waste shipment record), and, if different, the Northwest District Office. Describe the discrepancy and attempts to reconcile it and submit a copy of the waste shipment record along with the report.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (9) The permittee shall submit, upon closure of the facility, a copy of the records of the asbestos waste disposal locations and quantities.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (10) The permittee shall notify the Northwest District Office in writing at least 45 days prior to excavating or otherwise disturbing any asbestos-containing waste material that has been deposited at a waste disposal site and is covered. If the excavation will begin on a date other than the one contained in the original notice, notice of the new start date must be provided at least 10 working days before excavation begins and in no event shall the excavation begin earlier than the date specified in the original notification. The following information shall be included in the notice:
 - a. Scheduled starting and completion dates;
 - b. Reason for disturbing the waste;
 - c. Procedures to be used to control emissions during the excavation, storage, transport, and ultimate disposal of the excavated asbestos-containing waste material (if deemed necessary, the Northwest District Office may require changes in the proposed emission control procedures); and
 - d. Location of any temporary storage site and the final disposal site.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (11) The permittee shall notify the Northwest District Office of any load of asbestos-containing material which is rejected, or any non-conforming load disposed of in accordance with the "Asbestos Spill Contingency Plan." Notification shall be provided as soon as possible by a phone contact, followed in writing by the next working day. The written notification shall provide a copy of the waste shipment record (WSR), if available, or when waste is not shipped with a WSR, provide available information concerning vehicle identification, source of the load, a description of the load, nature of discrepancy, and the location of disposal. If possible, non-conforming loads of suspect friable material shall be detained, or the location of disposal protected from damage, until the Ohio EPA is informed and proved the opportunity to inspect.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (12) Pursuant to the New Source Performance Standards (NSPS), the source owner/operator is hereby advised of the requirements to report the following at the appropriate times:
 - a. construction date (no later than 30 days after such date);
 - b. actual start-up date (within 15 days after such date); and
 - c. date of performance testing (if required, at least 30 days prior to testing).



Reports are to be sent to:
Ohio Environmental Protection Agency
DAPC - Permit Management Unit
Lazarus Government Center
P.O. Box 1049
Columbus, OH 43216-1049

and

Ohio EPA, Northwest District Office
347 North Dunbridge Road
Bowling Green, Ohio 43402
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

f) Testing Requirements

(1) The permittee shall calculate the NMOC emission rate using either the equation provided in 40 CFR 60.754(a)(1)(i) or the equation provided in 40 CFR 60.754(a)(1)(ii), and specified below. Both equations may be used if the actual year-to-year solid waste acceptance rate is known, as specified in 40 CFR 60.754(a)(1)(i), for part of the life of the landfill. The default values to be used in both equations are 0.05 per year for "k", unless a site-specific methane generation rate constant is determined as specified in a Tier 3 determination; 170 cubic meters per megagram for "L₀"; and 4,000 ppm by volume as hexane for "CNMOC", unless samples are collected and the actual NMOC concentration is determined, as specified in a Tier 2 determination.

a. The following equation shall be used if the actual year-to-year solid waste acceptance rate is known:

$$M_{nmoc} = \sum (i = 1 \text{ to } n) \text{ of } 2(k)(L_o)(M_i)(e^{-kt_i})(C_{nmoc})(3.6 \times 10^{-9})$$

where,

M_{nmoc} = Total NMOC emission rate from the landfill, megagrams per year

k = methane generation rate constant, year⁻¹

L₀ = methane generation potential, cubic meters per megagram solid waste

M_i = mass of solid waste in the ith section, megagrams

t_i = age of the ith section, years

C_{nmoc} = concentration of NMOC, parts per million by volume as hexane

3.6 x 10⁻⁹ = conversion factor

n = number of sections

The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill, when calculating the value for M_i, if documentation of the nature and amount of such wastes is maintained.

b. The following equation shall be used if the actual year-to-year solid waste acceptance rate is unknown:

$$M_{nmoc} = 2(L_o)(R)[(e^{-kc} - e^{-kt})(C_{nmoc})(3.6 \times 10^{-9})]$$



Where:

M_{nmoc} = mass emission rate of NMOC, megagrams per year

L_o = methane generation potential, cubic meters per megagram solid waste

R = average annual acceptance rate, megagrams per year

k = methane generation rate constant, year⁻¹

t = age of landfill, years

C_{nmoc} = concentration of NMOC, parts per million by volume as hexane

c = time since closure, years; for active landfill c=0 and $e^{-kc}=1$

3.6×10^{-9} = conversion factor

The mass of nondegradable solid waste may be subtracted from the total mass of solid waste in a particular section of the landfill when calculating the value of R, if documentation of the nature and amount of such wastes is maintained.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.754(a)(1)]

- (2) The permittee shall compare the calculated NMOC mass emission rate to the standard of 50 megagrams per year. If the calculated NMOC emission rate is calculated to be less than 50 megagrams per year, then the permittee shall submit an emission rate report as required in 40 CFR 60.757(b)(1), and shall recalculate the NMOC mass emission rate annually and submit the report to the director, as required under 40 CFR 60.752(b)(1) and as provided in this permit.

If the calculated NMOC emission rate is equal to or greater than 50 megagrams per year, the permittee shall submit, within one year, a collection and control system design plan, prepared by a professional engineer, and shall install it in compliance with 40 CFR 60.752(b)(2); or shall determine a site-specific NMOC concentration and recalculate the NMOC emission rate using the procedures provided in a Tier 2 determination, in 40 CFR 60.754(a)(3).

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.754(a)(2)]

- (3) For a Tier 2 determination of the NMOC emission rate, the permittee shall determine the NMOC concentration using the following sampling procedure:
- a. The permittee shall install at least two sample probes per hectare of landfill surface that has retained waste for at least 2 years. If the landfill is larger than 25 hectares in area, only 50 sample probes are required. The sample probes should be located to avoid known areas of nondegradable solid waste.
 - b. The permittee shall collect and analyze one sample of landfill gas from each probe to determine the NMOC concentration using Method 25 or 25C of Appendix A of 40 CFR Part 60. Method 18 of Appendix A of 40 CFR Part 60 may be used to analyze the samples collected by the Method 25 or 25C sampling procedure.
 - c. Taking composite samples from different probes into a single cylinder is allowed; however, equal sample volumes must be taken from each probe. For each composite, the sampling rate, collection times, beginning and ending cylinder vacuums, or alternative volume measurements must be recorded to verify that composite volumes are equal. Composite sample volumes should not be less than one liter, unless evidence can be provided to substantiate the accuracy of

smaller volumes. The compositing shall be terminated before the cylinder approaches ambient pressure where measurement accuracy diminishes.

- d. If using Method 18, the permittee must identify all compounds in the sample, and, at a minimum, test for those compounds published in the most recent Compilation of Air Pollutant Emission Factors (AP-42), minus carbon monoxide, hydrogen sulfide, and mercury. At a minimum, the instrument must be calibrated for each of the compounds on the list. The concentration of each Method 18 compound shall be converted to CNMOC as hexane by multiplying it by the ratio of its carbon atoms divided by six.
- e. The permittee shall also divide the NMOC concentration determined from Method 25 or 25C of Appendix A of 40 CR Part 60 by six, to convert from CNMOC as carbon to CNMOC as hexane.
- f. If the landfill has an active or passive gas removal system in place, Method 25 or 25C samples may be collected from these systems instead of surface probes, provided the removal system can be shown to provide sampling as representative as the two sampling probe per hectare requirement. For active collection systems, samples may be collected from the common header pipe before the gas moving or condensate removal equipment. For these systems, a minimum of three samples must be collected from the header pipe.
- g. If more than the required number of samples is taken, all samples must be used in the analysis.
- h. The permittee shall recalculate the NMOC mass emission rate using the average NMOC concentration from the collected samples instead of the default value.
- i. If the resulting mass emission rate, recalculated using the site-specific NMOC concentration, is equal to or greater than 50 megagrams per year, the permittee shall either:
 - i. comply with 40 CFR 60.752(b)(2) and submit, within one year, a collection and control system design plan, and install the system within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, as required by rule, or
 - ii. determine the site-specific methane generation rate constant, k , in a Tier 3 determination, and recalculate the NMOC emission rate using the site-specific NMOC concentration from Tier 2 and site-specific methane generation rate constant, k , from Tier 3.
- j. If the resulting mass emission rate, recalculated using the site-specific NMOC concentration, is less than 50 megagrams per year, the permittee shall submit annual reports (or 5-year submission per 40 CFR 60.757(b)(1)(ii)) for the estimated NMOC emissions, recalculated each year using the site-specific NMOC concentration and as provided in 40 CFR 60.757(b)(1). The site-specific NMOC concentration shall be retested, as above, every 5 years.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.754(a)(3)]



- (4) For a Tier 3 determination of the NMOC emission rate, the permittee shall determine the site-specific methane generation rate constant, using the procedures provided in Method 2E of Appendix A of 40 CFR, Part 60. The permittee shall estimate the NMOC mass emission rate using the equations from 40 CFR 60.754(a)(1), and included in this permit, using a site-specific methane generation rate constant k and the site-specific NMOC concentration from Tier 2, instead of the default values provided with the calculation in the rule. The permittee shall compare the resulting NMOC mass emission rate to the standard of 50 megagrams per year.
 - a. If the resulting NMOC mass emission rate, calculated using the site-specific methane generation rate constant from Tier 3 and the site-specific concentration of NMOC from Tier 2, is equal to or greater than 50 megagrams per year, the permittee shall comply with 40 CFR 60.752(b)(2) and submit, within one year, a collection and control system design plan, and install the system within 30 months after the first annual report in which the emission rate equals or exceeds 50 megagrams per year, as required by rule; or
 - b. If the resulting NMOC mass emission rate, calculated using the site-specific methane generation rate constant from Tier 3 and the site-specific concentration of NMOC from Tier 2, is less than 50 megagrams per year, the permittee shall submit annual reports (or 5-year submission per 40 CFR 60.757(b)(1)(ii)) for the estimated NMOC emissions, recalculated each year using the site-specific methane generation rate constant k and the site-specific NMOC concentration from Tier 2, and submitted as provided in 40 CFR 60.757(b)(1).
 - c. The site-specific NMOC concentration shall be retested, as above, every 5 years, to be used in the NMOC emission estimate calculations. However, the calculation of the methane generation rate constant is performed only once, and the value obtained from this test shall be used in all subsequent annual NMOC emission rate calculations.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.754(a)(4)]
- (5) The permittee may use other methods to determine the NMOC concentration or site-specific methane generation rate constant k , as an alternative to the methods required in 40 CFR 754(a)(3) or (4), only if the method has been approved by the Administrator of the U.S. Environmental Protection Agency.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.754(a)(5)]
- (6) When calculating emissions for PSD purposes, the permittee shall estimate the NMOC emission rate, for comparison to the PSD major source and significance levels in 40 CFR 51.166 or 40 CFR 52.21 using AP-42 or other approved measurement procedures.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1), and 40 CFR 60.754(c)]
- (7) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following methods:
 - a. Emission Limitations:
54.9 tons NMOC /year
36,800 tons methane /year



Applicable Compliance Method:

Emissions shall not exceed these values based on the calculations referenced below. These calculations represent the highest emission rates which could occur based on US EPA's Landfill Gas Emission Model (LandGEM).

The maximum gas generation/emissions were calculated or predicted using LandGEM, based on the proposed landfill capacity of (9,610,000 megagrams) divided over approximately 46 years of proposed operation, at an average maximum receiving rate of 209,000 megagrams of waste material per year. Predictions are for year 2021.

i. NMOC concentrations and emissions were determined according to 40 CFR 60, Appendix A, Method 25C and LandGEM (Tier 2 value of 132).

ii. CH₄ emissions were estimated according to US EPA's AP-42, Compilation of Air Pollution Emission Factors, Chapter 2.4, for municipal solid waste landfills, (11/98) and LandGEM.

[OAC 3745-31-05(A)(3), 40 CFR Part 60 Subpart WWW, and 3745-77-07(C)(1)]

b. **Emission Limitation:**

38.21 tons/year of fugitive PE and 5.24 tons/year of fugitive PM₁₀

Applicable Compliance Method:

Compliance with fugitive PE and PM₁₀ limitations shall be determined by calculations using the information in the table below:

Activity	PE Emission Factor (PM10 scaling/ratio factor)	Source of Emission Factor or Equation	Annual Basis	Total Emissions (tons/year)
Truck Loading - Landfill Soil Cover	0.0005 lb/ton 0.0002 lb/ton	AP-42, Section 13.2.4 (1/95)	100,000 tons	PE - 0.03 PM ₁₀ - 0.01
Truck Unloading Landfill Soil Cover	0.0005 lb/ton 0.0002 lb/ton	AP-42, Section 13.2.4 (1/95)	100,000 tons	PE - 0.03 PM ₁₀ - 0.01
Truck Loading - Construction	0.0008 lb/ton 0.0004 lb/ton	AP-42, Section 13.2.4 (1/95)	301,650 tons	PE - 0.12 PM ₁₀ - 0.05
Truck Unloading - Construction	0.0008 lb/ton 0.0004 lb/ton	AP-42, Section 13.2.4 (1/95)	301,650 tons	PE - 0.12 PM ₁₀ - 0.05
Waste Dumping	0.0005 lb/ton 0.0002 lb/ton	AP-42, Section 13.2.4 (1/95)	1,825,000 tons	PE - 0.47 PM ₁₀ - 0.22
Bulldozer - Daily Cover	2.1087 lb/dozer hr 0.2775 lb/dozer hr	AP-42, Section 11.9-1 (7/98)	1,460 hours	PE - 1.54 PM ₁₀ - 0.20
Bulldozer - Construction	2.1087 lb/dozer hr 0.2775 lb/dozer hr	AP-42, Section 11.9-1 (7/98)	2,280 hours	PE - 3.05 PM ₁₀ - 0.40



Soil Removal Scraper - Construction	0.0580 lb/ton 0.0075 lb/ton	AP-42, Section 11.9-4 (7/98)	188,400 tons	PE - 5.46 PM ₁₀ - 0.71
Soil Removal Scraper - Landfill	0.0580 lb/ton 0.0075 lb/ton	AP-42, Section 11.9-4 (7/98)	12,000 tons	PE - 0.35 PM ₁₀ - 0.05
Bulldozer - Waste Spreading	1.8388 lb/dozer hr 0.2419 lb/dozer hr	AP-42, Section 11.9-1 (7/98)	8,760 hours	PE - 8.05 PM ₁₀ - 1.06
Wind Erosion - Construction	0.3800 ton/acre/yr 0.0494 ton/acre/yr	AP-42, Section 11.9-4 (7/98)	40 acres	PE - 15.20 PM ₁₀ - 1.98
Wind Erosion - Landfill	0.3800 ton/acre/yr 0.0494 ton/acre/yr	AP-42, Section 11.9-4 (7/98)	10 acres	PE - 3.80 PM ₁₀ - 0.49

- c. Emission Limitation:
15.0 tons/year of CO

Applicable Compliance Method:

The permittee shall demonstrate compliance through calculations using the equations in AP-42, Section 2.4, equation #1 and #4 (dated 11/98) and the Landfill Gas Emissions Model (LandGEM) with a total landfill capacity of 9,610,000 tons of compacted waste.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- d. Emission Limitation:
Visible fugitive PE shall not exceed 20% opacity as a three-minute average

Applicable Compliance Method:

If required, compliance with the visible emission limitation listed above shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

g) Miscellaneous Requirements

- (1) The application and enforcement of the provisions of the New Source Performance Standards (NSPS), as promulgated by the United States Environmental Protection Agency, 40 CFR Part 60, are delegated to the Ohio Environmental Protection Agency. The requirements for 40 CFR Part 60 are also federally enforceable.

- (2) Upon closure of the facility, the permittee shall comply with the following provisions of OAC rule 3745-20-07 and shall submit a copy of the records of the asbestos waste disposal locations and quantities to the Director (Northwest District Office).

- a. Each owner or operator of an inactive asbestos waste disposal site shall either:
- i. Discharge no visible emissions to the outside air from an inactive waste disposal site; or



- ii. Cover the asbestos-containing waste material with at least six inches of non-asbestos- containing material, and grow and maintain a cover of vegetation on the area adequate to prevent exposure of the asbestos-containing waste material; or
 - iii. Cover the asbestos-containing material with at least two feet of compacted non-asbestos-containing material and maintain the cover to prevent exposure of the asbestos-containing waste material.
 - b. Unless a natural barrier adequately deters access by the general public, each owner or operator of an inactive asbestos waste disposal site shall install and maintain warning signs and fencing as follows, or comply with g)(2)a.ii or g)(2)a.iii:
 - i. Display warning signs at all entrances and at intervals of three hundred feet or less along the property line of the site or along the perimeter of the sections of the site where asbestos-containing waste material was deposited. The warning signs must conform to the requirements of g)(2)f.
 - ii. Fence the perimeter of the site in a manner adequate to deter access by the general public.
 - iii. Upon request and submission of appropriate information, the Director will determine whether a fence or a natural barrier adequately deters access by the public.
 - iv. When requesting a determination on whether a natural barrier adequately deters public access, supply information enabling the Director to determine whether a fence or a natural barrier adequately deters access by the general public.
 - c. The owner or operator may use an alternative control method that has received prior approval of the Director rather than comply with the requirements of g)(2)a or g)(2)b.
 - d. Each owner or operator of an inactive waste disposal site shall notify the Director in writing at least forty-five days prior to excavating or otherwise disturbing or removing any asbestos-containing waste material. If the excavation will begin on a date other than the one contained in the original notice, notice of the new start date must be provided to the Director at least ten working days before excavation begins. In no event shall excavation begin earlier than the date specified in the original notification. Each owner or operator shall include the following information in the notice:
 - i. Scheduled starting and completion dates.
 - ii. Reason for disturbing the waste.
 - iii. Procedures to be used to control emissions during the excavation, storage, transport, and ultimate disposal of the excavated asbestos-containing material. If deemed necessary, the director may require changes in the emission control procedures to be used.



- iv. Location of any temporary storage site and the final disposal site.
- e. Within sixty days of a site becoming inactive, record a notation of the presence of asbestos-containing material on the deed to the facility property and on any other instrument that would normally be examined during the title search; this notation will, in perpetuity, notify any potential purchaser of the property that:
 - i. The land has been used for the disposal of asbestos-containing waste material; and
 - ii. The survey plot and record of the location and quantity of asbestos-containing waste disposed of within the disposal site required in paragraph (C)(2) of rule 3745-20-06 of the Ohio Administrative Code has been filed with the Director; and
 - iii. The site is subject to Chapter 3745-20 of the Ohio Administrative Code and 40 CFR Part 61, Subpart M.
- f. The warning signs referenced in g)(2)b.i must:
 - i. Be posted in such a manner and location that a person can easily read the legend; and
 - ii. Conform to the requirements for a twenty inch by fourteen inch upright format warning sign and display the following legend in the lower panel with letter sizes of at least one inch sans serif, gothic, or block. Spacing between any two lines must be at least equal to the height of the upper of the two lines:

"ASBESTOS WASTE DISPOSAL SITE
DO NOT CREATE DUST
BREATHING ASBESTOS IS HAZARDOUS TO YOUR HEALTH"
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]



2. F002, Plant Roadways and Parking Areas

Operations, Property and/or Equipment Description:

Landfill Roadways and Parking Areas

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI 03-17120 issued August 15, 2006)	82.5 tons fugitive particulate emissions (PE) /yr 22.3 tons fugitive particulate matter less than 10 microns (PM ₁₀) /yr no visible PE, except for a period of time not to exceed three minutes during any 60-minute observation period best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust [see b)(2)a through b)(2)g.]
b.	OAC rule 3745-17-07(B)(1)	See b)(2)h.
c.	OAC rule 3745-17-08(B)(1)	See b)(2)i.

(2) Additional Terms and Conditions

a. The unpaved roadways and parking areas that are subject to the terms and conditions of this permit are listed below:

unpaved roadways: all unpaved road segments

unpaved parking areas: all unpaved parking areas

b. The permittee shall employ best available control measures on all unpaved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways



and parking areas with water or other suitable dust suppression chemicals, at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other equally-effective control measures to ensure compliance.

- c. The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- d. Any unpaved roadway or parking area, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled with the control measure(s) specified above for paved surfaces. Any unpaved roadway or parking area that takes the characteristics of a paved roadway or parking area due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways and parking areas. Any unpaved roadway or parking area that is paved shall be subject to the visible emission limitation for paved roadways and parking areas.
- e. The permittee shall promptly remove, in such a manner as to minimize or prevent re-suspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- f. Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- g. Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- h. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- i. The facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08(B)(1).

c) Operational Restrictions

- (1) None.



d) Monitoring and/or Recordkeeping Requirements

(1) Except as otherwise provided in this section, the permittee shall perform inspections of the roadways and parking areas in accordance with the following frequencies:

unpaved roadways and parking areas	minimum inspection frequency
All	Once per day of operation
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]	

(2) The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

(3) The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in d)(3)d shall be kept separately for (i) the paved roadways and parking areas and (ii) the unpaved roadways and parking areas, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

e) Reporting Requirements

(1) The permittee shall submit deviation (excursion) reports that identify the following:

- a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
- b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

These reports shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions of this permit.



[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

f) Testing Requirements

(1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):

- a. Emission Limitation:
82.5 tons/yr fugitive PE
1.31 tons/yr fugitive PM₁₀

Applicable Compliance Method:

The emissions limitations were established by using the emission factor equations in Section 13.2.2, in Compilation of Air Pollutant Emission Factors, AP-42, Fifth Edition, Volume 1 (revised 12/03) for unpaved roadways. These emission limits were based on a maximum of 567,000 vehicle miles traveled per year, and a 95 % control efficiency for PE and PM₁₀.

Therefore, provided compliance is shown with the requirements of this permit to apply best available control measures, compliance with the ton per year PE limitation will be assumed.

- b. Emission Limitation:
no visible PE, except for a period of time not to exceed three minutes during any 60-minute observation period for unpaved roadways and parking areas

Applicable Compliance Method:

Compliance with the visible emission limitation specified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 2002, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.

[All of Section f): OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

g) Miscellaneous Requirements

(1) None.



3. F003, Railcar Unload Building

Operations, Property and/or Equipment Description:

Rail car unloading and subsequent truck loading of construction and demolition debris (C&DD) and other materials

a) The following emissions unit terms and conditions are federally enforceable with the exception of those listed below which are enforceable under state law only.

(1) None.

b) Applicable Emissions Limitations and/or Control Requirements

(1) The specific operations(s), property, and/or equipment that constitute each emissions unit along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from each unit shall not exceed the listed limitations, and the listed control measures shall be specified in narrative form following the table.

	Applicable Rules/Requirements	Applicable Emissions Limitations/Control Measures
a.	OAC rule 3745-31-05(A)(3) (PTI 03-17030 issued August 15, 2006)	fugitive particulate emissions (PE) shall not exceed 3.91 tons per year There shall be no visible particulate emissions escaping from the enclosure except for three minutes during any sixty minute period Utilize best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust to the extent that the above visible emissions limitation is met [See b)(2)c through b)(2)f.] See also f)(2).
b.	OAC rule 3745-17-07(B)(1)	See b)(2)h.
c.	OAC rule 3745-17-08(B)	See b)(2)i.

(2) Additional Terms and Conditions

a. The material handling operations that are covered by this permit and subject to the above mentioned requirements are listed below:

i. Unloading of materials from railcars with an excavator and subsequent loading of materials into trucks; and



- ii. Any other miscellaneous material handling operations inside the railcar unloading building (i.e. handling of material that was spilled during unloading and loading operations, etc.)
- b. The following materials and only these materials are permitted to be handled at this solid waste transfer station:
 - i. Municipal Solid Waste (MSW);
 - ii. Construction and Demolition Debris (C&DD);
 - iii. Non-toxic fly ash and/or bottom ash;
 - iv. POTW sludge; and
 - v. Category I non-friable Asbestos-Containing Material (ACM).

The materials permitted above do not exempt the permittee from complying with the rules and regulations of the Ohio EPA Division of Solid and Infectious Waste and the Division of Hazardous Waste.

- c. All of the material handling operations identified in b)(2)a above shall be contained within a building enclosure. Two ends of the enclosure may be open to allow the railcars and trucks to enter and exit the enclosure. Another opening may be permitted to allow the flexibility the excavator may require to operate. The enclosure shall be designed, built, and operated so that the escape of fugitive dust from the enclosure is minimized and to ensure the above visible emissions limitation is met.
- d. The permittee shall install, operate and maintain a wet suppression system to minimize the fugitive dust generated from the material handling operations and to meet the above visible emissions limitation.

Any loads which appear to contain dusty materials shall be watered prior to unloading.
- e. During the handling of any load of dusty material in which the material becomes airborne, the material shall be watered as necessary to minimize visible particulate emissions of fugitive dust.
- f. The permittee shall ensure that the unloading of materials from the rail cars and the subsequent loading of materials into trucks shall be done in a manner that will minimize the drop height of the materials.
- g. All materials shall be inspected and all shipping papers reviewed prior to unloading to assure no undesirable materials are included in the shipment. No Regulated Asbestos-Containing Materials (RACM), hazardous wastes, infectious wastes, materials contaminated with radioactive materials, or materials contaminated with PCBs shall be handled in this emissions unit.
- h. This emissions unit is exempt from the visible particulate emission limitations specified in OAC rule 3745-17-07(B) pursuant to OAC rule 3745-17-07(B)(11)(e).
- i. This facility is not located within an "Appendix A" area as identified in OAC rule 3745-17-08. Therefore, pursuant to OAC rule 3745-17-08(A), this emissions unit is exempt from the requirements of OAC rule 3745-17-08.



c) Operational Restrictions

- (1) This facility shall be limited to transferring no more than 5,000 tons of material per day in this emissions unit.
[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]
- (2) The facility shall be limited to transferring material in this emissions unit for no more than 12 hours per day and 313 days per year.
[OAC 3745-31-05(A)(3) and 3745-77-07(A)(1)]

d) Monitoring and/or Recordkeeping Requirements

- (1) The permittee shall perform inspections on a daily basis of the unloading and loading operations to determine if significant visible emissions are being emitted and shall perform inspections at the doors and at any other openings of the building enclosure to determine if there is any fugitive dust escaping from the enclosure.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (2) The purpose of the inspections is to determine the need for implementing the control measure in b)(2)e. The inspections shall be performed during representative, normal operating conditions.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (3) The permittee shall maintain daily records of the following information from the daily inspections:
 - a. the presence or absence of any visible emissions observed escaping from the building enclosure; (If visible emissions are observed escaping from the building enclosure, the permittee shall also note the total duration of the visible emission incident.)
 - b. the date and reason why any inspection was not performed;
 - c. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measure(s);
 - d. the dates that the control measure(s) were implemented; and,
 - e. the date and reason why any control measure that was shown to be required by the inspection was not performed.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (4) The permittee shall collect and record the amount of materials transferred in this emissions unit each day, in tons, and the annual amount of materials transferred, in tons as summed for the calendar year from January to December.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]
- (5) The permittee shall maintain daily records indicating the following for this emissions unit
 - a. each day this emission unit was in operation;
 - b. the number of hours of each day; and



- c. the annual number of days of operation as summed for the calendar year from January to December.
[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

e) Reporting Requirements

- (1) The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. identify all days during which any visible fugitive particulate emissions were observed escaping from the enclosure;
 - b. describe any corrective actions taken to eliminate the visible fugitive particulate emissions escaping from the enclosure;
 - c. each day during which an inspection was not performed by the required frequency;
 - d. each instance when a control measure that was to be performed as a result of an inspection was not performed;
 - e. identify all days where the of tons of material transferred exceeded the operational restriction in c)(1); and
 - f. identify all days where the hours of operation exceeded the operational restriction in c)(2).

These reports shall be submitted in accordance with the reporting requirements specified in the Standard Terms and Conditions of this permit.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

- (2) The permittee shall submit annual reports to the Northwest District Office identifying the following:
 - a. the amount of materials (in tons) transferred in the previous calendar year; and
 - b. the number of hours that the emissions unit operated in the previous calendar year

These reports shall be submitted by January 31 of each year.

[OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

f) Testing Requirements

- (1) Compliance with the emission limitations in b)(1) shall be determined in accordance with the following method(s):
 - a. Emissions Limitation:
fugitive PE shall not exceed 3.91 tons per year



Applicable Compliance Method:

Compliance shall be determined by calculating the particulate emissions per calendar year and comparing the calculated particulate emissions per calendar year to the above annual particulate emissions limitation.

The uncontrolled emissions shall be determined by multiplying the emission factor of 0.05 lbs/ton (from RACM document, pg. 2-72, 9/1980) by the annual tons of material unloaded from the railcars multiplied by 2 to account for both the loading and unloading operations.

The control efficiency of the wet suppression system is assumed to be 95%. The controlled particulate emissions per calendar year is calculated by multiplying the uncontrolled particulate emissions per calendar year by (1-0.95). If the controlled particulate emissions per calendar year calculated as above is less than or equal to 3.91 tons of particulate emissions, then compliance is shown.

b. Emissions Limitation:

There shall be no visible particulate emissions escaping from the enclosure except for three minutes during any sixty minute period.

Applicable Compliance Method:

Compliance shall be determined with the visible particulate emission limitation for the material handling operations in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 2002, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

- (2) In the event of the receipt of odor complaints concerning this facility by the Northwest District Office, such that the facility needs to be evaluated as to whether it is causing, permitting, or maintaining a public nuisance, the facility may be required to perform a measurement and characterization of the air contaminants being emitted at the facility in order that the facility may be able to properly evaluate any measures that the facility would undertake to control odors.

[All of Section f): OAC 3745-31-05(A)(3) and 3745-77-07(C)(1)]

g) Miscellaneous Requirements

- (1) None.