



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
50 West Town Street, Suite 700
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

08/28/07

CERTIFIED MAIL

**RE: Draft Title V Chapter 3745-77
permit**

04-48-01-1576
Hoffman Road Landfill
Edgar Irelan
3962 Hoffman Road
Toledo, OH 43611

Dear Edgar Irelan:

You are hereby notified that the Ohio Environmental Protection Agency has prepared the enclosed draft of the Title V permit for the facility referenced above. The purpose of this draft is to solicit public comments. A public notice concerning the draft will appear in the Ohio EPA Weekly Review and the major newspaper in the county where the facility is located. Comments and/or a request for a public hearing from the public and any affected parties will be accepted by Toledo Div of Environmental Services within 30 days of the date of publication in the newspaper. You will be notified in writing if a public hearing is scheduled. **In order to facilitate our review of all the comments or concerns you may have with the enclosed draft permit, please provide a hand marked-up copy of the draft permit showing the changes you think are necessary, along with any additional summary comments, by the end of the draft public comment period. The hard marked-up copy and any additional summary comments should be submitted to the Ohio EPA District Office or local air agency identified below and to the following address:**

**Andrew Hall
Permit Review/Development Section
Ohio EPA, Division of Air Pollution Control
122 South Front Street
Columbus, Ohio 43215**

A decision on processing the Title V permit will be made after consideration of written public comments and oral testimony (if a public hearing is conducted). After the comment period, you will be provided with a Preliminary Proposed Title V permit and an opportunity to comment prior to the Proposed Title V permit submittal to USEPA.

If you have any questions concerning this draft Title V permit, please contact Toledo Div of Environmental Services.

Sincerely,

Michael W. Ahern, Manager
Permit Issuance and Data Management Section
Division of Air Pollution Control

cc: USEPA (electronically submitted)
File, DAPC PIER
Toledo Div of Environmental Services
Indiana
Michigan



State of Ohio Environmental Protection Agency

DRAFT TITLE V PERMIT

Issue Date: 08/28/07	Effective Date: To be entered upon final issuance	Expiration Date: To be entered upon final issuance
----------------------	---	--

This document constitutes issuance of a Title V permit for Facility ID: 04-48-01-1576 to:
 Hoffman Road Landfill
 4545 Hoffman Rd
 Toledo, OH 43611

Emissions Unit ID (Company ID)/Emissions Unit Activity Description

F001 (Roadways & Parking Lots) Roadways & Parking Lots	Municipal Solid Waste Landfill	Storage Piles
F002 (Landfill)	Z003 (Storage Piles)	

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Toledo Div of Environmental Services
 348 South Erie Street
 Toledo, OH 43604
 (419) 936-3015

Ohio Environmental Protection Agency

Chris Korleski
 Director

PART I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Section

1. Monitoring and Related Record Keeping and Reporting Requirements

a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.III of Part III of this Title V permit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:

- i. The date, place (as defined in the permit), and time of sampling or measurements.
- ii. The date(s) analyses were performed.
- iii. The company or entity that performed the analyses.
- iv. The analytical techniques or methods used.
- v. The results of such analyses.
- vi. The operating conditions existing at the time of sampling or measurement.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))

b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))

c. The permittee shall submit required reports in the following manner:

- i. **All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:**

Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year in accordance with General Term and Condition A.1.c.ii below; and each report shall cover the previous calendar quarter. (An exceedance of the visible emission limitations specified in OAC rule 3745-17-07(A)(1) that is caused by a malfunction is not a violation and does not need to be reported as a deviation if the owner or operator of the affected air contaminant source or air pollution control equipment complies with the requirements of OAC rule 3745-17-07(A)(3)(c).)

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided

in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- ii. **Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.IV of Part III of this Title V permit or, in some cases, in Part II of this Title V permit, all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:**

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.

These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this General Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this General Term and Condition.

See B.6 below if no deviations occurred during the quarter.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

- iii. **All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted in the following manner:**

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; General Terms and Conditions: A.2, A.3, A.4, A.6.e, A.7, A.12, A.14, A.18, A.19, A.20, and A.22 of Part I of this Title V permit, as well as any deviations from the requirements in Section A.V or A.VI of Part III of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office

or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in Part II.A of this Title V permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEUs unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with General Term and Condition A.1.c.ii above.

If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))

- iv. Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."

(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))

- v. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

2. Scheduled Maintenance

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in General Term and Condition A.1.c.i above.

(Authority for term: OAC rule 3745-77-07(A)(3)(c))

3. Risk Management Plans

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a. a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b. as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

(Authority for term: OAC rule 3745-77-07(A)(4))

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

(Authority for term: OAC rule 3745-77-07(A)(5))

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

(Authority for term: OAC rule 3745-77-07(A)(6))

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with A.10 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f. Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable upon final issuance of all applicable OAC Chapter 3745-35 operating permits and/or registrations for all subject emissions units located at the facility and:
 - i. the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a “major source” as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
 - ii. the permittee no longer meets the definition of a “major source” as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or
 - iii. a combination of i. and ii. above.

The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

(Authority for term: OAC rule 3745-77-07(A)(8))

8. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.
(Authority for term: OAC rule 3745-77-07(A)(9))

9. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.
(Authority for term: OAC rule 3745-77-07(A)(10))

10. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.
(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))

11. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.
(Authority for term: OAC rule 3745-77-07(B))

12. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.

- iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:
- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted (i.e., postmarked) on or before April 30th of each year during the permit term.
 - ii. Compliance certifications shall include the following:
 - (a) An identification of each term or condition of this permit that is the basis of the certification.
 - (b) The permittee's current compliance status.
 - (c) Whether compliance was continuous or intermittent.
 - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
 - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
 - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))

13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
 - b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.
- (Authority for term: OAC rule 3745-77-07(F))*

14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed

under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

(Authority for term: OAC rules 3745-77-07(H)(1) and (2))

15. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

(Authority for term: OAC rule 3745-77-07(G))

16. Off-Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b. The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(Authority for term: OAC rule 3745-77-07(I))

17. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

(This term is provided for informational purposes only.)

18. Insignificant Activities or Emissions Levels

Each IEU that has one or more applicable requirements shall comply with those applicable requirements.

(Authority for term: OAC rule 3745-77-07(A)(1))

19. Permit to Install Requirement

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.
(Authority for term: OAC rule 3745-77-07(A)(1))

20. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.
(Authority for term: OAC rule 3745-77-07(A)(1))

21. Permanent Shutdown of an Emissions Unit

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the responsible official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent “modification” or “installation” as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an “emissions unit” as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.
(Authority for term: OAC rule 3745-77-01)

22. Title VI Provisions

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

(Authority for term: OAC rule 3745-77-01(H)(11))

B. State Only Enforceable Section

1. Reporting Requirements Related to Monitoring and Record Keeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

2. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

3. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

4. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

5. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

6. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations

occurred during that quarter. The reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a. where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in General Term and Condition A.1.c.ii; or
- b. where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; or
- c. where the company's responsible official has certified that an emissions unit has been permanently shut down.

Part II - Specific Facility Terms and Conditions

A. State and Federally Enforceable Section

None

B. State Only Enforceable Section

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Roadways & Parking Lots (F001)

Activity Description: Roadways & Parking Lots

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Paved and unpaved roadways, and parking areas.	OAC rule 3745-31-05(A)(3) (PTI 04-1190 modified 12/04/2001)	4.8 tons per year (tpy) of particulate emissions as PM10 for all paved and unpaved roadways and parking areas.
Paved roadways and parking areas (see A.I.2.b for an identification of the affected areas)	OAC rule 3745-31-05(A)(3) (PTI 04-01190 modified 12/04/2001)	No visible particulate emissions except for a period of time not to exceed one minute during any sixty-minute observation period for any paved roadway or parking area (see A.I.2.l)
	OAC rule 3745-17-08(B)	Control measures to minimize or eliminate visible particulate emissions of fugitive dust (see A.I.2.d, A.I.2.g and A.I.2.i through A.I.2.k and A.I.2.m).
	OAC rule 3745-17-07(B)(4)	See A.I.2.a below

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Unpaved roadways and parking areas (see A.I.2.c for an identification of the affected areas)	OAC rule 3745-31-05(A)(3) (PTI 04-01190 issued 9/29/99)	No visible particulate emissions except for a period of time not to exceed three minutes during any sixty-minute observation period for any paved roadway or parking area (see A.I.2.l)
	OAC rule 3745-17-08(B)	Control measures to minimize or eliminate visible particulate emissions of fugitive dust (see A.I.2.e, A.I.2.h and A.I.2.j through A.I.2.k and A.I.2.m).
	OAC rule 3745-17-07(B)(5)	See A.I.2.a below

2. Additional Terms and Conditions

- 2.a** The emission limitation established by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.b** The paved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

 paved roadways: entrance roads (Area B)
 paved parking areas: employee parking area, area around building (Area A) and future parking area (Area E)
- 2.c** The unpaved roadways and parking areas that are covered by this permit and subject to the above-mentioned requirements are listed below:

 unpaved roadways: haul road to disposal area (Area C)
 unpaved parking area: small hauler's drop off area (Area D)
- 2.d** The permittee shall employ reasonably available control measures on all paved roadways and parking areas for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the paved roadways and parking areas by sweeping and flushing with water at sufficient frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e** The permittee shall employ reasonably available control measures on the unpaved shoulders of all paved roadways for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved shoulders of all paved roadways with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.f** The permittee shall employ reasonably available control measures on all unpaved roadways for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the unpaved roadways with water and/or any other suitable dust suppression chemicals at treatment sufficient frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

2. Additional Terms and Conditions (continued)

- 2.g** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.
- 2.h** Any unpaved roadway, which during the term of this permit is paved or takes the characteristics of a paved surface due to the application of certain types of dust suppressants, may be controlled with the control measure(s) specified above for paved surfaces. Any unpaved roadway that takes the characteristics of a paved roadway due to the application of certain types of dust suppressants shall remain subject to the visible emission limitation for unpaved roadways. Any unpaved roadway that is paved shall be subject to the visible emission limitation for paved roadways.
- 2.i** The permittee shall promptly remove, in such a manner as to minimize or prevent resuspension, earth and/or other material from paved streets onto which such material has been deposited by trucking or earth moving equipment or erosion by water or other means.
- 2.j** Open-bodied vehicles transporting materials likely to become airborne shall have such materials covered at all times if the control measure is necessary for the materials being transported.
- 2.k** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the best available technology requirements of OAC rule 3745-31-05.
- 2.l** The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-08(B).
- 2.m** The needed frequencies of implementation of the control measures shall be determined by the permittee's inspections pursuant to the monitoring section of this permit. Implementation of the control measures shall not be necessary for a paved or unpaved roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day ensure compliance with the above-mentioned applicable requirements. Implementation of any control measure may be suspended if unsafe or hazardous driving conditions would be created by its use.

II. Operational Restrictions

1. When a dust suppressant is used for controlling fugitive dust from the unpaved road segments and parking areas, the following restrictions shall be followed:
- The permittee shall certify or possess certification that all dust suppressants used to control fugitive dust meet the PCB limitations set forth in 40 CFR 761, and that there are no listed hazardous wastes or characteristic hazardous wastes as set forth in 40 CFR 261.
 - The permittee shall not apply used oil as defined by OAC rule 3745-279-01(A)(12) as a dust suppressant.
 - The dust suppressant shall be applied in such a manner as to prevent pollution of waters of the State as required by the Ohio Revised Code, section 6111.

[Authority for term: OAC rule 3745-77-07(A)(1)]

III. Monitoring and/or Record Keeping Requirements

1. Except as otherwise provided in this section, the permittee shall perform inspections of each of the roadways and parking areas in accordance with the following frequencies:

paved roadways and parking areas: all
minimum inspection frequency: daily

unpaved roadways and parking areas: all
minimum inspection frequency: daily

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures. The inspections shall be performed during representative, normal traffic conditions. No inspection shall be necessary for a roadway or parking area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above-identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee may, upon receipt of written approval from the Toledo Division of Environmental Services (TDOES), modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements. Such modified inspection frequencies would not be considered a minor or significant modification that would be subject to the Title V permit modification requirements in paragraphs (C)(1) and (C)(3) of OAC rule 3745-77-08.

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. The permittee shall maintain records of the following information:
 - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - c. the dates the control measures were implemented; and
 - d. on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in section A.III.4.d above, shall be kept separately for (i) the paved roadways and parking areas and (ii) the unpaved roadways and parking areas, and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

[Authority for term: OAC rule 3745-77-07(C)(1)]

IV. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The deviation reports shall be submitted in accordance with the requirements specified in Part I - General Term and Condition A.I.c.

[Authority for term: OAC rule 3745-77-07(C)(1)]

V. Testing Requirements

- 1.a Compliance with the emission limitations in section A.I.1 of these terms and conditions shall be determined in accordance with the following methods:

Emission Limitation:

No visible particulate emissions except for a period of time not to exceed one minute during any sixty-minute observation period for any paved roadway or parking area. No visible particulate emissions except for a period of time not to exceed three minutes during any sixty-minute observation period for any unpaved roadway or parking area.

Applicable Compliance Method:

Compliance shall be determined through the monitoring and record keeping requirements of section A III. If required, compliance shall also be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources") as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03. Alternate, equivalent methods may be used upon approval by the Toledo Division of Environmental Services.

[Authority for term: OAC rule 3745-77-07(C)(1)]

- 1.b Emission Limitation:

4.8 tpy of particulate emissions as PM10

Applicable Compliance Method:

This emission limitation was developed by applying a 70% control efficiency for dust suppression to a maximum potential uncontrolled emission rate of 6.4 tpy PM10 for unpaved roadways and parking areas and 10.8 tpy PM10 for paved roadways and parking areas. These uncontrolled emission rates were calculated using the AP-42 emission factors for paved roadways (section 13.2.1, dated 12/03) and unpaved roadways (section 13.2.2, dated 12/03). Compliance with this annual limit shall be demonstrated through the monitoring and record keeping requirements in section A.III of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Landfill (F002)
Activity Description: Municipal Waste Landfill

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
MSW landfill equipped with an active gas collection and control system (open flare)	40 CFR Part 60, Subpart WWW	See A.1.2.a through A.1.2.c and A.1.2.p
	40 CFR Part 63, Subpart AAAA	See section A.1.2.o below
	40 CFR Part 60, Subpart A	See section A.2.p below

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
for controlled emissions from flare	OAC rule 3745-31-05(A)(3) (PTI 04-01190 modified 12/04/01)	0.3 lb/hr of nonmethane organic compounds (NMOC) 1.2 tpy of NMOC 47.3 lbs/hr of methane 207 tpy of methane 0.97 lb/hr of particulate emissions 4.25 tpy of particulate emissions 0.8 lb/hr of sulfur dioxide (SO ₂) 3.53 tpy of SO ₂ 3.4 lbs/hr of nitrogen oxides (NO _x) 14.7 tpy of NO _x 43.2 lbs/hr of carbon monoxide (CO) 189.1 tpy of CO 0.01 lb/hr of hydrochloric acid (HCl) 0.036 tpy of HCl 0.01 lb/hr of chlorine gas (Cl ₂) 0.03 tpy of Cl ₂
fugitive landfill gas emissions	OAC rule 3745-17-07(A)(1) OAC rule 3745-17-11(B)(1) OAC rule 3745-18-06(E)(2) OAC rule 3745-21-08(B)	20 tpy of NMOC 3446 tpy Methane 7.8 tpy VOC 0.6 tpy Cl ₂ See A.I.2.f below. See A.I.2.d below See A.I.2.d below See A.I.2.d below
fugitive landfill particulate emissions (see A.I.2.g for an identification of the affected areas)	OAC rule 3745-31-05(A)(3) (PTI 04-01190 modified 12/04/01)	See A.I.2.e below 1.93 tpy Particulate Matter (PM) 11.9 tpy of particulate emissions as PM ₁₀ See A.I.2.n. below
	OAC rule 3745-17-07(B)(1)	Visible fugitive particulate emissions shall not exceed 20% opacity as a 3-minute average
	OAC rule 3745-17-08(B)	See A.I.2.g through A.I.2.m below

2. Additional Terms and Conditions

2.a The active collection system shall satisfy the following requirements, as specified in 40 CFR Part 60.752(b)(2)(ii)(A):

- i. The system shall be designed to handle the maximum expected gas flow rate from the entire area of the landfill that warrants control over the intended use period of the gas control or treatment system equipment.
- ii. The system shall collect gas from each area, cell, or group of cells in the landfill in which the initial solid waste has been placed for a period of 5 years or more if active, or 2 years or more if closed or at final grade.
- iii. The system shall collect gas at a sufficient extraction rate.
- iv. The system shall be designed to minimize off-site migration of subsurface gas.

2.b The collected gas shall be vented to an open flare designed and operated as follows:

- i. The flare shall be designed for and operated with no visible emissions, except for periods not to exceed a total of 5 minutes during any 2 consecutive hours.
- ii. The flare shall be operated with a flame present at all times.
- iii. The permittee shall comply with either the requirements in paragraphs (a) and (b) or the requirements in paragraph (c):

(a) Flares shall be used only with the net heating value of the gas being combusted being 11.2 MJ/scm (300 Btu/scf) or greater if the flare is steam-assisted or air-assisted; or with the net heating value of the gas being combusted being 7.45 MJ/scm (200 Btu/scf) or greater if the flare is nonassisted. The net heating value of the gas being combusted shall be determined as follows:

$$H_t = k \sum_{i=1}^n C_i H_i \quad \text{for } i=1 \text{ through } i=n$$

where:

H_t = net heating value of the sample, MJ/scm; where the net enthalpy per mole of off gas is based on combustion at 25 degrees C and 760 mm Hg, but the standard temperature for determining the volume corresponding to one mole is 20 degrees C;

k = constant, 1.740×10^{-7} (1/ppm) (g mole/scm) (MJ/kcal) where the standard temperature for (g mole/scm) is 20 degrees C.

C_i = concentration of sample component i in ppm on a wet basis, as measured for organics by Reference Method 18 and measured for hydrogen and carbon monoxide by American Society for Testing and Materials (ASTM) D1946-77; and

H_i = net heat of combustion of sample component i , kcal/g mole at 25 degrees C and 760 mm Hg. The heats of combustion may be determined using ASTM D2382-76 if published values are not available or cannot be calculated.

2. Additional Terms and Conditions (continued)

(b) steam-assisted and non assisted flare(s) shall be designed for and operated with an exist velocity of less than 18.3 m/sec. (60 ft/sec), except:

(i) steam-assisted and non-assisted flare(s) shall be designed for and operated with an exit velocity if equal to or greater than 18.3 m/sec. (60 ft/sec), but less than 122 m/s (400 ft/sec) are allowed if the net heating value of the gas being combusted is greater than 37.3 MJ/scm (1,00 Btu/scf); and

(ii) steam-assisted and non-assisted flare(s) shall be designed for and operated with an exit velocity of less than the velocity, V_{max} , and less than 122 m/sec (400 ft/sec) are allowed; as determined by

$$\text{Log}_{10}(V_{max}) = (Ht + 28.8)/31.7$$

where:

V_{max} = maximum permitted velocity, M/sec

28.8 = constant

31.7 = constant

Ht = the net heating value as determined in section A.b.iii (a) above.

Flares shall be used that have a diameter of 3 inches or greater, are nonassisted, have a hydrogen content of 8.0 percent (by volume), or greater, and are designed for and operated with an exit velocity less than 37.2 m/sec (122 ft/sec) and less than the velocity, V_{max} , as determined by the following equation:

$$V_{max}=(XH_2-K_1)* K_2$$

Where:

V_{max} =Maximum permitted velocity, m/sec.

K_1 =Constant, 6.0 volume-percent hydrogen.

K_2 =Constant, 3.9(m/sec)/volume-percent hydrogen.

XH_2 =The volume-percent of hydrogen, on a wet basis, as calculated by using the American Society for Testing and Materials (ASTM) Method D1946–77. (Incorporated by reference as specified in §60.17).

2.c The collection and control system may be capped or removed provided that all of the following conditions, as specified in 40 CFR Part 60.752(b)(2)(v), are met:

i. The landfill shall be no longer accepting solid waste and be permanently closed (pursuant to 40 CFR Part 258.60).

ii. The collection and control system shall have been in operation a minimum of 15 years.

iii. As specified in 40 CFR Part 60.754(b), the calculated NMOC gas produced by the landfill shall be less than 55 tpy on three successive test dates. The test dates shall be no less than 90 days apart, and no more than 180 days apart.

2.d The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).

2. Additional Terms and Conditions (continued)

- 2.e** The permittee has satisfied the "best available control techniques and operating practices" and "latest available control techniques and operating practices" required pursuant to OAC rules 3745-21-08 respectively, by committing to comply with the best available technology requirements established pursuant to OAC rule 3745-31-05(A)(3) in permit to install 04-1190.
- 2.f** The requirements of this rule also include compliance with the requirements of OAC rule 3745-21-08(B) and 40 CFR Part 60, Subpart WWW.
- 2.g** The landfill areas and operations that are covered by this permit and subject to the requirements of OAC rule 3745-17-08 are listed below:
- all landfill areas where solid wastes are deposited;
overburden removal;
construction of cells;
construction of haul roads;
MSW dumping, transfer, compaction and covering;
bulldozing operations;
wind erosion; and
closure of cells.
- 2.h** The permittee shall employ reasonable available control measures on all landfill operations associated with the landfill cell for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the cell load-in operations (i.e., MSW dumping, transfer, compaction and covering) with water and/or any other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.i** The above-mentioned control measures shall be employed for each cell load-in operation of the landfill cell if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measures are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measures shall continue during any such operation until further observation confirms that use of the measures is unnecessary.
- 2.j** The permittee shall employ reasonably available control measures on all surface working operations associated with the landfill cell for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the surface working operations (i.e., overburden removal, construction of cells, construction of haul roads, bulldozing operations, and closure of cells) with water and/or other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.k** The permittee shall employ reasonably available control measures for wind erosion from surfaces associated with the landfill cell for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to treat the landfill surface with water and/or other suitable dust suppression chemicals at sufficient treatment frequencies to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.l** The above-mentioned control measures shall be employed for surface operations and wind erosion from the landfill cell if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for the landfill cell that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.m** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-17-08.
- 2.n** The requirements of this rule also include compliance with the requirements of OAC rule 3745-17-07(B)(1) and OAC rule 3745-17-08(B).

2. Additional Terms and Conditions (continued)

2.o 40 CFR Part 63, National Emissions Standards for Hazardous Air Pollutants:

i. Subpart AAAA establishes national emission standards for hazardous air pollutants for existing and new municipal solid waste (MSW) landfills. This subpart requires all landfills described in Section 63.1935 to meet the requirements of 40 CFR Part 60, Subpart or WWW and requires timely control of bioreactors. This subpart also requires such landfills to meet the startup, shutdown, and malfunction (SSM) requirements of the general provisions of this part and provides that compliance with the operating conditions shall be demonstrated by parameter monitoring results that are within the specified ranges. It also includes additional reporting requirements.

ii. Municipal solid waste landfill or MSW landfill means an entire disposal facility in a contiguous geographical space where household waste is placed in or on land. A municipal solid waste landfill may also receive other types of RCRA Subtitle D wastes (see Section 257.2 of this chapter) such as commercial solid waste, nonhazardous sludge, conditionally exempt small quantity generator waste, and industrial solid waste. Portions of a municipal solid waste landfill may be separated by access roads. A municipal solid waste landfill may be publicly or privately owned. A municipal solid waste landfill may be a new municipal solid waste landfill, an existing municipal solid waste landfill, or a lateral expansion.

iii. This MSW landfill is an existing affected source. The facility is an existing source for Subpart AAAA because this MSW landfill has not commenced construction or reconstruction after November 7, 2000. The facility is an affected source for Subpart AAAA as defined in 40 CFR 63.1935(a)(3) because the facility has a design capacity equal to or greater than 2.5 million megagrams and 2.5 million cubic meters and has estimated uncontrolled emissions equal to or greater than 50 megagrams per year NMOC as calculated according to Section 60.754(a) of Subpart WWW of the New Source Performance Standards,

iv. The permittee shall comply with this subpart by January 16, 2004. The permittee is no longer required to comply with this subpart when controls are no longer required by 40 CFR 60.752(b)(2)(v) of Subpart WWW.

v. As specified in Subpart AAAA, 40 CFR 63.1955, this MSW landfill is subject to the requirements of 40 CFR Part 60, Subpart WWW, the Subpart AAAA requirements in 40 CFR 63.1960 through 63.1985, and the following sections of 40 CFR Part 63 Subpart A, the General Provisions of the National Emissions Standards for Hazardous Air Pollutants for Source Categories (NESHAPS):

63.1(a), 63.1(b), 63.1(e), 63.2, 63.4, 63.5(b), 63.6(e), 63.6(f), 63.10(b)(2)(i) through 63.10(b)(2)(v), 63.10(d)(5), 63.12(a), and 63.15.

vi. For approval of collection and control systems that include any alternatives to the operational standards, test methods, procedures, compliance measures, monitoring, record keeping or reporting provisions, the permittee must follow the procedures in 40 CFR 60.752(b)(2). If alternatives have already been approved under 40 CFR Part 60 Subpart WWW or the federal plan, or EPA approved and effective State or tribal plan, these alternatives can be used to comply with this subpart, except that all affected sources must comply with the SSM requirements in Subpart A of 40 CFR Part 63 as specified in Table 1 of Subpart AAAA and all affected sources must submit compliance reports every 6 months as specified in Section 63.1980(a) and (b), including information on all deviations that occurred during the 6-month reporting period.

vii. General and Continuing Compliance Requirements

Compliance is determined in the same way it is determined for 40 CFR Part 60, Subpart WWW, including performance testing, monitoring of the collection system, continuous parameter monitoring, and other credible evidence. In addition, continuous parameter monitoring data, collected under 40 CFR 60.756(b)(1), (c)(1), and (d) of Subpart WWW, are used to demonstrate compliance with the operating conditions for control systems. If a deviation occurs, the permittee has failed to meet the control device operating conditions described in Subpart AAAA and has deviated from the requirements of Subpart AAAA. Finally, the permittee must develop and implement a written SSM plan according to the provisions in 40 CFR 63.6(e)(3). A copy of the SSM plan must be maintained on site. Failure to write, implement, or maintain a copy of the SSM plan is a deviation from the requirements of Subpart AAAA.

2. Additional Terms and Conditions (continued)

viii. Deviations

(a) Emissions limitation means any emission limit, opacity limit, operating limit, or visible emissions limit.

(b) Deviation means any instance in which an affected source subject to Subpart AAAA, or an owner or operator of such a source:

(i) fails to meet any requirement or obligation established by Subpart AAAA, including, but not limited to, any emissions limitation (including any operating limit) or work practice standard;

(ii) fails to meet any term or condition that is adopted to implement an applicable requirement in this subpart and that is included in the operating permit for any affected source required to obtain such a permit; or

(iii) fails to meet any emission limitation (including any operating limit), or work practice standard in Subpart AAAA during SSM, regardless of whether or not such failure is permitted by Subpart AAAA.

(c) For the purposes of the landfill monitoring and SSM plan requirements, a deviation occurs when the control device operating parameter boundaries described in 40 CFR 60.758(c)(1) of Subpart WWW are exceeded, or, when an SSM plan is not developed, implemented, or maintained on site.

The permittee must develop and implement a written SSM plan according to the provisions in 40 CFR 63.6(e)(3). A copy of the SSM plan must be maintained on site. Failure to write, implement, or maintain a copy of the SSM plan is a deviation from the requirements of Subpart AAAA.

2.p The provisions of subpart WWW apply at all times, except during periods of start-up, shutdown, or malfunction, provided that the duration of start-up, shutdown, or malfunction shall not exceed 5 days for collection systems and shall not exceed 1 hour for treatment or control devices.

2.q Testing shall be conducted in accordance with the provisions of 40 CFR Part 60, Subpart A, Section 60.8 and 40 CFR Part 60, Subpart AAAA, Section 60.1300.

II. Operational Restrictions

1. The permittee shall operate the collection system such that gas is collected from each area, cell, or group of cells in the MSW landfill in which solid waste has been in place for 5 years or more if active, or for 2 years or more if closed or at final grade.

[Authority for term: OAC rule 3745-77-07(A)(1)]

2. The permittee shall operate the collection system with negative pressure at each wellhead except under the following conditions:

a. A fire or increased well temperature. (The permittee shall record instances when positive pressure occurs in efforts to avoid a fire.)

b. Use of a geomembrane or synthetic cover. (The permittee shall develop acceptable pressure limits in the design plan.)

c. A decommissioned well. (A well may experience a static positive pressure after shutdown to accommodate for declining flows. All design changes shall be approved by the Director of Ohio EPA.)

[Authority for term: OAC rule 3745-77-07(A)(1)]

II. Operational Restrictions (continued)

3. The permittee shall operate each interior wellhead in the collection system with a landfill gas temperature less than 55 degrees C and with either a nitrogen level less than 20% or an oxygen level less than 5%. The permittee may establish a higher operating temperature, nitrogen, or oxygen value at a particular well. A higher operating value demonstration shall show supporting data that the elevated parameter does not cause fires or significantly inhibit anaerobic decomposition by killing methanogens.

[Authority for term: OAC rule 3745-77-07(A)(1)]

4. The permittee shall operate the collection system so that the methane concentration is less than 500 parts per million above background at the surface of the landfill.

[Authority for term: OAC rule 3745-77-07(A)(1)]

5. If monitoring demonstrates that the operational requirements in sections A.II.2 through A.II.4 are not met, corrective action shall be taken as specified in 40 CFR Part 60.755(a)(3) through 40 CFR Part 60.755(a)(5) or 40 CFR Part 60.755(c). If corrective actions are taken as specified in 40 CFR Part 60.755, the monitored exceedance is not a violation of the operational requirements of this section.

[Authority for term: OAC rule 3745-77-07(A)(1)]

6. The permittee shall operate the collection system such that all collected gases are vented to a control system designed and operated in compliance with section A.I.2.a. In the event, the collection or control system is inoperable, the gas mover system shall be shut down and all valves in the collection and control system contributing to venting of the gas to the atmosphere shall be closed within one hour.

[Authority for term: OAC rule 3745-77-07(A)(1)]

7. The permittee shall operate the flare at all times when the collected gas is routed to the system.

[Authority for term: OAC rule 3745-77-07(A)(1)]

8. A flame shall be maintained at all times in the flare's burner when collected gas is sent through the flare.

[Authority for term: OAC rule 3745-77-07(A)(1)]

9. The permittee shall not accept or dispose of any "asbestos material" as defined in OAC rule 3745-20-01, or asbestos-containing waste material as defined in 40 CFR 61.141, containing more than 1 percent asbestos as determined using the methods specified in Appendix A, Subpart F, 40 CFR Part 763, section 1, Polarized Light Microscopy. The receipt or disposal of any asbestos or asbestos-containing waste without proper approval of the Ohio EPA is a violation of the NESHAPS for asbestos and the Ohio EPA Permit to Install rules.

[Authority for term: OAC rule 3745-77-07(A)(1)]

III. Monitoring and/or Record Keeping Requirements

1. For the active gas collection system, the permittee shall install a sampling port and a thermometer, other temperature measuring device or an access port for temperature measurements at each wellhead and record the following information on a monthly basis:

- a. the gauge pressure in the gas collection header at each individual well;
- b. the nitrogen or oxygen concentration in the landfill gas; and
- c. the temperature of the landfill gas.

3) For the purpose of demonstrating whether the gas collection system flow rate is sufficient to determine compliance with §60.752(b)(2)(ii)(A)(3), the owner or operator shall measure gauge pressure in the gas collection header at each individual well, monthly. If a positive pressure exists, action shall be initiated to correct the exceedance within 5 calendar days, except for the three conditions allowed under §60.753(b). If negative pressure cannot be achieved without excess air infiltration within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial measurement of positive pressure. Any attempted corrective measure shall not cause exceedances of other operational or performance standards. An alternative timeline for correcting the exceedance may be submitted to the Administrator for approval.

(4) Owners or operators are not required to expand the system as required in paragraph (a)(3) of this section during the first 180 days after gas collection system startup.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. None

iii. If the remonitoring of the location shows a second exceedance, additional corrective action shall be taken and the location shall be monitored again within 10 days of the second exceedance. If the remonitoring shows a third exceedance for the same location, a new well or other collection device shall be installed within 120 calendar days of the initial exceedance. An alternative remedy to the exceedance, such as upgrading the blower, header pipes or control device, and a corresponding time line for installation may be submitted to the Ohio EPA for approval. No further monitoring of that location is required until the action specified has been taken.

iv. Any location that initially showed an exceedance but has a methane concentration less than 500 ppm methane above background at the 10-day remonitoring specified above shall be remonitored 1 month from the initial exceedance. If the 1-month remonitoring shows a concentration less than 500 parts per million above background, no further monitoring of that location is required until the next quarterly monitoring period. If the 1-month remonitoring shows an exceedance, the actions specified above shall be taken.

v. Each permittee seeking to demonstrate compliance with 40 CFR Part 60.755(c), shall monitor surface concentrations of methane according to the instrument specifications and procedures provided in 40 CFR Part 60.755(d). Any closed landfill that has no monitored exceedances of the operational standard in three consecutive quarterly monitoring periods may skip to annual monitoring. Any methane reading of 500 ppm or more above background detected during the annual monitoring returns the frequency for that landfill to quarterly monitoring.

[Authority for term: OAC rule 3745-77-07(C)(1)]

III. Monitoring and/or Record Keeping Requirements (continued)

3. The permittee shall install, calibrate, maintain, and operate according to the manufacturer's specifications the following equipment:
- a. a heat sensing device, such as an ultraviolet beam sensor or thermocouple, at the pilot light or the flame itself to indicate the continuous presence of a flame; and
 - b. a device that records flow to or bypass of the flare. The owner or operator shall either:
 - (i) Install, calibrate, and maintain a gas flow rate measuring device that shall record the flow to the control device at least every 15 minutes; or
 - (ii) Secure the bypass line valve in the closed position with a car-seal or a lock-and-key type configuration. A visual inspection of the seal or closure mechanism shall be performed at least once every month to ensure that the valve is maintained in the closed position and that the gas flow is not diverted through the bypass line.

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. The owner or operator shall implement a program to monitor for cover integrity and implement cover repairs as necessary on a monthly basis.

[Authority for term: OAC rule 3745-77-07(C)(1)]

5. The permittee shall maintain the following information for the life of the control equipment as measured during the initial performance test or compliance demonstration:

a. For the purposes of calculating the maximum expected gas generation flow from the landfill to determine compliance with 40 CFR Part 60.752(b)(2)(ii)(A)(1), one of the following equations shall be used. The k and kinetic factors should be those published in the most recent AP-42 or other site specific values demonstrated to be appropriate and approved by the Administrator. If k has been demonstrated as specified in 40 CFR Part 60.754(a)(4), the value of k determined from the test shall be used. A value of no more than 15 years shall be used for the intended use period of the gas mover equipment. The active life of the landfill is the age of the landfill plus the estimated number of years until closure.

- i. For sites with unknown year-to-year solid waste acceptance rate:

$$Q = 2 L R [e^{(-kc)} - e^{(-kt)}]$$

where;

Q = maximum expected gas generation flow rate, cubic meters per year

L = methane generation potential, cubic meters per megagram solid waste

R = average annual acceptance rate, megagrams per year

k = methane generation rate constant, per year

t = age of the landfill at equipment installation plus the time the owner or operator intends to use the gas mover equipment or active life of the landfill, whichever is less (If the equipment is installed after closure, t is the age of the landfill at installation), years

c = time since closure, years [for an active landfill c = 0 and $e^{(-kc)} = 1$]

III. Monitoring and/or Record Keeping Requirements (continued)

- b. the density of wells, horizontal collectors, surface collectors, or other gas extraction devices determined using the procedures specified in 40 CFR Part 60.759(a)(1);
- c. the flare type (i.e., steam-assisted, air-assisted, or non-assisted);
- d. all visible emission readings;
- e. heat content determinations of the gas;
- f. flow rate or bypass flow rate measurements (This requirement is waived if the permittee complies with section A.III.4);
- g. exit velocity determinations made during the performance test as specified in 40 CFR Part 60.18; and
- h. continuous records of the flare pilot flame or flare flame monitoring and records of all periods of operations during which the flare pilot flame or flare flame is absent.

[Authority for term: OAC rule 3745-77-07(C)(1)]

6. The permittee shall properly operate and maintain a device to continuously monitor the flare flame when the emissions unit is in operation. The monitoring device and any recorder shall be installed, calibrated, operated and maintained in accordance with the manufacturer's recommendations, instructions and operating manuals.

The permittee shall record the following information each day:

- a. all periods during which there was no flare flame;
- b. the downtime for the flare and monitoring equipment when the collection and control system is in operation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

7. The permittee shall maintain, for the life of the collection system, an up-to-date, readily accessible plot map showing each existing and planned collector in the system and providing a unique identification location label for each collector.

[Authority for term: OAC rule 3745-77-07(C)(1)]

8. Pursuant to 40 CFR 60.758(c)(2), the permittee shall keep up-to-date, readily accessible continuous records of the indication of flow to the control device or the indication of bypass flow or records of monthly inspections of car-seals or lock-and-key configurations used to seal bypass lines, specified in section A.III.

[Authority for term: OAC rule 3745-77-07(C)(1)]

9. The permittee shall keep for at least 5 years up-to-date, readily accessible, on-site records of the maximum design capacity of the landfill, the current amount of solid waste in-place, and the year-by-year waste acceptance rate. Off-site records may be maintained if they are retrievable within 4 hours. Either hardcopy or electronic formats are acceptable. These records, may be also required by the OEPA, Division of Solid and Infectious Waste Management, and shall satisfy this permit condition.

[Authority for term: OAC rule 3745-77-07(C)(1)]

III. Monitoring and/or Record Keeping Requirements (continued)

10. Except as otherwise provided in this section, the permittee shall perform inspections of the landfill areas and operations in accordance with the following frequencies:

landfill areas and operations	minimum inspection frequency
all landfill areas where solid wastes are deposited	daily
overburden removal	daily
construction of cells and haul roads	daily
MSW dumping, transfer, compaction and covering	daily
bulldozing operations	daily
wind erosion	daily
closure of cells	daily

[Authority for term: OAC rule 3745-77-07(C)(1)]

11. The purpose of the inspections is to determine the need for implementing the above-mentioned control measures for fugitive landfill particulate emissions. The inspections shall be performed during representative, normal operating conditions. No inspection shall be necessary for a landfill operating area that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

[Authority for term: OAC rule 3745-77-07(C)(1)]

12. The permittee may, upon receipt of written approval from the Toledo Division of Environmental Services (TDOES), modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements. Such modified inspection frequencies would not be considered a minor or significant modification that would be subject to the Title V permit modification requirements in paragraphs (C)(1) and (C)(3) of OAC rule 3745-77-08.

[Authority for term: OAC rule 3745-77-07(C)(1)]

13. The permittee shall maintain records of the following information:
- the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
 - the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
 - the dates the control measures were implemented; and
 - on a calendar quarter basis, the total number of days the control measures were implemented and the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measures.

The information required in section A.III.13.d shall be kept separately for each landfill area and operation and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

[Authority for term: OAC rule 3745-77-07(C)(1)]

III. Monitoring and/or Record Keeping Requirements (continued)

14. a. For the purpose of demonstrating whether the gas collection system flow rate is sufficient to determine compliance with §60.752(b)(2)(ii)(A)(3), the owner or operator shall measure gauge pressure in the gas collection header at each individual well, monthly. if a positive pressure exists, action shall be initiated to correct the exceedance within 5 calendar days, except for the three conditions allowed under §60.753(b). if negative pressure cannot be achieved without excess air infiltration within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial measurement of positive pressure. Any attempted corrective measure shall not cause exceedances of other operational or performance standards. An alternative timeline for correcting the exceedance may be submitted to the Administrator for approval.
- b. Owners or operators are not required to expand the system as required in paragraph (a)(3) of this section during the first 180 days after gas collection system startup.
- c. For the purpose of identifying whether excess air infiltration into the landfill is occurring, the owner or operator shall monitor each well monthly for temperature and nitrogen or oxygen as provided in §60.753(c). If a well exceeds one of these operating parameters, action shall be initiated to correct the exceedance within 5 calendar days. If correction of the exceedance cannot be achieved within 15 calendar days of the first measurement, the gas collection system shall be expanded to correct the exceedance within 120 days of the initial exceedance. Any attempted corrective measure shall not cause exceedances of other operational or performance standards. An alternative timeline for correcting the exceedance may be submitted to the Administrator for approval.

[Authority for term: OAC rule 3745-77-07(C)(1)]

15. The permittee shall keep records and reports as specified in the general provisions of 40 CFR Part 62 Subpart I and 40 CFR Part 63 Subpart A as illustrated in Table 1 of Subpart AAAA. Applicable records in the general provisions include items such as the SSM plans and the SSM plan reports.

[Authority for term: OAC rule 3745-77-07(C)(1)]

IV. Reporting Requirements

1. The permittee shall submit quarterly deviation reports that identify any of the following occurrences:
- a. each day during which an inspection required by section A.III.10 was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation;
- b. each instance when a control measure required by sections A.I.2.h, A.I.2.j and A.I.2.k that was to be implemented as a result of an inspection, was not implemented;
- [Authority for term: OAC rule 3745-77-07(C)(1)]
2. The following shall be reported to the TDOES within one hour after the occurrence, or as soon as reasonably possible:
- a. any breakdown or malfunction of the landfill gas collection system resulting in the emission of raw landfill gas emissions to the atmosphere,
- b. any breakdown or malfunction of the landfill gas control system exceeding one hour resulting in the emission of raw landfill gas emissions to the atmosphere.

Immediate remedial measures shall be undertaken to correct the problem and prevent further emissions to the atmosphere.

[Authority for term: OAC rule 3745-77-07(C)(1)]

IV. Reporting Requirements (continued)

3. The permittee shall submit a closure report to the appropriate Ohio EPA District Office and the TDOES within 30 days of waste acceptance cessation. The Ohio EPA may request additional information as may be necessary to verify that permanent closure has taken place in accordance with the requirements of 40 CFR Part 258.60. If a closure report has been submitted to the Ohio EPA, no additional wastes may be placed into the landfill without filing a notification of modification as described in 40 CFR Part 60.7(a)(4).

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. The permittee shall submit an equipment removal report to the appropriate Ohio EPA District Office and the TDOES 30 days prior to removal or cessation of operation of the control equipment. The equipment removal report shall contain the information specified in 40 CFR Part 60.757(e)(1). The Ohio EPA may request additional information as may be necessary to verify that all of the conditions for removal in 40 CFR Part 60.752(b)(2)(v) have been met.
5. The permittee shall submit semi-annual deviation reports that identify any of the following occurrences:
 - a. the value and length of time for exceedances of applicable parameters monitored below:
 - i. any record which indicates that the gauge pressure in the gas collection header at each individual well was positive or operated under positive pressure to avoid a fire or increased well temperature;
 - ii. any record which indicates that the nitrogen or oxygen concentration in the landfill gas was greater than 20% or 5%, respectively; and
 - iii. any record which indicates that the temperature of the landfill gas was greater than 55 degrees C;
 - b. a description and duration of all periods when the gas stream is diverted from the control device through a bypass line or the indication of bypass flow as recorded under section A.III.8;
 - c. a description and duration of all periods when the control device was not operating for a period exceeding 1 hour and length of time the control device was not operating;
 - d. all periods when the collection system was not operating in excess of 5 days;
 - e. the location of each exceedance of the 500 parts per million methane concentration as provided in section A.II.4 and the concentration recorded at each location for which an exceedance was recorded in the previous month; and
 - f. the date of the installation and the location of each well or collection system expansion added pursuant to 40 CFR Part 60.755(a)(3), (b) and (c)(4).

These reports shall be submitted to the Toledo Division of Environmental Services by March 30 and September 30 and report for the previous 6 month period.

6. The permittee shall submit semi-annual reports for all sources affected by the provisions of the SSM requirements in Subpart A of this part specified in Table 1 of this subpart.

These reports shall be submitted to the Toledo Division of Environmental Services by March 30 and September 30 and shall cover the previous six-month period, July 1-December 31 and January 1-June 30, respectively.

V. Testing Requirements

1. Compliance with the emission limitations in sections A.I.1 and A.I.2 of these terms and conditions shall be determined in accordance with the following methods:

V. Testing Requirements (continued)

1.a Emission Limitation:

no visible emissions from the flare, except for periods not to exceed a total of 5 minutes during any 2 consecutive hours

Applicable Compliance Method:

Compliance shall be demonstrated in accordance with Test Method 22 as set forth in "Appendix on Test Methods " in 40 CFR Part 60. Alternate, equivalent methods may be used upon approval by the TDOES.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.b Emission Limitation:

43.2 lbs/hr of CO

Applicable Compliance Method:

The emission limitation represents the potential to emit calculated using AP-42 Section 2.4-1 (dated 11/98), an emission factor for CO of 12,000 kg CO/10⁶ dscm methane, a maximum methane flow rate of 1.93 x 10⁷ m³/yr, a conversion of 0.4536 kg/pound, and 8760 hrs/yr. Since the emission limitation represents the emission unit's potential to emit, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with the above limitation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.c Emission Limitation:

3.4 lbs/hr of NO_x

Applicable Compliance Method:

The emission limitation represents the potential to emit calculated using AP-42 Section 2.4-1 (dated 11/98), an emission factor for NO_x of 270 kg NO_x/10⁶ dscm methane, a maximum methane flow rate of 1.93 x 10⁷ m³/yr, a conversion of 0.4536 kg/pound, and 8760 hrs/yr. Since the emission limitation represents the emission units' potential to emit, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with the above limitation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.d Emission Limitations:

Controlled emissions from Flare

0.3 lb/hr of NMOC

47.3 lbs/hr of methane

Applicable Compliance Method:

The emission limitations were developed by applying a 98% reduction efficiency for control with a flare to a maximum calculated flare gas stream of 13.8 lbs of NMOC/hr and 2,360 lbs of methane/hr. AP-42 Section 2.4.4 (dated 11/98) emission factors were used to calculate the total uncontrolled methane and NMOCs. A destruction efficiency of 98% was used to calculate the amount of methane and NMOCs destroyed. The remainder (207 tpy of methane and 1.2 tpy of NMOCs) are emitted over 8760 hrs/yr. Compliance shall be demonstrated by ensuring the flare operates at the proper efficiency through the flare monitoring and record keeping requirements specified in section A.III.

[Authority for term: OAC rule 3745-77-07(C)(1)]

V. Testing Requirements (continued)

1.e Emission Limitation:

0.97 lb/hr of particulate emissions

Applicable Compliance Method:

The emission limitation represents the potential to emit calculated using AP-42 Section 2.4-1 (dated 11/98), an emission factor for PM of 270 kg PM/10⁶ dscm methane, a maximum methane flow rate of 1.93 x 10⁷ m³/yr, a conversion of 0.4536 kg/pound, and 8760 hrs/yr. Since the emission limitation represents the emission units' potential to emit, no recordkeeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with the above limitation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.f Emission Limitation:

0.8 lb/hr of SO₂

Applicable Compliance Method:

The emission limitation represents the potential to emit calculated assuming that all sulfur containing compounds in landfill gas react to form SO₂. The potential to emit calculations were based on a sulfur compound concentration of 46.9 ppm from AP-42 Section 2.4-1 (dated 11/98), a maximum gas flow rate to the flare of 1.93 x 10⁷ m³/yr, a conversion of 0.4536 kg/pound, and 8760 hrs/yr. Since the emission limitation represents the emission units' potential to emit, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with the above limitation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.g Emission Limitation:

0.01 lb/hr of HCl

Applicable Compliance Method:

The emission limitation represents the potential to emit calculated assuming that all chlorine containing compounds collected in landfill gas react to form HCl during combustion in the flare. The potential to emit calculations were based on a chlorine compound concentration of 42.0 ppm from AP-42 Section 2.4-1 (dated 11/98), a maximum chlorine compound flow rate to the flare of 1.46 x 10³ m³/yr, a conversion of 0.4536 kg/lb, and 8760 hrs/yr. Since the emission limitation represents the emission units' potential to emit, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with the above limitation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

V. Testing Requirements (continued)

1.h Emission Limitation:

0.01 lb/hr of Cl₂

Applicable Compliance Method:

The emission limitation represents the potential to emit calculated assuming that all chlorine containing compounds collected in landfill gas react to form HCl during combustion in the flare. AP-42 provides an average capture efficiency of 75% and an estimated control efficiency of 98% for the flare in Section 2.4 (dated 11/98). Section A.V.2 estimates the uncontrolled Cl₂ emissions to be 2.3 tpy and the fugitive to be (1-.75) or 0.6 tpy of Cl₂. The difference (2.3-0.6 tpy) is the amount of Cl₂ that goes to the flare where 98% is combusted to HCl and the remaining 2% or 0.3 tpy passes through the flare. Conversion of 0.3 tpy Cl₂ to lb/hr of Cl₂ utilizes conversion factors of 8760 hrs/yr and 2000 lbs/ton. Since the emission limitation represents the emission units' potential to emit, no record keeping, deviation reporting, or compliance method calculations are required to demonstrate compliance with the above limitation.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.i Emission Limitations:

Controlled emissions from Flare

1.2 tpy of NMOC
207 tpy of methane
4.25 tpy of particulate emissions
3.53 tpy of SO₂
14.7 tpy of NO_x
189.1 tpy of CO
0.036 tpy of HCl
0.03 tpy of Cl₂

Applicable Compliance Method:

The tpy limitations were developed by multiplying the lb/hr limitations by the maximum operating schedule of 8760 hrs/yr and dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitations, compliance will also be shown with the annual limitations.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.j Emission Limitation:

Visible fugitive particulate emissions shall not exceed 20% opacity as a 3-minute average.

Applicable Compliance Method:

If required, compliance shall be determined in accordance with OAC rule 3745-17-03(B)(3).

[Authority for term: OAC rule 3745-77-07(C)(1)]

V. Testing Requirements (continued)

1.k Emission Limitation:

Fugitive Landfill Particulate Emissions

1.93 tpy of PM
11.9 tpy of particulate emissions as PM10

Applicable Compliance Method:

Emission limitations were developed as follows:

- i. applying a 70% control efficiency for dust suppression to a maximum potential uncontrolled emission rate of 12.35 tpy of particulate emissions as PM10 for unpaved gravel roadways during construction, based on AP-42, section 13.2.2 (dated 9/98) emission factors;
- ii. a maximum potential uncontrolled emission rate of 0.03 tpy of particulate emissions for material handling operations, based on AP-42, section 13.2.4 (dated 1/95) emission factors;
- iii. a maximum potential uncontrolled emission rate of 1.9 tpy of particulate emissions for wind erosion from exposed areas, based on AP-42, table 11.9-4 (dated 7/98) emission factors; and
- iv. a maximum potential uncontrolled emission rate of 8.2 tpy of particulate emissions as PM10 for bulldozing operations, based on AP-42, table 11.9-1 (dated 7/98) emission factors.

The particulate emissions and particulate emissions as PM10 limits are the sums of the above-mentioned emissions.

Compliance shall be demonstrated through the fugitive dust monitoring and record keeping requirements in section A.III.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.l Emission Limitations

Fugitive Emissions from Landfill gas
20.0 tpy NMOC
3,446 tpy methane
7.8 tpy VOC
0.6 tpy Cl₂

Applicable Compliance Method

The annual emission limitations represent the maximum potential to emit based on AP-42 emission factors for landfill gas generation Section 22.4 (dated 11/98). Maximum potential emissions will occur in the year 2021 and are based on the following:

- a. maximum daily landfill waste acceptance of 1,500 tons/day
- b. maximum landfill capacity of 10,073,000 tons compacted waste (9.157×10^6 Mg)
- c. NMOC concentration data obtained from AP-42 Section 2.4 (dated 11/98) value of 595 ppm
- d. an assumed landfill gas collection system efficiency of 75% based on AP-42 section 2.4 (dated 11-/98) factors.

Since the annual limitations represent the emissions units' maximum potential to emit, no recordkeeping, deviation reporting or compliance method calculations are required to demonstrate compliance with the above limitations.

[Authority for term: OAC rule 3745-77-07(C)(1)]

V. Testing Requirements (continued)

2. The nitrogen level at each interior wellhead shall be determined using Method 3C of 40 CFR Part 60, Appendix A, unless an alternative test method is established as allowed by 40 CFR Part 60.752(b)(2)(i).

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The oxygen level at each interior wellhead shall be determined by an oxygen meter using Method 3A of 40 CFR Part 60, Appendix A, unless an alternative test method is established as allowed by 40 CFR Part 60.752(b)(2)(i), except that:

- a. the span shall be set so that the regulatory limit is between 20 and 50% of the span;
- b. a data recorder is not required;
- c. only two calibration gases are required, a zero and span, and ambient air may be used as the span;
- d. a calibration error check is not required; and
- e. the allowable sample bias, zero drift, and calibration drift are plus or minus 10%.

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. After the installation of a collection and control system in compliance with 40 CFR Part 60.755, the permittee shall calculate the NMOC emission rate for the purposes of determining when the system can be removed as provided in 40 CFR Part 60.752(b)(2)(v) in accordance with the equation and procedures specified 40 CFR Part 60.754(b), (b)(1), and (b)(2). The permittee may use another method to determine landfill gas flow rate and NMOC concentration if the method has been approved by the Ohio EPA as provided in 40 CFR Part 60.752(b)(2)(i)(B).

[Authority for term: OAC rule 3745-77-07(C)(1)]

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Storage Piles (Z003)
Activity Description: Storage Piles

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Load-in and load-out of storage piles (see A.1.b for an identification of the storage piles)	OAC rule 3745-31-05(A)(3) (PTI 04-01190 issued 9/29/99)	no visible emissions except for one minute in any hour See A.1.2.h
	OAC rule 3745-17-07(B)(6)	See A.1.2.a below
	OAC rule 3745-17-08(B), (B)(6)	Control measures that are sufficient to minimize or eliminate visible emissions if fugitive dust (see A.1.2.c, A.1.2.d and A.1.2.g)
Wind erosion from storage piles (see A.1.2.b for an identification of the storage piles)	OAC rule 3745-31-05(A)(3) (PTI 04-01190 issued 9/29/99)	No visible emissions except for one minute in any hour 7.4 tpy of particulate emissions as PM10 See A.1.2.h below
	OAC rule 3745-17-08(B)(6)	Control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust (see A.1.2.e, A.1.2.f and A.1.2.g)
	OAC rule 3745-17-07(B)	See A.1.2.a below

2. Additional Terms and Conditions

- 2.a The emission limitation specified by this rule is less stringent than the emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
- 2.b The storage piles that are covered by this permit and subject to the requirements of OAC rules 3745-17-07 and 3745-17-08 are listed below:
 - all overburden storage piles
 - all clay storage piles
 - all stone storage piles

2. Additional Terms and Conditions (continued)

- 2.c** The permittee shall employ reasonably available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to maintaining adequate moisture in loads prior to dumping and adding water, if necessary, to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.d** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- 2.e** The permittee shall employ reasonably available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to maintaining adequate moisture in piles and adding water, if necessary, to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.f** The above-mentioned control measure(s) shall be employed for wind erosion from each pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements.
- 2.g** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-17-08.
- 2.h** The requirements of this rule also include compliance with the requirements of rule 3745-17-08(B), (B)(6).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. Except as otherwise provided in this section, the permittee shall perform inspections of each load-in operation at each storage pile in accordance with the following frequencies:
- storage pile identification: all
minimum load-in inspection frequency: daily
- [Authority for term: OAC rule 3745-77-07(C)(1)]
2. Except as otherwise provided in this section, the permittee shall perform inspections of each load-out operation at each storage pile in accordance with the following frequencies:
- storage pile identification: all
minimum load-out inspection frequency: daily
- [Authority for term: OAC rule 3745-77-07(C)(1)]

III. Monitoring and/or Record Keeping Requirements (continued)

3. Except as otherwise provided in this section, the permittee shall perform inspections of the wind erosion from pile surfaces associated with each storage pile in accordance with the following frequencies:

storage pile identification: all
minimum wind erosion inspection frequency: daily

[Authority for term: OAC rule 3745-77-07(C)(1)]

4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.

[Authority for term: OAC rule 3745-77-07(C)(1)]

5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.

[Authority for term: OAC rule 3745-77-07(C)(1)]

6. The permittee may, upon receipt of written approval from the Toledo Division of Environmental Services (TDOES), modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements. Such modified inspection frequencies would not be considered a minor or significant modification that would be subject to the Title V permit modification requirements in paragraphs (C)(1) and (C)(3) of OAC rule 3745-77-08.

[Authority for term: OAC rule 3745-77-07(C)(1)]

7. The permittee shall maintain records of the following information:

- a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
- b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures; and
- c. the dates the control measures were implemented; and
- d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in section A.III.7.d shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

[Authority for term: OAC rule 3745-77-07(C)(1)]

IV. Reporting Requirements

1. The permittee shall submit deviation reports that identify any of the following occurrences:
 - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
 - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The deviation reports shall be submitted in accordance with the requirements specified in Part I - General Term and Condition A.I.c.

[Authority for term: OAC rule 3745-77-07(C)(1)]

V. Testing Requirements

1. Compliance with the emission limitations in section A.I.1 of these terms and conditions shall be determined in accordance with the following methods:

1.a Emission Limitation:

No visible particulate emissions except for a period of time not to exceed one minute in any one hour for any load-in and load-out of storage piles. No visible particulate emissions except for a period of time not to exceed one minute during any hour for any wind erosion from storage piles.

Applicable Compliance Method:

Compliance shall be determined through the monitoring and record keeping requirements of section A.III. If required, compliance shall also be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources") as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03. Alternate, equivalent methods may be used upon approval by the TDOES.

[Authority for term: OAC rule 3745-77-07(C)(1)]

1.b Emission Limitation:

7.4 tpy of particulate emissions as PM10

Applicable Compliance Method:

This emission limitation was developed by applying a 50% control efficiency for dust suppression during load-in and load-out to a maximum potential uncontrolled emission rate of 0.057 tpy of particulate emissions as PM10 and a 50% control efficiency for dust suppression for wind erosion to a maximum potential uncontrolled emission rate of 14.75 tpy of particulate emissions as PM10. These uncontrolled emission rates were calculated using the OEPA RACM document emission factors (section 2.1.2, dated 8/83) and AP-42 emission factors for industrial wind erosion (section 13.2.5, dated 1/95). Compliance with this annual limit shall be demonstrated through the monitoring and record keeping requirements in section A.III of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

THIS IS THE LAST PAGE OF THE PERMIT

Statement of Basis For Title V Permit

Part I - General	
Company Name	Hoffman Road Landfill
Premise Number	0448011576
What makes this facility a Title V facility?	Methane, CO
Has each insignificant emissions unit been reviewed to confirm it meets the definition in OAC rule 3745-77-01 (U)?	y
Were there any "common control" issues associated with this facility? If yes, provide a summary of those issues and explain how the DAPC decided to resolve them.	n
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a minor permit modification per OAC rule 3745-77-08(C)(1)	n/a
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a significant permit modification per OAC rule 3745-77-08(C)(3)	n/a
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a reopening per OAC rule 3745-77-08(D)	n/a
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document resulting from a renewal per OAC rule 3745-77-08(E)	F001 - Roadways & Parking lots F002 - Landfill Z003-Storage piles PTI 04-0119 for all units, modified 12/4/01, expansion, addition of gas collection & disposal system (flare)

Part II (State and Federally Enforceable Requirements)			
Term and Condition (paragraph)	Basis		Comments
	SIP (3745-)	Other	
N/A			N/A

C

Instructions for Part II:

Each paragraph in Part II must be identified and the remainder of the table completed. If the SIP (not including 31-05) is the basis for the term and condition, identify the specific rule. If the SIP is not the basis for the term and condition, place an "N" in the column under "SIP." If the basis for the term and condition is something other than the SIP, including 3745-31-05, NSPS or MACT, a "Y" should be noted in the "Other" column, and if not, an "N" should be noted. Whether the basis for the term and condition is the "SIP" or "Other," an explanation of each term and condition in Part II must be provided in the "Comments" section.

Part III (Requirements Within the State and Federally Enforceable Section)															
Any unusual requirements or aspects of the terms and conditions in Part III that are not self-explanatory should be explained in the appropriate comment field or in a paragraph following the table for Part III.															
EU(s)	Limitation	Basis		ND	OR	M	St	EN F	R	St	Rp	St	ET	Misc	Comments
		SIP (3745-)	Other												
F001; Paved roadways & parking areas.	No visible particulate emissions except for a period not to exceed six minutes during any sixty-minute period.	17-07 (B)(4)		N	Y	Y	Y	Y	N						
	Minimize or eliminate visible particulate emissions of fugitive dust.	17-08 (B), (B)(8), (B)(9)		Y	Y	Y	Y	Y	N	OR - Sweeping and flushing of affected areas.					
	No visible particulate emissions except for a period not to exceed one minute during any sixty-minute period.	31-05 (A)(3)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 as modified 12/04/2001					

F001; Unpaved roadways & parking areas.	No visible particulate emissions except for a period not to exceed thirteen minutes during any sixty-minute period.	17-07 (B)(5)		N	Y	Y	Y	Y	N						
	Minimize or eliminate visible particulate emissions of fugitive dust.	17-08 (B), (B)(2)		Y	Y	Y	Y	Y	N	OR -Treat with water & other dust suppressants. Restrictions on PCBs, hazardous wastes and used oil.					
	No visible particulate emissions except for a period not to exceed three minutes during any sixty-minute period.	31-05 (A)(3)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001					
F001; Paved & unpaved roadways and parking areas.	4.8 tpy particulate as PM10.	31-05 (A)(3)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001					
F002; Municipal waste landfill; controlled emissions from flare.	Active gas collection system & flare designed to comply with 40 CFR Part 60, Subpart WWW	N	Y	Y	Y	Y	Y	Y	N	Basis- PTI 04-01190 modified 12/04/2001. NSPS Subpart WWW. OR-Restrictions on the collection & control system in order to comply with subpart WWW.					
	20% opacity as a six-minute average.	17-07 (A)(1)		N	Y	Y	Y	Y	N						

	Figure II or Table I, whichever is more restrictive.	17-11 (B)(1)		N	Y	Y	Y	Y	N					
	AER= 30P(exp0.67) where: p is the process weight AER is the allow. emiss. rate	18-06 (E)(2)		N	Y	Y	Y	Y	N					
	43.2 lbs per hr CO	21-08 (B)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001.				
	3.4 lbs per hr NOx	23-06 (B)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001.				
	0.3 lb per hr NMOC 1.2 tons per yr NMOC 47.3 lbs per hr methane 207 tons per year methane 0.97 lb per hr PM 4.25 tons per yr PM 0.8 lb per hr SO2 3.53 tons per yr SO2 14.7 tons per yr NOx 189.1 tons per yr CO 0.01 lb per hr HCl 0.036 ton per yr HC I 0.01 lb per hr Cl2 0.03 ton per yr Cl2	31-05 (A)(3)		Y	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001. OR - operate collection system so that methane concentration is less than 500 ppm.				
F002; fugitive landfill particulate emissions	Visible fugitive particulate emissions shall not exceed 20% opacity as a 3-minute average.	17-07 (B)(1)								OR - Treat affected areas with water or other suitable dust suppressant.				

	Employ reasonably available control measures for fugitive dust	17-08 (B)		Y	Y	Y	Y	Y	N	OR - Treat affected areas with water or other suitable dust suppressant.					
	1.93 tons per yr PM 11.9 tons per yr PM10	31-05 (A)(3)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001					
F002; fugitive landfill gas	20.0 tons per yr NMOC 3,446 tons per yr methane 7.8 tons per yr VOC 0.6 ton per yr Cl2	31-05 (A)(3)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001.					
Z003; Load-in and load-out of storage piles	No visible emissions from any material storage pile except for thirteen minutes during any sixty-minute period.	17-07 (B)(6)		N	Y	Y	Y	Y	N						
	Minimize or eliminate visible emissions of fugitive dust.	17-08 (B), (B)(6)		N	Y	Y	Y	Y	N						
	No visible emissions except for one minute in any one hr.	31-05 (A)(3)		N	Y	Y	Y	Y	N	Basis - PTI 04-1190 modified 12/4/2001.					
Z003; Wind erosion from storage piles.	No visible emissions from any material storage pile except for thirteen minutes during any sixty-minute period.	17-07 (B)(6)		N	Y	Y	Y	Y	N						
	Minimize or eliminate visible emissions of fugitive dust.	17-08 (B), (B)(6)		N	Y	Y	Y	Y	N						

EU = emissions unit ID

ND = negative declaration (i.e., term that indicates that a particular rule(s) is (are) not applicable to a specific emissions unit)

OR = operational restriction

M = monitoring requirements

St = streamlining term used to replace a PTI monitoring, record keeping, or reporting requirement with an equivalent or more stringent requirement

ENF = did noncompliance issues drive the monitoring requirements?

R = record keeping requirements

Rp = reporting requirements

ET = emission testing requirements (not including compliance method terms)

Misc = miscellaneous requirements

C Instructions for Part III:

- C All non-insignificant EUs must be included in this table. For each EU, or group of similar EUs, each emission limitation and control requirement specified in section A.I.1 and A.I.2 of the permit must be identified and the remainder of the table completed.
- C If the SIP (not including OAC rule 3745-31-05) is the basis for the term and condition, identify the specific rule. If the SIP is not the basis for the term and condition, place an "N" in the column under "SIP." If the basis for the term and condition is something other than the SIP, including OAC rule 3745-31-05, NSPS or MACT, a "Y" should be noted in the "Other" column, and if not, an "N" should be noted. If the basis for the term and condition is "Other," an explanation of the basis must be provided in the "Comments" section. If OAC rule 3745-31-05 is cited in the "Other" column, please indicate in the "Comments" section whether or not all of the requirements have been transferred from the permit to install.
- To complete the remainder of the table after "Basis," except for the "Comments" section, simply specify a "Y" for yes or an "N" for no. For the "M," "R," "Rp," and "ET" columns, if "N" is specified, there should be a brief explanation in the "Comments" section as to why there are no requirements. If a brief explanation is provided in the "Comments" section, please do not simply indicate that monitoring or testing requirements are not necessary. An explanation of why a requirement is not necessary should be specified.

When periodic monitoring requirements are established to satisfy the provisions of OAC rule 3745-77-07(A)(3)(a)(ii), the basis for the requirements must be explained. Whenever Engineering Guides have been used to establish the periodic monitoring requirements, the applicable Engineering Guide may be referenced in the "Comments" section. An example that should be clarified would be the situation where it has been determined that control equipment parametric monitoring will be used to evaluate ongoing compliance in lieu of performing frequent emission tests. In this situation, Engineering Guide #65 would be referenced along with the fact that the parametric monitoring range (or minimum value) corresponded to the range (or minimum value) documented during the most recent emission tests that demonstrated that the emissions unit was in compliance. If streamlining language is included in the "Monitoring," "Record Keeping," or "Reporting" requirements sections of the permit, explain which requirements are being streamlined (mark appropriate column above) and provide a brief explanation of why the streamlined term is equal to or more stringent than the "Monitoring," "Record Keeping," or "Reporting" requirements specified in the permit to install. If Engineering Guide #16 was used as the basis for establishing an emission test frequency, a simple note referencing the Engineering Guide in the "Comments" section would be sufficient.

Also, if a "Y" is noted under "OR," "Misc," "St," "ND," or "ENF" an explanation of the requirements must be provided in the "Comments" section. In addition to a general explanation of the "OR," "Misc," "St," "ND," and/or "ENF" the following must be provided:

1. For an operational restriction, clarify if appropriate monitoring, record keeping, and reporting requirements have been specified for the operational restriction and indicate whether or not CAM is currently applicable.
2. If a control plan and schedule is included in the "Miscellaneous Requirements" section of the permit, provide an explanation in the "Comments" section of the violation, basis for the violation, and the company's proposed control plan and schedule.
3. If the "ND" column above is marked, please identify the particular rule(s) that is (are) not applicable to the specified emissions unit.

2. If the "ENF" column above is marked, please provide a brief explanation of the noncompliance issue(s) which prompted the use of the specified monitoring requirement.

An explanation is not required if an "N" is noted in the "OR," "Misc," "St," "ND," or "ENF" columns.

C **Additional information for modifications** - Several types of modifications, as defined by rule, may be processed concurrently. Please provide enough of a description for someone wishing to review the changes to the permit language to be able to identify where the change is made in the permit document. This brief description should be identified in the appropriate row in the first table of this form by replacing the "N/A" in the applicable row(s). Please also indicate if the modification is being initiated by an appeal by including the ERAC case number in the "Comments" area. Please update the term-specific text in the SOB as warranted (full insertion or replacement is acceptable; bold italic and strike out is not needed). Note all modification/reopening rows should remain "N/A" when developing the SOB during the initial permit development. Note: APA's and Off-permit changes do not need to be noted in the SOB.