



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

01/03/06

**RE: Proposed Title V Chapter 3745-77 Permit  
13-18-00-3929  
Stein, Inc.**

Attn: Genevieve Damico AR-18J  
United States Environmental Protection Agency  
Region V  
77 West Jackson Blvd.  
Chicago, IL 60604-3590

Dear Ms. Damico:

The proposed issuance of the Title V permit for Stein, Inc., has been created in Ohio EPA's State Air Resources System (STARS) on 01/03/06, for review by USEPA. This proposed action is identified in STARS as  3-Title V Proposed Permit T+C covering the facility specific terms and conditions, and  Title V Proposed Permit covering the general terms and conditions. This proposed permit will be processed for issuance as a final action after forty-five (45) days from USEPA's receipt of this certified letter if USEPA does not object to the proposed permit. Please contact me at (614) 644-3631 by the end of the forty-five (45) day review period if you wish to object to the proposed permit.

Very truly yours,

Michael W. Ahern, Supervisor  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: Cleveland Division of Air Pollution Control  
File, DAPC PMU



State of Ohio Environmental Protection Agency

PROPOSED TITLE V PERMIT

Issue Date: 01/03/06	Effective Date: To be entered upon final issuance	Expiration Date: To be entered upon final issuance
----------------------	---	--

This document constitutes issuance of a Title V permit for Facility ID: 13-18-00-3929 to:  
 Stein, Inc.  
 1929 East Royalton Road  
 Broadview Heights, OH 44147

**Emissions Unit ID (Company ID)/Emissions Unit Activity Description**

F003 (BOF Slag Pits) #2 BOF Slag Pits	F007 (Drop Ball Operation) Oversized slag processing	F010 (Storage Piles) Storage Pile excavation
F005 (Storage Piles) Storage Piles of sized slag	F008 (Skim Pot Dumping) Skim Pot Dumping and Cooling Operation	
F006 (Slag Processing) Slag crushing, screening and handling operation	F009 (Material Handling) Material Handling Operation	

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-08(E) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Cleveland Division of Air Pollution Control  
 1925 St. Clair  
 Cleveland, OH 44114  
 (216) 664-2324

OHIO ENVIRONMENTAL PROTECTION AGENCY

\_\_\_\_\_  
 Joseph P. Koncelik  
 Director

## PART I - GENERAL TERMS AND CONDITIONS

### A. State and Federally Enforceable Section

#### 1. Monitoring and Related Record Keeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.III of Part III of this Title V permit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
- i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.  
*(Authority for term: OAC rule 3745-77-07(A)(3)(b)(i))*
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.  
*(Authority for term: OAC rule 3745-77-07(A)(3)(b)(ii))*
- c. The permittee shall submit required reports in the following manner:
- i. **All reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations caused by malfunctions shall be submitted in the following manner:**

Any malfunction, as defined in OAC rule 3745-15-06(B)(1), shall be promptly reported to the Ohio EPA in accordance with OAC rule 3745-15-06. In addition, to fulfill the OAC rule 3745-77-07(A)(3)(c) deviation reporting requirements for malfunctions, written reports that identify each malfunction that occurred during each calendar quarter (including each malfunction reported only verbally in accordance with OAC rule 3745-15-06) shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year in accordance with General Term and Condition A.1.c.ii below; and each report shall cover the previous calendar quarter.

In accordance with OAC rule 3745-15-06, a malfunction reportable under OAC rule 3745-15-06(B) constitutes a violation of an emission limitation (or control requirement) and, therefore, is a deviation of the federally enforceable permit requirements. Even though verbal notifications and written reports are required for malfunctions pursuant to OAC rule 3745-15-06, the written reports required pursuant to this term must be submitted quarterly to satisfy the prompt reporting provision of OAC rule 3745-77-07(A)(3)(c).

In identifying each deviation caused by a malfunction, the permittee shall specify the emission limitation(s) (or control requirement(s)) for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. For a specific malfunction, if this information has been provided in a written report that was submitted in accordance with OAC rule 3745-15-06, the permittee may simply reference that written report to identify the deviation. Nevertheless, all malfunctions, including those reported only verbally in accordance with OAC rule 3745-15-06, must be reported in writing on a quarterly basis.

Any scheduled maintenance, as referenced in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described above for malfunctions.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

- ii. **Except as may otherwise be provided in the terms and conditions for a specific emissions unit, i.e., in Section A.IV of Part III of this Title V permit or, in some cases, in Part II of this Title V permit, all reporting required in accordance with OAC rule 3745-77-07(A)(3)(c) for deviations of the emission limitations, operational restrictions, and control device operating parameter limitations shall be submitted in the following manner:**

Written reports of (a) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. Except as provided below, the written reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

In identifying each deviation, the permittee shall specify the emission limitation(s), operational restriction(s), and/or control device operating parameter limitation(s) for which the deviation occurred, describe each deviation, and provide the estimated magnitude and duration of each deviation.

These written deviation reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations. Full compliance with OAC rule 3745-77-07(A)(3)(c) requires reporting of all other deviations of the federally enforceable requirements specified in the permit as required by such rule.

If an emissions unit has a deviation reporting requirement for a specific emission limitation, operational restriction, or control device operating parameter limitation that is not on a quarterly basis (e.g., within 30 days following the end of the calendar month, or within 30 or 45 days after the exceedance occurs), that deviation reporting requirement satisfies the reporting requirements specified in this General Term and Condition for that specific emission limitation, operational restriction, or control device parameter limitation. Following the provisions of that non-quarterly deviation reporting requirement will also satisfy (for the deviations so reported) the requirements of OAC rule 3745-77-07(A)(3)(c) pertaining to the submission of monitoring reports every six months and to the prompt reporting of all deviations, and additional quarterly deviation reports for that specific emission limitation, operational restriction, or control device parameter limitation are not required pursuant to this General Term and Condition.

See B.6 below if no deviations occurred during the quarter.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

- iii. **All reporting required in accordance with the OAC rule 3745-77-07(A)(3)(c) for other deviations of the federally enforceable permit requirements which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted in the following manner:**

Unless otherwise specified by rule, written reports that identify deviations of the following federally enforceable requirements contained in this permit; General Terms and Conditions: A.2, A.3, A.4, A.6.e, A.7, A.12, A.14, A.18, A.19, A.20, and A.22 of Part I of this Title V permit, as well as any deviations from the requirements in Section A.V or A.VI of Part III of this Title V permit, and any monitoring, record keeping, and reporting requirements, which are not reported in accordance with General Term and Condition A.1.c.ii above shall be submitted (i.e., postmarked) to the appropriate Ohio EPA District Office or local air agency by January 31 and July 31 of each year; and each report shall cover the previous six calendar months. Unless otherwise specified by rule, all other deviations from federally enforceable requirements identified in this permit shall be submitted annually as part of the annual compliance certification, including deviations of federally enforceable requirements not specifically addressed by permit or rule for the insignificant activities or emissions levels (IEU) identified in Part II.A of this Title V

permit. Annual reporting of deviations is deemed adequate to meet the deviation reporting requirements for IEU's unless otherwise specified by permit or rule.

In identifying each deviation, the permittee shall specify the federally enforceable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation.

These semi-annual and annual written reports shall satisfy the reporting requirements of OAC rule 3745-77-07(A)(3)(c) for any deviations from the federally enforceable requirements contained in this permit that are not reported in accordance with General Term and Condition A.1.c.ii above.

If no such deviations occurred during a six-month period, the permittee shall submit a semi-annual report which states that no such deviations occurred during that period.

*(Authority for term: OAC rules 3745-77-07(A)(3)(c)(i) and (ii) and OAC rule 3745-77-07(A)(13)(b))*

- iv. Each written report shall be signed by a responsible official certifying that, "based on information and belief formed after reasonable inquiry, the statements and information in the report (including any written malfunction reports required by OAC rule 3745-15-06 that are referenced in the deviation reports) are true, accurate, and complete."

*(Authority for term: OAC rule 3745-77-07(A)(3)(c)(iv))*

- v. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

## 2. **Scheduled Maintenance**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. Except as provided in OAC rule 3745-15-06(A)(3), any scheduled maintenance necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s). Any scheduled maintenance, as defined in OAC rule 3745-15-06(A)(1), that results in a deviation from a federally enforceable emission limitation (or control requirement) shall be reported in the same manner as described for malfunctions in General Term and Condition A.1.c.i above.

*(Authority for term: OAC rule 3745-77-07(A)(3)(c))*

## 3. **Risk Management Plans**

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. § 7401 et seq. ("Act"); and, pursuant to 40 C.F.R. 68.215(a), the permittee shall submit either of the following:

- a. a compliance plan for meeting the requirements of 40 C.F.R. Part 68 by the date specified in 40 C.F.R. 68.10(a) and OAC 3745-104-05(A); or
- b. as part of the compliance certification submitted under 40 C.F.R. 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 C.F.R. Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

*(Authority for term: OAC rule 3745-77-07(A)(4))*

## 4. **Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

*(Authority for term: OAC rule 3745-77-07(A)(5))*

## 5. **Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

*(Authority for term: OAC rule 3745-77-07(A)(6))*

**6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.
- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause, in accordance with A.10 below. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.
- f. Except as otherwise indicated below, this Title V permit, or permit modification, is effective for five years from the original effective date specified in the permit. In the event that this facility becomes eligible for non-title V permits, this permit shall cease to be enforceable upon final issuance of all applicable OAC Chapter 3745-35 operating permits and/or registrations for all subject emissions units located at the facility and:
  - i. the permittee submits an approved facility-wide potential to emit analysis supporting a claim that the facility no longer meets the definition of a “major source” as defined in OAC rule 3745-77-01(W) based on the permanent shutdown and removal of one or more emissions units identified in this permit; or
  - ii. the permittee no longer meets the definition of a “major source” as defined in OAC rule 3745-77-01(W) based on obtaining restrictions on the facility-wide potential(s) to emit that are federally enforceable or legally and practically enforceable ; or
  - iii. a combination of i. and ii. above.

The permittee shall comply with any residual requirements, such as quarterly deviation reports, semi-annual deviation reports, and annual compliance certifications covering the period during which this Title V permit was enforceable. All records relating to this permit must be maintained in accordance with law.

*(Authority for term: OAC rule 3745-77-01(W), OAC rule 3745-77-07(A)(3)(b)(ii), OAC rule 3745-77(A)(7))*

**7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

*(Authority for term: OAC rule 3745-77-07(A)(8))*

**8. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

*(Authority for term: OAC rule 3745-77-07(A)(9))*

**9. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

*(Authority for term: OAC rule 3745-77-07(A)(10))*

**10. Reopening for Cause**

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen (18) months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

*(Authority for term: OAC rules 3745-77-07(A)(12) and 3745-77-08(D))*

**11. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

*(Authority for term: OAC rule 3745-77-07(B))*

**12. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

- iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventative or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) and the Administrator of the U.S. EPA in the following manner and with the following content:
  - i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted (i.e., postmarked) on or before April 30th of each year during the permit term.
  - ii. Compliance certifications shall include the following:
    - (a) An identification of each term or condition of this permit that is the basis of the certification.
    - (b) The permittee's current compliance status.
    - (c) Whether compliance was continuous or intermittent.
    - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
    - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
  - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

*(Authority for term: OAC rules 3745-77-07(C)(1),(2),(4) and (5) and ORC section 3704.03(L))*

### 13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

*(Authority for term: OAC rule 3745-77-07(F))*

### 14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District

Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).  
(Authority for term: OAC rules 3745-77-07(H)(1) and (2))

**15. Emergencies**

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.  
(Authority for term: OAC rule 3745-77-07(G))

**16. Off-Permit Changes**

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition.
- b. The permittee provides contemporaneous written notice of the change to the Director and the Administrator of the U.S. EPA, except that no such notice shall be required for changes that qualify as insignificant emissions levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change.
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F).
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes.
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.  
(Authority for term: OAC rule 3745-77-07(I))

**17. Compliance Method Requirements**

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.  
(This term is provided for informational purposes only.)

**18. Insignificant Activities or Emissions Levels**

Each IEU that has one or more applicable requirements shall comply with those applicable requirements.  
(Authority for term: OAC rule 3745-77-07(A)(1))

**19. Permit to Install Requirement**

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.  
(Authority for term: OAC rule 3745-77-07(A)(1))

**20. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

*(Authority for term: OAC rule 3745-77-07(A)(1))*

**21. Permanent Shutdown of an Emissions Unit**

The permittee may notify Ohio EPA of any emissions unit that is permanently shut down by submitting a certification from the responsible official that identifies the date on which the emissions unit was permanently shut down. Authorization to operate the affected emissions unit shall cease upon the date certified by the responsible official that the emissions unit was permanently shut down.

After the date on which an emissions unit is permanently shut down (i.e., that has been physically removed from service or has been altered in such a way that it can no longer operate without a subsequent “modification” or “installation” as defined in OAC Chapter 3745-31 and therefore ceases to meet the definition of an “emissions unit” as defined in OAC rule 3745-77-01(O)), rendering existing permit terms and conditions irrelevant, the permittee shall not be required, after the date of the certification and submission to Ohio EPA, to meet any Title V permit requirements applicable to that emissions unit, except for any residual requirements, such as the quarterly deviation reports, semi-annual deviation reports and annual compliance certification covering the period during which the emissions unit last operated. All records relating to the shutdown emissions unit, generated while the emissions unit was in operation, must be maintained in accordance with law.

No emissions unit certified by the responsible official as being permanently shut down may resume operation without first applying for and obtaining a permit to install pursuant to OAC Chapter 3745-31.

*(Authority for term: OAC rule 3745-77-01)*

**22. Title VI Provisions**

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

*(Authority for term: OAC rule 3745-77-01(H)(11))*

**B. State Only Enforceable Section**

**1. Reporting Requirements Related to Monitoring and Record Keeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or record keeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (i) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and record keeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. In identifying each deviation, the permittee shall specify the applicable requirement for which the deviation occurred, describe each deviation, and provide the magnitude and duration of each deviation. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) quarterly, by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

**2. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

**3. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

**4. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**5. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**6. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no emission limitation (or control requirement), operational restriction and/or control device parameter limitation deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted (i.e., postmarked) by January 31, April 30, July 31, and October 31 of each year; and each report shall cover the previous calendar quarter.

The permittee is not required to submit a quarterly report which states that no deviations occurred during that quarter for the following situations:

- a. where an emissions unit has deviation reporting requirements for a specific emission limitation, operational restriction, or control device parameter limitation that override the deviation reporting requirements specified in General Term and Condition A.1.c.ii; or
- b. where an uncontrolled emissions unit has no monitoring, record keeping, or reporting requirements and the emissions unit's applicable emission limitations are established at the potentials to emit; or
- c. where the company's responsible official has certified that an emissions unit has been permanently shut down.

## **Part II - Specific Facility Terms and Conditions**

### **A. State and Federally Enforceable Section**

1. The following insignificant emissions unit is located at this facility:

F001--unpaved roadways.

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emissions limitation and/or control requirements contained within a permit to install for the emissions unit. Insignificant emissions units listed above that are not subject to specific permit to install requirements are subject to one or more applicable requirements contained in the federally-approved versions of OAC Chapters 3745-17, 3745-18, and/or 3745-21.

### **B. State Only Enforceable Section**

1. The following insignificant emissions units located at this facility are exempt from permit requirements because they are not subject to any applicable requirements or because they meet the "de minimis" criteria established in OAC rule 3745-15-05:

Z004--storage tank;  
Z005--storage tank;  
Z006--storage tank;  
Z007--storage tank;  
Z008--storage tank;  
Z009--storage tank;  
Z010--storage tank; and  
Z011--space heater.

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** BOF Slag Pits (F003)  
**Activity Description:** #2 BOF Slag Pits

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
slag dumping and excavation operations at ISG Cleveland's #2 BOF slag pits controlled with a stationary water spray system  (east side operation)	OAC rule 3745-17-07(B)	Visible emissions of fugitive dust shall not exceed 20 percent opacity, as a 3-minute average.
	OAC rule 3745-17-08(B)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust from this emissions unit  See Section A.I.2.a below.

#### 2. Additional Terms and Conditions

- 2.a For the stationary water spray system, the permittee shall:
  - i. operate the system such that cooled slag piles are thoroughly wetted prior to handling and processing, so that visible emissions of fugitive dust are minimized or eliminated; and
  - ii. maintain the system regularly in accordance with good engineering practices to minimize or eliminate emissions of fugitive dust.

### II. Operational Restrictions

None

### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain daily logs of the following:
  - a. the number of pots dumped in the pit; and
  - b. the time at which each pot was dumped.

[Authority for term: OAC rule 3745-77-07(C)(1)]
2. The permittee shall maintain daily records of any malfunction(s) of the stationary water spray system.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

3. The permittee shall perform weekly checks when the emissions unit is in operation, and when the weather conditions allow, for any visible emissions of fugitive dust from the fugitive egress points for this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
  - a. the color and location of the emissions;
  - b. whether the emissions are representative of normal operations;
  - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
  - d. the total duration of any visible emission incident; and
  - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident had ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports of any malfunction(s) of the stationary water spray system. These reports shall be submitted to the Cleveland Division of Air Quality (CDAQ) in accordance with General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The permittee shall submit written reports on a quarterly basis that (a) identify all days during which any visible emissions of fugitive dust were observed from the fugitive egress points for this emissions unit and (b) describe any corrective actions taken to minimize or eliminate the visible emissions. These reports shall be submitted to the CDAQ on the dates specified in General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### V. Testing Requirements

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following method:

- 1.a Emission Limitation:  
Visible emissions of fugitive dust shall not exceed 20 percent opacity, as a 3-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3). The points of observation for visible emissions shall include any fugitive egress points from this emissions unit.

[Authority for term: OAC rules 3745-17-03(B)(3) and 3745-77-07(C)(1)]

### VI. Miscellaneous Requirements

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Storage Piles (F005)  
**Activity Description:** Storage Piles of sized slag

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
load-in and load-out of storage piles (east side operation)	OAC rule 3745-31-05(A)(3) (PTI #13-1860, issued on 11/09/88)	The visible emission limitation specified in PTI 13-1860 is less stringent than the visible emission limitation established pursuant to OAC rule 3745-17-12(W)(1).  best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust
	OAC rule 3745-17-07(B)	See Sections A.I.2.b through A.I.2.c and A.I.2.f through A.I.2.g below. The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-17-12(W)(1).
	OAC rule 3745-17-08(B)	The control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-12(W)(1)	There shall be no visible emissions of fugitive dust except for a period of time not to exceed 1 minute during any 60-minute observation period.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
wind erosion from storage piles (east side operation)	OAC rule 3745-31-05(A)(3) (PTI #13-1860, issued on 11/09/88)	The visible emission limitation specified in PTI 13-1860 is less stringent than the visible emission limitation established pursuant to OAC rule 3745-17-12(W)(1).
		best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust
		See Sections A.I.2.d through A.I.2.f below.
	OAC rule 3745-17-07(B)	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-17-12(W)(1).
	OAC rule 3745-17-08(B)	The control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-12(W)(1)	There shall be no visible emissions of fugitive dust except for a period of time not to exceed 1 minute during any 60-minute observation period.

**2. Additional Terms and Conditions**

- 2.a** The storage piles that are covered by this permit and subject to the above-mentioned requirements are six (6) storage piles for processed slag.
- 2.b** The permittee shall employ best available control measures on all load-in and load-out operations associated with the storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to watering, use of wind guard enclosures and minimizing the drop height of the front end loader to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The above-mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.
- 2.d** The permittee shall employ best available control measures for wind erosion from the surfaces of all storage piles for the purpose of ensuring compliance with the above-mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to watering and the use of wind guard enclosures to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.

## 2. Additional Terms and Conditions (continued)

- 2.e** The above-mentioned control measure(s) shall be employed for wind erosion from each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements.
- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rules 3745-17-08 and 3745-31-05.
- 2.g** The permittee shall conduct training of all personnel that are involved in this operation to insure that they are informed of the requirements to minimize or eliminate the generation of visible emissions of fugitive dust and of what measures they are expected to take (i.e., the prompt clean-up of spills, who should be notified if there are any spills, etc.).

## II. Operational Restrictions

None

## III. Monitoring and/or Record Keeping Requirements

1. Except as otherwise provided in this section, the permittee shall perform daily inspections of each load-in operation at each storage pile.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
2. Except as otherwise provided in this section, the permittee shall perform daily inspections of each load-out operation at each storage pile.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
3. Except as otherwise provided in this section, the permittee shall perform daily inspections of the wind erosion from pile surfaces associated with each storage pile.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
4. No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
5. The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
6. The permittee may, upon receipt of written approval from the CDAQ, modify the above-mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

7. The permittee shall maintain records of the following information:
- the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - the dates the control measures were implemented; and
  - on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in Section A.III.7.d shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

[Authority for term: OAC rule 3745-77-07(C)(1)]

8. The permittee shall keep records of any training provided to personnel that are involved in this operation, based on Section A.I.2.g above. Each record shall be retained for the duration of the individual's employment.

[Authority for term: OAC rule 3745-77-07(C)(1) and PTI #13-1860]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify any of the following occurrences:
- each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

The deviation (excursion) reports shall be submitted to the CDAQ in accordance with the requirements of General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### V. Testing Requirements

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following method:
- 1.a Emission Limitation:  
There shall be no visible emissions of fugitive dust, except for a period of time not to exceed 1 minute during any 60-minute observation period.

Applicable Compliance Method:

Compliance with the visible emission limitations for the storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

[Authority for term: OAC rules 3745-17-03(B)(4) and 3745-77-07(C)(1)]

### VI. Miscellaneous Requirements

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Slag Processing (F006)  
**Activity Description:** Slag crushing, screening and handling operation

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
slag crushing, screening and handling operation  (east side operation)	OAC rule 3745-31-05(A)(3) (PTI #13-1860, issued on 11/09/88)	Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.  best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust
		See Sections A.I.2.a through A.I.2.c and A.II.1 below.
	OAC rule 3745-17-07(B)	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-08(B)	The control measures required by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-12(W)(2)	The opacity limitation established pursuant to this rule is equivalent to the opacity limitation established pursuant to OAC rule 3745-31-05(A)(3).

#### 2. Additional Terms and Conditions

- 2.a The areas around the slag crushing, screening, and handling operation shall be regularly cleaned, watered and treated to minimize or eliminate visible emissions of fugitive dust from any activities in the operation.
- 2.b If the slag crushing, screening, and handling operation is found to operate with visible emissions of fugitive dust greater than 10 percent opacity, as a 6-minute average, by the CDAQ, the installation of a water spray system and/or other control equipment will be required.

## 2. Additional Terms and Conditions (continued)

- 2.c The permittee shall conduct training of all personnel that are involved in this operation to insure that they are informed of the requirements to minimize or eliminate the generation of visible emissions of fugitive dust and of what measures they are expected to take (i.e., the prompt clean-up of spills, who should be notified if there are any spills, etc.).

## II. Operational Restrictions

1. The raw BOF slag shall be sufficiently watered and cooled prior to processing so that the unprocessed and processed material has a moisture content of at least 4%.

[Authority for term: OAC rule 3745-77-07(A)(1) and PTI #13-1860]

## III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain weekly logs of the operations in the areas in and around the slag processing plant. The logs shall include, but are not limited to, the following information:

- a. the moisture contents of the materials specified in Section A.II.1 above;
- b. the amounts of water added, if any; and
- c. the type and extent of any other cleaning and treating done to this area.

Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the monitoring and record keeping requirements specified in this term and condition are as stringent as or more stringent than the monitoring and record keeping requirements contained in Permit to Install #13-1860, issued on 11/09/88. The monitoring and record keeping requirements contained in the above-referenced Permit to Install are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and record keeping requirements in the Permit to Install.

[Authority for term: OAC rules 3745-77-07(A)(3)(a)(ii) and 3745-77-07(C)(1) and PTI #13-1860]

2. The permittee shall perform weekly checks when the emissions unit is in operation, and when the weather conditions allow, for any visible emissions of fugitive dust from the fugitive egress points for this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

- a. the color and location of the emissions;
- b. whether the emissions are representative of normal operations;
- c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
- d. the total duration of any visible emission incident; and
- e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident had ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee shall keep records of any training provided to personnel that are involved in this operation, based on Section A.I.2.c above. Each record shall be retained for the duration of the individual's employment.

[Authority for term: OAC rule 3745-77-07(C)(1) and PTI #13-1860]

#### **IV. Reporting Requirements**

1. The permittee shall submit written reports on a quarterly basis that (a) identify all days during which any visible emissions of fugitive dust were observed from the fugitive egress points for this emissions unit and (b) describe any corrective actions taken to minimize or eliminate the visible emissions. These reports shall be submitted to the CDAQ on the dates specified in General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The permittee shall submit quarterly deviation (excursion) reports to CDAQ indicating all weekly slag samples with less than 4% moisture, and the corrective actions taken to increase the moisture content. These reports shall be submitted to the CDAQ in accordance with General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and PTI #13-1860]

#### **V. Testing Requirements**

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following method:

- 1.a Emission Limitation:  
Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3). The points of observation for visible emissions shall include any fugitive egress points from this emissions unit.

[Authority for term: OAC rules 3745-17-03(B)(3) and 3745-77-07(C)(1) and PTI #13-1860]

#### **VI. Miscellaneous Requirements**

1. If visible emissions of fugitive dust are generated on the unpaved road sections leading to the Yucca flats oversized slag processing operation, truck speeds should be reduced and ISG Cleveland, Inc. should be notified of the conditions.

[Authority for term: PTI #13-1860]

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Drop Ball Operation (F007)  
**Activity Description:** Oversized slag processing

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
oversized slag processing  (east side operation)	OAC rule 3745-31-05(A)(3) (PTI #13-1860, issued on 11/09/88)	Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.  best available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust
	OAC rule 3745-17-07(B)	See Sections A.I.2.a through A.I.2.d below.
	OAC rule 3745-17-08(B)	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-31-05(A)(3).
	OAC rule 3745-17-12(W)(2)	The control measures specified by this rule are equivalent to the control measures established pursuant to OAC rule 3745-31-05(A)(3).  The opacity limitation established pursuant to this rule is equivalent to the opacity limitation established pursuant to OAC rule 3745-31-05(A)(3).

#### 2. Additional Terms and Conditions

- 2.a The areas around the oversized slag processing operation shall be regularly cleaned, watered and treated to minimize or eliminate visible emissions of fugitive dust from any activities in the area.
- 2.b The oversized slag and the area in Yucca flats where the oversized slag is broken up shall be watered and kept sufficiently wet to minimize or eliminate visible emissions of fugitive dust from any activities in that area.
- 2.c If the oversized slag processing operation is found to operate with visible emissions greater than 10 percent opacity, as a 6-minute average, by the CDAQ, the installation of a water spray system and/or other control equipment will be required.

## 2. Additional Terms and Conditions (continued)

- 2.d** The permittee shall conduct training of all personnel that are involved in this operation to insure that they are informed of the requirements to minimize or eliminate the generation of visible emissions of fugitive dust and of what measures they are expected to take (i.e., the prompt clean-up of spills, who should be notified if there are any spills, etc.).

## II. Operational Restrictions

1. The oversized slag or any other slag or scrap metal shall be sufficiently watered and cooled prior to processing so that the unprocessed and processed material has a moisture content of at least 4%.

[Authority for term: OAC rule 3745-77-07(A)(1) and PTI #13-1860]

## III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain weekly logs of the cleaning operations in the areas in and around the slag processing plant and the area in the Yucca flats where the oversized slag is broken up. The logs shall include, but are not limited to, the following information:

- a. the moisture contents of the materials specified in Section A.II.1 above;
- b. the amounts of water added; and
- c. they type and extent of any other cleaning and treating done to this area.

Pursuant to OAC rule 3745-77-07(A)(3)(a)(ii), the monitoring and record keeping requirements specified in this term and condition are as stringent as or more stringent than the monitoring and record keeping requirements contained in Permit to Install #13-1860, issued on 11/09/88. The monitoring and record keeping requirements contained in the above-referenced Permit to Install are subsumed into the monitoring and record keeping requirements of this operating permit, so that compliance with these requirements constitutes compliance with the underlying monitoring and record keeping requirements in the Permit to Install.

[Authority for term: OAC rules 3745-77-07(A)(3)(a)(ii) and 3745-77-07(C)(1) and PTI #13-1860]

2. The permittee shall perform weekly checks when the emissions unit is in operation, and when the weather conditions allow, for any visible emissions of fugitive dust from the fugitive egress points for this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:

- a. the color and location of the emissions;
- b. whether the emissions are representative of normal operations;
- c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
- d. the total duration of any visible emission incident; and
- e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident had ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee shall keep records of any training provided to personnel that are involved in this operation, based on Section A.I.2.d above. Each record shall be retained for the duration of the individual's employment.

[Authority for term: OAC rule 3745-77-07(C)(1) and PTI #13-1860]

#### **IV. Reporting Requirements**

1. The permittee shall submit written reports on a quarterly basis that (a) identify all days during which any visible emissions of fugitive dust were observed from the fugitive egress points for this emissions unit and (b) describe any corrective actions taken to minimize or eliminate the visible emissions. These reports shall be submitted to the CDAQ on the dates specified in General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The permittee shall submit quarterly deviation (excursion) reports to CDAQ indicating all weekly slag samples with less than 4% moisture, and the corrective actions taken to increase the moisture content. These reports shall be submitted to the CDAQ in accordance with General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and PTI #13-1860]

#### **V. Testing Requirements**

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following method:

- 1.a Emission Limitation:  
Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3). The points of observation for visible emissions shall include any fugitive egress points from this emissions unit.

[Authority for term: OAC rules 3745-17-03(B)(3) and 3745-77-07(C)(1) and PTI #13-1860]

#### **VI. Miscellaneous Requirements**

1. If visible emissions of fugitive dust are generated on the unpaved road sections leading to the Yucca flats oversized slag processing operation, truck speeds should be reduced and ISG Cleveland, Inc. should be notified of the conditions.

[Authority for term: PTI #13-1860]

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Skim Pot Dumping (F008)  
**Activity Description:** Skim Pot Dumping and Cooling Operation

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
skim pot dumping and cooling operation controlled with a stationary sprinkler system  (east side operation)	OAC rule 3745-17-07(B)	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-17-12(X)(2).
	OAC rule 3745-17-08(B)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust
	OAC rule 3745-17-12(X)(2)	See Section A.I.2.a below. Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.

#### 2. Additional Terms and Conditions

- 2.a The stationary sprinkler system shall be operated such that cooled slag piles are thoroughly wetted prior to handling and processing so that visible emissions of fugitive dust are minimized or eliminated.

#### II. Operational Restrictions

None

#### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain daily logs of the following:
  - a. the number of pots dumped in the pit; and
  - b. the time each pot was dumped.

[Authority for term: OAC rule 3745-77-07(C)(1)]
2. The permittee shall maintain daily records of any malfunction(s) of the stationary sprinkler system.
 

[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

3. The permittee shall perform weekly checks when the emissions unit is in operation, and when the weather conditions allow, for any visible emissions of fugitive dust from the fugitive egress points for this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
  - a. the color and location of the emissions;
  - b. whether the emissions are representative of normal operations;
  - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
  - d. the total duration of any visible emission incident; and
  - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident had ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports of any malfunction(s) of the stationary sprinkler system. These reports shall be submitted to the CDAQ in accordance with General Term and Condition A.1.c of this permit.

[Authority for term: OAC rules 3745-15-06 and 3745-77-07(C)(1)]

2. The permittee shall submit written reports on a quarterly basis that (a) identify all days during which any visible emissions of fugitive dust were observed from the fugitive egress points for this emissions unit and (b) describe any corrective actions taken to minimize or eliminate the visible emissions. These reports shall be submitted to the CDAQ on the dates specified in General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### V. Testing Requirements

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following methods:

- 1.a Emission Limitation:  
Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3). The points of observation for visible emissions shall include any fugitive egress points from this emissions unit.

[Authority for term: OAC rules 3745-17-03(B)(3) and 3745-77-07(C)(1)]

### VI. Miscellaneous Requirements

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Material Handling (F009)  
**Activity Description:** Material Handling Operation

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
material handling and processing operation including the Grizzly feeder, the screeners and conveying equipment, and all the associated material processing and handling activities with fixed sprayers  (west side operation)	OAC rule 3745-17-07(B)	The visible emission limitation specified by this rule is less stringent than the visible emission limitation established pursuant to OAC rule 3745-17-12(X)(3).
	OAC rule 3745-17-08(B)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust from this emissions unit
	OAC rule 3745-17-12(X)(3)	See Sections A.I.2.a through A.I.2.c below. Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.

#### 2. Additional Terms and Conditions

- 2.a The two screener houses shall be maintained in a sound structural condition so that visible emissions of fugitive dust are minimized or eliminated.
- 2.b The areas around the material handling and processing operation shall be regularly cleaned/watered/treated to minimize or eliminate visible emissions of fugitive dust from any activities associated with the material handling and processing operation.
- 2.c This emissions unit and fixed sprayers shall be maintained regularly in accordance with good engineering practices, in order to minimize or eliminate visible emissions of fugitive dust from this emissions unit.

#### II. Operational Restrictions

1. The raw slag shall be sufficiently watered and cooled prior to processing so that the unprocessed and processed slag has a moisture content of at least 4%.

[Authority for term: OAC rule 3745-77-07(A)(1)]

### III. Monitoring and/or Record Keeping Requirements

1. The average moisture content of the processed slag shall be determined and recorded weekly. If the average moisture content of the slag is less than 4%, the permittee shall employ additional control measures.

[Authority for term: OAC rule 3745-77-07(C)(1)]

2. The permittee shall maintain daily logs of significant conditions at the slag processing plant. The logs shall include, but are not limited to, the following:
  - a. the control measures employed, if any;
  - b. the relevant weather conditions; and
  - c. the moisture content of the material specified in Section A.II.1 above.

[Authority for term: OAC rule 3745-77-07(C)(1)]

3. The permittee shall perform weekly checks when the emissions unit is in operation, and when the weather conditions allow, for any visible emissions of fugitive dust from the fugitive egress points for this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
  - a. the color of the emissions;
  - b. whether the emissions are representative of normal operations;
  - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
  - d. the total duration of any visible emission incident; and
  - e. any corrective actions taken to minimize or eliminate the visible emissions.

If visible emissions are present, a visible emission incident has occurred. The observer does not have to document the exact start and end times for the visible emission incident under item (d) above or continue the daily check until the incident had ended. The observer may indicate that the visible emission incident was continuous during the observation period (or, if known, continuous during the operation of the emissions unit). With respect to the documentation of corrective actions, the observer may indicate that no corrective actions were taken if the visible emissions were representative of normal operations, or specify the minor corrective actions that were taken to ensure that the emissions unit continued to operate under normal conditions, or specify the corrective actions that were taken to eliminate abnormal visible emissions.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports to CDAQ indicating all weekly slag samples with less than 4% moisture, and the corrective actions taken to increase the moisture content. These reports shall be submitted to the CDAQ in accordance with General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1) and PTI #13-1860]

2. The permittee shall submit written reports on a quarterly basis that (a) identify all days during which any visible emissions of fugitive dust were observed from the fugitive egress points for this emissions unit and (b) describe any corrective actions taken to minimize or eliminate the visible emissions. These reports shall be submitted to the CDAQ on the dates specified in General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### V. Testing Requirements

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following methods:

**V. Testing Requirements (continued)**

- 1.a** Emission Limitation:  
Visible emissions of fugitive dust shall not exceed 10 percent opacity, as a 6-minute average.

Applicable Compliance Method:

Compliance shall be determined through visible emission observations performed in accordance with 40 CFR Part 60, Appendix A, Method 9 and the procedures specified in OAC rule 3745-17-03(B)(3). The points of observation for visible emissions shall include any fugitive egress points from this emissions unit.

[Authority for term: OAC rules 3745-17-03(B)(3) and 3745-77-07(C)(1)]

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Storage Piles (F010)  
**Activity Description:** Storage Pile excavation

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
load-in, load-out and wind erosion of storage piles  (west side operation)	OAC rule 3745-17-07(B)	The visible emission limitation specified in this rule is less stringent than the visible emission limitation established in OAC rule 3745-17-12(X)(4).
	OAC rule 3745-17-08(B)	reasonably available control measures that are sufficient to minimize or eliminate visible emissions of fugitive dust from this emission unit
	OAC rule 3745-17-12(X)(4)	See Sections A.I.2.b through A.I.2.f below.  There shall be no visible emissions of fugitive dust, except for a period of time not to exceed 1 minute during any 60-minute observation period.

**2. Additional Terms and Conditions**

- 2.a** The storage piles that are covered by this permit and subject to the requirements of OAC rules 3745-17-08 and 3745-17-12(X)(4) are six (6) storage piles for processed slag.
- 2.b** The permittee shall employ reasonably available control measures on all load in and load out operations associated with the storage piles for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to applying water to the storage piles and maintaining as low a pile height as possible to ensure compliance. The permittee shall also reduce the drop height of the front end loader where applicable. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.c** The above mentioned control measure(s) shall be employed for each load-in and load-out operation of each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary.

## **2. Additional Terms and Conditions (continued)**

- 2.d** The permittee shall employ reasonably available control measures for wind erosion from the surfaces of the storage piles for the purpose of ensuring compliance with the above mentioned applicable requirements. In accordance with the permittee's permit application, the permittee has committed to applying water to the storage piles and maintaining as low a pile height as possible to ensure compliance. Nothing in this paragraph shall prohibit the permittee from employing other control measures to ensure compliance.
- 2.e** The above-mentioned control measure(s) shall be employed for wind erosion from each storage pile if the permittee determines, as a result of the inspection conducted pursuant to the monitoring section of this permit, that the control measure(s) are necessary to ensure compliance with the above-mentioned applicable requirements. Any required implementation of the control measure(s) shall continue during any such operation until further observation confirms that use of the measure(s) is unnecessary. Implementation of the control measure(s) shall not be necessary for a storage pile that is covered with snow and/or ice or if precipitation has occurred that is sufficient for that day to ensure compliance with the above mentioned applicable requirements.
- 2.f** Implementation of the above-mentioned control measures in accordance with the terms and conditions of this permit is appropriate and sufficient to satisfy the requirements of OAC rule 3745-17-08.

## **II. Operational Restrictions**

**None**

## **III. Monitoring and/or Record Keeping Requirements**

- 1.** Except as otherwise provided in this section, the permittee shall perform daily inspections of each load-in operation at each storage pile.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
- 2.** Except as otherwise provided in this section, the permittee shall perform daily inspections of each load-out operation at each storage pile.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
- 3.** Except as otherwise provided in this section, the permittee shall perform daily inspections of the wind erosion from pile surfaces associated with each storage pile.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
- 4.** No inspection shall be necessary for wind erosion from the surface of a storage pile when the pile is covered with snow and/or ice and for any storage pile activity if precipitation has occurred that is sufficient for that day to ensure compliance with the above-mentioned applicable requirements. Any required inspection that is not performed due to any of the above identified events shall be performed as soon as such event(s) has (have) ended, except if the next required inspection is within one week.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
- 5.** The purpose of the inspections is to determine the need for implementing the control measures specified in this permit for load-in and load-out of a storage pile, and wind erosion from the surface of a storage pile. The inspections shall be performed during representative, normal storage pile operating conditions.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]
- 6.** The permittee may, upon receipt of written approval from the Cleveland Division of Air Quality (CDAQ), modify the above mentioned inspection frequencies if operating experience indicates that less frequent inspections would be sufficient to ensure compliance with the above-mentioned applicable requirements.  
  
[Authority for term: OAC rule 3745-77-07(C)(1)]

### III. Monitoring and/or Record Keeping Requirements (continued)

7. The permittee shall maintain records of the following information:
  - a. the date and reason any required inspection was not performed, including those inspections that were not performed due to snow and/or ice cover or precipitation;
  - b. the date of each inspection where it was determined by the permittee that it was necessary to implement the control measures;
  - c. the dates the control measures were implemented; and
  - d. on a calendar quarter basis, the total number of days the control measures were implemented and, for wind erosion from pile surfaces, the total number of days where snow and/or ice cover or precipitation were sufficient to not require the control measure(s).

The information required in Section A.III.7.d shall be kept separately for (i) the load-in operations, (ii) the load-out operations, and (iii) the pile surfaces (wind erosion), and shall be updated on a calendar quarter basis within 30 days after the end of each calendar quarter.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### IV. Reporting Requirements

1. The permittee shall submit quarterly deviation (excursion) reports that identify any of the following occurrences:
  - a. each day during which an inspection was not performed by the required frequency, excluding an inspection which was not performed due to an exemption for snow and/or ice cover or precipitation; and
  - b. each instance when a control measure, that was to be implemented as a result of an inspection, was not implemented.

The deviation (excursion) reports shall be submitted to the CDAQ in accordance with the requirements of General Term and Condition A.1.c of this permit.

[Authority for term: OAC rule 3745-77-07(C)(1)]

### V. Testing Requirements

1. Compliance with the emission limitation in Section A.I of these terms and conditions shall be determined in accordance with the following methods:
  - 1.a Emission Limitation:  
There shall be no visible emissions of fugitive dust, except for a period of time not to exceed 1 minute during any 60-minute observation period.

Applicable Compliance Method:

Compliance with the visible emission limitations for the storage piles identified above shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(c) of OAC rule 3745-17-03.

[Authority for term: OAC rules 3745-17-03(B)(4) and 3745-77-07(C)(1)]

### VI. Miscellaneous Requirements

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

Facility Name: **Stein, Inc.**  
Facility ID: **13-18-00-3929**

\*\*\*\*\*

**THIS IS THE LAST PAGE OF THE PERMIT**

\*\*\*\*\*

# Statement of Basis For Title V Permit

<b>Part I - General</b>	
Company Name	Stein, Inc.
Premise Number	13-18-00-3929
What makes this facility a Title V facility?	This facility processes slag material generated by ISG steel making operations. It was determined that these two facilities are separate facilities per Engineering Guide 58. However, in response to concerns raised by U.S. EPA, Stein has voluntarily submitted a Title V application in order to alleviate concerns regarding Title V applicability. Issuance of a separate Title V permit while retaining separate facility numbers will make it easier to determine responsibility for operation of emissions units in compliance with permit requirements as well as the submittal of Fee Emission Reports.
Has each insignificant emissions unit been reviewed to confirm it meets the definition in OAC rule 3745-77-01 (U)?	Yes
Were there any "common control" issues associated with this facility? If yes, provide a summary of those issues and explain how the DAPC decided to resolve them.	Yes. Per guidance received from U.S. EPA, we investigated whether or not Stein should be considered as a support operation for ISG Cleveland Inc. With assistance from Ohio EPA Legal, it was determined that Stein is a separate facility from ISG per Engineering Guide 58. A separate Title V permit is being processed to alleviate concerns from U.S. EPA.
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a minor permit modification per OAC rule 3745-77-08(C)(1)	N/A
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a significant permit modification per OAC rule 3745-77-08(C)(3)	N/A
Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document that qualify as a reopening per OAC rule 3745-77-08(D)	N/A

Please identify the affected unit(s) and associated PTI, if applicable, along with a brief description of any changes to the permit document resulting from a renewal per OAC rule 3745-77-08(E)

N/A

Part II (State and Federally Enforceable Requirements)			
Term and Condition (paragraph)	Basis		<u>Comments</u>
	SIP (3745- )	Other	

C **Instructions for Part II:**  
Each paragraph in Part II must be identified and the remainder of the table completed. If the SIP (not including 31-05) is the basis for the term and condition, identify the specific rule. If the SIP is not the basis for the term and condition, place an "N" in the column under "SIP." If the basis for the term and condition is something other than the SIP, including 3745-31-05, NSPS or MACT, a "Y" should be noted in the "Other" column, and if not, an "N" should be noted. Whether the basis for the term and condition is the "SIP" or "Other," an explanation of each term and condition in Part II must be provided in the "Comments" section.

Part III (Requirements Within the State and Federally Enforceable Section)															
Any unusual requirements or aspects of the terms and conditions in Part III that are not self-explanatory should be explained in the appropriate comment field or in a paragraph following the table for Part III.															
EU(s)	Limitation	Basis		ND	O R	M	St	ENF	R	St	Rp	St	ET	Misc	<u>Comments</u>
		SIP (3745- )	Othe r												
F003	20% opacity, as a three-minute average	17-07 (B)		N	N	Y	N	N	Y	N	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 9.

F003, F005, F006, F007, F008, F009, F010	RACM to minimize or eliminate fugitive dust	17-08 (B)		N	N	Y	N	N	Y	N	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping requirements.
F005	no visible emissions except for a period of time not to exceed one minute during any sixty-minute observation period	17-12 (W)(1)		N	N	Y	N	N	Y	N	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 22.
F006	10% opacity, as a 6-minute average	31-05 (A)(3)		N	N	Y	Y	N	Y	Y	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 9. St -Section A.III.1.c “ the moisture content of the material specified in Section A.II.1 above” has replaced the PTI term “the moisture content of the slag.” This term is equal to or more stringent than the term established in the PTI because it provides a more accurate description of the material described in the operational description.
F007	10% opacity, as a 6-minute average	31-05 (A)(3)		N	N	Y	Y	N	Y	Y	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 9. St -Section A.III.1.c “ the moisture content of the material specified in Section A.II.1 above” has replaced the PTI term “the moisture content of the slag.” This term is equal to or more stringent than the term established in the PTI because it provides a more accurate description of the material described in the operational description.
F008	10% opacity, as a six-minute average	17-12 (X)(2)		N	N	Y	N	N	Y	N	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 9.

F009	10% opacity, as a six-minute average	17-12 (X)(3)		N	N	Y	N	N	Y	N	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 9.
F010	no visible particulate emissions except for a period of time not to exceed one minute during any sixty-minute observation period	17-12 (X)(4)		N	N	Y	N	N	Y	N	Y	N	N	N	ET-Permittee shall demonstrate compliance through record keeping and through Method 22.

EU = emissions unit ID

ND = negative declaration (i.e., term that indicates that a particular rule(s) is (are) not applicable to a specific emissions unit)

OR = operational restriction

M = monitoring requirements

St = streamlining term used to replace a PTI monitoring, record keeping, or reporting requirement with an equivalent or more stringent requirement

ENF = did noncompliance issues drive the monitoring requirements?

R = record keeping requirements

Rp = reporting requirements

ET = emission testing requirements (not including compliance method terms)

Misc = miscellaneous requirements

**C Instructions for Part III:**

- C All non-insignificant EUs must be included in this table. For each EU, or group of similar EUs, each emission limitation and control requirement specified in section A.I.1 and A.I.2 of the permit must be identified and the remainder of the table completed.
- C If the SIP (not including OAC rule 3745-31-05) is the basis for the term and condition, identify the specific rule. If the SIP is not the basis for the term and condition, place an “N” in the column under “SIP.” If the basis for the term and condition is something other than the SIP, including OAC rule 3745-31-05, NSPS or MACT, a “Y” should be noted in the “Other” column, and if not, an “N” should be noted. If the basis for the term and condition is “Other,” an explanation of the basis must be provided in the “Comments” section. If OAC rule 3745-31-05 is cited in the “Other” column, please indicate in the “Comments” section whether or not all of the requirements have been transferred from the permit to install.
- To complete the remainder of the table after “Basis,” except for the “Comments” section, simply specify a “Y” for yes or an “N” for no. For the “M,” “R,” “Rp,” and “ET” columns, if “N” is specified, there should be a brief explanation in the “Comments” section as to why there are no requirements. If a brief explanation is provided in the “Comments” section, please do not simply indicate that monitoring or testing requirements are not necessary. An explanation of why a requirement is not

necessary should be specified.

When periodic monitoring requirements are established to satisfy the provisions of OAC rule 3745-77-07(A)(3)(a)(ii), the basis for the requirements must be explained. Whenever Engineering Guides have been used to establish the periodic monitoring requirements, the applicable Engineering Guide may be referenced in the "Comments" section. An example that should be clarified would be the situation where it has been determined that control equipment parametric monitoring will be used to evaluate ongoing compliance in lieu of performing frequent emission tests. In this situation, Engineering Guide #65 would be referenced along with the fact that the parametric monitoring range (or minimum value) corresponded to the range (or minimum value) documented during the most recent emission tests that demonstrated that the emissions unit was in compliance. If streamlining language is included in the "Monitoring," "Record Keeping," or "Reporting" requirements sections of the permit, explain which requirements are being streamlined (mark appropriate column above) and provide a brief explanation of why the streamlined term is equal to or more stringent than the "Monitoring," "Record Keeping," or "Reporting" requirements specified in the permit to install. If Engineering Guide #16 was used as the basis for establishing an emission test frequency, a simple note referencing the Engineering Guide in the "Comments" section would be sufficient.

Also, if a "Y" is noted under "OR," "Misc," "St," "ND," or "ENF" an explanation of the requirements must be provided in the "Comments" section. In addition to a general explanation of the "OR," "Misc," "St," "ND," and/or "ENF" the following must be provided:

1. For an operational restriction, clarify if appropriate monitoring, record keeping, and reporting requirements have been specified for the operational restriction and indicate whether or not CAM is currently applicable.
2. If a control plan and schedule is included in the "Miscellaneous Requirements" section of the permit, provide an explanation in the "Comments" section of the violation, basis for the violation, and the company's proposed control plan and schedule.
3. If the "ND" column above is marked, please identify the particular rule(s) that is (are) not applicable to the specified emissions unit.
2. If the "ENF" column above is marked, please provide a brief explanation of the noncompliance issue(s) which prompted the use of the specified monitoring requirement.

An explanation is not required if an "N" is noted in the "OR," "Misc," "St," "ND," or "ENF" columns.

- C Additional information for modifications** - Several types of modifications, as defined by rule, may be processed concurrently. Please provide enough of a description for someone wishing to review the changes to the permit language to be able to identify where the change is made in the permit document. This brief description should be identified in the appropriate row in the first table of this form by replacing the "N/A" in the applicable row(s). Please also indicate if the modification is being initiated by an appeal by including the ERAC case number in the "Comments" area. Please update the term-specific text in the SOB as warranted (full insertion or replacement is acceptable; bold italic and strike out is not needed). Note all modification/reopening rows should remain "N/A" when developing the SOB during the initial permit development. Note: APA's and Off-permit changes do not need to be noted in the SOB.