



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

04/22/99

CERTIFIED MAIL

RE: Draft Title V Chapter 3745-77 permit

06-60-01-0101
Burnham Foundry
Joseph Patrick Montgomery
2345 Licking Road
Zanesville, OH 43702

Dear Joseph Patrick Montgomery:

You are hereby notified that the Ohio Environmental Protection Agency has prepared the enclosed draft of the Title V permit for the facility referenced above. The purpose of this draft is to solicit public comments. A public notice concerning the draft will appear in the Ohio EPA Weekly Review and the major newspaper in the county where the facility is located. Comments and/or a request for a public hearing from the public and any affected parties will be accepted by Southeast District Office within 30 days of the date of publication in the newspaper. You will be notified in writing if a public hearing is scheduled.

A decision on processing the Title V permit will be made after consideration of written public comments and oral testimony (if a public hearing is conducted). After the comment period, you will be provided with a Preliminary Proposed Title V permit and an opportunity to comment prior to the Proposed Title V permit submittal to USEPA.

If you have any questions or comments concerning this draft Title V permit, please contact Southeast District Office.

Very truly yours,

A handwritten signature in black ink that reads "Thomas G. Rigo". The signature is written in a cursive style.

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
Jim Orlemann, DAPC Engineering
Michael Ahern, DAPC PMU
Southeast District Office
West Virginia



Ohio EPA

State of Ohio Environmental Protection Agency

TITLE V PERMIT

Issue Date: 04/22/99

DRAFT

Effective Date:

Expiration Date:

This document constitutes issuance to:

Burnham Foundry
2345 Licking Road
P.O. Box 3148
Zanesville, OH 43702-3148

of a Title V permit for Facility ID: 06-60-01-0101

Emissions Unit ID (Company ID)/

Emissions Unit Activity Description:

F003 (Unit 3 Pouring and Cooling)

Molten iron poured into sand molds and cooled to form castings.

F004 (Unit 3 Casting Shakeout)

Sandy castings pass along vibratory conveyor to shake off sand.

F008 (Coremaking Machines #1, #2 (Baking Line #1))

Sand and binders mixed and baked to form sand molds.

F009 (Coremaking Machines #3, #4 (Baking Line #2))

Sand and binders mixed and baked to form sand molds.

F010 (Coremaking Machines #5, #6 (Baking Line #3))

Sand and binders mixed and baked to form sand molds.

F012 (Sand and Bond Unloading and Storage)

Sand and bond unloading and storage in bins.

F013 (Airset Sand Preparation & Mold Make-up (No Bake))

Sand and binders mixed to form sand molds.

F014 (Airset Casting Shakeout (No Bake))

Sandy castings pass along vibratory conveyor to shake off sand.

F015 (Airset Pouring & Cooling (No Bake))

Molten iron poured into sand molds and cooled to form castings.

F016 (Isocure CB-30 Coremaking Machine)

Sand and binders mixed to form sand molds.

F017 (Shalco 4-102 Isocure Coremaking Machine)

Sand and binders mixed to form sand molds.

F018 (Ductile Iron Inoculation)

Molten iron inoculated with magnesium, etc.

F019 (DISA Pouring and Cooling)

Molten iron poured into sand molds and cooled to form castings.

F020 (DISA Shakeout and Sorting)

Sandy castings pass along vibratory conveyor to shake off sand.

F021 (DISA Casting Cooling)

Molten iron that has been poured into sand molds is cooled to form castings.

F022 (DISA Sand Preparation and Mold Make-up)

Sand and binders mixed to form sand molds.

F025 (Pedestal Grinders)

Finishing grinders smooth rough casting edges.

F026 (Rotoblast #1, #2, #3)

Sandy castings are cleaned.

F027 (Unit 3 Mold Sand Preparation and Mold Making)

Sand and binders mixed to form sand molds.

P905 (#9 Gray Iron Cupola)

Scrap iron melted down in cupola.

Z001 (DISA Standby Generator)

Disa Standby Generator generates electricity for use during power outages.

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Southeast District Office
2195 Front Street
Logan, OH 43138
(740) 385-8501

OHIO ENVIRONMENTAL PROTECTION AGENCY

Christopher Jones
Director

PART I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Section

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.) See B.8 below if no deviations occurred during the quarter.
 - iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

8. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

9. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

10. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.

- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

11. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

12. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency in the following manner and with the following content:

- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
- ii. Compliance certifications shall include the following:
 - (a) An identification of each term or condition of this permit that is the basis of the certification.
 - (b) The permittee's current compliance status.
 - (c) Whether compliance was continuous or intermittent.
 - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
 - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
- iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

15. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

16. Off Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;
- b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change;
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

17. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

B. State Only Enforceable Section

1. Permit to Install Requirement

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

Part II - Specific Facility Terms and Conditions

A. State and Federally Enforcable Section

None

B. State Only Enforceable Section

1. The following insignificant emissions units are located at this facility:

P014-Monorail Casting Cleaning
F023-Roadways and Parking Areas
F024-Storage Piles
Z002-Hand Grinding of Castings
Z003-Ladle Rebuilding/Mold Cleaning
Z004-Slag Pouring/Cooling Trough
Z005-6,000 Gallon Air Compressor Oily Wastewater Storage Tank
Z006-1,000 Gallon Waste Oil Storage Tank
Z007-1,000 Gallon Oil Separation Tank for WWTP Clarifier
Z008-5,000 Gallon Core Room Resin Storage Tank
Z009-9 Air Make-Up Units
Z010-Wastewater Treatment Plant

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within a Permit to Install for the emissions unit.

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Unit 3 Pouring and Cooling (F003)

Activity Description: Molten iron poured into sand molds and cooled to form castings.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Unit 3 Pouring and Cooling(F003)	None (See A.1.2.a. and A.1.2.b. below)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emissions unit was installed in 1971 and is exempt from OAC rule 3745-21-07.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Unit 3 Casting Shakeout (F004)

Activity Description: Sandy castings pass along vibratory conveyor to shake off sand.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Unit 3 Casting Shakeout Vented to Unit 3 Small Collector	None (See A.1.2.a. below)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Coremaking Machines #1, #2 (Baking Line #1) (F008)
Activity Description: Sand and binders mixed and baked to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Coremaking Machines #1,#2 - Baking Line #1(F008)	None (See A.I.2.a. and A.I.2.b. below)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emissions unit was installed in 1964 and is exempt from OAC rule 3745-21-07.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Coremaking Machines #3, #4 (Baking Line #2) (F009)
Activity Description: Sand and binders mixed and baked to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Coremaking Machines #3,#4 - Baking Line #2(F009)	None (See A.1.2.a. and A.1.2.b. below)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emissions unit was installed in 1969 and is exempt from OAC rule 3745-21-07.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Coremaking Machines #5, #6 (Baking Line #3) (F010)
Activity Description: Sand and binders mixed and baked to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Coremaking Machines #5,#6 - Baking Line #3 (F010)	OAC rule 3745-21-07(G)(2)	(See A.1.2.b. below)
	OAC rule 3745-17-07 and 3745-17-08	(See A.1.2.a. below)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as resins or cleanup materials) shall be employed in this emissions unit.

Note: "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records that identify each liquid organic material employed in this emissions unit and whether or not it is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time when a photochemically reactive material is employed in this emissions unit. These reports shall be submitted within 30 days after the occurrence.

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Sand and Bond Unloading and Storage (F012)
Activity Description: Sand and bond unloading and storage in bins.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Sand and Bond Unloading and Storage with Fabric Filter	None (See A.1.2.a.)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Sand and Bond Unloading and Storage with Fabric Filter	OAC rule 3745-31-05 PTI #06-2072	Emissions of particulate matter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks for any visible particulate emissions from the exhaust of the fabric filter control system. The presence or absence of any visible emissions from the exhaust of the fabric filter control system shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all days during which visible particulate emissions are observed from the exhaust of the fabric filter control system.

The reports shall be submitted on:

- a. January 31 of each year and shall cover the period from July 1 until December 31; and
- b. July 31 of each year and shall cover the period from January 1 until June 30.

If no visible particulate emissions are observed from the exhaust of the fabric filter control system during a given period, the permittee shall submit a report which states that no visible particulate emissions were observed from the exhaust of the fabric filter control system during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).

V. Testing Requirements (continued)

2. Compliance with the no visible emission limit for the exhaust of the fabric filter control system shall be determined using Test Method 22-like visible emission observations. (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations.)

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Airset Sand Preparation & Mold Make-up (No Bake) (F013)
Activity Description: Sand and binders mixed to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Airset Sand Preparation and Mold Make-Up Vented to a Fabric Filter(F013)	OAC rule 3745-21-07(G)	None (See A.I.2.b. below)
	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a. below)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emission unit is exempt from the requirements of OAC rule 3745-21-07(G) per the exemption as described in OAC rule 3745-21-07 (G)(9)(i). See A.VI.1.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. This exemption was adopted by the Director of Ohio EPA and became effective in June, 1999. The USEPA has agreed to consider this revised rule as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of this rule as a revision to the Ohio SIP for VOC.

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Airset Sand Preparation and Mold Make-Up Vented to a Fabric Filter(F013)	OAC rule 3745-31-05 PTI #06-4464	Emissions of particulate matter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent. Total particulate emissions from F013, F014, and F015 combined shall not exceed 16.6 tons per year. Total OC emissions from F013 shall not exceed 0.04 ton per year.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks for any visible particulate emissions from the exhaust of the fabric filter control system. The presence or absence of any visible emissions from the exhaust of the fabric filter control system shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.
2. The permittee shall collect and record the following information for each day for the Airset Sand Preparation and Mold Make-Up operation:
 - a. The company identification for each resin employed.
 - b. The number of gallons of each resin employed.
 - c. The organic compound content of each resin, in pounds per gallon.
 - d. The total organic compound emission rate for all resins, i.e., the sum of (b)x(c) for all resins employed, in tons per year.

[Note: The organic compound content information for resins must be for the resins as employed, including any thinning solvents added at the emissions unit.]

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all days during which visible particulate emissions are observed from the exhaust of the fabric filter control system.

The reports shall be submitted on:

- a. January 31 of each year and shall cover the period from July 1 until December 31; and
- b. July 31 of each year and shall cover the period from January 1 until June 30.

If no visible particulate emissions are observed from the exhaust of the fabric filter control system during a given period, the permittee shall submit a report which states that no visible particulate emissions were observed from the exhaust of the fabric filter control system during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

2. The permittee shall submit annual reports which specify the total particulate emissions from F013, F014 and F015 combined for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit annual reports which specify the total organic compound emissions from F013, F014 and F015 combined for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. Compliance with the particulate matter emission limit of 16.6 tons per year for emissions units F013, F014, and F015 combined shall be determined by multiplying the results of the most recent stack test (0.0030gr/dscf) by the hours of operation as follows:
$$[(0.0030 \text{ gr/dscf}) \times (82,000\text{cf/min}) \times (60\text{min/hr}) / (7000\text{gr/lb})] \times (\text{actual hours of operation/yr}) \times (0.0005\text{lb/ton}) = \text{tons per year.}$$
3. Compliance with the no visible emission limit from the exhaust of the fabric filter shall be determined using Test Method 22-like visible emission observations. (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations.)
4. Compliance with the annual organic compound emission limit shall be based upon the record keeping requirements contained in Section B.III.2 of this permit.
5. Formulation data or USEPA Method 24 shall be used to determine the organic compound content of the resins.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Airset Casting Shakeout (No Bake) (F014)

Activity Description: Sandy castings pass along vibratory conveyor to shake off sand.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Airset Casting Shakeout Vented to a Fabric Filter(F014)	OAC rule 3745-21-07(G)	None (See A.I.2.b. below)
	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a. below)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emission unit is exempt from the requirements of OAC rule 3745-21-07(G) per the exemption as described in OAC rule 3745-21-07 (G)(9)(i). See A.VI.1.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. This exemption was adopted by the Director of Ohio EPA and became effective in June, 1999. The USEPA has agreed to consider this revised rule as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of this rule as a revision to the Ohio SIP for VOC.

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Airset Casting Shakeout Vented to a Fabric Filter(F014)	OAC rule 3745-31-05 PTI #06-4464	Emissions of particulate matter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent. Total particulate emissions from F013, F014, and F015 combined shall not exceed 16.6 tons per year. Total OC emissions from F013 shall not exceed 14.47 ton per year.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks for any visible particulate emissions from the exhaust of the fabric filter control system. The presence or absence of any visible emissions from the exhaust of the fabric filter control system shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.
2. The permittee shall collect and record the following information for each day for the Airset Casting Shakeout operation:
 - a. The company identification for each resin employed.
 - b. The number of gallons of each resin employed.
 - c. The organic compound content of each resin, in pounds per gallon.
 - d. The total organic compound emission rate for all resins, i.e., the sum of (b)x(c) for all resins employed, in tons per year.

[Note: The organic compound content information for resins must be for the resins as employed, including any thinning solvents added at the emissions unit.]

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all days during which visible particulate emissions are observed from the exhaust of the fabric filter control system.

The reports shall be submitted on:

- a. January 31 of each year and shall cover the period from July 1 until December 31; and
- b. July 31 of each year and shall cover the period from January 1 until June 30.

If no visible particulate emissions are observed from the exhaust of the fabric filter control system during a given period, the permittee shall submit a report which states that no visible particulate emissions were observed from the exhaust of the fabric filter control system during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

2. The permittee shall submit annual reports which specify the total particulate emissions from F013, F014 and F015 combined for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit annual reports which specify the total organic compound emissions from F013, F014 and F015 combined for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. Compliance with the particulate matter emission limit of 16.6 tons per year for emissions units F013, F014, and F015 combined shall be determined by multiplying the results of the most recent stack test (0.0030gr/dscf) by the hours of operation as follows:
$$[(0.0030 \text{ gr/dscf}) \times (82,000\text{cf/min}) \times (60\text{min/hr}) / (7000\text{gr/lb})] \times (\text{actual hours of operation/yr}) \times (0.0005\text{lb/ton}) = \text{tons per year.}$$
3. Compliance with the no visible emission limit from the exhaust of the fabric filter shall be determined using Test Method 22-like visible emission observations. (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations.)
4. Compliance with the annual organic compound emission limit shall be based upon the record keeping requirements contained in Section B.III.2 of this permit.
5. Formulation data or USEPA Method 24 shall be used to determine the organic compound content of the resins.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Airset Pouring & Cooling (No Bake) (F015)

Activity Description: Molten iron poured into sand molds and cooled to form castings.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Airset Pouring and Cooling Vented to a Fabric Filter(F015)	OAC rule 3745-21-07(G)	None (See A.I.2.b. below)
	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a. below)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emission unit is exempt from the requirements of OAC rule 3745-21-07(G) per the exemption as described in OAC rule 3745-21-07 (G)(9)(i). See A.VI.1.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. This exemption was adopted by the Director of Ohio EPA and became effective in June, 1999. The USEPA has agreed to consider this revised rule as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of this rule as a revision to the Ohio SIP for VOC.

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Airset Pouring and Cooling Vented to a Fabric Filter(F015)	OAC rule 3745-31-05 PTI #06-4464	Emissions of particulate matter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent. Total particulate emissions from F013, F014, and F015 combined shall not exceed 16.6 tons per year. Total OC emissions from F013 shall not exceed 1.69 ton per year.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks for any visible particulate emissions from the exhaust of the fabric filter control system. The presence or absence of any visible emissions from the exhaust of the fabric filter control system shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.
2. The permittee shall collect and record the following information for each day for the Airset Pouring and Cooling operation:
 - a. The company identification for each resin employed.
 - b. The number of gallons of each resin employed.
 - c. The organic compound content of each resin, in pounds per gallon.
 - d. The total organic compound emission rate for all resins, i.e., the sum of (b)x(c) for all resins employed, in tons per year.

[Note: The organic compound content information for resins must be for the resins as employed, including any thinning solvents added at the emissions unit.]

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all days during which visible particulate emissions are observed from the exhaust of the fabric filter control system.

The reports shall be submitted on:

- a. January 31 of each year and shall cover the period from July 1 until December 31; and
- b. July 31 of each year and shall cover the period from January 1 until June 30.

If no visible particulate emissions are observed from the exhaust of the fabric filter control system during a given period, the permittee shall submit a report which states that no visible particulate emissions were observed from the exhaust of the fabric filter control system during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

2. The permittee shall submit annual reports which specify the total particulate emissions from F013, F014 and F015 combined for the previous calendar year. These reports shall be submitted by January 31 of each year.
3. The permittee shall submit annual reports which specify the total organic compound emissions from F013, F014 and F015 combined for the previous calendar year. These reports shall be submitted by January 31 of each year.

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. Compliance with the particulate matter emission limit of 16.6 tons per year for emissions units F013, F014, and F015 combined shall be determined by multiplying the results of the most recent stack test (0.0030gr/dscf) by the hours of operation as follows:
$$[(0.0030 \text{ gr/dscf}) \times (82,000\text{cf/min}) \times (60\text{min/hr}) / (7000\text{gr/lb})] \times (\text{actual hours of operation/yr}) \times (0.0005\text{lb/ton}) = \text{tons per year.}$$
3. Compliance with the no visible emission limit from the exhaust of the fabric filter shall be determined using Test Method 22-like visible emission observations. (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations.)
4. Compliance with the annual organic compound emission limit shall be based upon the record keeping requirements contained in Section B.III.2 of this permit.
5. Formulation data or USEPA Method 24 shall be used to determine the organic compound content of the resins.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Isocure CB-30 Coremaking Machine (F016)
Activity Description: Sand and binders mixed to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Isocure CB-30 Coremaking Machine Vented to a Packed-Bed Scrubber(F016)	OAC rule 3745-21-07(G)	None (See A.I.2.b below)
	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a. below)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emission unit is exempt from the requirements of OAC rule 3745-21-07(G) per the exemption as described in OAC rule 3745-21-07 (G)(9)(h). See A.VI.1.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. This exemption was adopted by the Director of Ohio EPA and became effective in June, 1999. The USEPA has agreed to consider this revised rule as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of this rule as a revision to the Ohio SIP for VOC.

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Isocure CB-30 Coremaking Machine Vented to a Packed-Bed Scrubber(F016)	OAC rule 3745-31-05 PTI #06-3004	Triethylamine emissions from emissions units F016 and F017 combined shall not exceed 0.05 pound per hour. Emissions of particulate matter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent.

2. Additional Terms and Conditions

None

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 3.5 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 1.0 to 5.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day the emission unit is in operation:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 3.5 inches of water.
 - b. A pH of the scrubber liquor within the range of 1.0 to 5.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. If required, emission tests also may be required in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 18. No emission testing is specifically required by this permit but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A). Emission tests were performed on April 25, 1990 on the scrubber controlling F016 and F017. The results of the tests indicated an emission rate of 0.0013 pound triethylamine per hour.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Shalco 4-102 Isocure Coremaking Machine (F017)
Activity Description: Sand and binders mixed to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Shalco 4-102 Isocure Coremaking Machine Vented to a Packed-Bed Scrubber(F017)	OAC rule 3745-21-07(G)	None (See A.I.2.b below)
	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a. below)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b This emission unit is exempt from the requirements of OAC rule 3745-21-07(G) per the exemption as described in OAC rule 3745-21-07 (G)(9)(h). See A.VI.1.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

1. This exemption was adopted by the Director of Ohio EPA and became effective in June, 1999. The USEPA has agreed to consider this revised rule as federally enforceable during the time from the effective date of this permit to the effective date of USEPA approval of this rule as a revision to the Ohio SIP for VOC.

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Shalco 4-102 Isocure Coremaking Machine Vented to a Packed-Bed Scrubber(F017)	OAC rule 3745-31-05 PTI #06-3004	Triethylamine emissions from emissions units F016 and F017 combined shall not exceed 0.05 pound per hour. Emissions of particulate matter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent.

2. Additional Terms and Conditions

None

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 3.5 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 1.0 to 5.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day the emission unit is in operation:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 3.5 inches of water.
 - b. A pH of the scrubber liquor within the range of 1.0 to 5.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. If required, emission tests also may be required in accordance with 40 CFR Part 60, Appendix A, Methods 1-4 and 18. No emission testing is specifically required by this permit but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A). Emission tests were performed on April 25, 1990 on the scrubber controlling F016 and F017. The results of the tests indicated an emission rate of 0.0013 pound triethylamine per hour.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Ductile Iron Inoculation (F018)
Activity Description: Molten iron inoculated with magnesium, etc.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Ductile Iron Inoculation Vented to a Fabric Filter(F018)	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a.)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Ductile Iron Inoculation Vented to a Fabric Filter(F018)	OAC rule 3745-31-05 PTI #06-3051	Emissions of particulate matter from the exhaust of the fabric filter shall not exceed 0.030 grain per dry standard cubic foot of exhaust gases or there shall be no visible particulate emissions, whichever is less stringent. There shall be no visible particulate emissions from the inoculation fume hooding and collection system.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks for any visible particulate emissions from the exhaust of the fabric filter control system. The presence or absence of any visible emissions from the exhaust of the fabric filter control system shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.
2. The permittee shall perform daily checks for any visible particulate emissions from the inoculation fume hooding and collection system. The presence or absence of any visible emissions from the inoculation fume hooding and collection system shall be noted in an operations log. If any visible emissions are observed, corrective actions shall be taken to eliminate the visible emissions and these actions shall also be noted in the operations log.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all days during which visible particulate emissions are observed from either the exhaust of the fabric filter control system or the inoculation fume hooding and collection system.

The reports shall be submitted on:

- a. January 31 of each year and shall cover the period from July 1 until December 31; and
- b. July 31 of each year and shall cover the period from January 1 until June 30.

If no visible particulate emissions are observed from the exhaust of the fabric filter control system or from the inoculation fume hooding and collection system during a given period, the permittee shall submit a report which states that no visible particulate emissions were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Compliance with the particulate matter emission limit of 0.030 grain per dry standard cubic foot of exhaust gases shall be determined based on emission testing conducted in accordance with OAC rule 3745-17-03. Emission testing is not specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. Compliance with the no visible emission limit from the exhaust of the fabric filter shall be determined using Test Method 22-like visible emission observations. (Although Test Method 22 applies to fugitive emissions units, the visible/no visible emissions observation technique of Test Method 22 can be applied to ducted emissions, i.e., Test Method 22-like visible emission observations.)
3. Compliance with the emission limitations for the inoculation fume hooding and collection system shall be determined in accordance with Test Method 22 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources," as such Appendix existed on July 1, 1996, and the modifications listed in paragraphs (B)(4)(a) through (B)(4)(d) of OAC rule 3745-17-03.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: DISA Pouring and Cooling (F019)

Activity Description: Molten iron poured into sand molds and cooled to form castings.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Pouring and Cooling Vented to a Scrubber(F019)	OAC rules 3745-17-07 and 3745-17-08 OAC rule 3745-21-07(G)(2)	None (See A.I.2.a.) See A.I.2.b.

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as resins or cleanup materials) shall be employed in this emissions unit.

"Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records that identify each liquid organic material employed in this emissions unit and whether or not it is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time when a photochemically reactive material is employed in this emissions unit. These reports shall be submitted within 30 days after the occurrence.

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Pouring and Cooling Vented to a Scrubber(F019)	OAC rule 3745-31-05 PTI #06-3748	Emissions of particulate matter from the exhaust of the scrubber shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases. Total particulate emissions from F019, F020, F021, and F022 combined shall not exceed 18.3 pounds per hour.

2. Additional Terms and Conditions

None

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 10.0 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 7.0 to 9.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day the emissions unit is in operation:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 10.0 inches of water.
 - b. A pH of the scrubber liquor within the range of 7.0 to 9.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Emission Limitation
Emissions of particulate matter from F019, F020, F021 and F022 shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases and 18.3 pounds per hour.

Applicable Compliance Method

The permittee shall conduct, or have conducted, particulate emission testing for emissions units F019, F020, F021 and F022 to demonstrate compliance with the allowable mass emission rate of 0.020 gr/dscf and 18.3 lbs/hr in accordance with the following requirements:

The particulate emission testing shall be conducted within one year prior to the expiration of this permit.

Compliance with the allowable mass emission rate for particulates shall be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(9).

The test(s) shall be conducted while the emissions units are operating at or near their maximum capacities.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: DISA Shakeout and Sorting (F020)

Activity Description: Sandy castings pass along vibratory conveyor to shake off sand.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Shakeout and Sorting Vented to a Scrubber(F020)	OAC rule 3745-17-08	None (See A.I.2.a.)
	OAC rule 3745-21-07(G)(2)	See A.I.2.b.

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as resins or cleanup materials) shall be employed in this emissions unit.

"Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records that identify each liquid organic material employed in this emissions unit and whether or not it is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time when a photochemically reactive material is employed in this emissions unit. These reports shall be submitted within 30 days after the occurrence.

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Shakeout and Sorting Vented to a Scrubber(F020)	OAC rule 3745-31-05 PTI #06-3748	Emissions of particulate matter from the exhaust of the scrubber shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases. Total particulate emissions from F019, F020, F021, and F022 combined shall not exceed 18.3 pounds per hour.

2. Additional Terms and Conditions

None

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 10.0 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 7.0 to 9.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 10.0 inches of water.
 - b. A pH of the scrubber liquor within the range of 7.0 to 9.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Emission Limitation
Emissions of particulate matter from F019, F020, F021 and F022 shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases and 18.3 pounds per hour.

Applicable Compliance Method

The permittee shall conduct, or have conducted, particulate emission testing for emissions units F019, F020, F021 and F022 to demonstrate compliance with the allowable mass emission rate of 0.020 gr/dscf and 18.3 lbs/hr in accordance with the following requirements:

The particulate emission testing shall be conducted within one year prior to the expiration of this permit.

Compliance with the allowable mass emission rate for particulates shall be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(9).

The test(s) shall be conducted while the emissions units is operating at or near its maximum capacity.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: DISA Casting Cooling (F021)

Activity Description: Molten iron that has been poured into sand molds is cooled to form castings.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Casting Cooling Vented to a Scrubber(F021)	OAC rules 3745-17-07 and 3745-17-08 OAC rule 3745-21-07(G)(2)	None (See A.I.2.a.) See A.I.2.b.

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as resins or cleanup materials) shall be employed in this emissions unit.

"Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records that identify each liquid organic material employed in this emissions unit and whether or not it is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time when a photochemically reactive material is employed in this emissions unit. These reports shall be submitted within 30 days after the occurrence.

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Casting Cooling Vented to a Scrubber(F021)	OAC rule 3745-31-05 PTI #06-3748	Emissions of particulate matter from the exhaust of the scrubber shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases. Total particulate emissions from F019, F020, F021, and F022 combined shall not exceed 18.3 pounds per hour.

2. Additional Terms and Conditions

None

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 10.0 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 7.0 to 9.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 10.0 inches of water.
 - b. A pH of the scrubber liquor within the range of 7.0 to 9.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Emission Limitation
Emissions of particulate matter from F019, F020, F021 and F022 shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases and 18.3 pounds per hour.

Applicable Compliance Method

The permittee shall conduct, or have conducted, particulate emission testing for emissions units F019, F020, F021 and F022 to demonstrate compliance with the allowable mass emission rate of 0.020 gr/dscf and 18.3 lbs/hr in accordance with the following requirements:

The particulate emission testing shall be conducted within one year prior to the expiration of this permit.

Compliance with the allowable mass emission rate for particulates shall be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(9).

The test(s) shall be conducted while the emissions units is operating at or near its maximum capacity.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: DISA Sand Preparation and Mold Make-up (F022)
Activity Description: Sand and binders mixed to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Sand Preparation and Mold Make-Up Vented to a Scrubber(F022)	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a.)
	OAC rule 3745-21-07(G)(2)	See A.I.2.b.

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as resins or cleanup materials) shall be employed in this emissions unit.

"Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records that identify each liquid organic material employed in this emissions unit and whether or not it is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time when a photochemically reactive material is employed in this emissions unit. These reports shall be submitted within 30 days after the occurrence.

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Sand Preparation and Mold Make-Up Vented to a Scrubber(F022)	OAC rule 3745-31-05 PTI #06-3748	Emissions of particulate matter from the exhaust of the scrubber shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases. Total particulate emissions from F019, F020, F021, and F022 combined shall not exceed 18.3 pounds per hour.

2. Additional Terms and Conditions

None

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 10.0 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 7.0 to 9.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 10.0 inches of water.
 - b. A pH of the scrubber liquor within the range of 7.0 to 9.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

V. Testing Requirements

1. Emission Limitation
Emissions of particulate matter from F019, F020, F021 and F022 shall not exceed 0.020 grain per dry standard cubic foot of exhaust gases and 18.3 pounds per hour.

Applicable Compliance Method

The permittee shall conduct, or have conducted, particulate emission testing for emissions units F019, F020, F021 and F022 to demonstrate compliance with the allowable mass emission rate of 0.020 gr/dscf and 18.3 lbs/hr in accordance with the following requirements:

The particulate emission testing shall be conducted within one year prior to the expiration of this permit.

Compliance with the allowable mass emission rate for particulates shall be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures specified in OAC rule 3745-17-03(B)(9).

The test(s) shall be conducted while the emissions units is operating at or near its maximum capacity.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Pedestal Grinders (F025)

Activity Description: Finishing grinders smooth rough casting edges.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Pedestal Grinders Vented to a Baghouse Fabric Filter (F025)	None (See A.1.2.a.)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Rotoblast #1, #2, #3 (F026)
Activity Description: Sandy castings are cleaned.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Rotoblast #1,#2,#3 Vented to a Fabric Filter (F026)	None (See A.1.2.a.)	

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Unit 3 Mold Sand Preparation and Mold Making (F027)
Activity Description: Sand and binders mixed to form sand molds.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Unit 3 Mold Sand Preparation and Mold Make-up Vented to Unit 3 Large Collector (F027)	OAC rules 3745-17-07 and 3745-17-08	None (See A.I.2.a.)
	OAC rule 3745-21-07(G)(2)	None (See A.I.2.b.)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rules 3745-17-07 and 3745-17-08 do not apply to the fugitive particulate emissions from this emissions unit.
- 2.b To avoid the emission limitations/control requirements contained in OAC rule 3745-21-07(G)(2), no photochemically reactive materials (i.e., as resins or cleanup materials) shall be employed in this emissions unit.

"Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records that identify each liquid organic material employed in this emissions unit and whether or not it is a photochemically reactive material.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time when a photochemically reactive material is employed in this emissions unit. These reports shall be submitted within 30 days after the occurrence.

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: #9 Gray Iron Cupola (P905)
Activity Description: Scrap iron melted down in cupola.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
#9 Gray Iron Cupola Vented to a Scrubber(P905)	OAC rule 3745-17-11	Total particulate emissions shall not exceed 22.6 pounds per hour.
	OAC rule 3745-17-07	Visible particulate emissions shall not exceed 20% opacity, as a 6-minute average, except as provided by rule.
	OAC rule 3745-17-08	None(See A.I.2.a.)

2. Additional Terms and Conditions

- 2.a This facility is not located in an Appendix A area as described in OAC rule 3745-17-08; therefore, OAC rule 3745-17-08 does not apply to the fugitive particulate emissions from this emissions unit.

II. Operational Restrictions

1. The static pressure drop across the scrubber shall be greater than or equal to 48.0 inches of water.
2. The pH of the scrubber liquor shall be maintained within the range of 5.5 to 7.0.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly operate and maintain equipment to continuously monitor the static pressure drop across the scrubber and the pH of the scrubber liquor while the emissions unit is in operation. The monitoring devices and any recorders shall be calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manuals.
2. The permittee shall collect and record the following information once per shift during each day the emissions unit is in operation:
 - a. The pressure drop across the scrubber, in inches of water column.
 - b. The pH of the scrubber liquor.

III. Monitoring and/or Record Keeping Requirements (continued)

3. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any abnormal visible emission incident; and
 - e. any corrective actions taken to eliminate the abnormal visible emissions.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify all periods of time during which the scrubber parameters were not maintained at the following levels:
 - a. A static pressure drop across the scrubber of greater than or equal to 48.0 inches of water.
 - b. A pH of the scrubber liquor within the range of 5.5 to 7.0.

The reports shall be submitted on January 31 of each year and shall cover the period from July 1 until December 31, and July 31 of each year and shall cover the period from January 1 until June 30.

If no deviations of the above listed operating parameters are observed during a given period, the permittee shall submit a report which states that no deviations of the above listed operating parameters were observed during that period. (These reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

2. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Ohio EPA, Southeast District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.

V. Testing Requirements

1. Emission Limitation:

Total particulate emissions shall not exceed 22.6 pounds per hour.

Applicable Compliance Method

The permittee shall conduct, or have conducted, particulate emission testing for this emissions unit to demonstrate compliance with the allowable mass emission rate of 22.6 lb/hr in accordance with the following requirements:

The particulate emission testing shall be conducted within one year prior to the expiration of this permit.

Compliance with the allowable mass emission rate for particulates shall be determined in accordance with 40 CFR Part 60, Appendix A, Methods 1 through 5 and the procedures in OAC rule 3745-17-03(B)(9).

The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity of 24.35 tons gray iron per hour.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the Ohio EPA, Southeast District Office. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA, Southeast District Office's refusal to accept the results of the emission test(s).

Personnel from the Ohio EPA shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

2. Compliance with the visible emission limit shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996. No visible emission testing is specifically required by this permit, but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04 (A).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: DISA Standby Generator (Z001)

Activity Description: Disa Standby Generator generates electricity for use during power outages.

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
DISA Standby Generator(P017)	OAC rule 3745-31-05 PTI #06-4752	Emissions from this emissions unit are limited to the following: PM10 - 2.83 tons/yr OC - 0.82 ton/yr SO2 - 9.21 tons/yr NOx - 28.27 tons/yr CO - 7.38 tons/yr
	OAC rule 3745-17-07	Visible particulate emissions shall not exceed 20% opacity as a 6-minute average, except as provided by rule.
	OAC rule 3745-17-11(B)(5)(a)	Particulate emissions shall not exceed 0.310 lb/mmBtu actual heat input.

2. Additional Terms and Conditions

- 2.a This emissions unit is limited to 4,000 hours of operation in any twelve-month period.

II. Operational Restrictions

1. The permittee shall burn only number two fuel oil in this emissions unit.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - a. the color of the emissions;
 - b. whether the emissions are representative of normal operations;
 - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - d. the total duration of any abnormal visible emission incident; and
 - e. any corrective actions taken to eliminate the abnormal visible emissions.
2. The permittee shall maintain records of the monthly hours of operation and the rolling twelve-month hours of operation.

III. Monitoring and/or Record Keeping Requirements (continued)

3. For each day during which the permittee burns a fuel other than number two fuel oil, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the abnormal visible particulate emissions. These reports shall be submitted to the Ohio EPA, Southeast District Office by January 31 and July 31 of each year and shall cover the previous 6-month period.
2. The permittee shall submit deviation (excursion) reports of any record which shows that the hours of operation exceeded 4000 hours based on a 12-month rolling summation. The notification shall include a copy of such record and shall be sent to the Ohio EPA, Southeast District Office within 45 days after the end of the month during which the exceedance occurs.
3. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than number two fuel oil was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

V. Testing Requirements

1. Compliance with the visible emission limit shall be determined in accordance with Test Method 9 as set forth in "Appendix on Test Methods" in 40 CFR, Part 60 ("Standards of Performance for New Stationary Sources"), as such Appendix existed on July 1, 1996. No visible emission testing is specifically required by this permit but, if appropriate, it may be requested pursuant to OAC rule 3745-15-04(A).
2. Compliance with the hours of operation limitation shall be determined based on the record keeping specified in Section A.III.2 of this permit.
3. Emission Limitations

PM10 - 2.83 tons/yr
OC - 0.82 ton/yr
SO2 - 9.21 tons/yr
NOx - 28.27 tons/yr
CO - 7.38 tons/yr

Compliance with these emission limitations shall be determined through the use of the emission factors found in AP-42, Table 3.4-2 and AP-42, Table 3.4-5 multiplied by the annual hours of operation.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

THIS IS THE LAST PAGE OF THE PERMIT
