



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center
122 S. Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center
P.O. Box 1049
Columbus, OH 43216-1049

03/31/99

CERTIFIED MAIL

RE: Draft Title V Chapter 3745-77 permit

03-51-01-0002
CENTRAL SOYA COMPANY, INC.
PAT McNAMARA
751 EAST FARMING STREET
MARION, OH 43302

Dear PAT McNAMARA:

You are hereby notified that the Ohio Environmental Protection Agency has prepared the enclosed draft of the Title V permit for the facility referenced above. The purpose of this draft is to solicit public comments. A public notice concerning the draft will appear in the Ohio EPA Weekly Review and the major newspaper in the county where the facility is located. Comments and/or a request for a public hearing from the public and any affected parties will be accepted by Northwest District Office within 30 days of the date of publication in the newspaper. You will be notified in writing if a public hearing is scheduled.

A decision on processing the Title V permit will be made after consideration of written public comments and oral testimony (if a public hearing is conducted). After the comment period, you will be provided with a Preliminary Proposed Title V permit and an opportunity to comment prior to the Proposed Title V permit submittal to USEPA.

If you have any questions or comments concerning this draft Title V permit, please contact Northwest District Office.

Very truly yours,

A handwritten signature in black ink that reads "Thomas G. Rigo". The signature is written in a cursive, flowing style.

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

cc: USEPA
Jim Orlemann, DAPC Engineering
Michael Ahern, DAPC PMU
Northwest District Office



Ohio EPA

State of Ohio Environmental Protection Agency

TITLE V PERMIT

Issue Date: 03/31/99

DRAFT

Effective Date:

Expiration Date:

This document constitutes issuance to:

CENTRAL SOYA COMPANY, INC.
751 EAST FARMING STREET
MARION, OH 43302

of a Title V permit for Facility ID: 03-51-01-0002

Emissions Unit ID (Company ID)/
Emissions Unit Activity Description:

B003 (0351010002B003)
KEELER BOILER

B004 (0351010002B004)
FLUIDIZED BED BOILER

F002 (0351010002F002)
GRAIN DRYER SYSTEM

P006 (0351010002P006)
PELLETING

P012 (0351010002P012)
BEAN WEIGHING AND CLEANING

P015 (0351010002P015)
HULL REFINING / GRINDING/ STORAGE

P019 (0351010002P019)
MEAL GRINDING

P025 (0351010002P025)
NORTH STORAGE ASPIRATION

P027 (0351010002P027)
SOUTH STORAGE ASPIRATION

P036 (0351010002P036)
FLAKING ROLL SYSTEM

P039 (0351010002P039)
SOYBEAN EXTRACTOR

P046 (0351010002P046)
SOYBEAN MEAL COOLER

P047 (0351010002P047)
COLLET COOLER

P901 (0351010002P901)
SOYBEAN MEAL LOADOUT

P902 (0351010002P902)
RAIL RECEIVING

P903 (0351010002P903)
NORTH TRUCK DUMP

P904 (0351010002P904)
ESCHER WYSS

Z004 (0351010002Z004)
GRAIN RAIL LOADOUT

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Northwest District Office
347 North Dunbridge Road
Bowling Green, OH 43402
(419) 352-8461

OHIO ENVIRONMENTAL PROTECTION AGENCY

Christopher Jones
Director

PART I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Section

1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
 - i. The date, place (as defined in the permit), and time of sampling or measurements.
 - ii. The date(s) analyses were performed.
 - iii. The company or entity that performed the analyses.
 - iv. The analytical techniques or methods used.
 - v. The results of such analyses.
 - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
 - i. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
 - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.) See B.8 below if no deviations occurred during the quarter.
 - iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

8. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

9. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

10. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.

- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

11. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

12. Compliance Requirements

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
 - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
 - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
 - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
 - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
 - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
 - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency in the following manner and with the following content:

- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
- ii. Compliance certifications shall include the following:
 - (a) An identification of each term or condition of this permit that is the basis of the certification.
 - (b) The permittee's current compliance status.
 - (c) Whether compliance was continuous or intermittent.
 - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
 - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
- iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

13. Permit Shield

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

15. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

16. Off Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;
- b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change;
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

17. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

B. State Only Enforceable Section

1. Permit to Install Requirement

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

8. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

Part II - Specific Facility Terms and Conditions

A. State and Federally Enforceable Section

1. Risk Management Plans: If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

B. State Only Enforceable Section

1. The following insignificant emissions units are located at this facility:

#1 leg filter, Ohio EPA emissions unit P038;
milling/Escher Wyss central vacuum cleaning system, Ohio EPA emissions unit P043;
10,000-gallon hexane storage tank, Ohio EPA emissions unit T001;
20,000-gallon hexane storage tank, Ohio EPA emissions unit T002;
coal receiving, Ohio EPA emissions unit Z001;
ash loadout, Ohio EPA emissions unit Z002;
bulk kaolin receiving, Ohio EPA emissions unit Z003; and
feed salt unloading, Ohio EPA emissions unit Z004.

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within a Permit to Install (PTI) for the emissions unit.

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002B003 (B003)
Activity Description: KEELER BOILER

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
natural gas-fired boiler	OAC rule 3745-17-10(B)	0.020 pound particulate emissions (PE)/million BTU of actual heat input.
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.
	OAC rule 3745-18-06(A)	none (refer to section A.I.2.a of the terms and conditions of this permit).

2. Additional Terms and Conditions

- 2.a In accordance with the provisions of OAC rule 3745-18-06(A), this limit does not apply to this emissions unit when natural gas having a heat content greater than 950 BTU/standard cubic foot and a sulfur content less than 0.6 pound/million standard cubic feet is the only fuel combusted.

II. Operational Restrictions

1. The permittee shall burn only natural gas as fuel in this emissions unit which has a heat content greater than 950 BTU/standard cubic foot and a sulfur content less than 0.6 pound/million standard cubic feet.

III. Monitoring and/or Record Keeping Requirements

1. For each day during which the permittee burns a fuel other than natural gas which has a heat content greater than 950 BTU/standard cubic foot and a sulfur content less than 0.6 pound/million standard cubic feet, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas which has a heat content greater than 950 BTU/standard cubic foot and a sulfur content less than 0.6 pound/million standard cubic feet was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 0.020 pound PE/million BTU of actual heat input

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the maximum hourly natural gas combustion rate* by the appropriate emission factor from AP-42 Table 1.4-2, revised 3/98 (7.6 pounds PE/million cubic feet), then dividing by the maximum heat input to the boiler*. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(9).

* As included in the Title V application (claimed confidential by the applicant).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1). The permittee shall monitor compliance with this visible PE limitation through the operational restriction, monitoring/recordkeeping and reporting requirements established in sections A.II.1, A.III.1 and A.IV.1 of the terms and conditions of this permit.

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
natural gas-fired boiler	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002B004 (B004)
Activity Description: FLUIDIZED BED BOILER

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
coal- and natural gas-fired fluidized bed boiler with baghouse	OAC rule 3745-17-10(B)	when combusting coal: 0.37 pound particulate emissions (PE)/million BTU of actual heat input.
	OAC rule 3745-17-07(A)	when combusting only natural gas: 0.020 pound PE/million BTU of actual heat input. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.
	OAC rule 3745-18-06(A)	when combusting only natural gas: none (refer to section A.I.2.a of the terms and conditions of this permit).
	OAC rule 3745-18-57(A)	when combusting coal: 6.1 pounds sulfur dioxide/million BTU of actual heat input.

2. Additional Terms and Conditions

- 2.a In accordance with the provisions of OAC rule 3745-18-06(A), this limit does not apply to this emissions unit when natural gas having a heat content greater than 950 BTU/standard cubic foot and a sulfur content less than 0.6 pound/million standard cubic feet is the only fuel combusted.
- 2.b The permittee shall employ a baghouse to control the particulate emissions from this emissions unit.

II. Operational Restrictions

1. The permittee shall burn only coal or natural gas as fuel in this emissions unit. The natural gas shall have a heat content which is greater than 950 BTU/standard cubic foot and a sulfur content which is less than 0.6 pound/million standard cubic feet.
2. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

II. Operational Restrictions (continued)

3. The quality of the coal burned in this emissions unit shall meet the following specifications on an as-burned, wet basis:
 - a. less than 9 percent ash by weight;
 - b. a sulfur content which is sufficient to comply with the allowable sulfur dioxide emission limitation of 6.1 pounds sulfur dioxide/million BTU of actual heat input; and
 - c. greater than 12,000 BTU/pound of coal.

Compliance with the above-mentioned specifications shall be determined by using analytical results provided by the permittee or coal supplier for each shipment of coal.

III. Monitoring and/or Record Keeping Requirements

1. For each day during which the permittee burns natural gas which has a heat content which is less than 950 BTU/standard cubic foot and a sulfur content which is less than 0.6 pound/million standard cubic feet, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.
2. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.
3. The permittee shall collect or require the coal supplier to collect a representative grab sample of each shipment of coal that is received for burning in this emissions unit. The permittee shall perform or require the supplier to perform the coal sampling in accordance with ASTM method D2234, Collection of a Gross Sample of Coal and analyze the coal sample for ash content (percent), sulfur content (percent), and heat content (Btu/pound of coal). The analytical methods for ash content, sulfur content, and heat content shall be: ASTM method D3174, Ash in the Analysis of Coal and Coke; ASTM method D3177, Total Sulfur in the Analysis Sample of Coal and Coke or ASTM method D4239, Sulfur in the Analysis Sample of Coal and Coke Using High Temperature Tube Furnace Combustion Methods; and ASTM method D2015, Gross Calorific Value of Solid Fuel by the Adiabatic Bomb Calorimeter, ASTM method D3286, Gross Calorific Value of Coal and Coke by the Isothermal Bomb Calorimeter, or ASTM method D1989, Standard Test Method for Gross Calorific Value of Coal and Coke by Microprocessor Controlled Isotherm Bomb Calorimeters, respectively. Alternative, equivalent methods may be used upon written approval by the appropriate Ohio EPA District Office or local air agency.
4. For each shipment of coal received for burning in this emissions unit, the permittee shall maintain records of the total quantity of coal received and the permittee's or coal supplier's analyses for ash content, sulfur content, and heat content.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports that identify each day when natural gas with a heat content which is less than 950 BTU/standard cubic foot and a sulfur content which is greater than 0.6 pound/million standard cubic feet was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.
2. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.2 of the terms and conditions of this permit.

IV. Reporting Requirements (continued)

3. The permittee shall submit, on a quarterly basis, copies of the permittee's or coal supplier's analyses (wet basis) for each shipment of coal which is received for burning in this emissions unit. The permittee or coal supplier's analyses shall document the ash content (percent), sulfur content (percent), and heat content (BTU/pound) of each shipment of coal. The following information shall also be included with the copies of the permittee's or coal supplier's analyses:
 - a. the total quantity of coal received in each shipment (tons);
 - b. the weighted* average ash content (percent) of the coal received during each calendar month;
 - c. the weighted* average sulfur content (percent) of the coal received during each calendar month;
 - d. the weighted* average heat content (Btu/pound) of the coal received during each calendar month; and
 - e. the weighted* average sulfur dioxide emissions rate (pounds sulfur dioxide/mmBtu actual heat input) from the coal received each calendar month.

*In proportion to the quantity of coal received in each shipment during the calendar month.

V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - 1.a the emission testing shall be conducted within 6 months after permit issuance and every 2.5 years thereafter;
 - 1.b the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate for coal (0.37 lb PE/million BTU actual heat input);
 - 1.c the following test method shall be employed to demonstrate compliance with the allowable mass emission rate: Method 5 of 40 CFR Part 60, Appendix A; and
 - 1.d the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
2. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

3. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):
 - 3.a Emission Limitation: when combusting coal - 0.37 pound particulate emissions (PE)/million BTU of actual heat input

Applicable Compliance Method: The permittee shall demonstrate compliance with the PE limitation through the emissions testing required in sections A.V.1 and A.V.2 of the terms and conditions of this permit.

V. Testing Requirements (continued)

3.b Emission Limitation: when only natural gas is combusted - 0.020 pound PE/million BTU of actual heat input

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the maximum hourly natural gas combustion rate* by the appropriate emission factor from AP-42 Table 1.4-2, revised 3/98 (7.6 pounds PE/million cubic feet), then dividing by the maximum heat input to the boiler*. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(9).

* As included in the Title V application (claimed confidential by the applicant).

3.c Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1). The permittee shall monitor compliance with this visible PE limitation through the operational restriction, monitoring/recordkeeping and reporting requirements established in sections A.II.1, A.III.1 and A.IV.1 of the terms and conditions of this permit.

3.d Emission Limitation: when combusting coal - 6.1 pounds sulfur dioxide/million BTU of actual heat input

Applicable Compliance Method: Compliance with this emission limitation shall be demonstrated by the recordkeeping requirements in section A.III.4 and the method outlined in OAC rule OAC rule 3745-18-04(D)(3)(c).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
coal- and natural gas-fired fluidized bed boiler with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002F002 (F002)
Activity Description: GRAIN DRYER SYSTEM

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
column grain dryer	40 CFR Part 60, Subpart DD	refer to section A.I.2.a of the terms and conditions of this permit.

2. Additional Terms and Conditions

- 2.a The column plate perforations shall not exceed 0.094 inch.
- 2.b Marion County is not included in Appendix A of OAC rule 3745-17-08. Therefore, the requirements established in OAC rules 3745-17-08(A) and 3745-17-07(B) shall not apply to any fugitive dust source which is located in Marion County. "Fugitive dust source" is defined in OAC rule 3745-17-01(B)(7).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
column grain dryer	OAC rule 3745-31-05 (PTI No. 03-5261)	4.18 pounds fugitive particulate emissions (PE)/hour. 2.88 pounds NOx/hour.

2. Additional Terms and Conditions

- 2.a The 4.18 pounds fugitive PE/hour emission limitation was established for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop recordkeeping and/or reporting requirements to ensure compliance with this limitation.
- 2.b The 2.88 pounds NOx/hour emission limitation was established for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop recordkeeping and/or reporting requirements to ensure compliance with this limitation.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

1. None

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):
 - 1.a Emission Limitation: 4.18 pounds fugitive PE/hour

Applicable Compliance Method: Compliance shall be determined by summing the following: (i) multiplying the maximum hourly throughput* by the appropriate emission factor from AP-42 Table 9.9.1-1, revised 5/98 (0.22 pound PE/ton), incorporating a 90% control efficiency from the perforations; and (ii) multiplying the maximum hourly natural gas combustion rate* by the appropriate emission factor from AP-42 Table 1.4-2, revised 3/98 (7.6 pounds PE/million cubic feet).

*As included in the Title V application (claimed confidential by the applicant).

V. Testing Requirements (continued)

1.b Emission Limitation: 2.88 pounds NOx/hour

Applicable Compliance Method: Compliance shall be determined by multiplying the maximum hourly natural gas combustion rate* by the appropriate emission factor from AP-42 Table 1.4-1, revised 3/98 (100 pounds NOx/million cubic feet).

*As included in the Title V application (claimed confidential by the applicant).

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P006 (P006)
Activity Description: PELLETING

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
pellet mill/cooler with multiple cyclone	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	66.8 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a** The permittee shall employ a multiple-cyclone to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the multiple-cyclone shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the multiple-cyclone while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the multiple-cyclone on a daily basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the multiple-cyclone did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Performance Test Requirements: The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - 1.a** the emission testing shall be conducted within six months of the issuance of this permit;
 - 1.b** the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate;

V. Testing Requirements (continued)

- 1.c** the following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, which is located in 40 CFR Part 60, Appendix A; and
- 1.d** the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- 2.** Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

- 3.** Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- 3.a** Emission Limitation: 66.8 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the outlet grain loading (per stack test data) (0.0062 grain/cubic foot) by the total maximum volumetric air flow rate (20,000 cubic feet/minute) through the multiple-cyclone, then multiplying this value by 60 minutes/hour, then dividing this value by 7000 grains/pound. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- 3.b** Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
pellet mill/cooler with multiple cyclone	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

1. **None**

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P012 (P012)
Activity Description: BEAN WEIGHING AND CLEANING

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
bean weighing and cleaning operation with baghouse	OAC rule 3745-17-11(B)	75.0 pounds particulate emissions (PE)/hour (refer to section A.I.2.a of the terms and conditions of this permit).
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit and emissions unit P036. The combined PE rate from both emissions units shall not exceed 75.0 pounds/hour.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

Facility Name: **CENTRAL SOYA COMPANY, INC.**

Facility ID: **03-51-01-0002**

Emissions Unit: **0351010002P012 (P012)**

V. Testing Requirements (continued)

1.a Emission Limitation: 75.00 pounds PE/hour (combined with emissions unit P036)

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate from each unit (P012 - 5,500 cubic feet/minute, P036 - 18,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
bean weighing and cleaning operation with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P015 (P015)
Activity Description: HULL REFINING / GRINDING/ STORAGE

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
hull refining operation, consisting of 2 hull grinders with baghouse and storage bins with baghouse	OAC rule 3745-17-11(B)	75.0 pounds particulate emissions (PE)/hour (refer to section A.I.2.a of the terms and conditions of this permit).
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a This emissions unit is controlled by 2 baghouses. The total PE from both baghouses shall not exceed 75.0 pounds/hour.

II. Operational Restrictions

1. The pressure drop across each baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across each baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across each baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across either baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

Facility Name: **CENTRAL SOYA COMPANY, INC.**

Facility ID: **03-51-01-0002**

Emissions Unit: **0351010002P015 (P015)**

V. Testing Requirements (continued)

1.a Emission Limitation: 75.00 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (23,600 cubic feet/minute) through both baghouses. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
hull refining operation, consisting of 2 hull grinders with baghouse and storage bins with baghouse	OAC rule 3745-31-05 (PTI No. 03-13094)	0.09 pound particulate emissions (PE)/hour, 0.39 ton PE/year from baghouse #1 (storage bins); 0.93 pound PE/hour, 4.07 tons PE/year from baghouse #2 (grinding).

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - 1.a the color of the emissions;
 - 1.b whether the emissions are representative of normal operations;
 - 1.c if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - 1.d the total duration of any visible emission incident; and
 - 1.e any corrective actions taken to eliminate the visible emissions.

IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - 1.a the emission testing shall be conducted within six months of the issuance of this permit

V. Testing Requirements (continued)

- 1.b** the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate;
- 1.c** the following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, which is located in 40 CFR Part 60, Appendix A; and
- 1.d** the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- 2.** Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

- 2.a** Emission Limitation: baghouse #1 (hull storage bins) - 0.09 pound PE/hour, 0.39 ton PE/year

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (2,000 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be Method 5, which is located in 40 CFR Part 60, Appendix A. As long as compliance is maintained with the hourly emission limitation, the unit will be in compliance with the annual emission limitation as the annual limitation is based on the hourly emission limitation at 8760 hours/year.

- 2.b** Emission Limitation: baghouse #2 (screens & grinders) - 0.93 pound PE/hour, 4.07 tons PE/year

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (21,600 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be Method 5, which is located in 40 CFR Part 60, Appendix A. As long as compliance is maintained with the hourly emission limitation, the unit will be in compliance with the annual emission limitation as the annual limitation is based on the hourly emission limitation at 8760 hours/year.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P019 (P019)
Activity Description: MEAL GRINDING

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
meal grinding operation with baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	23.6 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

- The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

- The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

- The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

- Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 23.6 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (5,000 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
meal grinding operation with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P025 (P025)
Activity Description: NORTH STORAGE ASPIRATION

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
North storage aspiration with baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	73.0 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 73.0 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (22,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
North storage aspiration with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P027 (P027)
Activity Description: SOUTH STORAGE ASPIRATION

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
South storage aspiration with baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	75.0 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a** The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

- The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

- The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

- The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

- Compliance Methods Requirements:** Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 75.0 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (23,720 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
South storage aspiration with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P036 (P036)
Activity Description: FLAKING ROLL SYSTEM

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
flaking rolls (6) and conveyors with baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	75.0 pounds particulate emissions (PE)/hour (refer to section A.I.2.a of the terms and conditions of this permit). visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit and emissions unit P012. The combined PE rate from both emissions units shall not exceed 75.0 pounds/hour.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

- 1.a** Emission Limitation: 75.0 pounds PE/hour (combined with emissions unit P012)

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate from each unit (P036 - 18,500 cubic feet/minute, P012 - 5,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- 1.b** Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
flaking rolls (6) and conveyors with baghouse	OAC rule 3745-31-05 (PTI No. 03-7676)	0.79 pound particulate emissions (PE)/hour.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - 1.a the color of the emissions;
 - 1.b whether the emissions are representative of normal operations;
 - 1.c if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - 1.d the total duration of any visible emission incident; and
 - 1.e any corrective actions taken to eliminate the visible emissions.

IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - 1.a the emission testing shall be conducted within six months of the issuance of this permit;
 - 1.b the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate;
 - 1.c the following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, which is located in 40 CFR Part 60, Appendix A; and

V. Testing Requirements (continued)

- 1.d the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
2. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

3. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):
 - 3.a Emission Limitation: 0.79 pound PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (18,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P039 (P039)
Activity Description: SOYBEAN EXTRACTOR

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
conventional hexane extraction operation with cyclone	OAC rule 3745-17-11(B)	16.1 pounds particulate emissions (PE)/hour.
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.
	OAC rule 3745-21-07(G)	none (refer to section A.II.1 of the terms and conditions of this permit).

2. Additional Terms and Conditions

- The permittee shall employ a cyclone to control the PE from the DTDC.

II. Operational Restrictions

- The permittee shall only employ materials in this emissions unit which are not photochemically reactive materials. "Photochemically reactive material" is defined in OAC rule 3745-21-01(C)(5).
- The pressure drop across the cyclone shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

- The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the cyclone while the emissions unit (DTDC) is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the cyclone on a daily basis.

IV. Reporting Requirements

- The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the cyclone did not comply with the allowable range specified in section A.II.2 of the terms and conditions of this permit.

V. Testing Requirements

- Performance Test Requirements:** The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

V. Testing Requirements (continued)

- 1.a the emission testing shall be conducted within 6 months of the issuance of this permit;
- 1.b the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate;
- 1.c the following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, which is located in 40 CFR Part 60, Appendix A; and
- 1.d the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- 2. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s).

- 3. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):
 - 3.a Emission Limitation: 16.1 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the maximum process weight rate* by the appropriate emission factor from AP-42 Table 6.4-6, revised 9/88 (meal dryer - 1.5 pounds PE/ton, meal cooler - 1.8 pounds PE/ton), then incorporating the control efficiency of the cyclone (1-0.982). If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

*As included in the Title V application (claimed confidential by the applicant).

- 3.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
conventional hexane extraction operation with cyclone	OAC rule 3745-31-05 (PTI No. 03-8866 and PTI No. 03-4734)	2.72 pounds particulate emissions (PE)/hour. 2.72 pounds of PM10/hour. OC (hexane) emissions (refer to section B.I.2.a of the terms and conditions of this permit).

2. Additional Terms and Conditions

- 2.a Hexane consumption, i.e., emission rates for the hexane extraction operations in this emissions unit shall be determined on a "mass balance" basis. Consumption, i.e., emission rates shall not exceed the following levels:
 - i. total hexane consumption in this emissions unit shall not exceed 140,000 gallons (392.0 tons)/rolling 12-month period;
 - ii. total hexane consumption in this emissions unit shall not exceed 0.24 gallon/ton crushed soybeans (0.000671 pound of hexane/pound of crushed soybeans), based on a 365-day rolling, weighted average; and
 - iii. the short-term loss of hexane from this emissions unit shall not exceed 65.32 tons/rolling 30-day period.

No "pounds OC/hour" emission limitation was established under the PTIs.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information on a monthly basis for this emission unit:
 - a. the total quantity of soybeans weighed in the preparation process before the hexane extraction operation;
 - b. the total amount of hexane inventory lost, in gallons/month;
 - c. the total hexane consumption/rolling 12-month period, in gallons;
 - d. all incidents of startup or shutdown of the emission units (This should include all amounts of hexane that are routinely added to the system or returned to the storage tanks due to startup or shutdown. This amount of hexane is process hexane that is present in the system during times of continuous operation, but will drain out of the system during shutdown and needs to be charged back into the system prior to startup. The amount of hexane used to "recharge" the system should not be interpreted as a "hexane loss" in calculating emission rates.);
 - e. dates of scheduled cleaning/maintenance; and
 - f. dates of any process upsets.
2. The permittee shall collect and record the following information on a daily basis for this emissions unit:
 - a. weighted average hexane loss rate (gallons per ton of crushed soybeans, and pounds hexane per pound crushed soybeans);
 - b. the 365-day rolling, weighted average hexane loss rate (gallons per ton of crushed soybeans, and pounds hexane per pound crushed soybeans);
 - c. the amount of hexane emitted, in tons; and
 - d. the amount of hexane emitted in tons/rolling 30-day period.

IV. Reporting Requirements

1. The permittee shall submit deviation reports for the following:
 - a. any monthly record that shows exceedances of the limitation of 140,000 gallons (392.0 tons)/rolling 12-month period;
 - b. any daily record that shows exceedances of the limitation of 0.24 gallon/ton crushed soybeans (0.000671 pound of hexane/pound of crushed soybean) based on a 365-day rolling, weighted average; and
 - c. any daily record that shows exceedances of the limitation of 65.32 tons/rolling 30-day period.
2. The permittee shall submit annual reports of the following information:
 - a. the total hexane usage, in gallons; and
 - b. the total hexane emissions, in tons.

These reports shall be submitted annually, i.e. by January 31 of each year and shall cover the previous calendar year.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

- 1.a** Emission Limitation: 2.72 pounds PE/hour and 2.72 pounds of PM10/hour

Applicable Compliance Method: The permittee shall demonstrate compliance with the hourly PE limitation of 2.72 pounds by conducting the performance test as specified in section A.V of the terms and conditions of this permit. Compliance with the PE limitation will be considered to be compliance with the PE of PM10 limitation.

- 1.b** Emission Limitation: 65.32 tons OC/rolling 30-day period, 392.0 tons/rolling 12-month period

Applicable Compliance Method: The permittee shall demonstrate compliance with the monthly and annual OC emission limitations through the recordkeeping required in section B.III.1 of the terms and conditions of this permit.

- 1.c** Emission Limitation: 0.24 gallon hexane/ton crushed soybeans, based on a 365-day rolling, weighted average

Applicable Compliance Method: The permittee shall demonstrate compliance with the OC emission limitation through the recordkeeping required in section B.III.2 of the terms and conditions of this permit.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P046 (P046)
Activity Description: SOYBEAN MEAL COOLER

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
soybean meal cooler with cyclone	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	3.92 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a cyclone to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the cyclone shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the cyclone while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the cyclone on a daily basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the cyclone did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - 1.a the emission testing shall be conducted within six months of the issuance of this permit;
 - 1.b the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate;

V. Testing Requirements (continued)

- 1.c the following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, which is located in 40 CFR Part 60, Appendix A; and
- 1.d the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- 2. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

- 3. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- 3.a Emission Limitation: 3.92 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the results of a compliance test on a similar source (0.0044 grain/cubic foot) by the maximum volumetric air flow rate (17,600 cubic feet/minute). This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- 3.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
soybean meal cooler with cyclone	OAC rule 3745-31-05 (PTI No. 03-8290)	0.01 grain/dry standard cubic foot

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - 1.a the color of the emissions;
 - 1.b whether the emissions are representative of normal operations;
 - 1.c if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - 1.d the total duration of any visible emission incident; and
 - 1.e any corrective actions taken to eliminate the visible emissions.

IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):
 - 1.a Emission Limitation: 0.01 grain/dry standard cubic foot

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by using the results of a compliance test on a similar source (0.0044 grain/cubic foot). If required, the method to be employed to demonstrate compliance with the emission limitation shall be Method 5, which is located in 40 CFR Part 60, Appendix A.

Facility Name: **CENTRAL SOYA COMPANY, INC.**
Facility ID: **03-51-01-0002**
Emissions Unit: **0351010002P046 (P046)**

VI. Miscellaneous Requirements
None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P047 (P047)
Activity Description: COLLET COOLER

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
collet cooler and handling operation with cyclone	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	3.92 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a cyclone to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the cyclone shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the cyclone while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the cyclone on a daily basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the cyclone did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
 - 1.a the emission testing shall be conducted within six months of the issuance of this permit;
 - 1.b the emission testing shall be conducted to demonstrate compliance with the allowable mass PE rate;

V. Testing Requirements (continued)

- 1.c the following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): Method 5, which is located in 40 CFR Part 60, Appendix A; and
- 1.d the test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- 2. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency

- 3. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- 3.a Emission Limitation: 3.92 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the outlet grain loading (per stack test data) (0.0062 grain/cubic foot) by the total maximum volumetric air flow rate (38,000 cubic feet/minute) through the cyclone. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

- 3.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
collet cooler and handling operation with cyclone	OAC rule 3745-31-05 (PTI No. 03-9023)	2.42 pounds particulate emissions (PE)/hour. 1.45 pounds of PM10/hour.

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
 - 1.a the color of the emissions;
 - 1.b whether the emissions are representative of normal operations;
 - 1.c if the emissions are not representative of normal operations, the cause of the abnormal emissions;
 - 1.d the total duration of any visible emission incident; and
 - 1.e any corrective actions taken to eliminate the visible emissions.

IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 2.42 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the outlet grain loading (per stack test data) (0.0062 grain/cubic foot) by the total maximum volumetric air flow rate (38,000 cubic feet/minute) through the cyclone. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be Method 5, which is located in 40 CFR Part 60, Appendix A.

1.b Emission Limitation: 1.45 pounds of PM10/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the outlet grain loading (per stack test data) (0.0062 grain/cubic foot) by the total maximum volumetric air flow rate (20,000 cubic feet/minute) through the cyclone. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. This value is then multiplied by 0.60 {60 percent of PE is PE of PM10}. If required, the method to be employed to demonstrate compliance with the emission limitation shall be Method 5 (including the weight of the condensibles), which is located in 40 CFR Part 60, Appendix A.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P901 (P901)
Activity Description: SOYBEAN MEAL LOADOUT

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
soybean meal railcar loadout and baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	39.8 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 39.8 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (10,000 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
soybean meal railcar loadout with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P902 (P902)
Activity Description: RAIL RECEIVING

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
rail receiving, transfer and conveying operations with baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	73.0 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

Facility Name: **CENTRAL SOYA COMPANY, INC.**

Facility ID: **03-51-01-0002**

Emissions Unit: **0351010002P902 (P902)**

V. Testing Requirements (continued)

1.a Emission Limitation: 73.0 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (22,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
rail receiving, transfer and conveying operations with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P903 (P903)
Activity Description: NORTH TRUCK DUMP

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
North truck grain receiving, transfer and conveying operations with baghouse	OAC rule 3745-17-11(B)	73.0 pounds particulate emissions (PE)/hour.
	OAC rule 3745-17-07(A)	visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 73.0 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (22,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
North truck grain receiving, transfer and conveying operations with baghouse	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002P904 (P904)
Activity Description: ESCHER WYSS

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
fluidized bed dryer with baghouse	OAC rule 3745-17-11(B) OAC rule 3745-17-07(A)	73.0 pounds particulate emissions (PE)/hour. visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

2. Additional Terms and Conditions

- 2.a The permittee shall employ a baghouse to control the PE from this emissions unit.

II. Operational Restrictions

1. The pressure drop across the baghouse shall be maintained within the range of 0.5-8 inches of water while the emissions unit is in operation.

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

IV. Reporting Requirements

1. The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

1.a Emission Limitation: 73.0 pounds PE/hour

Applicable Compliance Method: The permittee may demonstrate compliance with this limitation by multiplying the manufacturer-guaranteed outlet grain loading (0.005 grain/cubic foot) by the total maximum volumetric air flow rate (22,500 cubic feet/minute) through the baghouse. This value is then converted to pounds/hour by dividing by 7000 grains/pound then multiplying by 60 minutes/hour. If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

1.b Emission Limitation: visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule

Applicable Compliance Method: OAC rule 3745-17-03(B)(1).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
fluidized bed dryer with baghouse	OAC rule 3745-31-05 (PTI No. 03-1331)	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: 0351010002Z004 (Z004)
Activity Description: GRAIN RAIL LOADOUT

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
grain rail loadout with partial enclosure	OAC rule 3745-17-08(A)	none (refer to section A.I.2.a of the terms and conditions of this permit).
	OAC rule 3745-17-07(B)	none (refer to section A.I.2.a of the terms and conditions of this permit).

2. Additional Terms and Conditions

- 2.a Marion County is not included in Appendix A of OAC rule 3745-17-08. Therefore, the requirements established in OAC rules 3745-17-08(A) and 3745-17-07(B) shall not apply to any fugitive dust source which is located in Marion County. "Fugitive dust source" is defined in OAC rule 3745-17-01(B)(7).

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
grain rail loadout with partial enclosure	none	none

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

THIS IS THE LAST PAGE OF THE PERMIT
