



State of Ohio Environmental Protection Agency

Street Address:

Lazarus Gov. Center  
122 S. Front Street  
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

Lazarus Gov. Center  
P.O. Box 1049  
Columbus, OH 43216-1049

11/30/99

**CERTIFIED MAIL**

**RE: Draft Title V Chapter 3745-77 permit**

03-03-00-0002  
Mansfield Plumbing Products  
Michael Ray Fusek  
150 East First Street  
Perrysville, OH 44864

Dear Michael Ray Fusek:

You are hereby notified that the Ohio Environmental Protection Agency has prepared the enclosed draft of the Title V permit for the facility referenced above. The purpose of this draft is to solicit public comments. A public notice concerning the draft will appear in the Ohio EPA Weekly Review and the major newspaper in the county where the facility is located. Comments and/or a request for a public hearing from the public and any affected parties will be accepted by Northwest District Office within 30 days of the date of publication in the newspaper. You will be notified in writing if a public hearing is scheduled.

A decision on processing the Title V permit will be made after consideration of written public comments and oral testimony (if a public hearing is conducted). After the comment period, you will be provided with a Preliminary Proposed Title V permit and an opportunity to comment prior to the Proposed Title V permit submittal to USEPA.

**If you have any questions or comments concerning this draft Title V permit, please contact Northwest District Office.**

Very truly yours,

A handwritten signature in black ink that reads "Thomas G. Rigo". The signature is written in a cursive style with a large, stylized initial "T".

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA (electronic)  
Jim Orlemann, DAPC Engineering  
Michael Ahern, DAPC PMU  
Northwest District Office



## Ohio EPA

State of Ohio Environmental Protection Agency

### DRAFT TITLE V PERMIT

Issue Date: 11/30/99

Effective Date:

Expiration Date:

*The duration of this permit will be five years.*

This document constitutes issuance to:

Mansfield Plumbing Products  
150 East First Street  
Perrysville, OH 44864

of a Title V permit for Facility ID: 03-03-00-0002

Emissions Unit ID (Company ID)/  
Emissions Unit Activity Description:

P001 (Clay Unloading Silos)  
13 storage silos

P002 (Clay Transfer System)  
Screw conveyors and bucket elevators

P003 (Glaze Ball Mills)  
Ball Mills in Glaze Room

P004 (Glaze Spray Booths)  
Glaze Spray Booths

P009 (Talc Duster OBL)  
Talc Dusting Booth OBL

P010 (Talc Duster NBL)  
Talc Dusting Tub NBL

P011 (Talc Duster Tanks)  
Talc Dusting Tub Tank Line

P041 (Plaster Delivery System)  
Plaster Delivery System

P042 (Glaze Spray Booth #1  
)  
Glaze Spray Booth

P043 (Kiln #10)  
Kiln #10

Z001 (Glaze Spray Booth #2)  
Glaze spray booth #2

Z010 (Tank Spray Machine)  
Formerly part of P004

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Northwest District Office  
347 North Dunbridge Road  
Bowling Green, OH 43402  
(419) 352-8461

**OHIO ENVIRONMENTAL PROTECTION AGENCY**

---

Christopher Jones  
Director

# PART I - GENERAL TERMS AND CONDITIONS

## A. State and Federally Enforceable Section

### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping of federally enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.) See B.6 below if no deviations occurred during the quarter.
  - iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.
  - iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## **2. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## **3. Risk Management Plans**

If applicable, the permittee shall develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. (“Act”); and, pursuant to 40 CFR 68.215(a), the permittee shall submit either of the following:

- a. a compliance plan for meeting the requirements of 40 CFR Part 68 by the date specified in 40 CFR 68.10(a) and OAC 3745-104-05(A); or
- b. as part of the compliance certification submitted under 40 CFR 70.6(c)(5), a certification statement that the source is in compliance with all requirements of 40 CFR Part 68 and OAC Chapter 3745-104, including the registration and submission of the risk management plan.

## **4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## **5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## **6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

**7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

**8. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

**9. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

## **10. Reopening for Cause**

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-08.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.
- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

## **11. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## **12. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be

submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

- i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency and to the Administrator of U.S. EPA in the following manner in the following manner and with the following content:
- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
  - ii. Compliance certifications shall include the following:
    - (a) An identification of each term or condition of this permit that is the basis of the certification.
    - (b) The permittee's current compliance status.
    - (c) Whether compliance was continuous or intermittent.
    - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
    - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
  - iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

### **13. Permit Shield**

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

### **14. Operational Flexibility**

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-01(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

## 15. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

## 16. Off Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;
- b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change;
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

## 17. Compliance Method Requirements

Nothing in this permit shall alter or affect the ability of any person to establish compliance with, or a violation of, any applicable requirement through the use of credible evidence to the extent authorized by law. Nothing in this permit shall be construed to waive any defenses otherwise available to the permittee, including but not limited to, any challenge to the Credible Evidence Rule (see 62 Fed. Reg. 8314, Feb. 24, 1997), in the context of any future proceeding.

## **18. Title VI Provisions**

If applicable, the permittee shall comply with the standards for recycling and reducing emissions of ozone depleting substances pursuant to 40 CFR Part 82, Subpart F, except as provided for motor vehicle air conditioners in Subpart B of 40 CFR Part 82:

- a. Persons opening appliances for maintenance, service, repair, or disposal must comply with the required practices specified in 40 CFR 82.156.
- b. Equipment used during the maintenance, service, repair, or disposal of appliances must comply with the standards for recycling and recovery equipment specified in 40 CFR 82.158.
- c. Persons performing maintenance, service, repair, or disposal of appliances must be certified by an approved technician certification program pursuant to 40 CFR 82.161.

## **B. State Only Enforceable Section**

### **1. Permit to Install Requirement**

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping of state-only enforceable information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from state-only required emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

### **4. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

### **5. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

### **6. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

## **Part II - Specific Facility Terms and Conditions**

### **A. State and Federally Enforcable Section**

**None**

### **B. State Only Enforceable Section**

1. The following insignificant emissions units are located at this facility:

JC 200 space heater (B002); Dravo heater (B003); Dravo heater (B004); cover line heater (B005); Fulton boiler (B006); mold air-rotation (B008); kerosene, gasoline, diesel and spent oil dispensing facility (G001); kiln #4 (P013); kiln #6 (P015); kiln #7 (P016); kiln #8 (P017); kiln #9 (P018); clay cleaning & vacuum system (P020); drying oven OBL (P021); drying oven tank (P022); drying oven NBL (P023); vacuum system for kiln (P025); refire kiln (P028); kiln #2 (P033); ware dryer NBL (P036); plaster mold dryer (P040); glaze blow-off booth (Z002); diesel fuel tank (Z003); electrical generator #1 (Z004); diesel air compressor (Z005); silo blower (Z006); vacuum benchcast (Z007); vacuum shipping (Z008); vacuum NBL (Z009); kerosene storage tank (Z011); gasoline storage tank #2 (Z012); diesel storage tank (Z013); gasoline storage tank #1 (Z014); used oil storage tank #1 (Z015); used oil storage tank #2 (Z016); 9.75 mmBtu/hr natural gas-fired air make-up unit #1 (Z017); 9.75 mmBtu/hr natural gas-fired air make-up unit #2 (Z018); 9.75 mmBtu/hr natural gas-fired air make-up unit #3 (Z019); 9.75 mmBtu/hr natural gas-fired air make-up unit #4 (Z020); 9.75 mmBtu/hr natural gas-fired air make-up unit #5 (Z021); 9.75 mmBtu/hr natural gas-fired air make-up unit #6 (Z022); 9.75 mmBtu/hr natural gas-fired air make-up unit #7 (Z023); and central vacuum system (Z024).

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations as well as any emission limitations and/or control requirements contained within a PTI for the emissions unit.

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Clay Unloading Silos (P001)  
**Activity Description:** 13 storage silos

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>  | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|--|---------------------------------------|--|
| 13 clay unloading silos, 4 employ baghouse control (refer to section A.I.2.a of the terms and conditions of this permit) | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|  | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u>      | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|--|---|--|
| 13 clay unloading silos (4 employ<br>baghouse control) | none                                      | none   |

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Clay Transfer System (P002)  
**Activity Description:** Screw conveyors and bucket elevators

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|---|---------------------------------------|--|
| clay transfer system                          | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|   | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|---|---|--|
| clay transfer system                              | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Glaze Ball Mills (P003)  
**Activity Description:** Ball Mills in Glaze Room

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|---|---------------------------------------|--|
| glaze ball mills                              | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|   | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|---|---|--|
| glaze ball mills                                  | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Glaze Spray Booths (P004)  
**Activity Description:** Glaze Spray Booths

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>   |
|---|---------------------------------------|--|
| glaze spray booth, with cyclone               | OAC rule 3745-17-11(B)                | 5.22 pounds particulate emissions (PE)/hour  |
|   | OAC rule 3745-17-07(A)                | Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule. |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

- The pressure drop across the cyclone shall be maintained within the range of 2 - 5 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Record Keeping Requirements**

- The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the cyclone while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the cyclone on a daily basis.

**IV. Reporting Requirements**

- The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the cyclone did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

- Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

## V. Testing Requirements (continued)

- 1.a** Emission Limitation:  
5.22 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance based on the results of the emission testing required in section V.2 of this permit. The permittee may further demonstrate compliance with this emission limitation as follows:

- i. multiply the maximum quantity of glaze employed (46 gallons/hour) by the density of the glaze (14.0 pounds/gallon);
- ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- iii. multiply the value from ii by the transfer efficiency of this operation (1-0.932); and
- iv. multiply the value from iii by a control factor of (1-.98)\*.

\* The estimated control efficiency of the cyclone is 98%.

- 1.b** Emission Limitation:  
Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method:  
OAC rule 3745-17-03(B)(1)

- 2.** The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:
- a. The emission testing shall be conducted within 3 months after permit issuance.
  - b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for particulates.
  - c. The following test method shall be employed to demonstrate compliance with the allowable mass emission rate for particulates: Method 5 of 40 CFR Part 60, Appendix A.
  - d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.
- 3.** Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

Facility Name: **Mansfield Plumbing Products, Inc. China Division**  
Facility ID: **03-03-00-0002**  
Emissions Unit: **Glaze Spray Booths (P004)**

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|---|---|--|
| glaze spray booth, with cyclone                   | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Talc Duster OBL (P009)  
**Activity Description:** Talc Dusting Booth OBL

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|---|---------------------------------------|--|
| talc duster OBL, with cyclone                 | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|   | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|---|---|--|
| talc duster OBL, with cyclone                     | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Talc Duster NBL (P010)  
**Activity Description:** Talc Dusting Tub NBL

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|---|---------------------------------------|--|
| talc duster NBL, with cyclone                 | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|   | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|---|---|--|
| talc duster NBL, with cyclone                     | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Talc Duster Tanks (P011)  
**Activity Description:** Talc Dusting Tub Tank Line

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|---|---------------------------------------|--|
| talc duster tanks, with cyclone               | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|   | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|---|---|--|
| talc duster tanks, with cyclone                   | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Plaster Delivery System (P041)  
**Activity Description:** Plaster Delivery System

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>      | <u>Applicable Rules/ Requirements</u>                | <u>Applicable Emissions Limitations/Control Measures</u>  |
|--|--|---|
| plaster unloading (delivery) system, with baghouse | OAC rule 3745-17-11(B)<br><br>OAC rule 3745-17-07(A) | 10.4 pounds particulate emissions (PE)/hour<br><br>Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule. |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

- The pressure drop across the baghouse shall be maintained within the range of 2 - 6 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Record Keeping Requirements**

- The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the baghouse while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the baghouse on a weekly basis.

**IV. Reporting Requirements**

- The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the baghouse did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

- Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

**V. Testing Requirements (continued)**

**1.a** Emission Limitation:  
10.4 pounds PE/hour

Applicable Compliance Method:

The permittee may demonstrate compliance with this emission limitation by multiplying the maximum amount of plaster unloaded (7,150 pounds/hour) by an estimated emission factor of 1 pound PE/100 pounds of plaster unloaded\*, and then multiplying this value by a control factor of (1-0.998)\*\*.

If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

\* This emission factor was derived by the permittee from material balance calculations.

\*\* The estimated control efficiency of the baghouse is 99.8%.

**1.b** Emission Limitation:  
Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method:  
OAC rule 3745-17-03(B)(1)

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>      | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u> |
|--|---------------------------------------|--|
| plaster unloading (delivery) system, with baghouse | OAC rule 3745-31-05 (PTI No. 03-6539) | 0.17 pound particulate emissions (PE)/hour               |

**2. Additional Terms and Conditions**

- 2.a The 0.17 pound PE/hour emission limitation was established for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limitation.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

Emission Limitation:  
0.17 pound PE/hour

Applicable Compliance Method:

The permittee may demonstrate compliance with this emission limitation by multiplying the maximum amount of plaster unloaded (7,150 pounds/hour) by an estimated emission factor of 1 pound PE/100 pounds of plaster unloaded\*, and then multiplying this value by a control factor of (1-0.998)\*\*.

If required, the method to be employed to demonstrate compliance with the emission limitation shall be Method 5, which is located in 40 CFR Part 60, Appendix A.

\* This emission factor was derived by the permittee from material balance calculations.

\*\* The estimated control efficiency of the baghouse is 99.8%.

**VI. Miscellaneous Requirements**

None

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Glaze Spray Booth #1 (P042)  
**Activity Description:** Glaze Spray Booth

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>   |
|---|---------------------------------------|--|
| glaze spray booth #1, with water curtain      | OAC rule 3745-17-11(B)                | 14.4 pounds particulate emissions (PE)/hour  |
|   | OAC rule 3745-17-07(A)                | Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule. |

##### 2. Additional Terms and Conditions

None

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
  - a. the color of the emissions;
  - b. whether the emissions are representative of normal operations;
  - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
  - d. the total duration of any visible emission incident; and
  - e. any corrective actions taken to eliminate the visible emissions.

##### IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

## V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

1.a Emission Limitation:  
14.4 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance based on the results of the emission testing required in section V.2 of this permit. The permittee may further demonstrate compliance with this emission limitation as follows:

i. multiply the maximum quantity of glaze employed (83.5 gallons/hour) by the density of the glaze (14.5 pounds/gallon);

ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);

iii. multiply the value from ii by the transfer efficiency of this operation (1-0.86); and

iv. multiply the value from iii by a control factor of (1-.99)\*.

If required, the method to be employed to demonstrate compliance with the emission limitation shall be OAC rule 3745-17-03(B)(10).

\* The estimated control efficiency of the water curtain is 99%.

1.b Emission Limitation:  
Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method:  
OAC rule 3745-17-03(B)(1)

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

a. The emission testing shall be conducted within 3 months after permit issuance.

b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for particulates.

c. The following test method shall be employed to demonstrate compliance with the allowable mass emission rate for particulates: Method 5 of 40 CFR Part 60, Appendix A.

d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

## **V. Testing Requirements (continued)**

3. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

## **VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                                 |
|---|---------------------------------------|--|
| glaze spray booth #1, with water curtain      | OAC rule 3745-31-05 (PTI No. 03-8221) | 1.32 pounds particulate emissions (PE)/hour (for emissions units P042 and P045 combined) |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

- Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

Emission Limitation:  
1.32 pounds PE/hour

Applicable Compliance Method:  
The permittee shall demonstrate compliance based on the results of the emission testing required in section V.2 of this permit. The permittee may further demonstrate compliance with this emission limitation as follows:

- multiply the maximum quantity of glaze employed (83.5 gallons/hour) by the density of the glaze (14.5 pounds/gallon);
- multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- multiply the value from ii by the transfer efficiency of this operation (1-0.86); and
- multiply the value from iii by a control factor of (1-.99)\*.

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Kiln #10 (P043)  
**Activity Description:** Kiln #10

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                   |
|---|---------------------------------------|--|
| 23.7 mmBtu/hour natural gas-fired kiln #10    | OAC rule 3745-17-11(B)                | none (refer to section A.I.2.a of the terms and conditions of this permit) |
|   | OAC rule 3745-17-07(A)                | none (refer to section A.I.2.b of the terms and conditions of this permit) |
|   | OAC rule 3745-18-06(E)(2)             | 94 pounds sulfur dioxide (SO <sub>2</sub> )/hour                           |

**2. Additional Terms and Conditions**

- 2.a The uncontrolled mass rate of particulate emissions from this emissions unit is less than 10 pounds/hour. Therefore, pursuant to OAC rule 3745-17-11(A)(2)(a)(ii), Figure II of OAC rule 3745-17-11 does not apply. In addition, Table I of OAC rule 3745-17-11 does not apply since the facility is located in Ashland County, which is identified as a P-2 county.
- 2.b This emissions unit is exempt from the visible PE limitations specified in OAC rule 3745-17-07(A) pursuant to OAC rule 3745-17-07(A)(3)(h) because OAC rule 3745-17-11 is not applicable.
- 2.c The 94 pounds SO<sub>2</sub>/hour emission limitation is greater than the emissions unit's potential to emit (4.6 pounds SO<sub>2</sub>/mmBtu). Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with this limitation.

**II. Operational Restrictions**

1. The permittee shall burn only natural gas in this emissions unit.

**III. Monitoring and/or Record Keeping Requirements**

1. For each day during which the permittee burns a fuel other than natural gas, the permittee shall maintain a record of the type and quantity of fuel burned in this emissions unit.

**IV. Reporting Requirements**

1. The permittee shall submit deviation (excursion) reports that identify each day when a fuel other than natural gas was burned in this emissions unit. Each report shall be submitted within 30 days after the deviation occurs.

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

**V. Testing Requirements (continued)**

Emission Limitation:  
94.0 pounds SO<sub>2</sub>/hour

Applicable Compliance Method:

The permittee may demonstrate compliance with this emission limitation by multiplying the maximum process weight rate (5.5 tons/hour) by the company-supplied emission factor (0.69 pound SO<sub>2</sub>/ton).

If required, the test method to be employed to demonstrate compliance with this emission limitation shall be Method 6, which is located in 40 CFR Part 60, Appendix A.

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u> | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u>   |
|---|---|--|
| 23.7 mmBtu/hour natural gas-fired kiln #10        | OAC rule 3745-31-05 (PTI No. 03-8326)     | 0.16 pound PE/hour<br>2.9 pounds NOx/hour<br>0.4 pound CO/hour<br>6.6 pounds fluorides/hour<br>4.6 pounds SO2/hour |

**2. Additional Terms and Conditions**

- 2.a The 0.16 pound PE/hour, 2.9 pounds NOx/hour, 0.4 pound CO/hour, 6.6 pounds fluorides/hour, and 4.6 pounds SO2/hour emission limitations were established for PTI purposes to reflect the potential to emit for this emissions unit. Therefore, it is not necessary to develop record keeping and/or reporting requirements to ensure compliance with these limitations.

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

- 1.a Emission Limitation:  
0.16 pound PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with the emission limitation above by multiplying the maximum process weight rate (5.5 tons/hour) by the appropriate emission factor from AP-42, Table 8.3-1, revised 10/86 (0.023 pound PE/ton).

If required, the permittee shall demonstrate compliance using Method 5, 40 CFR Part 60, Appendix A.

**V. Testing Requirements (continued)**

**1.b** Emission Limitation:  
2.9 pounds NOx/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with the emission limitation above by multiplying the maximum process weight rate (5.5 tons/hour) by the company-supplied emission factor of 0.44 pound NOx/ton.

If required, the permittee shall demonstrate compliance using Method 7, 40 CFR Part 60, Appendix A.

**1.c** Emission Limitation:  
0.4 pound CO/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with the emission limitation above by multiplying the maximum process weight rate (5.5 tons/hour) by the appropriate emission factor from AP-42, Table 8.3-1, revised 10/86 (0.06 pound CO/ton).

If required, the permittee shall demonstrate compliance using Method 10, 40 CFR Part 60, Appendix A.

**1.d** Emission Limitation:  
6.6 pounds fluorides/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with the emission limitation above by multiplying the maximum process weight rate (5.5 tons/hour) by the appropriate emission factor from AP-42, Table 8.3-1, revised 10/86 (1.0 pound fluorides/ton).

If required, the permittee shall demonstrate compliance using Method 26 or 26A, 40 CFR Part 60, Appendix A.

**1.e** Emission Limitation:  
4.6 pound SO<sub>2</sub>/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance with the emission limitation above by multiplying the maximum process weight rate (5.5 tons/hour) by the company-supplied emission factor of 0.69 pound SO<sub>2</sub>/ton.

If required, the permittee shall demonstrate compliance using Method 6, 40 CFR Part 60, Appendix A.

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Glaze Spray Booth #2 (Z001)  
**Activity Description:** Glaze spray booth #2

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>   |
|---|---------------------------------------|--|
| glaze spray booth #2, with water curtain      | OAC rule 3745-17-11(B)                | 14.4 pounds particulate emissions (PE)/hour  |
|   | OAC rule 3745-17-07(A)                | Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule. |

##### 2. Additional Terms and Conditions

None

##### II. Operational Restrictions

None

##### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall perform daily checks, when the emissions unit is in operation and when the weather conditions allow, for any visible particulate emissions from the stack serving this emissions unit. The presence or absence of any visible emissions shall be noted in an operations log. If visible emissions are observed, the permittee shall also note the following in the operations log:
  - a. the color of the emissions;
  - b. whether the emissions are representative of normal operations;
  - c. if the emissions are not representative of normal operations, the cause of the abnormal emissions;
  - d. the total duration of any visible emission incident; and
  - e. any corrective actions taken to eliminate the visible emissions.

##### IV. Reporting Requirements

1. The permittee shall submit semiannual written reports which (a) identify all days during which any visible particulate emissions were observed from the stack serving this emissions unit and (b) describe any corrective actions taken to eliminate the visible particulate emissions. These reports shall be submitted to the Director (the appropriate Ohio EPA District Office or local air agency) by January 31 and July 31 of each year and shall cover the previous 6-month period.

## V. Testing Requirements

1. Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

1.a Emission Limitation:  
14.4 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance based on the results of the emission testing required in section V.2 of this permit. The permittee may further demonstrate compliance with this emission limitation as follows:

i. multiply the maximum quantity of glaze employed (83.5 gallons/hour) by the density of the glaze (14.5 pounds/gallon);

ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);

iii. multiply the value from ii by the transfer efficiency of this operation (1-0.86); and

iv. multiply the value from iii by a control factor of (1-.99)\*.

\* The estimated control efficiency of the water curtain is 99%.

1.b Emission Limitation:  
Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method:  
OAC rule 3745-17-03(B)(1)

2. The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

a. The emission testing shall be conducted within 3 months after permit issuance.

b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for particulates.

c. The following test method shall be employed to demonstrate compliance with the allowable mass emission rate for particulates: Method 5 of 40 CFR Part 60, Appendix A.

d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

3. Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

Facility Name: **Mansfield Plumbing Products, Inc. China Division**  
Facility ID: **03-03-00-0002**  
Emissions Unit: **Glaze Spray Booth #2 (Z001)**

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u> | <u>Applicable Rules/ Requirements</u> | <u>Applicable Emissions Limitations/Control Measures</u>                                 |
|---|---------------------------------------|--|
| glaze spray booth #2, with water curtain      | OAC rule 3745-31-05 (PTI No. 03-8221) | 1.32 pounds particulate emissions (PE)/hour (for emissions units P042 and P045 combined) |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

- Compliance Methods Requirements: Compliance with the emission limitation(s) in section B.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

Emission Limitation:  
1.32 pounds PE/hour

Applicable Compliance Method:  
The permittee shall demonstrate compliance based on the results of the emission testing required in section V.2 of this permit. The permittee may further demonstrate compliance with this emission limitation as follows:

- multiply the maximum quantity of glaze employed (83.5 gallons/hour) by the density of the glaze (14.5 pounds/gallon);
- multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- multiply the value from ii by the transfer efficiency of this operation (1-0.86); and
- multiply the value from iii by a control factor of (1-.99).

**VI. Miscellaneous Requirements**

None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank Spray Machine (Z010)  
**Activity Description:** Formerly part of P004

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

- The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property, and/or Equipment</u>         | <u>Applicable Rules/ Requirements</u>                | <u>Applicable Emissions Limitations/Control Measures</u>  |
|---|--|---|
| glaze spray booth, with cyclone (emissions unit P046) | OAC rule 3745-17-11(B)<br><br>OAC rule 3745-17-07(A) | 5.54 pounds particulate emissions (PE)/hour<br><br>Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule. |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

- The pressure drop across the cyclone shall be maintained within the range of 2 - 5 inches of water while the emissions unit is in operation.

**III. Monitoring and/or Record Keeping Requirements**

- The permittee shall properly install, operate, and maintain equipment to monitor the pressure drop across the cyclone while the emissions unit is in operation. The monitoring equipment shall be installed, calibrated, operated, and maintained in accordance with the manufacturer's recommendations, instructions, and operating manual(s). The permittee shall record the pressure drop across the cyclone on a daily basis.

**IV. Reporting Requirements**

- The permittee shall submit pressure drop deviation (excursion) reports that identify all periods of time during which the pressure drop across the cyclone did not comply with the allowable range specified in section A.II.1 of the terms and conditions of this permit.

**V. Testing Requirements**

- Compliance Methods Requirements: Compliance with the emission limitation(s) in section A.I of the terms and conditions of this permit shall be determined in accordance with the following method(s):

## V. Testing Requirements (continued)

**1.a** Emission Limitation:  
5.54 pounds PE/hour

Applicable Compliance Method:

The permittee shall demonstrate compliance based on the results of the emission testing required in section V.2 of this permit. The permittee may further demonstrate compliance with this emission limitation as follows:

- i. multiply the maximum quantity of glaze employed (530 gallons/hour) by the density of the glaze (14.5 pounds/gallon);
- ii. multiply the value from i by the maximum solids content, by weight, of the glaze (0.65);
- iii. multiply the value from ii by the transfer efficiency of this operation (1-0.9936); and
- iv. multiply the value from iii by a control factor of (1-.98)\*.

\* The estimated control efficiency of the cyclone is 98%.

**1.b** Emission Limitation:  
Visible PE shall not exceed 20 percent opacity, as a six-minute average, except as otherwise provided by rule.

Applicable Compliance Method:  
OAC rule 3745-17-03(B)(1)

**2.** The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within 3 months after permit issuance.
- b. The emission testing shall be conducted to demonstrate compliance with the allowable mass emission rate for particulates.
- c. The following test method shall be employed to demonstrate compliance with the allowable mass emission rate for particulates: Method 5 of 40 CFR Part 60, Appendix A.
- d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

**3.** Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s). The permittee may request additional time for the submittal of the written report, where warranted, with prior approval from the appropriate Ohio EPA District Office or local air agency.

Facility Name: **Mansfield Plumbing Products, Inc. China Division**  
Facility ID: **03-03-00-0002**  
Emissions Unit: **Tank Spray Machine (Z010)**

**VI. Miscellaneous Requirements**

**None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

| <u>Operations, Property,<br/>and/or Equipment</u>        | <u>Applicable Rules/<br/>Requirements</u> | <u>Applicable Emissions<br/>Limitations/Control<br/>Measures</u> |
|--|---|--|
| glaze spray booth, with cyclone<br>(emissions unit P046) | none                                      | none   |

**2. Additional Terms and Conditions**

None

**II. Operational Restrictions**

None

**III. Monitoring and/or Record Keeping Requirements**

None

**IV. Reporting Requirements**

None

**V. Testing Requirements**

None

**VI. Miscellaneous Requirements**

None

\*\*\*\*\*

**THIS IS THE LAST PAGE OF THE PERMIT**

\*\*\*\*\*