



State of Ohio Environmental Protection Agency

Street Address:

1800 WaterMark Drive  
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

Mailing Address:

P.O. Box 1049  
Columbus, OH 43216-1049

03/12/98

**CERTIFIED MAIL**

**RE: Draft Title V Chapter 3745-77 permit**

14-83-06-0110  
Texas Eastern Products Pipeline Co.  
Ryan S. Trainer  
TE Products Pipeline Company, L.P.  
P.O. Box 2521  
Houston, TX 77252-2521

Dear Ryan S. Trainer:

You are hereby notified that the Ohio Environmental Protection Agency has prepared the enclosed draft of the Title V permit for the facility referenced above. The purpose of this draft is to solicit public comments. A public notice concerning the draft will appear in the Ohio EPA Weekly Review and the major newspaper in the county where the facility is located. Comments and/or a request for a public hearing from the public and any affected parties will be accepted by Hamilton County Dept. of Environmental Services within 30 days of the date of publication in the newspaper. You will be notified in writing if a public hearing is scheduled.

A decision on processing the Title V permit will be made after consideration of written public comments and oral testimony (if a public hearing is conducted). After the comment period, you will be provided with a Preliminary Proposed Title V permit and an opportunity to comment prior to the Proposed Title V permit submittal to USEPA.

**If you have any questions or comments concerning this draft Title V permit, please contact Hamilton County Dept. of Environmental Services.**

Very truly yours,

Thomas G. Rigo, Manager  
Field Operations and Permit Section  
Division of Air Pollution Control

cc: USEPA  
Jim Orlemann, DAPC Engineering  
Michael Ahern, DAPC PMU  
Hamilton County Dept. of Environmental Services  
Indiana  
Kentucky



## Ohio EPA

State of Ohio Environmental Protection Agency

### TITLE V PERMIT

Issue Date: 03/12/98

### DRAFT

Effective Date:

Expiration Date:

This document constitutes issuance to:

Texas Eastern Products Pipeline Co.  
2700 Hart Road  
Lebanon, OH 45036

of a Title V permit for Facility ID: 14-83-06-0110

Emissions Unit ID (Company ID)/

Emissions Unit Activity Description:

J001 (North Truck Loading Rack)

Truck loading rack for gasoline and petroleum distillate products.

T001 (Tank No. 3301)

Storage of petroleum products

T002 (Tank No. 3302)

Storage of petroleum products

T003 (Tank No. 3303)

Storage of petroleum products

T004 (Tank No. 3304)

Storage of petroleum products

T006 (Tank No. 3306)

Storage of petroleum products

T007 (Tank No. 3307)

Storage of petroleum products

T008 (Tank No. 3308)

Storage of petroleum products

T101 (Tank No. 3401)

Storage of petroleum products

T102 (Tank No. 3402)

Storage of petroleum products

T105 (Tank No. 3405)  
Storage of petroleum products

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

Hamilton County Dept. of Environmental Services  
1632 Central Parkway  
Cincinnati, OH 45210  
(513) 651-9437

**OHIO ENVIRONMENTAL PROTECTION AGENCY**

---

Director

# PART I - GENERAL TERMS AND CONDITIONS

## A. State and Federally Enforceable Section

### 1. Monitoring and Related Recordkeeping and Reporting Requirements

- a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:
  - i. The date, place (as defined in the permit), and time of sampling or measurements.
  - ii. The date(s) analyses were performed.
  - iii. The company or entity that performed the analyses.
  - iv. The analytical techniques or methods used.
  - v. The results of such analyses.
  - vi. The operating conditions existing at the time of sampling or measurement.
- b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.
- c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:
  - i. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.
  - ii. Quarterly written reports of (i) any deviations from federally enforceable emission limitations, operational restrictions, and control device operating parameter limitations, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06. The written reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.) See B.8 below if no deviations occurred during the quarter.
  - iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

- iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

## **2. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

## **3. Risk Management Plans**

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

## **4. Title IV Provisions**

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

## **5. Severability Clause**

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

## **6. General Requirements**

- a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.
- b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

- c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.
- d. This permit does not convey any property rights of any sort, or any exclusive privilege.
- e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

**7. Fees**

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

**8. Marketable Permit Programs**

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

**9. Reasonably Anticipated Operating Scenarios**

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

**10. Reopening for Cause**

This Title V permit will be reopened prior to its expiration date under the following conditions:

- a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-07.
- b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.

- c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.
- d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

## **11. Federal and State Enforceability**

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

## **12. Compliance Requirements**

- a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.
- b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:
  - i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.
  - ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.
  - iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.
  - iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.
- c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:
  - i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.
  - ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.
- d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency in the following manner and with the following content:

- i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before April 30th of each year during the permit term.
- ii. Compliance certifications shall include the following:
  - (a) An identification of each term or condition of this permit that is the basis of the certification.
  - (b) The permittee's current compliance status.
  - (c) Whether compliance was continuous or intermittent.
  - (d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.
  - (e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.
- iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

### **13. Permit Shield**

- a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.
- b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

### **14. Operational Flexibility**

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-02(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

### **15. Emergencies**

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

### **16. Off Permit Changes**

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

- a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;
- b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change;
- c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);
- d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and
- e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

## **B. State Only Enforceable Section**

### **1. Permit to Install Requirement**

Prior to the “installation” or “modification” of any “air contaminant source,” as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

### **2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements**

The permittee shall submit required reports in the following manner:

- a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

- b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

### **3. Records Retention Requirements**

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

### **4. Inspections and Information Requests**

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

### **5. Scheduled Maintenance/Malfunction Reporting**

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

**6. Permit Transfers**

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

**7. Air Pollution Nuisance**

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

**8. Additional Reporting Requirements When There Are No Deviations of Federally Enforceable Emission Limitations, Operational Restrictions, or Control Device Operating Parameter Limitations (See Section A of This Permit)**

If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

## Part II - Specific Facility Terms and Conditions

### A. State and Federally Enforcable Section

None

### B. State Only Enforceable Section

1. The following insignificant emissions unit(s) are located at this facility:

- J101 South Truck Loading Rack
- T005 Fixed Roof Storage Tank # 3305
- T009 Internal Floating Roof Storage Tank # 3309
- T010 Internal Floating Roof Storage Tank # 3361
- T011 Internal Floating Roof Storage Tank # 3362
- T012 Internal Floating Roof Storage Tank # 3363
- T013 Internal Floating Roof Storage Tank # 3364
- T014 Internal Floating Roof Storage Tank # 3310
- Z001 IVD Storage Tank
- Z002 Gasoline Storage Tank
- Z003 Jet Fuel Storage Tank
- Z004 Jet Fuel Storage Tank
- Z005 Transmix Storage Tank
- Z006 Terminal Fugitive Emissions

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emission limitations and/or control requirements contained within a permit to install for the emissions unit.

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** North Truck Loading Rack (J001)

**Activity Description:** Truck loading rack for gasoline and petroleum distillate products.

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Gasoline Truck Loading Rack with carbon adsorption vapor recovery unit	OAC 3745-21-09(Q) See A.VI.	0.67 LB VOC per 1,000 gallons (80 mg/l) of gasoline loaded into the delivery vessel.

##### 2. Additional Terms and Conditions

- 2.a The permittee shall operate and maintain a carbon adsorption vapor recovery unit or equivalent system to demonstrate compliance with the mass emission limitation in A.I.1.

##### II. Operational Restrictions

1. The gasoline throughput shall not exceed 518,690,000 gallons per year.
2. The loading rack shall be equipped with a vapor collection system whereby during the transfer of gasoline to any delivery vessel:
  - a. All vapors displaced from the delivery vessel during loading are vented only to the vapor collection system.
  - b. The pressure in the vapor collection system is maintained between minus 6 and plus 18 inches of water gauge pressure.
3. The loading rack shall be equipped with a vapor control system whereby:
  - a. All vapors collected by the vapor collection system are vented to the vapor control system.
  - b. Any liquid gasoline returned to a stationary storage tank from the vapor control system is free of entrained air to the extent possible with good engineering design.
4. A means shall be provided to prevent drainage of gasoline from the loading device when it is not in use or to accomplish complete drainage before the loading device is disconnected.
5. All gasoline loading lines and vapor lines shall be equipped with fittings which are vapor tight.
6. The permittee shall not permit gasoline to be spilled, discarded in sewers, stored in open containers or handled in any other manner that would result in evaporation.

## II. Operational Restrictions (continued)

7. The permittee shall repair within 15 days any leak from the vapor collection system and vapor control system when such leak is equal to or greater than 100 percent of the lower explosive limit as propane, as determined under paragraph (K) of OAC rule 3745-21-10.

## III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain monthly records of the amount, in gallons, of gasoline throughput. The annual totals should be based upon the calendar year.
2. Within 180 days of the effective date of this permit, the permittee shall develop a written quality assurance/quality control plan for the continuous volatile organic compound monitoring system designed to ensure continuous valid and representative readings of volatile organic compounds. The plan shall follow the requirements of 40 CFR Part 60, Appendix F. The quality assurance/quality control plan and a logbook dedicated to the continuous volatile organic compound monitoring system must be kept on site and available for inspection during regular office hours.
3. The permittee shall operate and maintain equipment to continuously monitor and record volatile organic compounds from this emissions unit in units of the applicable standard. Such continuous monitoring and recording equipment shall comply with the requirements specified in 40 CFR Part 60.13.

The permittee shall maintain records of all data obtained by the continuous volatile organic compound monitoring system including, but not limited to parts per million volatile organic compound on an instantaneous (one-minute) basis, emissions of volatile organic compound in units of the applicable standard in the appropriate averaging period and results of daily zero/span calibration checks, and magnitude of manual calibration adjustments.

## IV. Reporting Requirements

1. The permittee shall submit information detailing the proposed location of the monitoring system sampling site in accordance with the siting requirements in 40 CFR Part 60, Appendix B, Performance Specification 8 for approval by the Ohio EPA, Central Office. The permittee also shall submit documentation supporting the proposed volatile organic compound detection principle (flame ionization (FI), photoionization (PI), nondispersive infrared absorption (NDIR), or other detection principle) that is appropriate for the volatile organic compound species present in the emission gases and that meets all requirements of 40 CFR Part 60, Appendix B, Performance Specification 8.
2. Pursuant to OAC rules 3745-15-04, 3745-35-02, and ORC sections 3704.03(I) and 3704.031 and 40 CFR Parts 60.7 and 60.13(h), the permittee shall submit reports within 30 days following the end of each calendar quarter to the appropriate Ohio EPA District Office or local air agency documenting the date, commencement and completion times, duration, magnitude, reason (if known), and corrective actions taken (if any), of all instances of volatile organic compound values in excess of the applicable limits in the terms and conditions of this permit.

The permittee shall submit reports within 30 days following the end of each calendar quarter to the appropriate Ohio EPA District Office or local air agency documenting any continuous volatile organic compound monitoring system downtime while the emissions unit was on-line (date, time, duration and reason) along with any corrective action(s) taken. The permittee shall provide the emissions unit operating time during the reporting period and the date, time, reason and corrective action(s) taken for each time period of source and control equipment malfunctions. The total operating time of the emissions unit and the total operating time of the analyzer while the emissions unit was on line shall also be included in the quarterly report.

If there are no excess emissions during the calendar quarter, the permittee shall submit a statement to that effect along with the emissions unit operating time during the reporting period and the date, time, reason, and corrective action(s) taken for each time period of emissions unit, control equipment, and/or monitoring system malfunctions. The total operating time of the emissions unit and the total operating time of the analyzer while the emissions unit was on line also shall be included in the quarterly report. These quarterly excess emission reports shall be submitted by January 30, April 30, July 30, and October 30 of each year and shall address the data obtained during the previous calendar quarter.

#### **IV. Reporting Requirements (continued)**

3. The permittee shall submit deviation (excursion) reports which identify any exceedences of the annual throughput limitation specified in A.II.

#### **V. Testing Requirements**

1. Compliance with the emission limitation(s) in Section A.I. of these terms and conditions shall be determined in accordance with the following method(s):

The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

- a. The emission testing shall be conducted within 2.5 years after issuance of this permit and within 12 months prior to the expiration of this permit. The test shall be conducted between the months of June through August during these periods.
- b. The emission testing shall be conducted to demonstrate compliance with the 0.67 pounds of VOC per thousand gallons, (80 milligrams of VOC per liter) of gasoline loaded.
- c. The following test method(s) shall be employed to demonstrate compliance with the allowable mass emission rate(s): 2A, 21 and 21B.
- d. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

Not later than 30 days prior to the proposed test date(s), the permittee shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the test(s), and the person(s) who will be conducting the test(s). Failure to submit such notification for review and approval prior to the test(s) may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission test(s).

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to ensure that the operation of the emissions unit and the testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions test(s) shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s).

2. Within 60 days of the effective date of this permit, the permittee shall conduct certification tests of the continuous monitoring system pursuant to ORC section 3704.03(I) and 40 CFR Part 60, Appendix B, Performance Specification 8. Personnel from the appropriate Ohio EPA District Office or local air agency shall be notified 30 days prior to initiation of the applicable tests and shall be permitted to examine equipment and witness the certification tests. In accordance with OAC rule 3745-15-04, all copies of the test results shall be submitted to the appropriate Ohio EPA District Office or local air agency office within 30 days after the test is completed. Copies of the test results shall be sent to the appropriate Ohio EPA District Office or local air agency and the Ohio EPA, Central Office. Certification of the continuous volatile organic compound monitoring system shall be granted upon determination by the Ohio EPA Central Office that the system meets all requirements of ORC section 3704.03(I) and 40 CFR Part 60, Appendix B, Performance Specification 8.
3. Compliance with the annual throughput limit shall be determined by the record keeping requirements contained in A.III.

#### **VI. Miscellaneous Requirements**

1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in the permit to install 14-1089 as issued on December 31, 1986: A.I-A.V and B.I-B.V.

**VI. Miscellaneous Requirements (continued)**

2. This emissions unit is currently exempt from the requirements of 40 CFR Part 63 Subpart R. Should Texas Eastern Products Pipeline increase its potential emissions of Hazardous Air Pollutants(HAP) above 10 tons per year for a single HAP, or 25 TPY for all HAP's, the requirements of 40 CFR Part 63 Subpart R will apply.

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
Gasoline Truck Loading Rack with carbon adsorption vapor recovery unit	OAC 3745-31-05 See A.VI.	Annual VOC emissions from the carbon adsorption vapor recovery unit shall not exceed 173.76 TPY.

**2. Additional Terms and Conditions**

- 2.a None

**II. Operational Restrictions**

1. None

**III. Monitoring and/or Record Keeping Requirements**

1. None

**IV. Reporting Requirements**

1. The permittee shall submit annual reports which specify the total VOC emissions and throughput of gasoline for this emissions unit for the previous calendar year. These reports shall be submitted by January 31 of each year.

**V. Testing Requirements**

1. Compliance with the annual emission limitation in section B.I.1. of these terms and conditions shall be determined by the controlled, VOC emission factor (EF) in LBS VOC/1000 gallons of gasoline throughput established during the most recent compliance stack test and the following equation:

$$EF \times \text{actual gasoline throughput (1000's gal/yr)} \times \text{Ton/2000 lbs} = \text{TPY VOC.}$$

**VI. Miscellaneous Requirements**

1. None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank No. 3301 (T001)  
**Activity Description:** Storage of petroleum products

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
60,970 barrel external floating roof storage tank # 3301	OAC 3745-21-09(Z)	See A.I.2. below.

**2. Additional Terms and Conditions**

- 2.a Any welded external floating roof storage tank equipped with a liquid-mounted primary seal and rim-mounted secondary seal, a mechanical shoe primary seal and a rim-mounted secondary seal, a mechanical shoe primary seal and a shoe-mounted, secondary seal, and the shoe-mounted secondary seal was installed prior to 1/10/81, a vapor-mounted primary seal and a rim-mounted secondary seal, and the vapor-mounted primary seal was installed prior to 1/01/81, or a flexible wiper primary seal and a rim-mounted secondary seal, and the flexible wiper primary seal was installed prior to 1/01/81 shall meet the following requirements:
  - i. There shall be no visible holes, tears, or other openings in the seal or seal fabric.
  - ii. For the primary seal, the total seal gap area shall not exceed 10.0 square inches per foot of tank diameter.
  - iii. For the secondary seal, the total seal gap area shall not exceed 1.0 square inch per foot of tank diameter.

The permittee may change the seal types during the term of this permit provided that a written notification and revised "emission activity category" form, including the results of the latest seal gap measurements, are submitted to the appropriate Ohio EPA District Office or local air agency within 30 days after the change occurs.
- 2.b Any opening in the external floating roof, except automatic bleeder vents, rim space vents, leg sleeves, stub drains and slotted gauging/sampling wells, shall be equipped with:
  - i. A cover, seal or lid which remains in the closed position at all times without any visible gaps, except when the opening is in actual use.
  - ii. A projection into the tank below the liquid surface.
- 2.c Any automatic bleeder vent shall remain in the closed position, except when the external floating roof is floated off or landed on the roof leg supports.
- 2.d Any rim vent shall be set to open at the manufacturer's recommended setting, except when the external floating roof is being floated off the roof leg supports.

## **2. Additional Terms and Conditions (continued)**

- 2.e** Any emergency roof drain shall be equipped with a slotted membrane fabric cover or other device which covers at least 90 percent of the area of the opening.
- 2.f** Any stub drain shall be equipped with a projection into the tank below the liquid surface.
- 2.g** Any slotted gauging/sampling well shall be equipped with an object which floats on the liquid surface within the well and which covers at least 90 percent of the area of the well opening.

## **II. Operational Restrictions**

- 1. None**

## **III. Monitoring and/or Record Keeping Requirements**

- 1. Seal Inspection Requirements**
  - a. The seal and seal fabric shall be inspected annually for visible holes, tears, or other openings.
  - b. The secondary seal gap shall be measured annually in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
  - c. The primary seal gap shall be measured at least once every 5 years, in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
- 2. The permittee shall maintain records of the following information:**
  - a. The dates and results of any seal and seal fabric inspections and any seal gap measurements.
  - b. The annual throughput of any petroleum liquid stored in the tank.

## **IV. Reporting Requirements**

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.**

## **V. Testing Requirements**

- 1. Compliance with the control measure requirements in section A.I. of these terms and conditions shall be demonstrated by the record keeping and inspection requirements in section A.III of these terms and conditions.**

## **VI. Miscellaneous Requirements**

- 1. None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

60,970 barrel external floating roof  
storage tank # 3301

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank No. 3302 (T002)  
**Activity Description:** Storage of petroleum products

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
60,973 barrel external floating roof storage tank # 3302	OAC 3745-21-09(Z)	See A.I.2. below.

**2. Additional Terms and Conditions**

**2.a** Any welded external floating roof storage tank equipped with a liquid-mounted primary seal and rim-mounted secondary seal, a mechanical shoe primary seal and a rim-mounted secondary seal, a mechanical shoe primary seal and a shoe-mounted, secondary seal, and the shoe-mounted secondary seal was installed prior to 1/10/81, a vapor-mounted primary seal and a rim-mounted secondary seal, and the vapor-mounted primary seal was installed prior to 1/01/81, or a flexible wiper primary seal and a rim-mounted secondary seal, and the flexible wiper primary seal was installed prior to 1/01/81 shall meet the following requirements:

- i. There shall be no visible holes, tears, or other openings in the seal or seal fabric.
- ii. For the primary seal, the total seal gap area shall not exceed 10.0 square inches per foot of tank diameter.
- iii. For the secondary seal, the total seal gap area shall not exceed 1.0 square inch per foot of tank diameter.

The permittee may change the seal types during the term of this permit provided that a written notification and revised "emission activity category" form, including the results of the latest seal gap measurements, are submitted to the appropriate Ohio EPA District Office or local air agency within 30 days after the change occurs.

The fixed roof storage tank shall be equipped with an internal floating roof.

**2.b** Any opening in the external floating roof, except automatic bleeder vents, rim space vents, leg sleeves, stub drains and slotted gauging/sampling wells, shall be equipped with:

- i. A cover, seal or lid which remains in the closed position at all times without any visible gaps, except when the opening is in actual use.
- ii. A projection into the tank below the liquid surface.

## 2. Additional Terms and Conditions (continued)

The automatic bleeder vents shall be closed at all times except when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the roof leg supports or is at the manufacturer's recommended setting.

- 2.c** Any automatic bleeder vent shall remain in the closed position, except when the external floating roof is floated off or landed on the roof leg supports.

All openings, except stub drains, shall be equipped with a cover, seal or lid which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

- 2.d** Any rim vent shall be set to open at the manufacturer's recommended setting, except when the external floating roof is being floated off the roof leg supports.
- 2.e** Any emergency roof drain shall be equipped with a slotted membrane fabric cover or other device which covers at least 90 percent of the area of the opening.
- 2.f** Any stub drain shall be equipped with a projection into the tank below the liquid surface.
- 2.g** Any slotted gauging/sampling well shall be equipped with an object which floats on the liquid surface within the well and which covers at least 90 percent of the area of the well opening.

## II. Operational Restrictions

1. **None**

## III. Monitoring and/or Record Keeping Requirements

1. Seal Inspection Requirements

a. The seal and seal fabric shall be inspected annually for visible holes, tears, or other openings.

b. The secondary seal gap shall be measured annually in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.

c. The primary seal gap shall be measured at least once every 5 years, in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.

The permittee shall collect and record the following information for each tank equipped with an internal floating roof:

a. The types of petroleum liquids stored in the tank; and

b. The maximum true vapor pressure of each petroleum liquid stored, in pounds per square inch absolute.

2. The permittee shall maintain records of the following information:

a. The dates and results of any seal and seal fabric inspections and any seal gap measurements.

b. The annual throughput of any petroleum liquid stored in the tank.

## IV. Reporting Requirements

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.

**None**

Facility Name: **Texas Eastern Products Pipeline Co.**

Facility ID: **14-83-06-0110**

Emissions Unit: **Tank No. 3302 (T002)**

## **V. Testing Requirements**

1. Compliance with the control measure requirements in section A.I. of these terms and conditions shall be demonstrated by the record keeping and inspection requirements in section A.III of these terms and conditions.

## **VI. Miscellaneous Requirements**

1. **None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

**Operations, Property,  
and/or Equipment**

**Applicable Rules/  
Requirements**

**Applicable Emissions  
Limitations/Control  
Measures**

60,973 barrel external floating roof  
storage tank # 3302

**2. Additional Terms and Conditions**

**2.a None**

**II. Operational Restrictions**

1. **None**

**III. Monitoring and/or Record Keeping Requirements**

1. **None**

**IV. Reporting Requirements**

1. **None**

**V. Testing Requirements**

1. **None**

**VI. Miscellaneous Requirements**

1. **None**

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank No. 3303 (T003)  
**Activity Description:** Storage of petroleum products

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
60,980 barrel external floating roof storage tank # 3303	OAC 3745-21-09(Z)	See A.I.2. below.

**2. Additional Terms and Conditions**

- 2.a Any welded external floating roof storage tank equipped with a liquid-mounted primary seal and rim-mounted secondary seal, a mechanical shoe primary seal and a rim-mounted secondary seal, a mechanical shoe primary seal and a shoe-mounted, secondary seal, and the shoe-mounted secondary seal was installed prior to 1/10/81, a vapor-mounted primary seal and a rim-mounted secondary seal, and the vapor-mounted primary seal was installed prior to 1/01/81, or a flexible wiper primary seal and a rim-mounted secondary seal, and the flexible wiper primary seal was installed prior to 1/01/81 shall meet the following requirements:
  - i. There shall be no visible holes, tears, or other openings in the seal or seal fabric.
  - ii. For the primary seal, the total seal gap area shall not exceed 10.0 square inches per foot of tank diameter.
  - iii. For the secondary seal, the total seal gap area shall not exceed 1.0 square inch per foot of tank diameter.

The permittee may change the seal types during the term of this permit provided that a written notification and revised "emission activity category" form, including the results of the latest seal gap measurements, are submitted to the appropriate Ohio EPA District Office or local air agency within 30 days after the change occurs.
- 2.b Any opening in the external floating roof, except automatic bleeder vents, rim space vents, leg sleeves, stub drains and slotted gauging/sampling wells, shall be equipped with:
  - i. A cover, seal or lid which remains in the closed position at all times without any visible gaps, except when the opening is in actual use.
  - ii. A projection into the tank below the liquid surface.
- 2.c Any automatic bleeder vent shall remain in the closed position, except when the external floating roof is floated off or landed on the roof leg supports.
- 2.d Any rim vent shall be set to open at the manufacturer's recommended setting, except when the external floating roof is being floated off the roof leg supports.

## **2. Additional Terms and Conditions (continued)**

- 2.e** Any emergency roof drain shall be equipped with a slotted membrane fabric cover or other device which covers at least 90 percent of the area of the opening.
- 2.f** Any stub drain shall be equipped with a projection into the tank below the liquid surface.
- 2.g** Any slotted gauging/sampling well shall be equipped with an object which floats on the liquid surface within the well and which covers at least 90 percent of the area of the well opening.

## **II. Operational Restrictions**

- 1. None**

## **III. Monitoring and/or Record Keeping Requirements**

- 1. Seal Inspection Requirements**
  - a. The seal and seal fabric shall be inspected annually for visible holes, tears, or other openings.
  - b. The secondary seal gap shall be measured annually in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
  - c. The primary seal gap shall be measured at least once every 5 years, in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
- 2. The permittee shall maintain records of the following information:**
  - a. The dates and results of any seal and seal fabric inspections and any seal gap measurements.
  - b. The annual throughput of any petroleum liquid stored in the tank.

## **IV. Reporting Requirements**

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.**

## **V. Testing Requirements**

- 1. Compliance with the control measure requirements in section A.I. of these terms and conditions shall be demonstrated by the record keeping and inspection requirements in section A.III of these terms and conditions.**

## **VI. Miscellaneous Requirements**

- 1. None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

60,980 barrel external floating roof  
storage tank # 3303

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Tank No. 3304 (T004)  
**Activity Description:** Storage of petroleum products

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
79,182 barrel external floating roof storage tank # 3304	OAC 3745-21-09(Z)	See A.I.2. below.

##### 2. Additional Terms and Conditions

- 2.a Any welded external floating roof storage tank equipped with a liquid-mounted primary seal and rim-mounted secondary seal, a mechanical shoe primary seal and a rim-mounted secondary seal, a mechanical shoe primary seal and a shoe-mounted, secondary seal, and the shoe-mounted secondary seal was installed prior to 1/10/81, a vapor-mounted primary seal and a rim-mounted secondary seal, and the vapor-mounted primary seal was installed prior to 1/01/81, or a flexible wiper primary seal and a rim-mounted secondary seal, and the flexible wiper primary seal was installed prior to 1/01/81 shall meet the following requirements:
  - i. There shall be no visible holes, tears, or other openings in the seal or seal fabric.
  - ii. For the primary seal, the total seal gap area shall not exceed 10.0 square inches per foot of tank diameter.
  - iii. For the secondary seal, the total seal gap area shall not exceed 1.0 square inch per foot of tank diameter.

The permittee may change the seal types during the term of this permit provided that a written notification and revised "emission activity category" form, including the results of the latest seal gap measurements, are submitted to the appropriate Ohio EPA District Office or local air agency within 30 days after the change occurs.
- 2.b Any opening in the external floating roof, except automatic bleeder vents, rim space vents, leg sleeves, stub drains and slotted gauging/sampling wells, shall be equipped with:
  - i. A cover, seal or lid which remains in the closed position at all times without any visible gaps, except when the opening is in actual use.
  - ii. A projection into the tank below the liquid surface.
- 2.c Any automatic bleeder vent shall remain in the closed position, except when the external floating roof is floated off or landed on the roof leg supports.
- 2.d Any rim vent shall be set to open at the manufacturer's recommended setting, except when the external floating roof is being floated off the roof leg supports.

## **2. Additional Terms and Conditions (continued)**

- 2.e** Any emergency roof drain shall be equipped with a slotted membrane fabric cover or other device which covers at least 90 percent of the area of the opening.
- 2.f** Any stub drain shall be equipped with a projection into the tank below the liquid surface.
- 2.g** Any slotted gauging/sampling well shall be equipped with an object which floats on the liquid surface within the well and which covers at least 90 percent of the area of the well opening.

## **II. Operational Restrictions**

- 1. None**

## **III. Monitoring and/or Record Keeping Requirements**

- 1. Seal Inspection Requirements**
  - a. The seal and seal fabric shall be inspected annually for visible holes, tears, or other openings.
  - b. The secondary seal gap shall be measured annually in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
  - c. The primary seal gap shall be measured at least once every 5 years, in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
- 2. The permittee shall maintain records of the following information:**
  - a. The dates and results of any seal and seal fabric inspections and any seal gap measurements.
  - b. The annual throughput of any petroleum liquid stored in the tank.

## **IV. Reporting Requirements**

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.**

## **V. Testing Requirements**

- 1. Compliance with the control measure requirements in section A.I. of these terms and conditions shall be demonstrated by the record keeping and inspection requirements in section A.III of these terms and conditions.**

## **VI. Miscellaneous Requirements**

- 1. None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

**Operations, Property,  
and/or Equipment**

**Applicable Rules/  
Requirements**

**Applicable Emissions  
Limitations/Control  
Measures**

79,182 barrel external floating roof  
storage tank # 3304

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank No. 3306 (T006)  
**Activity Description:** Storage of petroleum products

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
5.124 MM gallon storage tank with internal floating roof (# 3306).	40 CFR Part 60 Subpart Kb See A.VI.  3745-21-09(L)(1)(a)(i) See A.VI	See A.I.2  Same as, or less stringent than those outlined in 40 CFR Part 60 Subpart Kb.

**2. Additional Terms and Conditions**

- 2.a This storage tank shall be equipped with a fixed roof in combination with an internal floating roof meeting the following specifications:
  - i. The internal floating roof shall rest or float on the liquid surface (but not necessarily in complete contact with it) inside a storage vessel that has a fixed roof.
  - ii. The internal floating roof shall be floating on the liquid surface at all times, except during initial fill and during those intervals when the storage vessel is completely emptied or subsequently emptied and refilled.
  - iii. When the roof is resting on the leg supports, the process of filling, emptying, or refilling shall be continuous and shall be accomplished as rapidly as possible.
  - iv. This internal floating roof tank shall be equipped with two seals mounted one above the other so that each forms a continuous closure that completely covers the space between the wall of the storage vessel and the edge of the internal floating roof. The lower seal may be vapor-mounted, but both must be continuous.
  - v. Each opening in the internal floating roof except for leg sleeves, automatic bleeder vents, rim space vents, column wells, ladder wells, sample wells, and stub drains is to be equipped with a cover or lid which is to be maintained in a closed position at all times (i.e., no visible gap) except when the device is in actual use. The cover or lid shall be equipped with a gasket. Covers on each access hatch and automatic gauge float well shall be bolted except when they are in use.
  - vi. Automatic bleeder vents shall be equipped with a gasket and are to be closed at all times when the roof is floating except when the roof is being floated off or is being landed on the roof leg supports.
  - vii. Rim space vents shall be equipped with a gasket and are to be set to open only when the internal floating roof is not floating or at the manufacturer's recommended setting.

## **2. Additional Terms and Conditions (continued)**

- viii. Each penetration of the internal floating roof for the purpose of sampling shall be a sample well. The sample well shall have a slit fabric cover that covers at least 90 percent of the opening.
- ix. Each penetration of the internal floating roof that allows for passage of a column supporting the fixed roof shall have a flexible fabric sleeve seal or a gasketed sliding cover.
- x. Each penetration of the internal floating roof that allows for passage of a ladder shall have a gasketed sliding cover.
- xi. Each opening in a noncontact internal floating roof except for automatic bleeder vents ( vacuum breaker vents) and the rim space vents is to provide a projection below the liquid surface.

## **II. Operational Restrictions**

- 1. The vapor pressure of any material stored in this emissions unit shall not exceed 76.6 kPa (11.11 psia).

## **III. Monitoring and/or Record Keeping Requirements**

- 1. The permittee shall maintain monthly records of the following information:
  - a. The name and identification of each petroleum liquid stored in the tank.
  - b. The maximum true vapor pressure of each petroleum liquid stored in pounds per square inch absolute.
  - c. The throughput in gallons of each of each petroleum liquid stored.

## **IV. Reporting Requirements**

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.
- 2. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any exceedance of the vapor pressure and throughput limitations as outlined in this permit. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.

## **V. Testing Requirements**

- 1. Compliance with the control measure requirements in section A.I.1. of these terms and conditions shall be demonstrated by a review of facility records during a facility compliance inspection and the record keeping requirements outlined in A.III.

## **VI. Miscellaneous Requirements**

- 1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in the permit to install number 14-3581 as issued on March 8, 1995: A.I-A.V. and B.I -B.V.

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
5.124 MM gallon storage tank with internal floating roof (# 3306).	OAC 3745-31-05 See A.VI.	Annual VOC emissions shall not exceed 8.75 TPY

**2. Additional Terms and Conditions**

**2.a None**

**II. Operational Restrictions**

1. The throughput of petroleum liquids shall not exceed 252,000,000 gallons/year.

**III. Monitoring and/or Record Keeping Requirements**

1. **None**

**IV. Reporting Requirements**

1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any exceedance of the annual VOC limitation outlined above. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.

**V. Testing Requirements**

1. Compliance with the emission limitation spelled out in B.I.1 shall be demonstrated by the use of USEPA "Tanks Program 3.0".
2. Compliance with the throughput restrictions spelled out in B.II shall be demonstrated by the record keeping requirements in A.III.

**VI. Miscellaneous Requirements**

1. **None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Tank No. 3307 (T007)  
**Activity Description:** Storage of petroleum products

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
189,402 barrel external floating roof storage tank # 3307	OAC 3745-21-09(Z)	See A.I.2. below.

##### 2. Additional Terms and Conditions

- 2.a Any welded external floating roof storage tank equipped with a liquid-mounted primary seal and rim-mounted secondary seal, a mechanical shoe primary seal and a rim-mounted secondary seal, a mechanical shoe primary seal and a shoe-mounted, secondary seal, and the shoe-mounted secondary seal was installed prior to 1/10/81, a vapor-mounted primary seal and a rim-mounted secondary seal, and the vapor-mounted primary seal was installed prior to 1/01/81, or a flexible wiper primary seal and a rim-mounted secondary seal, and the flexible wiper primary seal was installed prior to 1/01/81 shall meet the following requirements:
  - i. There shall be no visible holes, tears, or other openings in the seal or seal fabric.
  - ii. For the primary seal, the total seal gap area shall not exceed 10.0 square inches per foot of tank diameter.
  - iii. For the secondary seal, the total seal gap area shall not exceed 1.0 square inch per foot of tank diameter.

The permittee may change the seal types during the term of this permit provided that a written notification and revised "emission activity category" form, including the results of the latest seal gap measurements, are submitted to the appropriate Ohio EPA District Office or local air agency within 30 days after the change occurs.
- 2.b Any opening in the external floating roof, except automatic bleeder vents, rim space vents, leg sleeves, stub drains and slotted gauging/sampling wells, shall be equipped with:
  - i. A cover, seal or lid which remains in the closed position at all times without any visible gaps, except when the opening is in actual use.
  - ii. A projection into the tank below the liquid surface.
- 2.c Any automatic bleeder vent shall remain in the closed position, except when the external floating roof is floated off or landed on the roof leg supports.
- 2.d Any rim vent shall be set to open at the manufacturer's recommended setting, except when the external floating roof is being floated off the roof leg supports.

## **2. Additional Terms and Conditions (continued)**

- 2.e** Any emergency roof drain shall be equipped with a slotted membrane fabric cover or other device which covers at least 90 percent of the area of the opening.
- 2.f** Any stub drain shall be equipped with a projection into the tank below the liquid surface.
- 2.g** Any slotted gauging/sampling well shall be equipped with an object which floats on the liquid surface within the well and which covers at least 90 percent of the area of the well opening.

## **II. Operational Restrictions**

- 1. None**

## **III. Monitoring and/or Record Keeping Requirements**

- 1. Seal Inspection Requirements**
  - a. The seal and seal fabric shall be inspected annually for visible holes, tears, or other openings.
  - b. The secondary seal gap shall be measured annually in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
  - c. The primary seal gap shall be measured at least once every 5 years, in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
- 2. The permittee shall maintain records of the following information:**
  - a. The dates and results of any seal and seal fabric inspections and any seal gap measurements.
  - b. The annual throughput of any petroleum liquid stored in the tank.

## **IV. Reporting Requirements**

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.**

## **V. Testing Requirements**

- 1. Compliance with the control measure requirements in section A.I. of these terms and conditions shall be demonstrated by the record keeping and inspection requirements in section A.III of these terms and conditions.**

## **VI. Miscellaneous Requirements**

- 1. None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

189,402 barrel external floating roof  
storage tank # 3307

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

### Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Tank No. 3308 (T008)  
**Activity Description:** Storage of petroleum products

#### A. State and Federally Enforceable Section

##### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
31,892 barrel external floating roof storage tank # 3308	OAC 3745-21-09(Z)	See A.I.2. below.

##### 2. Additional Terms and Conditions

- 2.a Any welded external floating roof storage tank equipped with a liquid-mounted primary seal and rim-mounted secondary seal, a mechanical shoe primary seal and a rim-mounted secondary seal, a mechanical shoe primary seal and a shoe-mounted, secondary seal, and the shoe-mounted secondary seal was installed prior to 1/10/81, a vapor-mounted primary seal and a rim-mounted secondary seal, and the vapor-mounted primary seal was installed prior to 1/01/81, or a flexible wiper primary seal and a rim-mounted secondary seal, and the flexible wiper primary seal was installed prior to 1/01/81 shall meet the following requirements:
  - i. There shall be no visible holes, tears, or other openings in the seal or seal fabric.
  - ii. For the primary seal, the total seal gap area shall not exceed 10.0 square inches per foot of tank diameter.
  - iii. For the secondary seal, the total seal gap area shall not exceed 1.0 square inch per foot of tank diameter.

The permittee may change the seal types during the term of this permit provided that a written notification and revised "emission activity category" form, including the results of the latest seal gap measurements, are submitted to the appropriate Ohio EPA District Office or local air agency within 30 days after the change occurs.
- 2.b Any opening in the external floating roof, except automatic bleeder vents, rim space vents, leg sleeves, stub drains and slotted gauging/sampling wells, shall be equipped with:
  - i. A cover, seal or lid which remains in the closed position at all times without any visible gaps, except when the opening is in actual use.
  - ii. A projection into the tank below the liquid surface.
- 2.c Any automatic bleeder vent shall remain in the closed position, except when the external floating roof is floated off or landed on the roof leg supports.
- 2.d Any rim vent shall be set to open at the manufacturer's recommended setting, except when the external floating roof is being floated off the roof leg supports.

## **2. Additional Terms and Conditions (continued)**

- 2.e** Any emergency roof drain shall be equipped with a slotted membrane fabric cover or other device which covers at least 90 percent of the area of the opening.
- 2.f** Any stub drain shall be equipped with a projection into the tank below the liquid surface.
- 2.g** Any slotted gauging/sampling well shall be equipped with an object which floats on the liquid surface within the well and which covers at least 90 percent of the area of the well opening.

## **II. Operational Restrictions**

- 1. None**

## **III. Monitoring and/or Record Keeping Requirements**

- 1. Seal Inspection Requirements**
  - a. The seal and seal fabric shall be inspected annually for visible holes, tears, or other openings.
  - b. The secondary seal gap shall be measured annually in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
  - c. The primary seal gap shall be measured at least once every 5 years, in accordance with the method specified in paragraph (I) of OAC rule 3745-21-10.
- 2. The permittee shall maintain records of the following information:**
  - a. The dates and results of any seal and seal fabric inspections and any seal gap measurements.
  - b. The annual throughput of any petroleum liquid stored in the tank.

## **IV. Reporting Requirements**

- 1. The permittee shall notify the Director (the appropriate Ohio EPA District Office or local air agency) within 30 days of any seal and seal fabric inspection or any seal gap measurement which documents a violation of the applicable control equipment requirements. The notification shall also describe the corrective actions which have been or will be taken to achieve compliance.**

## **V. Testing Requirements**

- 1. Compliance with the control measure requirements in section A.I. of these terms and conditions shall be demonstrated by the record keeping and inspection requirements in section A.III of these terms and conditions.**

## **VI. Miscellaneous Requirements**

- 1. None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

**Operations, Property,  
and/or Equipment**

**Applicable Rules/  
Requirements**

**Applicable Emissions  
Limitations/Control  
Measures**

31,892 barrel external floating roof  
storage tank # 3308

**2. Additional Terms and Conditions**

**None**

**II. Operational Restrictions**

**None**

**III. Monitoring and/or Record Keeping Requirements**

**None**

**IV. Reporting Requirements**

**None**

**V. Testing Requirements**

**None**

**VI. Miscellaneous Requirements**

**None**

## Part III - Terms and Conditions for Emissions Units

**Emissions Unit ID:** Tank No. 3401 (T101)  
**Activity Description:** Storage of petroleum products

### A. State and Federally Enforceable Section

#### I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
87,000 barrel storage tank with internal floating roof ( # 3401).	OAC 3745-21-09(L)(1)(a)(i)	See A.I.2. below.

#### 2. Additional Terms and Conditions

- 2.a** The fixed roof storage tank shall be equipped with an internal floating roof.
- 2.b** The automatic bleeder vents shall be closed at all times except when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the roof leg supports or is at the manufacturer's recommended setting.
- 2.c** All openings, except stub drains, shall be equipped with a cover, seal or lid which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

#### II. Operational Restrictions

1. **None**

#### III. Monitoring and/or Record Keeping Requirements

1. The permittee shall collect and record the following information for each tank equipped with an internal floating roof:
  - a. The types of petroleum liquids stored in the tank.
  - b. The maximum true vapor pressure of each petroleum liquid stored, in pounds per square inch absolute.

#### IV. Reporting Requirements

1. **None**

#### V. Testing Requirements

1. Compliance with the control measure requirements in section A.I.1. of these terms and conditions shall be demonstrated by a review of facility records during a facility compliance inspection.

#### VI. Miscellaneous Requirements

1. **None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

**Operations, Property,  
and/or Equipment**

**Applicable Rules/  
Requirements**

**Applicable Emissions  
Limitations/Control  
Measures**

87,000 barrel storage tank with  
internal floating roof ( # 3401).

**2. Additional Terms and Conditions**

**2.a None**

**II. Operational Restrictions**

1. **None**

**III. Monitoring and/or Record Keeping Requirements**

1. **None**

**IV. Reporting Requirements**

1. **None**

**V. Testing Requirements**

1. **None**

**VI. Miscellaneous Requirements**

1. **None**

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank No. 3402 (T102)  
**Activity Description:** Storage of petroleum products

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
120,000 barrel storage tank with internal floating roof ( # 3402).	OAC 3745-21-09(L)(1)(a)(i)	See A.I.2. below.

**2. Additional Terms and Conditions**

- 2.a** The fixed roof storage tank shall be equipped with an internal floating roof.
- 2.b** The automatic bleeder vents shall be closed at all times except when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the roof leg supports or is at the manufacturer's recommended setting.
- 2.c** All openings, except stub drains, shall be equipped with a cover, seal or lid which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

**II. Operational Restrictions**

1. **None**

**III. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information for each tank equipped with an internal floating roof:
  - a. The types of petroleum liquids stored in the tank.
  - b. The maximum true vapor pressure of each petroleum liquid stored, in pounds per square inch absolute.

**IV. Reporting Requirements**

1. **None**

**V. Testing Requirements**

1. Compliance with the control measure requirements in section A.I.1. of these terms and conditions shall be demonstrated by a review of facility records during a facility compliance inspection.

**VI. Miscellaneous Requirements**

1. **None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
---	---	--

120,000 barrel storage tank with  
internal floating roof ( # 3402).

**2. Additional Terms and Conditions**

2.a None

**II. Operational Restrictions**

1. None

**III. Monitoring and/or Record Keeping Requirements**

1. None

**IV. Reporting Requirements**

1. None

**V. Testing Requirements**

1. None

**VI. Miscellaneous Requirements**

1. None

**Part III - Terms and Conditions for Emissions Units**

**Emissions Unit ID:** Tank No. 3405 (T105)  
**Activity Description:** Storage of petroleum products

**A. State and Federally Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

<u>Operations, Property, and/or Equipment</u>	<u>Applicable Rules/ Requirements</u>	<u>Applicable Emissions Limitations/Control Measures</u>
73,000 barrel storage tank with internal floating roof ( # 5).	OAC 3745-21-09(L)(1)(a)(i)	See A.I.2. below.

**2. Additional Terms and Conditions**

- 2.a** The fixed roof storage tank shall be equipped with an internal floating roof.
- 2.b** The automatic bleeder vents shall be closed at all times except when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the roof leg supports or is at the manufacturer's recommended setting.
- 2.c** All openings, except stub drains, shall be equipped with a cover, seal or lid which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

**II. Operational Restrictions**

1. **None**

**III. Monitoring and/or Record Keeping Requirements**

1. The permittee shall collect and record the following information for each tank equipped with an internal floating roof:
  - a. The types of petroleum liquids stored in the tank.
  - b. The maximum true vapor pressure of each petroleum liquid stored, in pounds per square inch absolute.

**IV. Reporting Requirements**

1. **None**

**V. Testing Requirements**

1. Compliance with the control measure requirements in section A.I.1. of these terms and conditions shall be demonstrated by a review of facility records during a facility compliance inspection.

**VI. Miscellaneous Requirements**

1. **None**

**B. State Enforceable Section**

**I. Applicable Emissions Limitations and/or Control Requirements**

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

**Operations, Property,  
and/or Equipment**

**Applicable Rules/  
Requirements**

**Applicable Emissions  
Limitations/Control  
Measures**

73,000 barrel storage tank with  
internal floating roof ( # 5).

**2. Additional Terms and Conditions**

**2.a None**

**II. Operational Restrictions**

1. **None**

**III. Monitoring and/or Record Keeping Requirements**

1. **None**

**IV. Reporting Requirements**

1. **None**

**V. Testing Requirements**

1. **None**

**VI. Miscellaneous Requirements**

1. **None**

\*\*\*\*\*

**THIS IS THE LAST PAGE OF THE PERMIT**

\*\*\*\*\*