OhioEPA

State of Ohio Environmental Protection Agency

Street Address: 1800 WaterMark Drive, Columbus, OH 43215-1099

TELE: (614) 644-3020 **FAX:** (614) 644-2329

Mailing Address: P.O. Box 1049, Columbus, OH 43216-1049

10/28/97 **CERTIFIED MAIL**

RE: Proposed Title V Chapter 3745-77 permit
08-57-04-0961
Sun Company, Inc. (R&M) - Dayton Terminal

EXPEDITED REVIEW REQUESTED (VIA FAX)

Attn: Genevieve Damico AR-18J
United States Enviromental Protection Agency
Region V
77 West Jackson Blvd.
Chicago, IL 60604-3590

Dear Ms. Damico:

The proposed issuance of the Title V permit for Sun Company, Inc. (R&M) - Dayton Terminal, has been created in Ohio EPA's State Air Resources System (STARS) on 10/28/97, for review by USEPA. This proposed action is identified in STARS as 3-Title V Proposed Permit T+C covering the facility specific terms and conditions, and Title V Proposed Permit covering the general terms and conditions. This proposed permit will be processed for issuance as a final action after forty-five (45) days from USEPA's receipt of this certified letter if USEPA does not object to the proposed permit. Please contact Mike Ahern, DAPC Permit Management Unit supervisor at (614) 644-3631 by the end of the forty-five (45) day review period if you wish to object to the proposed permit.

Very truly yours,

Thomas G. Rigo

Thomas G. Rigo, Manager
Field Operations and Permit Section
Division of Air Pollution Control

P.S. Ohio EPA requests an expedited review of this proposed action. Please contact Mike Ahern, DAPC/PMU in writing upon completion of your review.

cc: RAPCA

Ohio EPA

State of Ohio Environmental Protection Agency

TITLE V PERMIT

Date: 10/28/97

PROPOSED

Effective Date:

Expiration Date:

This document constitutes issuance to:

Sun Company, Inc. (R&M) - Dayton Terminal
1708 Farr Drive
Dayton, OH 45404

of a Title V permit for Facility ID: 08-57-04-0961

Emissions Unit ID (Company ID)/
Emissions Unit Activity Description:
J001 (Truck Loading)
Gasoline and Distillate Truck Loading Rack

P002 (air stripper)
air stripper associated with groundwater remediation

T001 (Tank #12)
above ground internal floating roof storage tank

T002 (Tank #13)
above ground internal floating roof storage tank

T003 (Tank #14)
above ground internal floating roof storage tank

T004 (Tank #15)
above ground internal floating roof storage tank

T005 (Tank #16)
above ground internal floating roof storage tank

T006 (Tank #20)
above ground internal floating roof storage tank

T007 (Tank #21)
above ground internal floating roof storage tank

T010 (Tank #37)
above ground internal floating roof storage tank

You will be contacted approximately eighteen (18) months prior to the expiration date regarding the renewal of this permit. If you are not contacted, please contact the appropriate Ohio EPA District Office or local air agency listed below. This permit and the authorization to operate the air contaminant sources (emissions units) at this facility shall expire at midnight on the expiration date shown above. If a renewal permit is not issued prior to the expiration date, the permittee may continue to operate pursuant to OAC rule 3745-77-04(A) and in accordance with the terms of this permit beyond the expiration date, provided that a complete renewal application is submitted no earlier than eighteen (18) months and no later than one-hundred eighty (180) days prior to the expiration date.

Described below is the current Ohio EPA District Office or local air agency that is responsible for processing and administering your Title V permit:

RAPCA
451 West Third Street
PO Box 972
Dayton, OH 45422
(937) 225-4435

OHIO ENVIRONMENTAL PROTECTION AGENCY

_____

Director

PART I - GENERAL TERMS AND CONDITIONS

A. State and Federally Enforceable Section

1. Monitoring and Related Recordkeeping and Reporting Requirements

a. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall maintain records that include the following, where applicable, for any required monitoring under this permit:

   i. The date, place (as defined in the permit), and time of sampling or measurements.

   ii. The date(s) analyses were performed.

   iii. The company or entity that performed the analyses.

   iv. The analytical techniques or methods used.

   v. The results of such analyses.

   vi. The operating conditions existing at the time of sampling or measurement.

b. Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

c. Except as may otherwise be provided in the terms and conditions for a specific emissions unit, the permittee shall submit required reports in the following manner:

   i. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

   ii. Quarterly written reports of (i) any deviations from federally enforceable <u>emission limitations</u>, <u>operational restrictions</u>, <u>and control device operating parameter limitations</u>, excluding deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06, that have been detected by the testing, monitoring and recordkeeping requirements specified in this permit, (ii) the probable cause of such deviations, and (iii) any corrective actions or preventive measures taken, shall be promptly made to the appropriate Ohio EPA District Office or local air agency. These quarterly written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the submission of monitoring reports every six months and OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of all deviations except malfunctions, which shall be reported in accordance with OAC rule 3745-15-06.

   If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter.

   The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters.

iii. Written reports, which identify any deviations from the federally enforceable monitoring, recordkeeping, and reporting requirements contained in this permit shall be submitted to the appropriate Ohio EPA District Office or local air agency every six months, i.e., by January 31 and July 31 of each year for the previous six calendar months. These semi-annual written reports shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(i) and (ii) pertaining to the reporting of any deviations related to the monitoring, recordkeeping, and reporting requirements. If no deviations occurred during a six-month period, the permittee shall submit a semi-annual report, which states that no deviations occurred during that period.

iv. Each written report shall be signed by a responsible official certifying that, based on information and belief formed after reasonable inquiry, the statements and information in the report are true, accurate, and complete.

2. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction, i.e., upset, of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. (The definition of an upset condition shall be the same as that used in OAC rule 3745-15-06(B)(1) for a malfunction.) The verbal and written reports submitted pursuant to OAC rule 3745-15-06 shall satisfy the requirements of OAC rule 3745-77-07(A)(3)(c)(iii) pertaining to the prompt reporting of deviations caused by malfunctions or upsets.

Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emission unit(s) that is (are) served by such control system(s).

3. Risk Management Plans

If the permittee is required to develop and register a risk management plan pursuant to section 112(r) of the Clean Air Act, as amended, 42 U.S.C. 7401 et seq. ("Act"), the permittee shall comply with the requirement to register such a plan.

4. Title IV Provisions

If the permittee is subject to the requirements of 40 CFR Part 72 concerning acid rain, the permittee shall ensure that any affected emissions unit complies with those requirements. Emissions exceeding any allowances that are lawfully held under Title IV of the Act, or any regulations adopted thereunder, are prohibited.

5. Severability Clause

A determination that any term or condition of this permit is invalid shall not invalidate the force or effect of any other term or condition thereof, except to the extent that any other term or condition depends in whole or in part for its operation or implementation upon the term or condition declared invalid.

6. General Requirements

a. The permittee must comply with all terms and conditions of this permit. Any noncompliance with the federally enforceable terms and conditions of this permit constitutes a violation of the Act, and is grounds for enforcement action or for permit revocation, revocation and reissuance, or modification, or for denial of a permit renewal application.

b. It shall not be a defense for the permittee in an enforcement action that it would have been necessary to halt or reduce the permitted activity in order to maintain compliance with the federally enforceable terms and conditions of this permit.

c. This permit may be modified, reopened, revoked, or revoked and reissued, for cause. The filing of a request by the permittee for a permit modification, revocation and reissuance, or revocation, or of a notification of planned changes or anticipated noncompliance does not stay any term and condition of this permit.

d. This permit does not convey any property rights of any sort, or any exclusive privilege.

e. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon request, the permittee shall also furnish to the Director or an authorized representative of the Director, copies of records required to be kept by this permit. For information claimed to be confidential in the submittal to the Director, if the Administrator of the U.S. EPA requests such information, the permittee may furnish such records directly to the Administrator along with a claim of confidentiality.

7. Fees

The permittee shall pay fees to the Director of the Ohio EPA in accordance with ORC section 3745.11 and OAC Chapter 3745-78.

8. Marketable Permit Programs

No revision of this permit is required under any approved economic incentive, marketable permits, emissions trading, and other similar programs or processes for changes that are provided for in this permit.

9. Reasonably Anticipated Operating Scenarios

The permittee is hereby authorized to make changes among operating scenarios authorized in this permit without notice to the Ohio EPA, but, contemporaneous with making a change from one operating scenario to another, the permittee must record in a log at the permitted facility the scenario under which the permittee is operating. The permit shield provided in these general terms and conditions shall apply to all operating scenarios authorized in this permit.

10. Reopening for Cause

This Title V permit will be reopened prior to its expiration date under the following conditions:

a. Additional applicable requirements under the Act become applicable to one or more emissions units covered by this permit, and this permit has a remaining term of three or more years. Such a reopening shall be completed not later than eighteen months after promulgation of the applicable requirement. No such reopening is required if the effective date of the requirement is later than the date on which the permit is due to expire, unless the original permit or any of its terms and conditions has been extended pursuant to paragraph (E)(1) of OAC rule 3745-77-07.

b. This permit is issued to an affected source under the acid rain program and additional requirements (including excess emissions requirements) become applicable. Upon approval by the Administrator, excess emissions offset plans shall be deemed to be incorporated into the permit, and shall not require a reopening of this permit.

c. The Director of the Ohio EPA or the Administrator of the U.S. EPA determines that the federally applicable requirements in this permit are based on a material mistake, or that inaccurate statements were made in establishing the emissions standards or other terms and conditions of this permit related to such federally applicable requirements.

d. The Administrator of the U.S. EPA or the Director of the Ohio EPA determines that this permit must be revised or revoked to assure compliance with the applicable requirements.

11. Federal and State Enforceability

Only those terms and conditions designated in this permit as federally enforceable, that are required under the Act, or any of its applicable requirements, including relevant provisions designed to limit the potential to emit of a source, are enforceable by the Administrator of the U.S. EPA, the State, and citizens under the Act. All other terms and conditions of this permit shall not be federally enforceable and shall be enforceable under State law only.

12. Compliance Requirements

a. Any document (including reports) required to be submitted and required by a federally applicable requirement in this Title V permit shall include a certification by a responsible official that, based on information and belief formed after reasonable inquiry, the statements in the document are true, accurate, and complete.

b. Upon presentation of credentials and other documents as may be required by law, the permittee shall allow the Director of the Ohio EPA or an authorized representative of the Director to:

i. At reasonable times, enter upon the permittee's premises where a source is located or the emissions-related activity is conducted, or where records must be kept under the conditions of this permit.

ii. Have access to and copy, at reasonable times, any records that must be kept under the conditions of this permit, subject to the protection from disclosure to the public of confidential information consistent with paragraph (E) of OAC rule 3745-77-03.

iii. Inspect at reasonable times any facilities, equipment (including monitoring and air pollution control equipment), practices, or operations regulated or required under this permit.

iv. As authorized by the Act, sample or monitor at reasonable times substances or parameters for the purpose of assuring compliance with the permit and applicable requirements.

c. The permittee shall submit progress reports to the appropriate Ohio EPA District Office or local air agency concerning any schedule of compliance for meeting an applicable requirement. Progress reports shall be submitted semiannually, or more frequently if specified in the applicable requirement or by the Director of the Ohio EPA. Progress reports shall contain the following:

i. Dates for achieving the activities, milestones, or compliance required in any schedule of compliance, and dates when such activities, milestones, or compliance were achieved.

ii. An explanation of why any dates in any schedule of compliance were not or will not be met, and any preventive or corrective measures adopted.

d. Compliance certifications concerning the terms and conditions contained in this permit that are federally enforceable emission limitations, standards, or work practices, shall be submitted to the appropriate Ohio EPA District Office or local air agency in the following manner and with the following content:

i. Compliance certifications shall be submitted annually on a calendar year basis. The annual certification shall be submitted on or before March 15th of each year during the permit term.

ii. Compliance certifications shall include the following:

(a) An identification of each term or condition of this permit that is the basis of the certification.

(b) The permittee's current compliance status.

(c) Whether compliance was continuous or intermittent.

(d) The method(s) used for determining the compliance status of the source currently and over the required reporting period.

(e) Such other facts as the Director of the Ohio EPA may require in the permit to determine the compliance status of the source.

iii. Compliance certifications shall contain such additional requirements as may be specified pursuant to sections 114(a)(3) and 504(b) of the Act.

13. Permit Shield

a. Compliance with the terms and conditions of this permit (including terms and conditions established for alternate operating scenarios, emissions trading, and emissions averaging, but excluding terms and conditions for which the permit shield is expressly prohibited under OAC

rule 3745-77-07) shall be deemed compliance with the applicable requirements identified and addressed in this permit as of the date of permit issuance.

b. This permit shield provision shall apply to any requirement identified in this permit pursuant to OAC rule 3745-77-07(F)(2), as a requirement that does not apply to the source or to one or more emissions units within the source.

14. Operational Flexibility

The permittee is authorized to make the changes identified in OAC rule 3745-77-07(H)(1)(a) to (H)(1)(c) within the permitted stationary source without obtaining a permit revision, if such change is not a modification under any provision of Title I of the Act [as defined in OAC rule 3745-77-02(JJ)], and does not result in an exceedance of the emissions allowed under this permit (whether expressed therein as a rate of emissions or in terms of total emissions), and the permittee provides the Administrator of the U.S. EPA and the appropriate Ohio EPA District Office or local air agency with written notification within a minimum of seven days in advance of the proposed changes, unless the change is associated with, or in response to, emergency conditions. If less than seven days notice is provided because of a need to respond more quickly to such emergency conditions, the permittee shall provide notice to the Administrator of the U.S. EPA and the appropriate District Office of the Ohio EPA or local air agency as soon as possible after learning of the need to make the change. The notification shall contain the items required under OAC rule 3745-77-07(H)(2)(d).

15. Emergencies

The permittee shall have an affirmative defense of emergency to an action brought for noncompliance with technology-based emission limitations if the conditions of OAC rule 3745-77-07(G)(3) are met. This emergency defense provision is in addition to any emergency or upset provision contained in any applicable requirement.

16. Off Permit Changes

The owner or operator of a Title V source may make any change in its operations or emissions at the source that is not specifically addressed or prohibited in the Title V permit, without obtaining an amendment or modification of the permit, provided that the following conditions are met:

a. The change does not result in conditions that violate any applicable requirements or that violate any existing federally enforceable permit term or condition;

b. The permittee provides contemporaneous written notice of the change to the director and the administrator, except that no such notice shall be required for changes that qualify as insignificant emission levels or activities as defined in OAC rule 3745-77-01(U). Such written notice shall describe each such change, the date of such change, any change in emissions or pollutants emitted, and any federally applicable requirement that would apply as a result of the change;

c. The change shall not qualify for the permit shield under OAC rule 3745-77-07(F);

d. The permittee shall keep a record describing all changes made at the source that result in emissions of a regulated air pollutant subject to an applicable requirement, but not otherwise regulated under the permit, and the emissions resulting from those changes; and

e. The change is not subject to any applicable requirement under Title IV of the Act or is not a modification under any provision of Title I of the Act.

Paragraph (I) of rule 3745-77-07 of the Administrative Code applies only to modification or amendment of the permittee's Title V permit. The change made may require a permit to install under Chapter 3745-31 of the Administrative Code if the change constitutes a modification as defined in that Chapter. Nothing in paragraph (I) of rule 3745-77-07 of the Administrative Code shall affect any applicable obligation under Chapter 3745-31 of the Administrative Code.

(For further clarification, the permittee can refer to Engineering Guide #63 that is available in their STARSHIP software package.)

B. State Only Enforceable Section

1. Permit to Install Requirement

Prior to the "installation" or "modification" of any "air contaminant source," as those terms are defined in OAC rule 3745-31-01, a permit to install must be obtained from the Ohio EPA pursuant to OAC Chapter 3745-31.

2. Reporting Requirements Related to Monitoring and Recordkeeping Requirements

The permittee shall submit required reports in the following manner:

a. Reports of any required monitoring and/or recordkeeping information shall be submitted to the appropriate Ohio EPA District Office or local air agency.

b. Except as otherwise may be provided in the terms and conditions for a specific emissions unit, quarterly written reports of (a) any deviations (excursions) from emission limitations, operational restrictions, and control device operating parameter limitations that have been detected by the testing, monitoring, and recordkeeping requirements specified in this permit, (b) the probable cause of such deviations, and (c) any corrective actions or preventive measures which have been or will be taken, shall be submitted to the appropriate Ohio EPA District Office or local air agency. If no deviations occurred during a calendar quarter, the permittee shall submit a quarterly report, which states that no deviations occurred during that quarter. The reports shall be submitted quarterly, i.e., by January 31, April 30, July 31, and October 31 of each year and shall cover the previous calendar quarters. (These quarterly reports shall exclude deviations resulting from malfunctions reported in accordance with OAC rule 3745-15-06.)

3. Records Retention Requirements

Each record of any monitoring data, testing data, and support information required pursuant to this permit shall be retained for a period of five years from the date the record was created. Support information shall include, but not be limited to, all calibration and maintenance records and all original strip-chart recordings for continuous monitoring instrumentation, and copies of all reports required by this permit. Such records may be maintained in computerized form.

4. Inspections and Information Requests

The Director of the Ohio EPA, or an authorized representative of the Director, may, subject to the safety requirements of the permittee and without undue delay, enter upon the premises of this source at any reasonable time for purposes of making inspections, conducting tests, examining records or reports pertaining to any emission of air contaminants, and determining compliance with any applicable State air pollution laws and regulations and the terms and conditions of this permit. The permittee shall furnish to the Director of the Ohio EPA, or an authorized representative of the Director, upon receipt of a written request and within a reasonable time, any information that may be requested to determine whether cause exists for modifying, reopening or revoking this permit or to determine compliance with this permit. Upon verbal or written request, the permittee shall also furnish to the Director of the Ohio EPA, or an authorized representative of the Director, copies of records required to be kept by this permit.

5. Scheduled Maintenance/Malfunction Reporting

Any scheduled maintenance of air pollution control equipment shall be performed in accordance with paragraph (A) of OAC rule 3745-15-06. The malfunction of any emissions units or any associated air pollution control system(s) shall be reported to the appropriate Ohio EPA District Office or local air agency in accordance with paragraph (B) of OAC rule 3745-15-06. Except as provided in that rule, any scheduled maintenance or malfunction necessitating the shutdown or bypassing of any air pollution control system(s) shall be accompanied by the shutdown of the emissions unit(s) that is (are) served by such control system(s).

6. Permit Transfers

Any transferee of this permit shall assume the responsibilities of the prior permit holder. The appropriate Ohio EPA District Office or local air agency must be notified in writing of any transfer of this permit.

7. Air Pollution Nuisance

The air contaminants emitted by the emissions units covered by this permit shall not cause a public nuisance, in violation of OAC rule 3745-15-07.

Part II - Specific Facility Terms and Conditions

A. State and Federally Enforceable Section

1. Allowable Emission Limitation(s):

The emissions from this facility shall not exceed the following:

a. The emissions of hazardous air pollutants (HAPs), as identified in Section 112(b) of Title III of the Clean Air Act, shall not exceed 10 TPY for any individual HAP, as a rolling, 12-month summation, and 25 TPY for any combination of HAPs, as a rolling, 12-month summation.

b. Compliance with the above limitations shall be achieved by restricting gasoline and distillate fuel throughputs.

2. Reporting Requirements:

The permittee shall submit annual reports which identify the following:

a. the total actual emissions of each individual HAP from the facility; and
b. the total actual emissions of all of the HAPs from the facility.

These annual reports shall be submitted by April 15 of each year and shall cover the previous calendar year.

3. Compliance and Testing Requirements:

a. The HAP emissions from gasoline truck loading and storage shall be determined using the following emission factors:

i. benzene - 0.0102 pound of benzene emissions per pound of VOC emissions;

ii. cumene - 0.0001 pound of cumene emissions per pound of VOC emissions;

iii. toluene - 0.0166 pound of toluene emissions per pound of VOC emissions;

iv. xylene - 0.0058 pound of xylene emissions per pound of VOC emissions;

v. ethly benzene - 0.001 pound of ethyl benzene emissions per pound of VOC emissions;

vi. n-hexane - 0.0168 pound n-hexane emissions per pound of VOC emissions; and

vii. isooctane - 0.0052 pound of isooctane per pound VOC emissions.

These factors are based on liquid weight percent (weight fraction) of each HAP in the gasoline. Speciated emissions were estimated based on equations found in AP-42, 5th Edition, Section 7.1.4.

b. VOC emissions from the storage tanks shall be determined using the USEPA's "Tanks Program 3.0."

c. The HAP emissions from distillates truck loading and storage and fugitive emissions shall be determined using USEPA's "VOC/PM Speciation Data System", version 1.50, Oct. 1992.

d. Should more accurate emission factors be developed during the current permit cycle, the permittee shall use them, provided the new emission factors are mutually agreeable to the Ohio EPA, the Regional Air Pollution Control Agency and the Sun Company, Inc.

B. State Only Enforceable Section

1. The following insignificant emissions units are located at this facility:

T008: distillate storage tank
T009: kerosene storage tank
T011: additive storage tank
Z001: ethanol storage tank
Z002: ethanol storage tank
Z003: fugitive emissions from pumps, valves and flanges
Z004: ethanol storage tank
Z005: ethanol storage tank
Z006: heating oil tank #1 (for furnace that supplies heat to the bldg)
Z007: heating oil tank #2 (for furnace that supplies heat to the bldg)
Z008: oil/water separator

Each insignificant emissions unit at this facility must comply with all applicable State and federal regulations, as well as any emission limitation and/or control requirements contained within a Permit to Install for the emissions unit.

2. The facility is hereby notified that this permit, and agency records concerning the operation of these permitted emissions units are subject to public disclosure in accordance with OAC rule 3745-49-03.

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Truck Loading (J001)

Activity Description: Gasoline and Distillate Truck Loading Rack

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Gasoline loading rack controlled by a Hydrotech carbon adsorption/gasoline absorption vapor recovery unit (VRU), distillate fuel is not controlled.	OAC rule 3745-21-09(Q)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The loading rack shall be equipped with a vapor collection system whereby during the transfer of gasoline to any delivery vessel:

i. All vapors displaced from the delivery vessel during loading are vented only to the vapor collection system.

ii. The pressure in the vapor collection system is maintained between minus 6 and plus 18 inches of water gauge pressure.

2.b The loading rack shall be equipped with a vapor control system whereby:

i. All vapors collected by the vapor collection system are vented to the vapor control system.

ii. The mass emissions of VOC from the vapor control system do not exceed 0.67 pound of VOC per 1000 gallons (80 milligrams of VOC per liter) of gasoline loaded into the delivery vessel.

iii. Any liquid gasoline returned to a stationary storage tank from the vapor control system is free of entrained air to the extent possible with good engineering design.

2.c A means shall be provided to prevent drainage of gasoline from the loading device when it is not in use or to accomplish complete drainage before the loading device is disconnected.

2.d All gasoline loading lines and vapor lines shall be equipped with the fittings which are vapor tight.

II. Operational Restrictions

1. The annual throughputs of gasoline and distillate fuel shall not exceed 1,118,016,900 gallons and 1,545,169,992 gallons, respectively. To ensure enforceability during the first 12 calendar months of operation following the issuance of this permit, this permittee shall not exceed the throughput limitations specified in the following table (additives are included in the gasoline throughput):

Maximum Allowable Cumulative Throughput (gallons) for:

Months	Gasoline	Distillate Fuels
1	93,168,075	128,794,166
1 - 2	186,336,150	257,528,332
1 - 3	279,504,225	386,292,498
1 - 4	372,672,300	515,056,664
1 - 5	465,840,375	643,820,830
1 - 6	559,008,450	772,584,996
1 - 7	652,176,525	901,349,162
1 - 8	745,344,600	1,030,113,328
1 - 9	838,512,675	1,158,877,494
1 - 10	931,680,750	1,287,641,660
1 - 11	1,024,848,825	1,416,405,826
1 - 12	1,1186,016,900	1,545,169,992

After the first 12 calendar months of operation, compliance with the annual throughput limitations shall be based upon a rolling 12-month summation.

2. The permittee shall not permit gasoline to be spilled, discarded in sewers, stored in open containers or handled in any other manner that would result in evaporation.

3. The permittee shall repair within 15 days any leak from the vapor collection system and vapor control system when such leak is equal to or greater than 100 percent of the lower explosive limit as propane, as determined under paragraph (K) of OAC rule 3745-21-10.

4. The maximum exhaust gas VOC concentration shall not exceed 4% (as propane) from the carbon adsorption vessels. [A VOC concentration that exceeds 4% (as propane) is not necessarily indicitive of a violation of the allowable mass emission limitation (80 mg/l), but rather serves as a trigger level for maintenance and/or repair activities, or further investigation to establish correct operation.]

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain monthly records of the following information:

a. the total, individual throughputs of gasoline and distillate fuel, in gallons;

b. the cumulative, individual throughputs of gasoline and distillate fuel, in gallons, for each calendar month during the first 12 months of operation following the issuance of this permit; and

c. beginning after the first 12 calendar months of operation following the issuance of this permit, the rolling, 12-month summations of the total, individual throughputs of gasoline and distillate fuel, in gallons.

2. The permittee shall perform monthly monitoring of the exhaust gas VOC concentration from both carbon adsorption vessels on the VRU using the 40 CFR Part 60, Appendix A, Method 21 procedure for open ended lines. The highest VOC concentration, as measured during the processing of vapors during the last 5 minutes of the adsorption cycle for each vessel, shall be recorded. The permittee shall maintain records of the monthly monitored VOC concentrations detected in the exhaust gases from the VRU. This recordkeeping shall begin 90 days after the issuance of the permit to operate.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports to the Director (the appropriate District Office or local air agency) which identify the following information:

a. all exceedances of the rolling, 12-month throughput limitations for gasoline and distillate fuel; and

b. all exceedances of the respective maximum allowable cumulative throughputs for gasoline and distillate fuel for the first 12 calendar months of operation following the issuance of this permit.

These quarterly reports shall be submitted in accordance with section A.1.c. of the General Terms and Conditions.

2. The permittee shall submit annual reports which specify the total, individual annual throughputs of gasoline and distillate fuel. These reports shall be submitted by April 15 of each year and shall cover the previous calendar year.

3. The permittee shall submit semiannual reports indicating any exceedances of the VOC concentration limit, along with the cause of the exceedance and an explanation of any corrective action taken to prevent a similar exceedance in the future. These semiannual reports shall be submitted by February 15 and August 15 of each year and shall address the data obtained during the previous 6 calendar months (July through December, and January through June, respectively).

V. Testing Requirements

1. To calculate emissions for the purpose of determining compliance with the applicable emission limitations of this permit, the permittee shall comply with the following:

a. VOC emissions from gasoline truck loading shall be determined using the most recent VOC stack test results and a vapor tightness loss rate of 9 mg/l from the trucks. The 9 mg/l leakage emission factor is calculated using 0.5% as the average leakage from a truck passing the 3-inch pressure dacay test (USEPA 1980: Bulk Gasoline Terminals - Background Information for Proposed Standards, Table C-4).

b. The VOC emissions from the distillate fuel loading shall be determined using AP-42, 5th Edition, Chapter 5, Table 5.2-5.

c. The VOC emissions from fugitive emissions (e.g., valves fitting and pumps) shall be determined using EPA-453/R-95-017, "Protocol for Equipment Leak Emission Estimates."

2. Compliance Methods -
Compliance with the emission limitation(s) in Section A.1. of these terms and conditions shall be determined in accordance with the following method(s):

2.a Emission Limitation -
0.67 pound of VOC per 1000 gallons of gasoline loaded into the delivery vessel.

Applicable Compliance Method -
Compliance shall be based on stack testing per OAC rule 3745-21-10.

V. Testing Requirements (continued)

3.a The permittee shall conduct, or have conducted, emission testing for this emissions unit in accordance with the following requirements:

a. The emission testing shall be conducted within 12 months prior to permit renewal during the summer months when the gasoline vapor pressure is highest.

b. The following test methods and procedures from 40 CFR Part 60 shall be employed to demonstrate compliance with the allowable VOC mass emission rate(s):

Method 2A	inlet vapor volume
Method 21	potential leak sources
Method 25B	inlet and outlet VOC concentration
Subpart XX [60.503(d)]	tank truck maximum pressure

c. The test(s) shall be conducted while the emissions unit is operating at or near its maximum capacity, unless otherwise specified or approved by the appropriate Ohio EPA District Office or local air agency.

d. The exhaust gas concentrations from the VRU carbon adsorption vessels shall be recorded during the test, in a manner acceptable to RAPCA.

3.b Not later than 30 days prior to the proposed test date(s), this facility shall submit an "Intent to Test" notification to the appropriate Ohio EPA District Office or local air agency. The "Intent to Test" notification shall describe in detail the proposed test methods and procedures, the emissions unit operating parameters, the time(s) and date(s) of the tests, and the person(s) who will be conducting the tests. Failure to submit such notification for review and approval prior to the tests may result in the Ohio EPA District Office's or local air agency's refusal to accept the results of the emission tests.

Personnel from the appropriate Ohio EPA District Office or local air agency shall be permitted to witness the test(s), examine the testing equipment, and acquire data and information necessary to assure that the emissions unit operation and testing procedures provide a valid characterization of the emissions from the emissions unit and/or the performance of the control equipment.

A comprehensive written report on the results of the emissions tests shall be signed by the person or persons responsible for the tests and submitted to the appropriate Ohio EPA District Office or local air agency within 30 days following completion of the test(s).

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: air stripper (P002)

Activity Description: air stripper associated with groundwater remediation

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
air stripper associated with groundwater remediation	OAC rule 3745-21-07(G)(2) See A.VI	8 lbs/hr, 40 lbs/day organic compounds

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall take samples of the influent groundwater stream at least once per month and conduct, or have conducted, an analysis for the BTEX compounds. The analysis shall be conducted in accordance with U.S. EPA modified RM 602.

2. The permittee shall maintain monthly records which list the daily throughput of groundwater through this emissions unit and the results of the sampling/analysis required above.

IV. Reporting Requirements

1. The permittee shall submit deviation (excursion) reports which include the following information:

(a) An identification of each hour during which the organic compound emissions exceeded 8 pounds per hour, and the actual organic compound emissions for each such hour.

(b) An identification of each day during which the organic compound emissions exceeded 40 pounds per day, and the actual organic compound emissions for each such day.

V. Testing Requirements

1. Compliance Methods -

Compliance with the emission limitation(s) in Section A.1 of these terms and conditions shall be determined in accordance with the following method(s):

V. Testing Requirements (continued)

2. Emission Limitation -
8 lbs/hr organic compounds

Applicable Compliance Method -
Actual hourly emissions shall be determined by multiplying the maximum hourly throughput of 18,000 gallons/hr times the measured BTEX concentration (ppb), times the groundwater weighted average density of 8.34 lbs/gal.

3. Emission Limitation -
40 lbs/day organic compounds

Applicable Compliance Method(s) -
Actual daily emissions shall be determined by multiplying the actual groundwater throughput per day, times the measured BTEX concentration (ppb), times the groundwater weighted average density of 8.34 lbs/gal.

VI. Miscellaneous Requirements

1. The following terms and conditions shall supersede all the air pollution control requirements for this emissions unit contained in permit to install 08-2084, as issued on July 18, 1997: A.I, A.III, B.I, B.II and B.IV.

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
air stripper associated with groundwater remediation	OAC rule 3745-31-05 See A.VI.	1.26 lbs/hr, 30.24 lbs/day, 5.51 tons/yr organic compounds See 2.a below.

2. Additional Terms and Conditions

2.a The total concentration of benzene, toluene, ethylbenzene and xylene (BTEX), in the influent groundwater stream to this emissions unit shall not exceed 8400 parts per billion (ppb).

II. Operational Restrictions

1. The daily throughput of groundwater through this emissions unit shall not exceed 432,000 gallons per day.

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

1. The permittee shall notify the Director (or appropriate District Office (DO) or local air agency(LAA)) in writing of any record of deviation of the BTEX concentration limitation and/or the daily groundwater throughput limitation. This notification shall include a copy of such record, including any corrective action(s) taken, and shall be sent to the Director (DO or LAA) within 45 days after the deviation occurs.

V. Testing Requirements

1. Compliance Methods -

Compliance with the emission limitation(s) in Section B.1. of these terms and conditions shall be determined in accordance with the following method(s):

1.a 1.26 lbs/hr organic compounds

Applicable Compliance Method -
Actual hourly emissions shall be determined by multiplying the maximum hourly throughput of 18,000 gallons/hr times the measured BTEX concentration (ppb), times the groundwater weighted average density of 8.34 lbs/gal.

1.b Emission Limitation -
30.24 lbs/day organic compounds

Applicable Compliance Method(s) -
Actual daily emissions shall be determined by multiplying the actual groundwater throughput per day, times the measured BTEX concentration (ppb), times the groundwater weighted average density of 8.34 lbs/gal.

V. Testing Requirements (continued)

1.c Emission Limitation -
5.52 tons/yr, organic compounds

Applicable Compliance Method(s) -
The 5.52 tons/yr limitation was developed by multiplying the 1.26 lbs/hr limitation by the maximum operating schedule of 8760 hrs/yr, and dividing by 2000 lbs/ton. Therefore, provided compliance is shown with the hourly limitation and throughput limitation, compliance will also be shown with the annual limitation.

1.d Emission Limitation -
8400 parts per billion (ppb) of BTEX

Applicable Compliance Method -
Compliance shall be based upon the monitoring and record keeping requirements specified in Section A.III.1.

1.e Throughput Limitation -
432,000 gallons per day

Applicable Compliance Method -
Compliance shall be based upon the record keeping requirements specified in Section A.III.2.

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #12 (T001)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #13 (T002)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #14 (T003)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #15 (T004)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #16 (T005)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #20 (T006)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #21 (T007)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

Part III - Terms and Conditions for Emissions Units

Emissions Unit ID: Tank #37 (T010)

Activity Description: above ground internal floating roof storage tank

A. State and Federally Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures
Above ground internal floating roof storage tank	OAC rule 3745-21-09(L)	See Additional Terms and Conditions #2.

2. Additional Terms and Conditions

2.a The fixed roof storage tank shall be equipped with an internal floating roof.

2.b The automatic bleeder vents shall be closed at all times when the roof is floated off or landed on the roof leg supports, and the rim vents, if provided, shall be set to open when the roof is being floated off the leg supports or is at the manufacturer's recommended setting.

2.c All openings, except stub drains, shall be equipped with a cover, seal or lid, which is to be in a closed position at all times except when in actual use for tank gauging or sampling.

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

1. The permittee shall maintain records of the following information:

a. The types of petroleum liquids stored in the tank.

b. The maximum true vapor pressure (in pounds per square inch absolute), as stored, of each liquid.

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

B. State Enforceable Section

I. Applicable Emissions Limitations and/or Control Requirements

1. The specific operation(s), property, and/or equipment which constitute this emissions unit are listed in the following table along with the applicable rules and/or requirements and with the applicable emissions limitations and/or control measures. Emissions from this unit shall not exceed the listed limitations, and the listed control measures shall be employed. Additional applicable emissions limitations and/or control measures (if any) may be specified in narrative form following the table.

Operations, Property, and/or Equipment	Applicable Rules/ Requirements	Applicable Emissions Limitations/Control Measures

2. Additional Terms and Conditions

None

II. Operational Restrictions

None

III. Monitoring and/or Record Keeping Requirements

None

IV. Reporting Requirements

None

V. Testing Requirements

None

VI. Miscellaneous Requirements

None

****

THIS IS THE LAST PAGE OF THE PERMIT

****