

3745-66-100**Waste analysis and trial tests.**

In addition to performing the waste analysis required by rule 3745-65-13 of the Administrative Code, the owner or operator must, whenever a tank system is to be used to treat chemically or to store a hazardous waste that is substantially different from waste previously treated or stored in that tank system, or treat chemically a hazardous waste with a substantially different process than any previously used in that tank system:

- (A) Conduct waste analyses and trial treatment or storage tests (e.g., bench-scale or pilot-plant scale tests); or
- (B) Obtain written, documented information on similar waste under similar operating conditions to show that the proposed treatment or storage will meet the requirements of paragraph (A) of rule 3745-66-94 of the Administrative Code.

[Comment: Rule 3745-65-13 of the Administrative Code requires the waste analysis plan to include analyses needed to comply with rules 3745-66-98 and 3745-66-99 of the Administrative Code. Rule 3745-65-73 of the Administrative Code requires the owner or operator to place the results from each waste analysis and trial test, or the documented information, in the operating record of the facility.]

Effective: 12/07/2004

119.032 Review dates: Exempt

Promulgated under: 119.03

Statutory authority: 3734.12

Rule amplifies: 3734.12

Prior effective dates: 04/15/1981, 01/07/1983, 05/29/1985 (Emer.), 08/29/1985, 12/08/1988