

CERTIFIED MAIL

OHIO E.P.A.

JUN 24 2014

ENTERED DIRECTOR'S OFFICE

RE: AK Steel Corporation – Coshocton Works
Plan
Approval
RCRA C – Hazardous Waste
Coshocton County
OHD 004 294 567

JUN 24 2014

I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

Mr. Matthew Montag
AK Steel Corporation – Coshocton Works
17400 State Route 16
Coshocton, Ohio 43812

By: Date: 6-24-14

**Subject: Amended Post-Closure Plan Approval
REMOVAL**

Dear Mr. Montag:

On February 26, 2014, AK Steel Corporation – Coshocton Works (AK Steel) submitted to Ohio Environmental Protection Agency (Ohio EPA) an amended post-closure plan for the 2004 CPS Release located at Coshocton, Ohio. The amended post-closure plan was submitted pursuant the 2007 Director's Final Findings and Orders in order to demonstrate that AK Steel's proposal for post-closure complies with the substantive requirements of Ohio Administrative Code (OAC) rules 3745-55-11, 3745-55-12, and 3745-55-18.

The owner or operator and the public were given the opportunity to submit written comments regarding the amended post-closure plan in accordance with the hazardous waste rule requirements. No public comments were received by Ohio EPA.

Based upon review of AK Steel's submittal, I conclude that the amended post-closure plan for the hazardous waste facility at 17400 State Route 16, Coshocton, Ohio 43812, meets the performance standard contained in OAC rule 3745-55-11, and complies with the pertinent parts of OAC rule 3745-55-18.

The amended post-closure plan submitted to Ohio EPA on February 26, 2014 by AK Steel is hereby approved.

Compliance with the approved post-closure plan is expected. Ohio EPA will monitor such compliance. Ohio EPA expressly reserves the right to take action, pursuant to chapters 3734. and 6111. of the Ohio Revised Code, and other applicable law, to enforce such compliance and to seek appropriate remedies in the event of noncompliance with the

provisions and modifications of this approved plan. Please be advised that approval of this amended post-closure plan does not release AK Steel from any responsibilities regarding corrective action for all releases of hazardous waste or constituents from any waste management unit, regardless of the time at which waste was placed in the unit.

You are hereby notified that this action of the director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within 30 days after notice of the director's action. The appeal must be accompanied by a filing fee of \$70.00 (made payable to "Ohio Treasurer of State ") which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the director within three days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, Ohio 43215

When post-closure is completed, OAC rule 3745-55-20 requires the owner or operator of a facility to submit to the director of Ohio EPA, certification by the owner or operator and an independent, registered professional engineer, that the facility has completed the post-closure care period in accordance with the approved post-closure plan. The certification by the owner or operator shall include the statement found in OAC rule 3745-50-42(D). These certifications should be submitted to:

Ohio Environmental Protection Agency
Division of Environmental Response and Revitalization
P.O. Box 1049
Columbus, Ohio 43216-1049
Attn: Edwin Lim, Engineering Section

A copy should also be sent to:

Ohio Environmental Protection Agency
Division of Environmental Response and Revitalization
Southeast District Office,

2195 Front Street,
Logan, Ohio 43138
Attn: Dustin Tschudy

If you have any questions about implementing this post-closure plan, contact Dustin Tschudy at (740) 380-5253.

Sincerely,



Craig W. Butler
Director

cc: Dustin Tschudy, DERR, SEDO
Don Vogel, DERR, CO
Ed Lim, Manager, Engineering, DERR, CO
Connie Livchak, FARU-DMWM, CO
RCRAInfo Data Entry

