



OHIO E.P.A.

SEP 12 2014

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

AMENDED DIRECTOR'S JOURNAL

I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

SEP 12 2014

By: Zoran Clement Date: 9/12/14

CERTIFIED MAIL

Mr. Joe Halsey
Nexeo Solutions LLC
3849 Fisher Road
Columbus, Ohio 43228

Re: Nexeo Solutions, LLC, Fisher Road,
Columbus, Ohio facility
Amended Post-Closure Plan
RCRA Hazardous Waste
Project # 125-001248-002
Franklin
OHD 000 816 736

Dear Mr. Halsey:

On July 08, 2014, Nexeo Solutions, LLC (Nexeo) submitted to Ohio Environmental Protection Agency (Ohio EPA) an amended post-closure plan for the 3849 Fisher Road, Columbus, Ohio facility. The amended post-closure plan was submitted pursuant to rule 3745-66-18 of the Ohio Administrative Code (OAC) in order to demonstrate that Nexeo's proposal for amended post-closure complies with the requirements of OAC rule 3745-66-18.

The owner or operator and the public were given the opportunity to submit written comments regarding the amended post-closure plan in accordance with the hazardous waste rule requirements. No public comments were received by Ohio EPA.

Based upon review of Nexeo's submittal, I conclude that the amended post-closure plan for the hazardous waste facility, Nexeo Solutions, LLC, located at 3849 Fisher Road, Columbus, Ohio, as modified herein, meets the performance standard contained in OAC rule 3745-66-11 and complies with the pertinent parts of OAC rule 3745-66-18.

The amended post-closure plan submitted to Ohio EPA on July 08, 2014 by Nexeo is hereby approved.

Compliance with the approved post-closure plan is expected. Ohio EPA will monitor such compliance. Ohio EPA expressly reserves the right to take action, pursuant to chapters 3734. and 6111. of the Ohio Revised Code, and other applicable law, to enforce such compliance and to seek appropriate remedies in the event of noncompliance with the provisions and modifications of this approved plan. Please be advised that approval of this amended post-closure plan does not release Nexeo from any responsibilities regarding corrective action for all releases of hazardous waste or constituents from any waste management unit, regardless of the time at which waste was placed in the unit.

You are hereby notified that this action of the director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within 30 days after notice of the director's action. The appeal must be accompanied by a filing fee of \$70.00 (made payable to "Ohio Treasurer of State"), which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the director within three days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High Street, 17th Floor
Columbus, OH 43215

When post-closure is completed, OAC rule 3745-66-20 requires the owner or operator of a facility to submit to the director of Ohio EPA, certification by the owner or operator and an independent, registered professional engineer that the facility has completed the post-closure care period in accordance with the approved post-closure plan. The certification by the owner or operator shall include the statement found in OAC rule 3745-50-42(D). These certifications should be submitted to:

Ohio Environmental Protection Agency
Division of Environmental Response and Revitalization
P.O. Box 1049
Columbus, Ohio 43216-1049
Attn: Edwin Lim, Engineering Section

A copy should also be sent to:

Ohio Environmental Protection Agency
Division of Environmental Response and Revitalization
Central District Office
P.O. Box 1049
Columbus, Ohio 43216-1049
Attn: Chris Bulinski

If you have any questions about implementing this post-closure plan, contact Chris Bulinski at 614-728-5036.

Sincerely,



Craig W. Butler
Director

- c: Trey Richardson, Ashland Inc., 5200 Blazer Parkway, DA-5 EH&S, Dublin, Ohio
- e: Chris Bulinski, CDO, DERR
Deborah Strayton, CDO, DERR
Leonard Powell, CDO, DERR
Ed Lim, Manager, Engineering, CO, DERR
RCRAInfoData@epa.ohio.gov
Jeri Main, CDO, DERR, File Copy
Tim Morrow, CDO, DDAGW