



**Environmental  
Protection Agency**

John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Scott J. Nally, Director

OHIO E.P.A.

DEC -3 2013

ENTERED DIRECTOR'S JOURNAL

CERTIFIED

December 3, 2013

Mr. Paul A. Ahearn  
Invensys, Inc.  
33 Commercial Street, B51-2J  
Foxboro, MA 02035

I certify this to be a true and accurate copy of the  
official documents as filed in the records of the Ohio  
Environmental Protection Agency.

By: D. J. Lasser Date: 12-3-13

**Re: Amended Post Closure Plan Approval  
Revised Amended Post Closure Plan  
Ranco North America, Inc.  
OHD004288288/01-21-0353  
Delaware County  
Project #121-002922-001**

Dear Mr. Ahearn:

On April 08, 2013, Invensys, Inc. (Invensys) submitted to the Ohio Environmental Protection Agency (Ohio EPA) an amended post-closure plan for the former Ranco North America Facility located at 555 London Road, Delaware, Ohio. Revisions to the amended post-closure plan were received on June 20, 2013, September 04, 2013 and October 30, 2013. The amended post-closure plan was submitted to demonstrate that the Invensys' proposal for post-closure complies with the requirements of Ohio Administrative Code (OAC) rule 3745-66-18.

The owner or operator and the public were given the opportunity to submit written comments regarding the amended post-closure plan in accordance with the required hazardous waste rules. No public comments were received by Ohio EPA.

After review of the Invensys' submittal and subsequent revisions, I conclude that the amended post-closure plan for the hazardous waste facility at 555 London Road, Delaware, Ohio meets the performance standard contained in OAC 3745-66-11 and OAC rule 3745-66-18 and complies with the pertinent parts of OAC rule 3745-66-18.

The amended post-closure plan submitted to Ohio EPA on April 8, 2013, and revised June 20, 2013, August 30, 2013 and October 30, 2013 by Invensys, Inc. is hereby approved.

Compliance with the approved post-closure plan is expected. Ohio EPA will monitor such compliance and reserves the right to take action, pursuant to Ohio Revised Code (ORC) chapters 3734 and 6111, and other applicable law, to enforce such compliance and to seek appropriate remedies in the event of noncompliance with the provisions of this approved post closure plan.

Approval of this post-closure plan does not release Invensys from any responsibilities regarding corrective action for all releases of hazardous waste or constituents from any waste management unit, regardless of the time at which waste was placed in the unit.

This action of the director is final and may be appealed to the Environmental Review Appeals Commission pursuant to ORC Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within 30 days after notice of the director's action. The appeal must be accompanied by a filing fee of \$70.00, made payable to "Ohio Treasurer," which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the director within three days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at:

Environmental Review Appeals Commission  
77 South High Street, 17th Floor  
Columbus, Ohio 43215

When the post-closure care period is completed, OAC rule 3745-66-20 requires the facility owner or operator of a facility to submit to the director of Ohio EPA, certification by the owner or operator and an independent, registered professional engineer, that the facility has completed post-closure care in accordance with the approved post-closure plan. The certification by the owner or operator shall include the statement found in OAC rule 3745-50-42(D).

The certification shall be submitted to:

Edwin Lim, Manager  
Ohio Environmental Protection Agency  
Division of Environmental Response and Revitalization  
Engineering Section  
P.O. Box 1049  
Columbus, Ohio 43216-1049


A copy shall be sent to:

Chris Bulinski  
Ohio Environmental Protection Agency  
Division of Environmental Response and Revitalization  
Central District Office  
P.O. Box 1049  
Columbus, Ohio 43216-1049

Ranco North America, Delaware  
Post Closure Plan Approval  
Page 3 of 3

If you have any questions about implementing this post-closure plan, contact Mr. Chris Bulinski at (614) 728-5036.

Sincerely,

A handwritten signature in black ink, appearing to read "Scott J. Nally". The signature is fluid and cursive, with the first name being the most prominent.

Scott J. Nally  
Director

ec: RCRAInfoData@epa.state.oh.us  
Ed Lim, Manager, DERR, CO  
Jason Reed, DDAGW, CDO  
Deborah Strayton, DERR, CDO  
Tim Morrow, DDAGW, CDO  
Chris Bulinski, DERR, CDO  
Jeri Main Savelle, DERR, CDO



# PUBLIC NOTICE RECORD

**Notification Type:** HAZARDOUS WASTE FACILITY POST-CLOSURE ACTION

## Entity Info

**Name:** Invensys, Inc.  
**Address:** 33 Commercial Street, B51-2J  
**City/Township/Zip:** Foxboro, MA 02035      **County:** Delaware  
**Description:** Hazardous Waste

## Notice Info

**Weekly Review**  
 **Public Notice**  
**Date Of Action:** 12/03/2013  
**Notification Number:** 13170

**Receiving Waters:**

**Meeting Details:**

**Standard Remark:**

## Other Remark:

On December 3, 2013, the director of Ohio EPA approved a hazardous waste amended post-closure plan for revisions to the ground water monitoring program at the former Ranco North America facility, located at 555 London Road, Delaware, Ohio in Delaware County, Ohio EPA ID# 004288288. Pursuant to Ohio Administrative Code rule 3745-66-18, the facility's amended post-closure plan received on April 8, 2013, is approved as outlined in the director's December 3, 2013 correspondence. This final action was not preceded by a proposed action and is appealable to the Environmental Review Appeals Commission.