



**Environmental
Protection Agency**

John R. Kasich, Governor
Mary Taylor, Lt. Governor
Scott J. Nally, Director

OHIO E.P.A.

JUL 10 2012

ENTERED DIRECTOR'S JOURNAL

July 10, 2012

I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.

Roger Burden, Staff Environmental Engineer
Commonwealth Industries, Inc.
1372 State Road 1957
Post Office Box 480
Lewisport, Kentucky 42351-0480

By: Don Lasser Date: 7-10-12

**RE: Commonwealth Aluminum Concast, Inc., Tuscarawas County
Compliance Monitoring Program Plan Approval**

Dear Mr. Burden:

On March 23, 2007, the Ohio Environmental Protection Agency (Ohio EPA), Southeast District Office (SEDO) received a request from Commonwealth Industries, Inc. (Owner) to implement a Compliance Monitoring Program Plan (Plan) at their on-site Industrial Solid Waste Landfill (Facility) at Commonwealth Aluminum Concast, Inc. located in Uhrichsville, Ohio, in accordance with OAC Rule 3745-30-08(E)(7).

The Facility is currently in assessment monitoring for statistically significant increases in ammonia, barium, calcium, chloride, iron, manganese, potassium, and sodium.

Ohio EPA has reviewed the Plan and determined that the proposed compliance monitoring methods used to evaluate the above constituents, as described in the Plan, are reasonable and justified. Therefore, pursuant, to OAC Rule 3745-30-08(E)(7), I hereby approve the Plan for the Facility.

Should future or existing ground water sampling results indicate statistically significant increases above the trigger levels for those constituents established under OAC Rule 3745-30-08(E)(7) and the approved Plan, the Owner shall submit a corrective measures study to the director in accordance with OAC Rule 3745-30-08(F).

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice

Mr. Roger Burden
Commonwealth Industries, Inc.
Page 2 of 2

of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High St., 17th Floor
Columbus, OH 43215

If you have any questions concerning this authorization, please contact Dale Warner of Ohio EPA, SEDO at (740) 380-5435.

Sincerely,



Scott J. Nally
Director

cc: Tuscarawas County Health District