



John R. Kasich, Governor  
Mary Taylor, Lt. Governor  
Craig W. Butler, Director

OHIO E.P.A.

OCT -6 2014

Re: Rossford Landfill  
Director's Authorization  
Approval  
Municipal Solid Waste Landfill  
Wood County  
MSWL019398

VERIFIED DIRECTOR'S JOURNAL

**I certify this to be a true and accurate copy of the official documents as filed in the records of the Ohio Environmental Protection Agency.**

OCT 06 2014

Mr. Ed Ciecka, Administrator  
City of Rossford  
133 Osborn Street  
Rossford, Ohio 43460

By: [Signature] Date: 10-6-14

**Subject: Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Ciecka:

On September 5, 2014, the Ohio Environmental Protection Agency (Ohio EPA), Northwest District Office, received a document titled, "Statistical Report of Ground Water Quality," (report dated September 4, 2014, from Hull and Associates, Inc., on behalf of the owner/operator. The report contains a false positive demonstration submitted pursuant to Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) for barium (0.038 mg/L), which was detected at monitoring well MW-11BR when sampled on June 26, 2014.

Pursuant to OAC Rule 3745-27-10(D)(7)(c), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring within two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

The September 4, 2014, document concluded that the statistically significant change for barium at MW-11BR was due to a source other than the sanitary landfill facility, and not as a result of impact from the landfill.

Ohio EPA has reviewed the applicable information and concurs with the demonstration for barium at MW-11BR. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well MW-11BR.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

Mr. Ed Ciecka  
Page 2

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.


A detailed account of Ohio EPA's review of the ground water demonstration will be sent to you under separate cover.

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission  
77 South High Street, 17<sup>th</sup> Floor  
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Susan Hardy of Ohio EPA, NWDO at (419) 373-3043.

Sincerely,



Shannon Nabors, Chief  
Northwest District Office  
For Craig W. Butler, Director

SN/cg

pc: William Petruzzi, Hull & Associates, Inc.  
File: DMWM-SW, Wood County, Wales Road Landfill, Ground water  
Mike Reiser, DMWM, NWDO  
Andy Drumm, DMWM, NWDO  
Pete Sokoloski, DMWM, NWDO  
Ken Brock, DDAGW, NWDO  
Lindsay Taliaferro III, DDAGW, CO  
Id: 5-13814