



John R. Kasich, Governor
Mary Taylor, Lt. Governor
Craig W. Butler, Director

OHIO E.P.A.

NOV - 7 2014

ENTERED DIRECTOR'S JOURNAL

NOV 07 2014

Andrew Rumpke
Regional Vice President
Rumpke Waste & Recycling Services
1191 Fields Avenue
Columbus, Ohio 43201

Re: Scioto County Sanitary Landfill
Director's Authorization
Approval
Municipal Solid Waste Landfills
Scioto County
MSWL019388

**Subject: Scioto County Sanitary Landfill, Scioto County
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Rumpke:

On September 10, 2014, the Ohio Environmental Protection Agency (Ohio EPA), Division of Materials and Waste Management (DMWM), Southeast District Office (SEDO) received a document titled "September 8, 2014 Alternate Source Demonstration for Chloride in Monitoring Well PB-5S" for Scioto County Sanitary Landfill (Facility) located in Scioto County. This document was submitted by SCS Engineers, on behalf of Rumpke Waste.

According to the document, analysis of the ground water detection monitoring data indicated that the following statistically significant change was detected: chloride in monitoring well PB-5S.

Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring not later than two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

The September 10, 2014 document concluded that the statistically significant change for chloride at monitoring well PB-5S was due to natural variation in ground water quality and not as a result of impact from the landfill. Monitoring well PB-5S was initially sampled on April 23, 2014.

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the September 10, 2014 document. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well PB-5S.


Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director of Environmental Protection (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 made payable to "Treasurer, State of Ohio." The Commission, in its discretion, may reduce the fee if by affidavit it is demonstrated that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
77 South High St., 17th Floor
Columbus, Ohio 43215

If you have any questions concerning this action, please contact Joe Holland, DMWM, SEDO, at 740-380-5439.

Sincerely,



Jim Sferra, Chief
Southeast District Office
for Craig W. Butler, Director

CB/JS/JH/mr

ec: Rich Fox, DMWM, SEDO
ec: Steve Lowry, DDAGW, SEDO