

STREET ADDRESS

Lazarus Government Center
122 S. Front Street
Columbus, OH 43215-1099

TELE: (614) 644-3020 FAX: (614) 644-2329

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

AUG 23 2002

Scott Brunka
City of Lebanon
50 South Broadway
Lebanon, Ohio 45036

I certify this to be a true and accurate copy of the
official document as filed with the Office of the Ohio
Environmental Protection Agency

By: *[Signature]* Date: 8/23/02

OHIO E.P.A.
AUG 23 2002
ENTERED DIRECTOR'S JOURNAL

**Re: City of Lebanon Sanitary Landfill, Warren County
Explosive Gas Monitoring Plan Approval**

Dear Mr. Brunka:

On December 1, 1989, an Explosive Gas Monitoring Plan (Plan) was submitted by Bowser Morner on behalf of the City of Lebanon. A final revised Plan meeting the requirements of Ohio Administrative Code (OAC) Rule 3745-27-12 was received on May 31, 2002. The plan consists of a two-part document titled *City of Lebanon, Ohio Landfill Explosive Gas Monitoring, Sampling, and Reporting Procedures*.

Ohio EPA hereby approves the Plan for the City of Lebanon Sanitary Landfill and the Plan shall be immediately implemented.

Issuance of this approval does not constitute expressed or implied agreement that the monitoring of the facility, if performed and implemented in accordance with the approved explosive gas monitoring plan and/or its terms and conditions, will constitute compliance with all applicable state and federal laws, rules, and regulations.

You are hereby notified that this action of the Director of Environmental Protection is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Commission within 30 days after notice of the Director's action. A copy of the appeal must be served on the Director within three days of filing with the Commission. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission
236 East Town Street
Room 300
Columbus, Ohio 43215-0236

Bob Taft, Governor
Maureen O'Connor, Lieutenant Governor
Christopher Jones, Director

City of Lebanon Sanitary Landfill, Warren County
Explosive Gas Monitoring Plan Approval
Page 2 of 2

If you have any questions, please contact Monte Bluebaum at the Southwest District Office at (937) 285-6648.

Sincerely,

A handwritten signature in black ink that reads "Christopher Jones". The signature is written in a cursive style with a large initial "C" and a long, sweeping tail.

Christopher Jones
Director

cc: Larry Wisner, Warren County Health District
Monte Bluebaum, DSIWM, SWDO
Scott Hester, DSIWM, CO
Bruce McCoy, DSIWM, CO