



State of Ohio Environmental Protection Agency

STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center  
122 S. Front Street  
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184  
www.epa.state.oh.us

P.O. Box 1049  
Columbus, Ohio 43216-1049

Waste Management, Inc.  
Closed Sites  
P. O. Box # 13506  
Dayton, Ohio 45413

Attn: Robin L. Jones

**RE: Allied Landfill, I. D. # 82-00-08, Vinton County  
Continuation of Ground Water Detection Monitoring Program**

Dear Ms. Jones:

On September 16, 2004, the Southeast District Office of the Ohio Environmental Protection Agency (Ohio EPA) received the July 2004 Sampling Report for the Allied Landfill. Included in this report was an Ohio Administrative Code Rule 3745-27-10(D)(7)(c) demonstration for chloride in monitoring well MW-1R.

The demonstration was reviewed by the Division of Drinking and Ground Waters (DDAGW) and the Division of Solid and Infectious Waste Management (DSIWM). Upon review, the data submitted meets the requirements of Ohio Administrative Code Rule 3745-27-10(D)(7)(c) for an alternate source demonstration. In particular, the report provides adequate evidence that the statistically significant increase of chloride in MW-1R resulted from natural variation in ground water. Therefore, Ohio EPA approves continuation of the detection monitoring program in accordance with OAC 3745-27-10(D)(7)(c) for the parameter specified above.

Should future or existing ground water sampling results indicate statistically significant increases in ground water monitoring parameters, the owner/operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E) or obtain an approval to remain in the detection monitoring program.

You are hereby notified that this action of the director is final and may be appealed to the Environmental Review Appeals Commission pursuant to the Ohio Revised Code (ORC) 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Environmental Review Appeals Commission within 30 days after notice of the director's action. A copy of the appeal must be served on the director of the Environmental Protection Agency within three days of filing with the Commission. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Bob Taft, Governor  
Jennette Bradley, Lieutenant Governor  
Joseph P. Koncelik, Director

VINTON COUNTY  
ALLIED LANDFILL  
PAGE 2

Environmental Review Appeals Commission  
309 South Fourth Street, Suite 222  
Columbus, Ohio 43215

If you have any questions, please feel free to contact Trevor Irwin in the Division of Solid and Infectious Waste Management at (740) 380-5443.

Sincerely,

Steven C. Skinner, Chief  
Southeast District Office  
for Joseph P. Koncelik, Director

cc: Vinton County Health Department  
SEDO, DSIWM

SS/JK/TL/jg