



State of Ohio Environmental Protection Agency

STREET ADDRESS:

MAILING ADDRESS:

Lazarus Government Center
122 S. Front Street
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

P.O. Box 1049
Columbus, Ohio 43216-1049

Mr. Steve Lonneman, District Manager
Evergreen Recycling and Disposal Facility
2625 East Broadway
Northwood, Ohio 43619

**Re: Evergreen Recycling and Disposal Facility, Wood County
Ohio Administrative Code (OAC) Rule 3745-27-10(E)(9)(b) Approval**

Dear Mr. Lonneman:

On June 17, 2005, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled "Alternative Source Demonstration For Wells MW-18UT, MW-19UT, and MW-22UT, Evergreen Recycling and Disposal Facility, Wood County Ohio" dated June 13, 2005, for the Evergreen Recycling and Disposal Facility (Facility) located in Wood County. Subsequently, on January 17, 2006, Ohio EPA received a document titled "Addendum to Alternate Source Demonstration for Wells MW-18UT, MW-19UT and MW-22UT - Evergreen Recycling and Disposal Facility" dated January 10, 2006. These documents were submitted by Eagon & Associates, Inc. on behalf of Waste Management, Inc., pursuant to OAC Rule 3745-27-10(E)(9)(b), and requested reinstatement of the ground water detection monitoring program for specific monitoring wells at the Facility and to release the owner or operator from the obligation to comply with the ground water quality assessment monitoring program implemented due to the detection of statistically significant changes for chloride in monitoring wells MW-18UT, MW-19UT, and MW-22UT during the May 2004 (MW-18UT & MW-19UT) and Fall 2002 (MW-22UT) and subsequent ground water sampling events at the Facility.

Pursuant to OAC Rule 3745-27-10(E)(9)(b), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or from natural variation in ground water quality and request that the director approve reinstatement of the detection monitoring program.

The June 13, 2005 and January 10, 2006 documents concluded that the statistically significant changes for chloride in monitoring wells MW-18UT, MW-19UT, and MW-22UT were due to application of halite (road salt) on nearby Facility roads, and not as a result of impact from the landfill. Ohio EPA has reviewed the applicable information and concurs with this conclusion. Therefore, pursuant to OAC Rule 3745-27-10(E)(9)(b), I hereby approve reinstatement of the ground water detection monitoring program for the monitoring wells in the ground water quality

Bob Taft, Governor
Jennette Bradley, Lieutenant Governor
Joseph P. Koncelik, Director

assessment monitoring program, noted above, and release the owner or operator from the obligation to comply with this assessment monitoring program at the Facility. This approval of reinstatement of the detection monitoring program applies to monitoring wells MW-18UT, MW-19UT, and MW-22UT.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into the ground water quality assessment monitoring program in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program pursuant to OAC Rule 3745-27-10(D)(7)(c).

This approval shall not be construed to release the owner or operator from the obligation to comply with the requirements of any other ground water quality assessment monitoring program being conducted at the Facility.

You are hereby notified that this action of the Director of Ohio EPA (Director) is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Ohio Revised Code Section 3745.04. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. It must be filed with the Commission within thirty (30) days after notice of the Director's action. A copy of the appeal must be served on the Director within three (3) days after filing with the Commission. An appeal may be filed with the Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Kimberly Burnham of Ohio EPA, NWDO at (419) 373-3049.

Sincerely,

Shannon Nabors, District Chief
Northwest District Office
for Joseph P. Koncelik, Director

PC: Jim Konopinski, Wood County Health Department
Scott Hester, DSIWM, CO
Chad Zajkowski, DDAGW, NWDO
Jack Leow, DDAGW, NWDO
Kimberly Burnham, DSIWM, NWDO
Allan Razem, Eagon & Associates, Inc.