

STREET ADDRESS:

Lazarus Government Center
122 South Front Street
Columbus, OH 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

October 24, 2006

Mr. Rick Dodge
Solid Waste Authority of Central Ohio
6220 Young Road
Grove City, OH 43123-9518

**Re: Franklin County Landfill, Franklin County
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Dodge:

On June 12, 2006, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Central District Office (CDO) received a document titled "March 2006 Sampling Event," dated June 9, 2006, for the Franklin County LF (Facility) located in Franklin County. This document contains the ground water sampling results and the statistical analysis from the March 2006 ground water sampling event at the Facility.

According to the document, analysis of the ground water detection monitoring data indicated that the following statistically significant changes were detected: chloride in monitoring wells MW-6a and MW-16B; alkalinity and barium in monitoring well MW-13B; alkalinity in monitoring well MW-16D and acetone in monitoring well MW-6D.

All wells, with the exception of monitoring well MW-16B, were addressed in separate correspondence signed by Mr. Craig Butler, Chief, CDO, on behalf of the Director. Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring within two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

On October 12, 2006, a demonstration was submitted for monitoring well MW-16B. This demonstration concluded that the statistically significant changes for chloride at monitoring well MW-16B were due to a source other than the landfill, and not as a result of impact from the landfill. Monitoring well MW-16B was initially sampled on March 30, 2006.

Bob Taft, Governor
Bruce Johnson, Lieutenant Governor
Joseph P. Koncelik, Director



Mr. Rick Dodge
Solid Waste Authority of Central Ohio
Page -2-

Ohio EPA has reviewed the applicable information and concurs with the demonstration included in the October 12, 2006, document. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well MW-16B

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director of Ohio EPA (Director) is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Laura Parkinson of Ohio EPA, CDO at (614)728-3889.

Sincerely,

Craig Butler
Chief, Central District Office
for Joseph P. Koncelik, Director

c: Duane Snyder, DSIWM-CDO
Scott Hester, DSWIM-CO
Jeff Gibbs, Franklin County Health Department