



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

Jason Tincu
City of Xenia
101 North Detroit Street
Xenia, Ohio 45385

**Re: Closed Xenia Landfill, Greene County
Ohio Administrative Code (OAC) Rule 3745-27-10(D)(7)(c)(ii) Approval**

Dear Mr. Tincu:

On December 24, 2007, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Southwest District Office (SWDO) received a document titled "Demonstration for Well 27A, Fall 2007 Detection Groundwater Monitoring at the Closed Xenia Municipal Landfill, 966 Towler Road, Xenia, Ohio, MACTEC Project #: 3359-07-2359, Ohio EPA ID #29-00-03," dated December 20, 2007, for the Closed Municipal Landfill (Facility) located in Greene County. This document provides analysis of the ground water detection monitoring data and OAC Rule 3745-27-10(D)(7)(c)(ii) demonstration.

According to the documents, analysis of the ground water detection monitoring data indicated that the following statistically significant changes were detected: sodium and chloride in monitoring well MW-27A.

Pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the owner or operator may demonstrate that a source other than the sanitary landfill facility caused the contamination, or that the statistically significant change resulted from error in sampling, analysis, or statistical evaluation or natural variation in ground water quality. A report documenting this demonstration must be submitted to and approved by Ohio EPA. If the owner or operator does not obtain approval to continue detection monitoring within two hundred ten (210) days from initial sampling, the owner or operator is required to comply with the provisions of OAC Rule 3745-27-10(E) for ground water quality assessment monitoring.

The December 20, 2007 document concluded that the statistically significant change for sodium and chloride at monitoring well MW-27A was due to the natural variation of sodium and chloride, and not a result of impact from the landfill.

Ohio EPA has reviewed the applicable information and concurs with the demonstration provided in the December 20, 2007, documents. Therefore, pursuant to OAC Rule 3745-27-10(D)(7)(c)(ii), the

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

Mr. Jason Tincu
City of Xenia
Page 2 of 2

owner or operator is hereby authorized to continue the detection monitoring program at the Facility for monitoring well MW-27A.

Should future or existing ground water sampling results indicate statistically significant changes in ground water monitoring parameters, the owner or operator will be required to either enter into assessment monitoring in accordance with OAC Rule 3745-27-10(E) or obtain approval to remain in the detection monitoring program.

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street, Room 222
Columbus, Ohio 43215

If you have any questions concerning this letter, please contact Rich Bendula of Ohio EPA, SWDO at (937) 285-6357.

Sincerely,

Thomas A. Winston, P.E.
Chief, Southwest District Office
for Chris Korleski, Director

cc: Tracy Buchanan, DSIWM-SWDO
Scott Hester, DSIWM-CO
Beth Lackey, Greene County Combined Health District