



State of Ohio Environmental Protection Agency

STREET ADDRESS:

Lazarus Government Center
50 W. Town St., Suite 700
Columbus, Ohio 43215

TELE: (614) 644-3020 FAX: (614) 644-3184
www.epa.state.oh.us

MAILING ADDRESS:

P.O. Box 1049
Columbus, OH 43216-1049

Mr. Douglas Roberts, President
Envirosafe Services of Ohio, Inc.
876 Otter Creek Road
Oregon, Ohio 43616-3518

**Re: Envirosafe Services of Ohio, Inc. Landfill, Lucas County
Explosive Gas Monitoring Plan Approval**

Dear Mr. Roberts:

On April 30, 2007, the Ohio Environmental Protection Agency (Ohio EPA), Division of Solid and Infectious Waste Management (DSIWM), Northwest District Office (NWDO) received a document titled, *Explosive Gas Monitoring Plan, Envirosafe Services of Ohio, Inc.* (EGMP) for the Envirosafe Services of Ohio Inc. Landfill (Facility) located in Lucas County. The EGMP was submitted by Mannik & Smith Group, Inc. in accordance with Ohio Administrative Code (OAC) Rule 3745-27-12, as effective August 15, 2003. The EGMP was also submitted to fulfill Condition E.9(b)(iii) of the Facility's hazardous waste facility installation and operation permit.

Ohio EPA has reviewed the submitted EGMP and has determined that it meets applicable requirements. Therefore, I hereby approve the EGMP for the Facility. The owner shall implement the EGMP in accordance with the following conditions:

CONDITIONS

1. This approval shall serve as the Facility's authorizing document in accordance with OAC Rule 3745-27-12, as effective August 15, 2003, and replaces the existing explosive gas monitoring plan, approved on June 25, 1992.
2. All activities shall be conducted in strict accordance with the plans, specifications, and information submitted as part of the EGMP. There may be no deviation from the approved plans without the express, written approval of Ohio EPA. Any future activities may require additional Ohio EPA approval.
3. Not later than 60 days after the effective date of this approval, the owner shall implement the EGMP.

Ted Strickland, Governor
Lee Fisher, Lieutenant Governor
Chris Korleski, Director

4. Issuance of this approval does not constitute expressed or implied agreement that the monitoring of the Facility performed and implemented in accordance with the approved EGMP and/or its terms and conditions will constitute compliance with applicable state and federal laws, rules, and regulations, nor does issuance of this plan approval ensure that necessary operating permits or licenses will be granted.
5. Nothing in this letter shall be construed to authorize any waiver from the requirements of any applicable federal or state laws or regulations. This authorization shall not be interpreted to release the owner or others from responsibility under Ohio Revised Code (ORC) Chapters 3704, 3714, 3734, or 6111; under the Federal Clean Water Act, the Resource Conservation and Recovery Act, the Toxic Substances Control Act, or the Comprehensive Environmental Response, Compensation, and Liability Act; or from other applicable requirements for remedying conditions resulting from any release of contaminants to the environment.

END OF CONDITIONS

You are hereby notified that this action of the Director is final and may be appealed to the Environmental Review Appeals Commission (Commission) pursuant to Section 3745.04 of the Ohio Revised Code. The appeal must be in writing and set forth the action complained of and the grounds upon which the appeal is based. The appeal must be filed with the Commission within thirty (30) days after notice of the Director's action. The appeal must be accompanied by a filing fee of \$70.00 which the Commission, in its discretion, may reduce if by affidavit you demonstrate that payment of the full amount of the fee would cause extreme hardship. Notice of the filing of the appeal shall be filed with the Director within three (3) days of filing with the Commission. Ohio EPA requests that a copy of the appeal be served upon the Ohio Attorney General's Office, Environmental Enforcement Section. An appeal may be filed with the Environmental Review Appeals Commission at the following address:

Environmental Review Appeals Commission
309 South Fourth Street
Room 222
Columbus, Ohio 43215

If you have any questions concerning this approval, please contact Mike Reiser of Ohio EPA, NWDO at (419) 373-3126.

Mr. Douglas Roberts, President
Envirosafe Services of Ohio, Inc. Landfill
EGMP
Page 3 of 3

Sincerely,

Chris Korleski
Director

pc: Jodi Vaughan, Toledo-Lucas County Health Department
Ken Humphrey, Envirosafe Services of Ohio
James Moseley, Mannik & Smith Group, Inc.
Lynn Ackerson, DHWM, NWDO
Mike Reiser, DSIWM, NWDO