

- Alexander, G. R. 1986. Sand bed load in a brook trout stream. *North American Journal of Fisheries Management* 6: 9-23.
- Andrus, C. W., B. A. Long, and H. A. Froehlich. 1988. Woody debris and its contribution to pool formation in a coastal stream 50 years after logging. *Canadian Journal of Fisheries and Aquatic Science* 45:2080-2086.
- Angermeier, P. L. and J. R. Karr. 1984. Relationships between woody debris and fish habitat in a small warmwater stream. *Transactions of the American Fishery Society* 113:716-726.
- Benke, A. C. and others. 1984. Invertebrate productivity in a subtropical black water river: the importance of habitat and life history. *Ecological Monographs* 54: 25-63.
- Benke, A. C. and others. 1985. Importance of snag habitat for animal production in Southeastern streams. *Fisheries* 10(5): 8-13.
- Berkman, H. E. and C. F. Rabeni. 1987. Effect of siltation on stream fish communities. *Environmental Biology of Fishes* 18:285-294.
- Binns, N. A. and F. M. Eiserman. 1979. Quantification of fluvial trout habitat in Wyoming. *Transactions of the American Fishery Society* 108(3):215-228.
- Bond, C. E., E. Rexstad, and R. M. Hughes. 1988. Habitat use by twenty-five common species of Oregon freshwater fishes. *Northwest Science* 62(5): 223-232.
- de March, B. G. E. 1976. Spatial and temporal patterns in macrobenthic stream diversity. *Journal of the Fisheries Research Board of Canada* 33: 1261-1270.
- Emerson, J. W. 1971. Channelization: A case study. *Science* 173:325-326.
- Escherich, P. and D. Rosenberger. 1987. Type B technical information document: Guidance on use of habitat evaluation procedures and habitat suitability index models for CERCLA applications. U. S. Fish and Wildlife Service, Division of Ecological Services, Washington, DC, 40 pp.
- Fausch, K. D., J. R. Karr, and P. R. Yant. 1984. Regional application of an index of biotic integrity based on stream fish communities. *Transactions of the American Fishery Society* 113:39-55.
- Gorman, O. T. and J. R. Karr. 1978. Habitat structure and stream fish communities. *Ecology* 59:507-515.
- Griswold, B. L. and others. 1978. Some effects of stream channelization on fish populations, macroinvertebrates, and fishing in Ohio and Indiana. Biological Report FWS/OBS-77/46, 64 pp. U.S. Department of the Interior, Fish and Wildlife Service.
- Hocutt, C. H. and J. R. Stauffer. 1975. Influence of gradient on the distribution of fishes in Conowingo Creek, Maryland and Pennsylvania. *Chesapeake Science* 16 1 143-147.
- Hughes, R. M. and J. M. Omernik. 1981. A proposed approach to determine regional patterns in aquatic systems. Pages 92-102 in *Acquisition and Utilization of Aquatic Habitat Inventory Information*, Neil B. Armantrout, editor.
- Karr, J. R. 1981. Assessment of biotic integrity using fish communities. *Fisheries* 6:21-27.
- Karr, J. R. and I. J. Schlosser. 1977. Impact of nearstream vegetation and stream morphology on water quality and stream biota. USEPA, EPA-600/3-77-097, 90 pp. .

- Karr, J. L., L. A. Toth, and G. D. Garman. 1983. Habitat preservation for midwest stream fishes: principles and guidelines. U. S. Environmental Agency, Corvallis, OR. EPA-600/3-83-006. 120 pp.
- Karr, J. L., P. L. Angermeier, and I. J. Schlosser. 1983. Habitat structure and fish communities of warmwater streams. U. S. Environmental Agency, Corvallis, OR. EPA-600/D-83-094.
- Karr, J. R., K. D. Fausch, P. L. Angermeier, P. R. Yant, and I. J. Schlosser. 1986. Assessing biological integrity in running waters: A method and its rationale. Illinois Natural History Survey Special Publication No. 5, 28 pp. Champaign, Illinois
- Larsen, D. P. and others. 1986. Correspondence between spatial patterns in fish assemblage in Ohio streams and ecoregions. *Environmental Management* 10: 815-828.
- Layher, W. G. and O. E. Maughan. 1985. Relations between habitat variables and channel catfish populations in prairie streams. *Transactions of the American Fishery Society* 114(6): 771-781.
- Leonard, P. M. and D. J. Orth. 1986. Application and testing of an index of biotic integrity in small, coolwater streams. *Transactions of the American Fishery Society* 115: 401-414.
- Lewin, R. 1989. Sources and sinks complicate ecology. *Science* 243: 477-478.
- Lyons, J. and C. C. Courtney, in press. A review of fisheries habitat improvement projects in warmwater streams, with recommendations for Wisconsin. Bureau of Research, Wisconsin Department of Natural Resources
- Marzolf, G. R. 1978. The potential effects of clearing and snagging on stream ecosystems. U.S. Department of the Interior, Fish and Wildlife Service. FWS/OBS-78/74, 32 pp.
- Miller, D. L. and others. 1988. Regional applications of an index of biotic integrity for use in water resource management. *Fisheries* 5:12-20.
- Minshall, G. W. and others. 1985. Developments in stream ecosystem theory. *Canadian Journal of Fisheries and Aquatic Science* 42:1045-1055
- Ohio Environmental Protection Agency. 1987a. Biological criteria for the protection of aquatic life: Volume III. Standardized biological field sampling and laboratory methods for assessing fish and macroinvertebrate communities. Ohio Environmental Protection Agency, Columbus, Ohio, USA
- Ohio Environmental Protection Agency. 1987b. Biological criteria for the protection of aquatic life: Volume II. User's Manual for the biological assessment of Ohio surface water. Ohio Environmental Protection Agency, Columbus, Ohio, USA
- Ohio Environmental Protection Agency. 1987c. Biological criteria for the protection of aquatic life: Volume I. The role of biological data in water quality assessments. Ohio Environmental Protection Agency, Columbus, Ohio, USA
- Ohio Environmental Protection Agency. 1989. Biological criteria for the protection of aquatic life: Volume III. Standardized biological field sampling and laboratory methods for assessing fish and macroinvertebrate communities. Ohio Environmental Protection Agency, Columbus, Ohio, USA (Revision of 1987 reference).
- Plafkin, J. L. and others. 1989. Rapid Bioassessment protocols for use in streams and rivers. U. S. EPA., EPA/444/4-89-001

- Platts, W. S., W. F. Megahan, and G. W. Minshall. 1983. Methods for evaluating stream, riparian, and biotic conditions. U. S. Department of Agriculture, Forest Service, General Technical Report. INT-138. 70 pp.
- Portt, C. B., E. K. Balon, and D. L. G. Noakes. 1986. Biomass and production of fishes in natural and channelized streams. *Canadian Journal of Fisheries and Aquatic Sciences* 43:1926-1934.
- Pulliam, H. R. 1988. Sources, sinks, and population regulation. *American Naturalist* 132(5): 652-661.
- Schlosser, I. J. 1982a. Trophic structure, reproductive success, and growth rate of fishes in a natural and modified headwater stream. *Canadian Journal of Fisheries and Aquatic Sciences* 39:968-978.
- Schlosser, I. J. 1982b. Fish community structure and function along two habitat gradients in a headwater stream. *Ecological Monograph* 52:395-414.
- Schlosser, I. J. 1987a. A conceptual framework for fish communities in headwater streams. *in* W. J. Matthews and D. C. Heins (editors). *Community and Evolutionary Ecology of North American Stream Fishes*. Oklahoma University Press, Norman, Oklahoma.
- Schlosser, I. J. 1987b. The role of predation in age- and size-related habitat use by stream fishes. *Ecology* 68 3: 651-659.
- Schlosser, I. J. and J. R. Karr. 1981a. Riparian Vegetation and channel morphology impact on spatial patterns of water quality in agricultural watersheds. *Environmental Management* 5: 233-243
- Schlosser, I. J., and J. R. Karr. 1981b. Water Quality in agricultural watersheds: Impact of riparian vegetation during base flow. *Water Resources Bulletin* 17: 233-240.
- Terrel, J. W. editor. 1984. Proceedings of a workshop on fish habitat suitability models. Western Energy Land Use Team, U. S. Department of the Interior, Biological Report 85(6), 393 pp.
- Trautman, M. B. 1939. The effects of man-made modifications on the fish fauna in Lost and Gordon Creeks, Ohio between 1887-1938. *Ohio Journal of Science* 39(5): 275-288.
- Trautman, M. B. 1942. Fish distribution and abundance correlated with stream gradients as a consideration in stocking programs. *Transactions of the 7th North American Wildlife Conference* 7: 211-224
- Trautman, M. B. 1981. *The fishes of Ohio*. The Ohio State University Press, Columbus, Ohio, USA, 782 pp.
- Trautman, M. B. and D. K. Gartman. 1974. Re-evaluation of the effects of man-made modifications on Gordon Creek between 1887 and 1973 and especially as regards its fish fauna. *Ohio Journal of Science* 74 3: 162-173.
- Vannote, R. L., and others. 1980. The river continuum concept. *Canadian Journal of Fisheries and Aquatic Science* 37: 130-137
- Whittier, T. R. and others. 1987. The Ohio stream regionalization project: A compendium of results. USEPA, EPA/600/3-87/025, 66 pp.
- Winger, P. V. 1981. Physical and chemical characteristics of warmwater streams: A review. pp. 32-44 *In* L. A. Krumholz, editor. *The warmwater streams symposium*. American Fisheries Society, Bethesda, Maryland, USA.