

**Table 1: Countywide Recycling & Disposal Facility
Summary of Evaluation Requirements for Proposed Permit Modification**

OAC Rule / Description	Applicability of Rule to Permit Modification	Relevant Documents
3745-27-02 / Applicability, Required Signature and Certifications, Procedural Requirements	Parts of this rule are applicable. See Table 2.	See Table 2. No contents applicable to the permit modification documents are required by this rule other than signatures.
3745-27-06 / Permit to Install Contents (Plans and Reports)	Parts of this rule are applicable. See Table 3.	<p>See Table 3 for specific plans and reports which are and are not required for the permit modification.</p> <p>No disclosure statement listed in rule 3745-27-06(A)(5) is required. No notification to the division of Ohio EPA regulating air pollution control and water pollution control listed in rule 3745-27-06(A)(5) is required.</p> <p>No new plan drawings are required for rule 3745-27-06(B)(2) for the Permit Modification.</p> <p>No new plan drawings are required for rule 3745-27-06(B)(3) for the Permit Modification.</p> <p>The permit modification will include plan drawings showing the items required by paragraph (c) of rule 3745-27-06(B)(4)</p> <p>The permit modification will include cross sections showing the items required by paragraph (c) of rule 3745-27-06(B)(5). Paragraphs (a), (b) and (d) of rule 3745-27-06(B)(5) do not apply to the Permit Modification hence no plan drawings for these paragraphs will be included.</p> <p>The permit modification will include plan drawings showing the items required by paragraph (c) of rule 3745-27-06(B)(6) and (7).</p> <p>Rules 3745-27-06(C)(1)-(3) do not apply to the permit modification hence no documents for these paragraphs will be included.</p> <p>Rules 3745-27-06(C)(4) (a), (b), (e) -(d) do not apply to the permit modification hence no documents for these paragraphs will be included.</p>

OAC Rule / Description	Applicability of Rule to Permit Modification	Relevant Documents
		<p>Parts of rule 3745-27-06(C)(4) (c)-(d) apply to the permit modification and parts do not apply. New phasing may result in an additional location to be analyzed for stability and if so, only the stability analyses for the new location will be submitted. Stability analyses in the existing permit to install will not be affected and therefore not included or revised.</p> <p>The permit modification will include calculations required by paragraphs (a), (h), (i), (k) and (l) of rule 3745-27-06(C)(5). No documents will be included in the permit modification for paragraphs (b) - (g) and (j) of rule 3745-27-06(C)(5).</p> <p>Rules 3745-27-06(C)(6) - (8) do not apply to the permit modification hence no documents for these paragraphs will be included.</p> <p>Rules 3745-27-06(C)(9) (a) – (c) do not apply to the permit modification hence no documents for these paragraphs will be included in the permit modification. Rule 3745-27-06(C)(9) (d) does apply to the permit modification hence a new document for this rule will be included with the permit modification.</p> <p>Parts (a) – (d) of rule 3745-27-06(C)(10) would be considered applicable where an action is specifically requires a modification by rule (e.g. change in airspace). However it is Countywide’s understanding that for the modification explicitly required by these Findings and Orders, the Ohio EPA anticipates including in the permit modification only those documents that are impacted by the loss of airspace associated with early closure of the 88 acres and corresponding regrading of the 170 acre expansion area, therefore no documents will be included for this rule.</p>

OAC Rule / Description	Applicability of Rule to Permit Modification	Relevant Documents
3745-27-07 / General Criteria, Discretionary Criteria, Design Criteria, AMDWR Criteria, Location Restriction Demonstrations, Applicability of Siting Criteria, Siting Criteria	Parts of this rule are applicable. See Table 4.	See Table 4. No specific documents are required for the permit modification to address general criteria, discretionary criteria or design criteria. AMDWR criteria does not apply to the permit modification. No submittal is required for the location restriction demonstration because this was addressed in the permit to install application. Siting criteria is not applicable per OAC 3745-27-07(G)(4).
3745-27-15 / Final Closure Financial Assurance	Parts of this rule are applicable if closure costs increase. See Table 5.	See Table 5. Financial assurance instruments are required if closure costs increase.
3745-27-16 / Post-closure Care Financial Assurance	Parts of this rule are applicable if post-closure costs increase. See Table 6.	See Table 6. Financial assurance instruments are required if post-closure costs increase.
3745-27-17 / Trust Agreement, Surety Bond, Letter of Credit, Certificate of Insurance, Corporate Guarantee	Rule is not applicable. See Table 7.	See Table 7. No documents are required for the permit modification.

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(A) Except as provided in paragraph (D) of this rule, no person shall establish or modify a solid waste facility or infectious waste treatment facility without obtaining a permit to install issued by the director.</p> <p>[Comment: According to Chapter 3734. of the Revised Code and the rules promulgated thereunder, solid waste facilities requiring a permit include sanitary landfill facilities (including scrap tire monofills), transfer facilities, class I compost facilities, solid waste incinerators or solid waste recovery facilities, class I scrap tire storage facilities and class I scrap tire recovery facilities.]</p>	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
<p>(B) For the purposes of this rule, “establish” or “establishment” of a sanitary landfill facility, infectious waste treatment facility, compost facility, scrap tire facility, or transfer facility means to construct or install any of the proposed facility components, and includes excavation that is related to the construction of a facility or any components thereof. “Establish” or “establishment” does not include clearing and grubbing.</p>	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
<p>(C) For the purposes of this rule, “modify” or “modification” means: (1) A sanitary landfill facility undergoing:</p>	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
<p>(a) A change in the authorized maximum daily waste receipt established for the facility.</p>	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
<p>(b) A substantial horizontal or vertical increase in the limits of waste placement as that term is defined in rule 3745-27-01 of the Administrative Code, including but not limited to those modifications specified in division (A)(2)(d) of section 3734.05 of the Revised Code.</p> <p>[Comment: A reduction to the limits of waste placement or total capacity by itself is generally not considered to be a modification, unless the reduction also results in other substantial changes to the facility such that paragraph (C)(1)(c) of this rule is applicable.]</p>	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
<p>(c) Any change which may endanger human health or the environment, including but not limited to a change to operation, technique of waste received, type of waste received, or design or construction of the facility, as determined by the director.</p>	This is a procedural rule which applies to a permit modification and does not involve the submittal contents.	None – this rule paragraph is a procedural rule.
<p>(2) A solid waste transfer facility undergoing:</p>	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(a) Any substantial expansion of the waste handling area.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(b) Any substantial change to the location of the waste handling area.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(3) An infectious waste treatment facility undergoing:	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule..
(a) A substantial change in waste handling at the facility, including, but not limited to:	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(i) Type of waste received.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(ii) Any change in the facility's treatment technology or technologies.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(b) An increase in the treatment capacity of the facility. For the purposes of this rule, "treatment capacity" means the maximum amount of waste permitted by Ohio EPA to be charged into the treatment unit per hour, or the engineered throughput capacity per hour if no such permitted capacity is authorized.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(c) Any other substantial change which may endanger human health or the environment.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(4) A Class I composting facility undergoing:	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(a) Any substantial expansion of the material placement area. (b) Any substantial change to the location of the material placement area. (c) Any change in type of waste received.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(5) A solid waste incinerator or solid waste energy recovery facility undergoing (a) Any substantial expansion of the waste handling area. (b) Any substantial change to the location of the waste handling	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
area.		

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(6) A Class I scrap tire storage facility or Class I scrap tire recovery facility undergoing:</p> <p>(a) An increase in the designated daily design input capacity (DDIC) only when it requires an increase in the facility's annual license fee. Any decrease in a facility's DDIC would not be considered a modification. For the purposes of this rule, "DDIC" means the averaged daily processing amount for all operating days in any calendar month. The limit shall be expressed in either weight for facilities utilizing scales or volume per day at the gate for all other facilities.</p> <p>(b) Changes requiring the issuance of new or additional special conditions to the permit.</p> <p>(c) A change to store any whole or regulated processed scrap tires outside of a building or in enclosed container(s) if previously there were no scrap tires designated to be stored outside a building or in enclosed container(s) or if there were specific limitations on scrap tires stored outside of a building or in enclosed container(s).</p> <p>(d) Any substantial expansion to the scrap tire handling area or scrap tire storage area.</p>	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(D) Exceptions. The following are not required to obtain a permit to install:	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(1) The solid waste facility is for sewage sludge treatment or disposal	Rule is not applicable.	Not applicable - no documents are

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
when the treatment or disposal is authorized by a current permit issued under Chapter 3704. or 6111. of the Revised Code.		required to be updated for the permit modification to meet this rule.
(2) The municipal solid waste landfill is required to install an "interim composite liner system" pursuant to rule 3745-27-20 of the Administrative Code.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(3) The infectious waste treatment facility is owned or operated by the generator of the wastes and treats wastes that are generated at any premises owned or operated by the generator.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(4) The infectious waste treatment facility is owned or operated by a hospital, as defined in section 3727.01 of the Revised Code; and	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(a) Treats sharp wastes that are generated by a generator who has staff privileges at that hospital and produces fewer than fifty pounds of infectious wastes in any one month; or (b) Treats wastes that are generated in providing care to a patient by an emergency medical services organization, as defined in section 4765.01 of the Revised Code; or (c) Treats wastes generated by an individual for purposes of his/her own care or treatment.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(5) The infectious waste treatment facility holds a license to operate a crematory facility issued under Chapter 4717. and a permit issued under Chapter 3704. of the Revised Code.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(6) The infectious waste treatment facility treats or disposes of dead animals or parts thereof, or the blood of animals, and is subject to any of the following:	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(b) Chapter 918. of the Revised Code.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(c) Chapter 953. of the Revised Code.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(7) Any unit of a hazardous waste facility for which a hazardous waste facility installation and operation permit is required by Chapter 3734. of the Revised Code.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(8) Solid waste facilities that are holding a current registration pursuant to Chapter 3734. of the Revised Code and rules promulgated thereunder.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(E) Permit application.	See below.	See below.
(1) Each person proposing to establish or modify a solid waste facility or infectious waste treatment facility shall submit an application for a permit with accompanying detail plans and specifications to the director as he deems necessary in order to determine whether the criteria for approval have been met.	This is a procedural rule which applies to a permit modification and does not involve the submittal contents.	This rule applies to the permit modification. Detail plans and specifications required for the permit modification are discussed in other rule paragraph requirements.
(2) Each application for a permit to install shall be accompanied by a nonrefundable application fee established in Chapters 3734. and 3745. of the Revised Code.	This rule applies to the permit modification.	This rule applies to the permit modification.
(3) Every applicant for a permit, other than for a permit modification, shall file a disclosure statement, on a form developed by the attorney general, with the director of environmental protection and the attorney general at the same time the applicant files an application for a permit with the director.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(4) The application for a permit to install shall be signed by either the owner or operator of the facility shall be:	This rule applies to the permit modification.	This rule applies to the permit modification.
(a) In the case of a corporation, by a principal executive officer of at least the level of vice president, or his duly authorized representative, if such representative is responsible for the overall operation of the facility.	Rule is not applicable.	This rule subsection does not apply for Countywide Recycling & Disposal Facility which is owner and operated by Republic Services of Ohio II, LLC.
(b) In the case of a partnership, by a general partner.	Rule is not applicable.	This rule subsection does not apply for Countywide Recycling & Disposal Facility which is owner and operated by Republic Services of Ohio II, LLC.
(c) In the case of a limited liability company by a manager, member, or other duly authorized representative of the limited liability company, if such representative is responsible for the overall operation of the facility.	This rule applies to the permit modification.	This rule applies to the permit modification.
(d) In the case of sole proprietorship, by the owner.	Rule is not applicable.	This rule subsection does not apply for Countywide Recycling & Disposal Facility which is owner and operated by Republic Services of Ohio II, LLC.

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(e) In the case of a municipal, state, federal or other governmental facility, by the principal executive officer, the ranking elected official, or other duly authorized employee.	Rule is not applicable.	This rule subsection does not apply for Countywide Recycling & Disposal Facility which is owner and operated by Republic Services of Ohio II, LLC.
(5) The signatures on the application for a permit to install shall constitute personal affirmation that all statements or assertions of fact made in the application are true and complete, comply fully with applicable state requirements, and shall subject the signatory to liability under those state laws forbidding false or misleading statements.	Rule is applicable.	The permit to install application for a modification permit will be signed in accordance with this rule.
(6) The applicant for a municipal solid waste landfill, industrial solid waste landfill, residual waste landfill or solid waste transfer facility, undergoing one or more of the following, shall also submit within thirty days of the public meeting on the application, as specified in division (A)(2)(d) of section 3734.05 of the Revised Code, a copy of the transcript of the public meeting on the application, copies of any exhibits, displays or other materials presented by the applicant at the meeting, and the original copy of any written comments submitted at the meeting.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(a) Establishing a new facility.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(b) Any increase of more than ten per cent in the total capacity of the existing facility.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(c) Any expansion of the limits of solid waste placement of the existing facility.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(d) Any increase in the depth of excavation at the existing facility.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(e) Any change in the technique of waste receipt or type of waste received at the existing facility that may endanger human health.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(F) A permit to install shall be issued, modified, revoked, or denied and may be appealed in accordance with provisions of the rules of procedure of	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
Ohio EPA, Chapter 3745-47 of the Administrative Code and section 3734.09 of the Revised Code.		modification to meet this rule.
(G) Issuance of the permit. (1) In deciding whether to grant or deny a permit to install, the director shall evaluate whether the construction, operation, closure, and if applicable, post closure care of the facility is capable of fulfilling all appropriate regulatory requirements for protecting surface water, ground water, and air by soliciting the input and coordinating the issuance of the permit to install with all relevant divisions of Ohio EPA, as specified in the appendix of this rule. The director may consult with other divisions or persons as he deems appropriate.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(2) In deciding whether to grant or deny a permit to install, the director may take into consideration the social and economic impact of the air contaminants, water pollutants, or other adverse environmental impact that may be a consequence of issuance of the permit to install.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(H) Terms and conditions. (1) The director may impose such special terms and conditions as are appropriate or necessary to ensure compliance with rules adopted under division (A) of section 3734.02 of the Revised Code and division (D) of section 3734.12 of the Revised Code.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(2) If the director determines that standards more stringent than those applicable in rules adopted under division (A) of section 3734.02 of the Revised Code and division (D) of section 3734.12 of the Revised Code, or standards pertaining to subjects not specifically addressed by those rules, are necessary to ensure that a solid waste facility constructed at the proposed location will not cause a nuisance, cause or contribute to water pollution, or endanger public health or safety, the director may issue a permit for the facility with such terms and	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
conditions as the director finds necessary to protect public health and safety and the environment. If a permit is issued, the director shall state in the order issuing it the specific findings supporting each such term or condition.		
(I) Termination. (1) A permit to install for a new facility shall terminate three years after the effective date of the permit to install if the owner or operator has not undertaken a continuing program of installation or has not entered into a binding contractual obligation to undertake and complete within a reasonable time a continuing program of installation of the new facility.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(2) The owner or operator may request the establishment of a new termination date. Such request shall be submitted to the director and provide justification for the extension of time and an analysis demonstrating that the facility continues to meet the applicable siting criteria and design standards established in the current version of the rules.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(3) The director may establish a new termination date not to exceed twelve months of the current effective date if he determines that the owner or operator has adequately justified an extension of time and has demonstrated that the facility continues to meet the applicable siting criteria and design standards established in the current version of the rules.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(J) Administrative change to the permit. An administrative change to the permit is an amendment that does not result in a modification or alteration to the facility. A permit may be administratively changed for the following reasons:	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(1) To update administrative information including but not limited to the telephone number, address, or name of the facility.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(2) To clarify or correct Ohio EPA typographical errors contained in the permit. Such changes must be made solely for the purpose of clarification or correction of typographical errors and do not constitute a modification or alteration of the facility.	Rule is not applicable.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(3) To establish a new termination date of the permit to install in	Rule is not applicable.	Not applicable - no documents are

**Table 2: Countywide Recycling & Disposal Facility, Inc.
Evaluation of OAC 3734-27-02 Requirements for Proposed Permit Modification**

OAC 3745-27-02 Rule	Applicability of Rule to Permit Modification	Relevant Documents
accordance with paragraph (I)(3) of this rule.		required to be updated for the permit modification to meet this rule.
(K) Revocation of the permit. The director may revoke a permit to install if any of the following occur:	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(1) Any cause that would require disqualification pursuant to division (A), (B), (D), or (E) of section 3734.44 of the Revised Code from receiving a permit upon original application;	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(2) Fraud, deceit, or misrepresentation in securing the permit or in the conduct of the permitted activity;	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(3) Offering, conferring, or agreeing to confer any benefit to induce any other individual or business concern to violate the provisions of Chapter 3734. of the Revised Code, or any rule adopted thereunder, or of any other law relating to the transportation, transfer, treatment, storage, or disposal of solid wastes, infectious wastes, or hazardous wastes;	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule..
(4) Coercion of a customer by violence or economic reprisal or the threat thereof to utilize the services of any permit holder;	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(5) Preventing, without authorization of the director, any individual or business concern from transferring or disposing of solid wastes or hazardous wastes at a permitted treatment, transfer, storage, or disposal facility other than a facility owned or operated by the permit holder, or preventing, without authorization of the director, any individual or business concern from treating infectious waste at a licensed infectious waste treatment facility other than a facility owned and operated by the permit holder.	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.
(L) This rule shall not exempt any person from compliance with any other applicable law. Effective: October 17, 2003 R.C. 119.032 review dates: October 17, 2008 Promulgated Under: 119.03	This is a procedural rule and does not involve the permit modification contents.	Not applicable - no documents are required to be updated for the permit modification to meet this rule.

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(A) A permit to install application as required by section 3734.05 of the Revised Code shall be submitted, and approved by the director, before the establishment or modification of the sanitary landfill facility is begun. Compliance with this rule shall not exempt any person from compliance with any other permit, license, or other obligation for authorization.</p>	<p>This is a procedural rule which applies to a permit modification and does not involve the submittal.</p>	<p>NA</p>
<p>(1) The permit to install application shall contain all the information required in paragraphs (B) and (C) of this rule, as specified below, so that the director can determine if the criteria set forth in rules 3745-27-02 and 3745-27-07 of the Administrative Code are satisfied. If Ohio EPA determines that information in addition to that required by paragraphs (B) and (C) of this rule is necessary to determine whether the criteria set forth in rules 3745-27-02 and 3745-27-07 of the Administrative Code are satisfied, the applicant shall supply such information as a precondition to further consideration of the permit to install application.</p>	<p>The permit modification application will be designed to meet this rule.</p>	<p>Various documents are required by this rule as described in the following parts of this table.</p>
<p>(a) The permit to install application for a new sanitary landfill facility, a new unit, or one that is submitted in response to division (A)(3), (A)(4) or (A)(5) of section 3734.05 of the Revised Code, shall contain all the information required in paragraphs (B) and (C) of this rule with the exception of paragraph (B)(5)(d) of this rule.</p>	<p>This rule does not apply because Countywide Recycling & Disposal Facility is an existing sanitary landfill facility.</p>	<p>NA</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(b) The permit to install application to modify a sanitary landfill facility for a vertical expansion to the upper limits of solid waste placement shall contain the following information:</p> <ul style="list-style-type: none"> (i) All of the plan sheets specified in paragraphs (B)(1), (B)(2), (B)(3)(g), (B)(4), (B)(5) and (B)(6) of this rule. (ii) The plan sheet showing the location of proposed explosive gas control system structures, if necessary, specified in paragraph (B)(3)(f) of this rule. (iii) Detail drawings, as necessary, specified in paragraph (B)(7) of this rule. (iv) All the reports specified in paragraphs (C)(1), (C)(2) and (C)(7) of this rule. (v) The subsurface investigation report, as necessary to provide supporting information for the stability analysis, specified in paragraph (C)(3) of this rule. 3745-27-06 2 (vi) Stability analysis for bearing capacity, static stability, seismic stability and settlement specified in paragraphs (C)(4)(b) to (C)(4)(f) of this rule. (vii) Calculations, as necessary, specified in paragraph (C)(5) of this rule. (viii) The quality assurance/quality control and final closure/post-closure care plans, specified in paragraphs (C)(9)(c) and (C)(9)(d) of this rule. (ix) The letters and list of permits specified in paragraphs (C)(10)(a) and (C)(10)(b) of this rule. 	<p>This rule does not apply to the permit modification because it is not a vertical expansion.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(c) The permit to install application to modify a sanitary landfill facility for a vertical expansion to the lower limits of solid waste placement shall contain the following information:</p> <ul style="list-style-type: none"> (i) All of the plan sheets specified in paragraphs (B)(1) to (B)(6) of this rule. (ii) Detail drawings, as necessary, specified in paragraph (B)(7) of this rule. (iii) All of the reports specified in paragraphs (C)(1), (C)(2), (C)(3), and (C)(7) of this rule. (iv) Stability analysis for hydrostatic uplift, bearing capacity, static stability, seismic stability and settlement specified in paragraphs (C)(4)(a) to (C)(4)(e) of this rule. (v) Calculations, as necessary, specified in paragraph (C)(5) of this rule. (vi) The explosive gas monitoring and quality assurance/quality control plans specified in paragraphs (C)(9)(b) and (C)(9)(c) of this rule. (vii) The letters and list of permits specified in paragraphs (C)(10)(a) and (C)(10)(b) of this rule. 	<p>This rule does not apply to the permit modification because it is not a vertical expansion.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(d) The permit to install application to modify a sanitary landfill facility for a change to the information specified in paragraph (C)(8) of this rule shall discuss the change pursuant to paragraph (C)(8) of this rule in addition to the following:</p> <ul style="list-style-type: none"> (i) The summary specified in paragraph (C)(1) of this rule. (ii) Any variance or exemption requests specified in paragraph (C)(2) of this rule. (iii) If the change is to the authorized maximum daily waste receipt, the calculations showing gross volume and life specified in paragraph (C)(5)(a) of this rule. 	<p>This rule does not apply to the permit modification because it does not involve operational changes listed in paragraph (C)(8) of this rule.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(e) The permit to install application to modify a sanitary landfill facility, other than what is listed in paragraphs (A)(1)(b) to (A)(1)(d) of this rule, shall contain the information specified by paragraphs (B) and (C) of this rule that are affected by the change and shall incorporate any alterations that were previously approved for those components affected by the change.</p>	<p>The permit modification application will be prepared to meet this rule</p>	<p>Various documents are required by this rule as described in the following parts of this table. <u>Only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</u></p>
<p>(2) The permit to install application shall contain detail engineering plans, specifications, and information that shall follow the format specified in paragraphs (B) and (C) of this rule. Detail shall be sufficient to allow clear understanding for technical review of the permit application, to provide assurance that the facility is designed and will be operated in accordance with Chapters 3745-27 and 3745-37 of the Administrative Code.</p>	<p>Rule is applicable.</p>	<p>Various documents are required by this rule as described in further detail in the following parts of this table.</p>
<p>(3) [Reserved.]</p>	<p>No update is required for this rule subsection</p>	
<p>(4) For regulatory review purposes, the initial application and any subsequent revisions to the application, shall be submitted in duplicate to the director with a third copy sent to the board of health of the health district where the facility is or will be located. Any revisions to the application must be accompanied by an index listing the change and the page(s) where the change occurred. Upon written request from Ohio EPA, the applicant shall submit two additional and identically complete copies of the revised application to the director and a notarized statement that, to the best of the knowledge of the applicant, the detail engineering plans, specifications, and information in the permit application are true and accurate.</p>	<p>Rule is applicable.</p>	<p>The permit modification will be submitted in accordance with this rule.</p>
<p>(5) Concurrent to submitting the permit to install application, the applicant shall also do the following:</p> <p>(a) Submit a disclosure statement to the office of the attorney general as required in rules 109:6-1-01 to 109:6-1-04 of the Administrative Code.</p> <p>(b) Submit to the division of Ohio EPA regulating air pollution control and water pollution control, written notification of intent to site a sanitary landfill facility and a written request for information pertaining to any regulatory requirements under Chapter 3704. or 6111. of the Revised Code.</p>	<p>Paragraph (a) does not apply to the permit modification per Rule 109:6-1-02(A)(1).</p> <p>Paragraph (b) does not apply to the permit modification because the permit modification does not involve intent to site a sanitary landfill facility.</p>	<p>No disclosure statement is required. No notification to the division of Ohio EPA regulating air pollution control and water pollution control is required.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(6) The permit to install application, notwithstanding any deficiencies, may be considered and acted upon if sufficient information is provided in the application for the director to determine whether the criteria set forth in rules 3745-27-02 and 3745-27-07 of the Administrative Code are satisfied.	This is a procedural rule which applies to a permit modification and does not involve the submittal.	Not applicable – no documents to be included with the permit modification for this rule.
(7) Upon issuance of the permit to install, the director will send one copy of the permit to install and approved permit application to the board of health where the facility is or will be located, will return one copy to the applicant, and will retain two copies in Ohio EPA's files.	This is a procedural rule which applies to a permit modification and does not involve the submittal.	Not applicable – no documents to be included with the permit modification for this rule.
(8) The permit to install shall remain in effect until the director has discontinued the post-closure care period of the sanitary landfill facility, unless the permit has been revoked or terminated in accordance with rule 3745-27-02 of the Administrative Code.	This is a procedural rule which applies to a permit modification and does not involve the submittal.	Not applicable – no documents to be included with the permit modification for this rule.
(B) Plan sheets. The following detail engineering plans, specifications, and information for all unit(s) of a sanitary landfill facility shall be shown by means of drawings and narrative descriptions where appropriate. Minimum dimensions of the plan drawings shall be twenty- four inches by thirty-six inches.	Rule is applicable.	The permit modification will be prepared in accordance with this rule.
(1) The detail engineering plan cover sheet, to be numbered sheet 1, shall contain the following information: (a) The name of the sanitary landfill facility. (b) The precise geographic location and boundaries of the sanitary landfill facility and the area within a five- mile radius including all airport runways to be shown on a road map with a scale of one inch equals no greater than one mile. (c) The name and address of the permit to install applicant for the sanitary landfill facility. (d) The name and address of the owner(s) and operator(s) of the sanitary landfill facility, if different from the applicant. (e) The name and address of the person who prepared the plans. (f) Index of plan sheets.	Rule is applicable.	The permit modification will be prepared in accordance with this rule.

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(2) Plan drawings, showing the following items located within the facility boundary or within one thousand feet of the limits of solid waste placement or as otherwise specified in this paragraph, shall contain all information in paragraphs (B)(2)(a) to (B)(2)(c) of this rule. Those items specified in paragraphs (B)(2)(b) and (B)(2)(c) of this rule shall be illustrated on a series of plan drawings which shall be numbered consecutively: 2A, 2B, 2C, etc. All items specified in an individual subheading shall be shown on the same plan drawing, or a note shall be on the plan sheet stating the item does not exist within the specified distance from the limits of solid waste placement. An individual plan drawing may contain information specified in more than one individual subheading. A scale of one inch equals no greater than two hundred feet shall be used.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(a) All plan drawings required by paragraph (B)(2) of this rule shall include the following:</p> <ul style="list-style-type: none"> (i) The property lines of land owned or leased for the sanitary landfill facility as determined by a property survey conducted by a professional surveyor registered in Ohio. (ii) The limits of solid waste placement. (iii) All occupied structures. (iv) Existing topography showing streams, lakes, springs, wetlands, and other surface waters, with a contour interval no greater than five feet. (v) The north arrow. (vi) The location of all survey marks. (vii) The unit(s) of the sanitary landfill facility. (viii) The facility boundary. 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(b) The following based on publicly available information. For the purposes of this rule, "publicly available information" means written or published information from public or private sources that is reasonably available to the public, and includes but is not limited to visual surveys from public right-of-ways and public lands of the area surrounding the proposed sanitary landfill facility and/or written or oral surveys of the landowners around the proposed sanitary landfill facility. [Comment: As long as the applicant can document that a reasonable attempt was made to obtain the information, the application will be considered complete even if information is lacking (e.g. the written or oral survey is not responded to).]</p> <ul style="list-style-type: none"> (i) All zoning classifications, property owners, and political subdivisions. (ii) All man-made potential explosive gas migration pathways, including underground utilities (sewers, water lines, electric cables), field tiles, french drains, pipelines, and all other potential sources of explosive gas including oil wells and gas wells and other landfills. (iii) The limits of all regulatory flood plains. (iv) National park or recreation areas, candidate areas for potential inclusion into the national park system, and any state park or established state park purchase areas. (v) State nature preserves, state wildlife areas, national and state scenic rivers, any national wildlife refuge, special interest areas, research natural areas in the Wayne national forest, outstanding national resource waters, and exceptional coldwater habitats, or exceptional warmwater habitats as defined in Chapter 3745-1 of the Administrative Code. (vi) All public and private water supply wells within two thousand feet of the limits of solid waste placement (use a scale insert if necessary). (vii) The limits of all wellhead protection areas or ground water source water assessment and protection areas that have been endorsed or delineated by Ohio EPA for a public water supply. (viii) Faults that have had displacement in Holocene time. (ix) All surface and underground mining of coal and noncoal minerals and the angle of draw within two thousand feet of the limits of solid waste placement (use a scale insert if necessary) and all oil and gas wells. 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
(x) The limits of all aquifers declared by the federal government under the Safe Drinking Water Act, 42 U.S.C 300f et. seq. (2003), to be a sole source aquifer.		
(c) The limits of disturbance and the facility boundary. The limits of disturbance includes but is not limited to the limits of excavation, borrow areas, storage areas, staging areas, areas to be cleared and grubbed, and roadways.	This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.	Not applicable – no documents to be included with the permit modification for this rule.
(3) Plan drawings, showing the following items located within three hundred feet of the limits of solid waste placement, shall contain all information in paragraphs (B)(3)(a) to (B)(3)(h) of this rule. Those items specified in paragraphs (B)(3)(a) to (B)(3)(h) of this rule shall be illustrated on a series of plan drawings which shall be numbered consecutively: 3A, 3B, 3C, etc. All items specified in an individual subheading shall be shown on the same plan drawing (unless specified otherwise). An individual plan drawing may contain information specified in more than one individual subheading. A scale of one inch equals no greater than two hundred feet shall be used.	Parts of this rule apply and parts do not apply, see below.	See below.
<p>(a) All plan drawings required by paragraph (B)(3) of this rule shall include those items specified in paragraph (B)(2)(a) of this rule.</p> <p>(b) The location of existing or proposed pipes and conduits, electric lines, french drains, roads, and railroads; and any easements bordering or within the proposed facility boundaries.</p> <p>(c) The location of all subsurface investigation sites, which are any location where subsurface conditions are investigated by data collection and/or evaluation, including but not limited to borings, test pits, monitoring wells, piezometers, tensiometers, geophysical survey stations and soil gas survey stations; and all proposed ground-water monitoring wells.</p> <p>(d) Potentiometric maps of the uppermost aquifer system and all significant zones of saturation above the uppermost aquifer system (more than one plan sheet may be used).</p> <p>(e) The location of any permanent ground water control structures.</p> <p>(f) The location of any existing or proposed explosive gas control</p>	Paragraphs (a), (f), and (g) apply to the Permit Modification. Paragraphs (b)-(e), and (h) do not apply to the Permit Modification.	Plan drawings required for paragraphs (a), (f), and (g) will be submitted for the Permit Modification. Paragraphs (b)-(e), and (h) do not apply to the Permit Modification.

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>system. (g) A diagram showing the phases of the sanitary landfill facility. (h) The land set aside for leachate treatment/pretreatment facilities as required in paragraphs (K)(5) and (K)(6) of rule 3745-27-19 of the Administrative Code.</p>		

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(4) Plan drawings for the entire sanitary landfill facility showing the boundaries and elevations of the following items shall be on plan drawings numbered consecutively 4A, 4B, 4C, etc. The scale on these drawings shall be one inch equals no greater than two hundred feet and contour intervals shall be no greater than five feet for slopes less than or equal to twenty-five per cent and ten feet for slopes greater than twenty-five per cent.</p> <p>(a) The horizontal and vertical limits of excavation proposed in the permit to install application, showing any areas where added geologic material necessary to comply with the isolation distance requirement in rule 3745-27-07 of the Administrative Code is to be placed.</p> <p>(b) The horizontal limits and top and bottom elevations of the recompacted soil liner proposed in the permit to install application.</p> <p>(c) The top elevation of the leachate collection layer, pipe inverts, and layout of the leachate collection and management system(s), including any leachate storage tanks, proposed in the permit to install application.</p> <p>(d) The horizontal limits and top and bottom elevations of all existing waste and waste placement proposed in the permit to install application. Limits and elevations of existing waste can be determined by surveys. If a sanitary landfill facility was not required or does not have survey results, the owner or operator shall provide justification of the limits shown in the permit to install application. If the authorizing document(s) does not show limits of existing waste placement, then the elevation of final waste placement shall be deemed to be two feet below the final grade shown, unless alternative limits are satisfactorily demonstrated to Ohio EPA.</p> <p>(e) If a separatory liner/leachate collection system is required, its horizontal limits and top and bottom elevations.</p> <p>(f) The horizontal limits and top and bottom elevations of the</p>	<p>Rule is applicable.</p>	<p>The permit modification will be prepared in accordance with this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>composite cap system; surface water control structures including permanent ditches to control run-on and runoff; and sedimentation ponds including the inlet and outlet; and any permanent ground water control structures proposed in the permit to install application. (g) Establish a grid system with northings and eastings not more than five hundred feet apart.</p>		

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(5) Cross sections of the following shall be on plan drawings numbered consecutively 5A, 5B, 5C, etc. and shall clearly show the horizontal and vertical scale used:</p> <p>(a) The hydrogeology at a sanitary landfill facility intercepted by borings or other subsurface investigation methods and showing the following:</p> <ul style="list-style-type: none"> (i) Existing topography. (ii) The horizontal and vertical limits of excavation proposed in the permit to install application. (iii) The horizontal limits and top and bottom elevations of any added geologic material. (iv) The horizontal limits and bottom elevations of the recompacted soil liner. (v) Geologic stratigraphy and significant zones of saturation corresponding to information from the subsurface investigation. (vi) The uppermost aquifer system and all saturated stratigraphic units above the uppermost aquifer system. (vii) All subsurface investigation logs, and monitoring well and piezometer construction diagrams, intercepted by the cross-section. (viii) Any permanent ground water control structures. <p>(b) The perimeter of the property showing the natural potential explosive gas migration pathways.</p> <p>(c) The length and width of the sanitary landfill facility dividing the facility into quarters (i.e. three cross-sections in each direction) showing the following: [Comment: Additional cross-sections may be submitted.]</p> <ul style="list-style-type: none"> (i) Existing topography. (ii) The proposed horizontal and vertical limits of excavation. 	<p>Only paragraph (c) of rule is applicable. in Paragraphs (a), (b) and (d) are not applicable.</p>	<p>The permit modification will include cross sections showing the items required by paragraph (c) of this rule. Items listed in paragraphs (a), (b) and (d) will not be included.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(iii) The horizontal limits and top and bottom elevations of all existing waste and all proposed areas of waste placement.</p> <p>(iv) The horizontal limits and top and bottom elevations of the proposed composite cap system.</p> <p>(d) If the permit to install application is for a vertical expansion, show the following at an interval no greater than every three hundred feet of length and width of the vertical expansion:</p> <ul style="list-style-type: none"> (i) Limits of existing waste with the date of the survey. (ii) Approved and proposed limits of waste placement. (iii) Separatory liner/leachate collection systems. 		

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(6) Plan drawings showing the systematic development of each phase of the unit(s) of the sanitary landfill facility. Each plan drawing numbered consecutively 6A, 6B, 6C, etc. shall show the phase, all previously operated phases, the grid system established in accordance with paragraph (B)(4)(g) of this rule, and all of the following:</p> <ul style="list-style-type: none"> (a) The location of any ground water monitoring wells, piezometers, explosive gas permanent monitors and punch bar stations and alarms, leachate collection and management structures, or surface water control structures to be installed prior to accepting waste in the depicted phase. (b) The extent of waste placement for that phase. (c) The contours of any previously filled phases. (d) The limits of final cover, transitional cover, and intermediate cover on the previously filled phases. (e) The contours of the bottom limits of solid waste placement for the depicted phase. (f) The location of access roads for the depicted phase. (g) The permanent and temporary measures to be utilized to control surface water run-on and runoff, erosion, and any temporary or permanent ground water control structures. 	<p>Rule is applicable.</p>	<p>The permit modification application documents will include plan drawings required by this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(7) The following detail drawings shall be on plan drawings numbered consecutively 7A, 7B, 7C, etc.:</p> <ul style="list-style-type: none"> (a) Recompact soil liner, flexible membrane liner, and geosynthetic clay liner (if applicable), liner cushion layer, leachate collection layer, and filter layer including any engineered components that are constructed through the composite liner system, and the interface between phases. (b) Composite cap system, including any engineered components that are constructed through the composite cap system, and surface water control structures. (c) Relationship of the composite cap system to the leachate collection and management system and recompact soil liner, flexible membrane liner, and geosynthetic clay liner (if applicable). (d) All leachate collection and management system elements, including but not limited to the following: <ul style="list-style-type: none"> (i) Leachate collection layer. (ii) Collection pipes, including bedding media and boots. (iii) Filter layer. (iv) Sumps. (v) Conveyance apparatus. (vi) Storage tanks. (e) Permanent ground water control structures, if any. (f) Ground water monitoring well and piezometer construction. (g) Explosive gas control system elements. (h) Separatory liner/leachate collection systems, if applicable. (i) Sedimentation pond and discharge structures and surface water run-on and runoff control structures. (j) Other necessary details, including but not limited to, structural fill for berms and subbase, gas collection layer, interim composite liner/leachate collection system, and transitional cover. 	<p>Rule is applicable.</p>	<p>The permit modification will include detail drawings required by this rule. Some detail drawings will not be affected by the permit modification however all detail drawings (affected by the permit modification and not affected by the permit modification) of engineering components remaining to be constructed will be included in the permit modification plan set to provide a complete plan set for the landfill design.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(C) Reports. The following information shall be presented in narrative form in a report with a table of contents and divided and labeled according to paragraphs (C)(1) to (C)(10) of this rule.</p> <p>(1) Summary. Summary of the facility environs and a demonstration that the sanitary landfill facility will meet the criteria for permit approval by the director specified in rules 3745-27-02 and 3745-27-07 of the Administrative Code. The demonstration shall include a discussion of the facility's compliance with any applicable authorizing document(s), the facility's limits of waste placement, the location restriction demonstrations, and operational criteria. [Comment: The discussion of the facility's, owner's, or operator's compliance status should compare the limits of waste placement specified in the facility's authorizing document(s) with the information on existing waste required by paragraphs (B)(4) and (B)(5) of this rule. The discussion should also include the facility's, owner's, or operator's compliance with the location restriction demonstrations required by rule 3745-27-20 of the Administrative Code and the operational requirements in rule 3745-27-19 of the Administrative Code.]</p>	<p>Parts of this rule are applicable, see below.</p> <p>The facility has demonstrated compliance with the requirements in paragraph (1) of this rule by submission of approved alterations, certification reports for new construction, the annual report regarding waste receipts and limits of waste placement, and the annual operating license renewal.</p>	<p>The reports which will be updated for the permit modification are discussed in the following parts of this table.</p>
<p>(2) Variance and exemption requests. Any variance or exemption requests from the requirements in rule 3745-27-07, 3745-27-08, 3745-27-09, 3745-27-10, 3745-27-11, 3745-27-12, 3745-27-14, 3745-27-15, 3745-27-16, 3745-27-19, or 3745-27-20 of the Administrative Code.</p>	<p>Rule is not applicable. No variance and exemption requests are anticipated.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(3) Site investigation. A hydrogeologic and geotechnical site investigation report(s), which shall at a minimum include the following:</p> <p>(a) Sufficient information to allow the director to determine the suitability of the site for solid waste disposal through the following:</p> <p>(i) Identification and characterization of the hydrogeology of the uppermost aquifer system and all stratigraphic units that exist above the uppermost aquifer system.</p> <p>(ii) Characterization of the site geology and hydrogeology to allow for the evaluation of the proposed design of the sanitary landfill facility and to ensure that it will be in compliance with the requirements of rule 3745-27-07 and rule 3745-27-10 of the Administrative Code. [Comment: The narrative portion of the hydrogeologic and geotechnical report focuses on the siting and ground water monitoring issues. The subsurface investigation portion of the report also addresses stability and design issues.]</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(b) A description, based on publicly available information, of the regional geology and hydrogeology within one mile of the proposed sanitary landfill facility. This shall include, but is not limited to, the following: [Comment: Publicly available information regarding unstable areas is placed in a separate section located in the stability analysis in paragraph (C)(4) of this rule.]</p> <ul style="list-style-type: none"> (i) The identification and average yield of the regional aquifer system(s). (ii) The direction of ground water flow in the regional aquifer system(s). (iii) The identification of recharge and discharge areas of the regional aquifer system(s). (iv) Regional stratigraphy, including any regional stratigraphic or structural features, such as the bedrock surface, bedrock dip, or joint systems that may influence the ground water flow system. (v) A description of the regional geomorphology, including the location of surface water bodies, flood plains, etc. and a description of any topographic features that may influence the ground water flow system. 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(c) The following documents:</p> <ul style="list-style-type: none"> (i) If any surface or underground mines were identified in accordance with paragraph (B)(2)(b)(ix) of this rule, a letter from the Ohio department of natural resources, division of mineral resources management or other appropriate agency verifying type, mining method, location, depth, and status. (ii) Documentation of who owns the mineral rights below the sanitary landfill facility. (iii) If any oil or gas wells were identified in accordance with paragraph (B)(2)(b)(ix) of this rule, a letter from the Ohio department of natural resources or other appropriate agency verifying type, location, depth and status. (iv) A letter from the army corps of engineers agreeing with the wetland delineation, as depicted on the plan drawing with the information required by paragraph (B)(2)(a)(iv) of this rule, including if appropriate, that no wetlands are present, and if any wetlands are isolated. 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(d) A detailed description and analysis of the geology and hydrogeology under the proposed sanitary landfill facility. This description shall be based on data collected using appropriate subsurface investigatory methods such as borings, piezometers, monitoring wells, tensiometers, geophysical surveys, soil gas surveys, dutch cone penetrometers, and test pits. The description and analysis shall include, but is not limited to, the following: [Comment: This information may also be used in the stability analysis required by paragraph (C)(4) of this rule.]</p> <p>(i) The consolidated and unconsolidated stratigraphic units from the ground surface down to the base of the uppermost aquifer system including the following:</p> <p>(a) Characteristics, composition and features including the following:</p> <p>(i) For unconsolidated stratigraphic units, the textural classification using the Unified Soil Classification System (USCS), as described in ASTM D2487-00.</p> <p>(ii) For consolidated stratigraphic units, the rock type(s) such as limestone, dolomite, coal, shale, siltstone, sandstone.</p> <p>(iii) Color; moisture content; stratigraphic features such as layering, interbedding, or weathering; fracturing, jointing, and other types of secondary porosity; and any visible accessory minerals such as pyrite, calcite or gypsum.</p> <p>(iv) Hydraulic conductivity.</p> <p>(b) Thickness.</p> <p>(c) Lateral extent.</p> <p>(d) Depth and elevation.</p> <p>(e) Variations in texture, saturation, stratigraphy, structure, or mineralogy exhibited by each stratigraphic unit that could influence the ground water flow or quality in the uppermost aquifer system or any overlying zones of saturation.</p> <p>(ii) The local geomorphology at the proposed sanitary landfill facility including surface water bodies or topographic features that may influence the ground water flow in the uppermost aquifer system or any overlying significant zones of saturation.</p> <p>(iii) Any local structural geology features under the proposed sanitary landfill facility that may influence the ground water flow</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>in the uppermost aquifer system or any overlying significant zones of saturation.</p> <p>(iv) The uppermost aquifer system and all significant zones of saturation above the uppermost aquifer system. This description shall include the depth to, and lateral and vertical extent of, the uppermost aquifer system and all significant zones of saturation above the uppermost aquifer system. This description and analysis shall include but not be limited to the following:</p> <p>(a) Temporal fluctuations in ground water levels over a period of time to determine the seasonal effects on ground water flow directions. [Comment: Temporal fluctuations will also be used for determining the temporal high phreatic and piezometric surfaces, required to address stability issues.]</p> <p>(b) An interpretation of the ground water flow system, including hydraulic conductivity, rate of flow, direction of flow, vertical and lateral components of flow, and interconnections between and within the uppermost aquifer system and any significant zones of saturation above the uppermost aquifer system. This interpretation shall be described in both narrative and map form.</p> <p>(c) Identification and characterization of recharge and discharge areas within the boundaries of the proposed sanitary landfill facility. This shall include any relationships of ground water with seeps, springs, streams, and other surface water features.</p> <p>(d) Yield of any significant zones of saturation and of the uppermost aquifer system(s).</p> <p>(v) If the applicant chooses, site specific justification that an unconsolidated aquifer system capable of sustaining a yield of one hundred gallons per minute for a twenty- four-hour period (based on evidence gathered in accordance with paragraph (C)(3)(b) of this rule), is not located beneath the facility.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(e) A description and quantification of the ground water quality of the uppermost aquifer system and all significant zones of saturation above the uppermost aquifer system. The description and quantification of ground water quality shall describe and quantify the rate, extent, and concentration of any ground water contamination located under the facility</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(f) Subsurface investigation information. The following information will be used to prepare the site investigation report narrative required in paragraphs (C)(3)(b), (C)(3)(d) and (C)(3)(e) of this rule and the stability analyses required in paragraph (C)(4) of this rule. All submitted information shall be adequate to satisfy the performance standards of paragraphs (C)(3)(a) and (C)(4) of this rule. At a minimum the information shall include the following: [Comment: The narrative portion of the hydrogeologic and geotechnical report focuses on the siting and ground water monitoring issues. The subsurface investigation portion of the report also addresses stability and design issues.]</p> <p>(i) Publicly available information collected and used to prepare the site investigation report narrative required in paragraph (C)(3)(b) of this rule and the plan sheets required in paragraph (B)(2) of this rule. For the purposes of this rule, "publicly available information" means written or published information from public or private sources that is reasonably available to the public, and includes but is not limited to visual surveys from public right-of-ways and public lands of the area surrounding the proposed sanitary landfill facility and/or written or oral surveys of the landowners around the proposed sanitary landfill facility. At a minimum, the publicly available information includes the following: [Comment: As long as the applicant can document that a reasonable attempt was made to obtain the information, the application will be considered complete even if information is lacking (e.g. the written or oral survey is not responded to).]</p> <p>(a) All well logs, and, where applicable, the decommissioning records, for public and private water supply wells within one mile of the proposed sanitary landfill facility.</p> <p>(b) The Ohio department of natural resources division of water county ground water resource maps or other appropriate regional hydrogeological data.</p> <p>(c) Other publicly available information.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(ii) Information collected at the site for each stratigraphic unit from the surface to the bottom of the uppermost aquifer system or to one hundred and fifty feet below the proposed composite liner system, whichever is shallower. The information will be used to prepare the site investigation report narrative required in paragraph (C)(3)(d) of this rule. This information shall be presented on logs appropriate for the subsurface investigatory method used. At a minimum the information shall include the following: [Comment: The subsurface investigation conducted to provide the information required by this paragraph may be combined with the subsurface investigation conducted to provide the information required by paragraph (C)(3)(f)(v) of this rule.]</p> <p>(a) Location of the subsurface investigation site (northing and easting location coordinates).</p> <p>(b) Surface elevation surveyed to the nearest tenth of a foot.</p> <p>(c) Depth interval for each stratigraphic unit.</p> <p>(d) Field descriptions of the consolidated and unconsolidated units. At a minimum the information shall include the following:</p> <p>(i) Textural classification for each unconsolidated stratigraphic unit using the Unified Soil Classification System (USCS), described in ASTM D2487-00.</p> <p>(ii) Color.</p> <p>(iii) Moisture content.</p> <p>(iv) Stratigraphic features such as layering, interbedding, or weathering.</p> <p>(v) Structural features such as fracturing or jointing.</p> <p>(vi) Visible accessory minerals such as pyrite, calcite or gypsum.</p> <p>(vii) Rock type such as limestone, dolomite, coal, shale, siltstone or sandstone.</p> <p>(viii) Thickness.</p> <p>(ix) Variations in texture, saturation, stratigraphy, structure or mineralogy in each stratigraphic unit.</p> <p>(e) Depth to saturation.</p> <p>(f) Hydraulic conductivity, including the following:</p> <p>(i) For saturated unconsolidated stratigraphic units, at least one field measurement of hydraulic conductivity per saturated unconsolidated unit and one additional</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>measurement per saturated unconsolidated unit for each twenty acres.</p> <p>(ii) For unconsolidated stratigraphic units, from which an undisturbed sample can be collected, at least one laboratory measurement of vertical hydraulic conductivity per unconsolidated unit and one additional measurement per unconsolidated unit for each twenty acres.</p> <p>(iii) For saturated consolidated stratigraphic units, at least one field measurement of hydraulic conductivity per saturated consolidated unit and one additional measurement per saturated consolidated unit for each twenty acres. [Comment: Most field methods for measuring hydraulic conductivity primarily evaluate lateral hydraulic conductivity, but also account for at least some effects of vertical hydraulic conductivity over the tested interval. In cases where laboratory measurements of vertical hydraulic conductivity are obtained for unconsolidated saturated units which are wholly or partially saturated, the vertical hydraulic conductivity should be compared to the field hydraulic conductivity to help evaluate the extent to which near-vertical fractures may be contributing to ground water flow through the unit. Hydraulic conductivity data should be interpreted with respect to the primary and secondary porosity features that are observed or are reasonably expected to occur in the investigated units, as well as the stratigraphic and structural features of the investigated units.]</p> <p>(g) Yield of any significant zones of saturation and of the uppermost aquifer.</p> <p>(h) If an unconsolidated aquifer system capable of sustaining a yield of one hundred gallons per minute for a twenty- four-hour period is suspected beneath the facility based on evidence gathered in accordance with paragraph (C)(4)(b) of this rule, and the applicant proposes to revise that finding, the applicant must provide adequate site-specific information on the suspected aquifer system to justify any requested revision, including but not limited to the yield of</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>any aquifer systems below the uppermost aquifer system.</p> <p>(iii) Construction diagrams of all monitoring wells and piezometers. At a minimum the diagrams shall include the following:</p> <p>(a) The top-of-casing elevation used for water level measurement reference surveyed to the nearest hundredth foot.</p> <p>(b) The boring diameter and the inside diameter of the well casing.</p> <p>(c) The total depth of the boring and the total depth of the well.</p> <p>(d) The screened interval depth and elevation, and the screen slot size.</p> <p>(e) A description of all construction materials and depth intervals for all construction materials.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(iv) Data gathered by sampling and analyzing the ground water from the uppermost aquifer system and all significant zones of saturation above the uppermost aquifer system. These samples shall, at a minimum, be analyzed for compounds 1 to 78 listed in appendix I of rule 3745-27-10 of the Administrative Code.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(v) Information collected at the site and used to prepare the stability analysis required in paragraph (C)(4) of this rule. This information shall be presented on logs appropriate for the subsurface investigatory method used. The subsurface investigatory method(s) and frequency must be adequate to find the unconsolidated stratigraphic units susceptible to bearing capacity failure, static stability failure, seismic stability failure, or settlement, at the site. The information shall be collected for each unconsolidated stratigraphic unit under the facility down to fifty feet below the proposed depths of excavation. At a minimum the information shall include the following: [Comment: Ohio EPA recommends a frequency of one subsurface investigatory site for every four acres on a more or less uniform grid across the site. However, for sites which are located in areas where landslides or mass movements of unconsolidated material have occurred, or are underlain by complex geology with multiple unconsolidated stratigraphic units, more borings may be necessary pursuant to paragraph (A)(1) of this rule. Sites which are located in areas with a consistent stratigraphy, which is supported by comprehensive and reliable information from previous studies, may use a lower frequency of borings. Ohio EPA recommends against boring through cap, existing waste, or liner to obtain this information. Other methods or increased borings around the landfill footprint should be used.] [Comment: Given the objective of finding thin unconsolidated stratigraphic units susceptible to bearing capacity failure, static stability failure, seismic stability failure, or settlement, the unconsolidated stratigraphic units should be logged continuously, and the subsurface investigation may also need to go deeper if publicly available data gathered pursuant to paragraph (C)(4)(g) of this rule or if field data gathered pursuant to paragraph (C)(3)(d)(i) of this rule indicate that deeper susceptible units exist.] [Comment: The subsurface investigation conducted to provide the information required by this paragraph may be combined with the subsurface investigation conducted to provide the information required by paragraph (C)(3)(f)(ii) of this rule.]</p> <p>(a) Northing and easting location coordinates. (b) Surface elevation surveyed to the nearest tenth of a foot.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(c) Depth interval for each stratigraphic unit.</p> <p>(d) Field descriptions of the unconsolidated units. At a minimum the information shall include the following:</p> <ul style="list-style-type: none"> (i) Textural classification for each unconsolidated stratigraphic unit using the Unified Soil Classification System (USCS), described in ASTM D2487-00. (ii) Color. (iii) Moisture content. (iv) Stratigraphic features such as layering, interbedding, or weathering. (v) For fine-grained unconsolidated units (e.g. silts and clays), field descriptions of consistency and plasticity or dilatancy. (vi) Thickness. (vii) Variations in texture, saturation, stratigraphy, structure or mineralogy in each stratigraphic unit. <p>(e) Identification of the depth interval of any samples collected including those submitted for laboratory testing.</p> <p>(f) Depth to phreatic and piezometric surfaces. [Comment: "Phreatic surface" is synonymous with the term "water table" and "piezometric surface" is synonymous with the term "potentiometric surface." Hydrogeologic investigations generally use "water table" for a water level surface in an unconfined saturated unit and "potentiometric surface" for the pressure head surface associated with a confined saturated unit. In hydrogeologic applications, the "water table" is considered a special type of potentiometric surface where the head pressure is equal to atmospheric pressure.] [Comment: Any piezometric surfaces associated with bedrock that may affect the facility during excavation or construction may also be identified.]</p> <p>(g) Results from penetration testing following ASTM D1586-99, plus the corrected and normalized standard penetration number, or results from mechanical cone penetration testing following ASTM D3441-98.</p> <p>(h) If appendix I of rule 3745-27-08 of the Administrative Code will be used, the vertical hydraulic conductivity of each unsaturated stratigraphic unit.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(vi) Laboratory analysis on representative samples of all the unconsolidated stratigraphic units under the facility down to a minimum of fifty feet below the proposed depths of excavation. The information is used to prepare the stability analysis required in paragraph (C)(4) of this rule. At a minimum the information shall include the following: [Comment: Undisturbed samples from at least ten per cent of the borings passing through each susceptible unit, or a minimum of three, whichever is greater, should be collected to provide representative data.]</p> <ul style="list-style-type: none"> (a) Grain size distribution (sieve and hydrometer curves). (b) Atterberg limits. (c) Specific gravity. (d) In situ unit weight. (e) In situ moisture content. (f) Dry unit weight. (g) For unconsolidated stratigraphic units susceptible to bearing capacity failure, the effective drained or undrained peak shear strength parameters as appropriate using direct shear (ASTM - D3080-03), unconsolidated undrained compression (ASTM - D2850-03a), or consolidated undrained triaxial compression (ASTM D6467-99). (h) For unconsolidated stratigraphic units susceptible to static stability failure or seismic stability failure, the effective shear strength using ASTM D3080-03 (direct shear test) or ASTM D4767-02 (consolidated undrained triaxial compression test), or ASTM D6467-99 (torsional ring shear test). (i) For unconsolidated stratigraphic units susceptible to static stability failure or seismic stability failure due to excessive increase in pore pressures from construction and operation activities, the undrained shear strength using fully saturated samples shall be determined using ASTM D2850-03a (unconsolidated-undrained triaxial compression). (j) For unconsolidated stratigraphic units susceptible to settlement, the following parameters: <ul style="list-style-type: none"> (i) The coefficient of consolidation. (ii) The over consolidation ratio. (iii) The pre-consolidation pressure. (iv) The compression index. 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<ul style="list-style-type: none"> (v) The swelling index. (vi) The in situ void ratio. (vii) The effective porosity. (vii) Any other data generated. 		
<p>(g) A detailed description of how the subsurface investigation was conducted including the following:</p> <ul style="list-style-type: none"> (i) The subsurface investigatory and sampling methods used in characterizing the geologic and hydrogeologic properties of the consolidated and unconsolidated stratigraphic units at the proposed sanitary landfill facility and an explanation of why the particular subsurface investigatory method(s) was chosen. (ii) The analytical procedures and methodology used to characterize the unconsolidated and consolidated materials obtained from test pits and borings. (iii) The methodology, equipment, and procedures used to define the uppermost aquifer system and all significant zones of saturation above the uppermost aquifer system, including the following: <ul style="list-style-type: none"> (a) Well and piezometer construction specifications. (b) Water level measurement procedures. (iv) The methodology, equipment, and procedures used to determine the ground water quality in the uppermost aquifer system and any significant zones of saturation above the uppermost aquifer system, including the following: <ul style="list-style-type: none"> (a) Detection of immiscible layers. (b) Collection of ground water samples, including the following: <ul style="list-style-type: none"> (i) Well evacuation. (ii) Sample withdrawal. (iii) Sample containers and handling. (iv) Sample preservation. (c) Performance of field analysis, including the following: <ul style="list-style-type: none"> (i) Procedures and forms for recording data and the exact location, time, and facility-specific considerations associated with the data acquisition. (ii) Calibration of field devices. (d) Decontamination of equipment. (e) Analysis of ground water samples. (f) Chain of custody control, including the following: 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(i) Standardized field tracking reporting forms to record sample custody in the field prior to and during shipment.</p> <p>(ii) Sample labels indicating a unique sample number, date, time, sample media, sample type, analytical methods, any preservatives, and any other information necessary for effective sample tracking.</p> <p>(g) Field and laboratory quality assurance and quality control including the following, the number of which shall be enough to adequately demonstrate the accuracy of the analysis results:</p> <p>(i) Collection of duplicate samples.</p> <p>(ii) Submission of field-bias blanks.</p> <p>(iii) Potential interferences.</p>		
<p>(4) Stability analysis. The following analyses establishing the stability of the sanitary landfill facility and the subsurface. The analyses shall provide sufficient information to allow Ohio EPA to sufficiently characterize the facility geology to allow for the evaluation of the proposed design of the sanitary landfill facility.</p>	<p>Parts of this rule are applicable.</p>	<p>Stability analyses will be performed where the permit modification changes affect the stability.</p>
<p>(a) The hydrostatic uplift analysis shall include the following:</p> <p>(i) The scope, extent, and findings of the subsurface investigation conducted in accordance with paragraph (C)(3) of this rule, as it pertains to hydrostatic uplift.</p> <p>(ii) A narrative description of the rationale used for the selection of the analysis input parameters.</p> <p>(iii) A description of the method used to calculate hydraulic uplift.</p> <p>(iv) A description of the assessed failure modes and conditions.</p> <p>(v) A narrative description of the rationale used for the selection of the critical cross section that, at a minimum, shall consider the worst case intersection of the highest phreatic or piezometric surface with the maximum excavation depth.</p> <p>(vi) A plan drawing showing the temporal high phreatic and piezometric surfaces (prepared in compliance with paragraph (B)(3)(d) of this rule) and the horizontal and vertical limits of excavation (prepared in compliance with paragraph (B)(4)(a) of this rule).</p> <p>(vii) A profile view of the critical area that fully depicts the analysis input model including the following:</p> <p>(a) The material boundaries.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(b) The applicable dimensions, including but not limited to the depth of excavation, and depth to the temporal high phreatic and piezometric surfaces.</p> <p>(c) The material types.</p> <p>(d) The in situ unit weights and saturated unit weights.</p> <p>(viii) The actual calculations and/or computer output.</p>		
<p>(b) The bearing capacity analysis for any vertical sump risers on the composite liner system shall include the following:</p> <p>(i) The scope, extent, and findings of the subsurface investigation conducted in accordance with paragraph (C)(3) of this rule, as it pertains to bearing capacity.</p> <p>(ii) A narrative description of the rationale used for the selection of the analysis input parameters.</p> <p>(iii) A description of the method used to calculate bearing capacity.</p> <p>(iv) A description of the assessed failure modes and conditions.</p> <p>(v) A profile view of the critical cross section that fully depicts the analysis input model including the following:</p> <p>(a) The material boundaries.</p> <p>(b) The temporal high piezometric surface.</p> <p>(c) The material types.</p> <p>(d) The in situ unit weights and saturated unit weights.</p> <p>(vi) The plan view of the critical cross section including northings and eastings for the endpoints of the section.</p> <p>(vii) The actual calculations and/or computer output.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable -- no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(c) The static stability analysis shall include the following:</p> <ul style="list-style-type: none"> (i) The scope, extent, and findings of the subsurface investigation conducted in accordance with paragraph (C)(3) of this rule, and earthen materials testing program as it pertains to static stability. (ii) A narrative description of the rationale used for the selection of the analysis input parameters. (iii) A description of the method used to calculate static stability. (iv) An assessment of failure modes and conditions that at a minimum should include the following: <ul style="list-style-type: none"> (a) Deep-seated translational and rotational failure mechanisms of internal slopes, interim slopes and final slopes for drained conditions and, as applicable, undrained conditions. (b) Shallow translational and rotational failure mechanisms of internal slopes and final slopes for saturated conditions and drained conditions. (v) For each of the failure modes and conditions assessed, provide a narrative description of the rationale used for the selection of the critical cross sections for the internal slopes, interim slopes, and final slopes. (vi) A profile view of the critical cross sections that fully depicts the analysis input model including the following: <ul style="list-style-type: none"> (a) The material boundaries. (b) The temporal high phreatic and piezometric surfaces. (c) The material types. (d) The in situ unit weights and, where applicable, the in situ saturated unit weights. (e) The material shear strengths. (vii) The plan view of the critical cross sections that includes the northings and eastings for the endpoints of the sections. (viii) A summary of the results using two dimensional limit equilibrium methods or other methods acceptable to the director for each of the critical cross sections. (ix) The actual calculations and/or computer output. 	<p>Parts of this rule are applicable.</p>	<p>Stability analyses will be performed where the permit modification changes affects the stability and these analyses will be included in the permit modification documents.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(d) The seismic stability analysis shall include the following:</p> <ul style="list-style-type: none"> (i) The scope, extent, and findings of the subsurface investigation conducted in accordance with paragraph (C)(3) of this rule, and earthen materials testing program as it pertains to seismic stability. (ii) A narrative description of the rationale used for the selection of the analysis input parameters. (iii) A description of the method used to calculate the seismic stability. (iv) An assessment of failure modes and conditions that, at a minimum, should include the following: <ul style="list-style-type: none"> (a) Deep-seated translational and rotational failure mechanisms of final slopes for drained conditions. (b) Deep-seated translational and rotational failure mechanisms of internal slopes and interim slopes for drained conditions, if required by the director. (c) Shallow translational and rotational failure mechanisms of final slopes for drained conditions. (d) Liquefaction failure mechanisms of internal slopes, interim slopes, and final slopes. (v) For each of the failure modes and conditions, provide a narrative description of the rationale used for the selection of the critical cross sections for the internal slopes, interim slopes, and final slopes. (vi) The profile views of the critical cross sections that fully depict the analysis input model including the following: <ul style="list-style-type: none"> (a) The material boundaries. (b) The temporal high phreatic and piezometric surfaces. (c) The material types. (d) The in situ unit weights and, where applicable, the in situ saturated unit weights. (e) The material shear strengths. (vii) The plan views of the critical cross sections that include the northings and eastings for the endpoints of the sections. (viii) A summary of the results using two or three dimensional limit equilibrium methods or other methods acceptable to the director for each of the critical cross sections. (ix) The actual calculations and/or computer output. 	<p>Parts of this rule are applicable.</p>	<p>Stability analyses will be performed where the permit modification changes affects the stability and these analyses will be included in the permit modification documents.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(e) The settlement analyses of the composite liner system shall include the following:</p> <ul style="list-style-type: none"> (i) The scope, extent, and findings of the subsurface investigation conducted in accordance with paragraph (C)(3) of this rule, and earthen materials testing program as it pertains to settlement. (ii) A narrative description of the rationale used for the selection of the analysis input parameters. (iii) A description of the method used to calculate the settlement. (iv) A description of the assessed failure modes and conditions. (v) A summary of the results. (vi) The actual calculations of settlement and/or computer output. 	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(f) If a separatory liner is used and is designed with a slope other than that specified by rule 3745-27-08 of the Administrative Code, the settlement analysis of the separatory liner shall include the following:</p> <ul style="list-style-type: none"> (i) A narrative description of the rationale used for the selection of the analysis input parameters. (ii) A description of the method used to calculate the settlement. (iii) A description of the assessed failure modes and conditions. (iv) A summary of the results. (v) The actual calculations of settlement and/or computer output. 	<p>Rule is not applicable.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(g) A description, based on publicly available information, of unstable areas within one mile of the limits of solid waste placement. For the purposes of this rule, "publicly available information" means written or published information from public or private sources that is reasonably available to the public, and includes but is not limited to visual surveys from public right-of-ways and public lands of the area surrounding the proposed sanitary landfill facility and/or written or oral surveys of the landowners around the proposed sanitary landfill facility. The description shall include the following: [Comment: As long as the applicant can document that a reasonable attempt was made to obtain the information, the application will be considered complete even if information is lacking (e.g. the written or oral survey is not responded to).]</p> <ul style="list-style-type: none"> (i) Regional stratigraphic or structural features that are susceptible to bearing capacity failure, static stability failure, seismic stability failure, or settlement. (ii) Areas susceptible to liquefaction. (iii) Areas susceptible to mass movement such as landslides, debris slides and falls, and rock falls. (iv) Areas impacted by natural and human induced activities such as cutting and filling, draw down of ground water, rapid weathering, heavy rain, seismic activity and blasting. (v) Presence of karst terrain. (vi) Presence of underground mining. (vii) Areas susceptible to coastal and river erosion. <p>If the sanitary landfill facility is located in any of these unstable areas, provide an analysis using the publicly available information and findings of the subsurface investigation conducted in accordance with paragraph (C)(3) of this rule, that the structural components will maintain their integrity.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(5) Calculations. The following design calculations with references to equations used, showing site-specific input and assumptions that demonstrate compliance with the design requirements of rule 3745-27-08 of the Administrative Code:</p> <ul style="list-style-type: none"> (a) Calculations showing gross volume of the sanitary landfill facility in cubic yards and anticipated life in years, and the gross volume in cubic yards and anticipated life in years of each unit of the sanitary landfill facility. (b) Recompacted soil liner thickness calculations, from appendix I of rule 3745- 27-08 of the Administrative Code, if any. (c) Calculations for leachate head and flow. (d) If leachate is to be recirculated, calculations for amount of leachate to be recirculated and the leachate head and flow. (e) Calculations for sizing any leachate storage tanks based on the volume of leachate generated after final closure. (f) Pump size and pipe size calculations based on paragraphs (C)(5)(c) and (C)(5)(d) of this rule. (g) Pipe strength and pipe deflection calculations for the leachate collection and management system. (h) An itemized written final closure cost estimate, in current dollars, based on the following: <ul style="list-style-type: none"> (i) The cost of final closure of a sanitary landfill facility in accordance with rule 3745-27-11 of the Administrative Code. (ii) A third-party conducting the final closure activities, assuming payment to employees of not less than the applicable prevailing wage. (i) An itemized written post-closure care cost estimate, in current dollars, based on the following: <ul style="list-style-type: none"> (i) The cost of post-closure care of the unit(s) of the sanitary landfill facility in accordance with rule 3745-27-14 of the Administrative Code. (ii) A separate estimate for each noncontiguous unit(s) of the sanitary landfill facility. (iii) A third-party conducting the post-closure care activities, assuming payment to its employees of not less than the applicable prevailing wage. (j) Soil erosion calculations. (k) Calculations for sizing surface water control structures and verifying that scouring and crushing is minimized. 	<p>Paragraphs (a), (h), (i), (k) and (l) to this rule are applicable. Paragraphs (b) - (g) and (j) are not applicable.</p>	<p>The permit modification will include calculations required by paragraphs (a), (h), (i), (k) and (l) of this rule.</p> <p>No documents will be included in the permit modification for paragraphs (b) - (g) and (j).</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(l) Sedimentation basin calculations. (m) Other relevant calculations.</p>		
<p>(6) Location restriction demonstrations. For proposed new unit(s), the location restriction demonstrations in accordance with rule 3745-27-20 of the Administrative Code.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(7) Construction information. Discussion of the following construction information: (a) Installation of the items specified in rule 3745-27-10 of the Administrative Code. (b) Demonstration of physical and chemical resistance as required in paragraphs (D)(10) and (D)(13) of rule 3745-27-08 of the Administrative Code. (c) Compaction equipment slope limitations.</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>
<p>(8) Operational information. State the following information, which if modified, could require a permit: (a) Authorized maximum daily waste receipt, as defined in rule 3745-27-01 of the Administrative Code, requested for the sanitary landfill facility. (b) Technique of waste receipt, including but not limited to acceptance of baled waste or loose waste. (c) Type of waste to be received, including but not limited to municipal solid waste, industrial solid waste, residual solid waste, asbestos or asbestos containing waste that is subject to the provisions of NESHAP, 40 CFR Part 61, subpart M, July 1, 2003, or construction and demolition debris. (d) Type of equipment to be used to construct, operate, and maintain the sanitary landfill facility. [Comment: A change in equipment that decreases the capability of the owner or operator to handle the waste received, may be considered to endanger human health and may require a permit.]</p>	<p>This rule does not apply to the permit modification because the permit modification will not affect any changes to the items required by this rule. Per OAC 3745-27-06(A)(1)(e), only the information specified by paragraphs (B) and (C) of this rule that are affected by the change and any alterations that were previously approved for those components affected by the change are required to be included in the permit modification.</p>	<p>Not applicable – no documents to be included with the permit modification for this rule.</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(9) Plans. The following plans:</p> <ul style="list-style-type: none"> (a) Ground water detection monitoring plan as required in rule 3745-27-10 of the Administrative Code, and, if applicable, the ground water quality assessment plan and/or corrective measures plan required pursuant to rule 3745-27-10 of the Administrative Code. (b) Explosive gas monitoring plan as required in rule 3745-27-12 of the Administrative Code. (c) The quality assurance/quality control plan for the engineered components addressing the following: <ul style="list-style-type: none"> (i) Surveying. (ii) Calibration of testing equipment. (iii) Sampling and testing procedures to be used in the field and in the laboratory, including but not limited to the following: <ul style="list-style-type: none"> (a) Testing required by rule 3745-27-08 of the Administrative Code. (b) Testing required due to design requirements that must be met. (c) Voluntary testing. Procedures shall establish testing frequency, parameters, and sample locations. (iv) Procedures to be followed if a test fails. (d) The "final closure/post-closure plan" as detailed in paragraph (B) of rule 3745-27-11 of the Administrative Code. 	<p>Paragraphs (a) - (c) do not apply to the permit modification. Paragraph (d) applies to the permit modification.</p>	<p>The existing approved documents required by rule meet paragraphs (a) – (c) of this rule stand as is and do not require an update for the permit modification. A new document will be submitted for paragraph (d)</p>

**Table 3: Countywide Recycling & Disposal Facility
Evaluation of OAC 3734-27-06 Requirements for Proposed Permit Modification**

OAC 3745-27-06 Rule	Applicability of Rule to Permit Modification	Relevant Documents
<p>(10) Notifications and certification. All applications shall include the following:</p> <p>(a) Letters of intent to establish or modify a sanitary landfill facility, which include a description of property and facility boundaries, shall be sent via certified mail or any other form of mail accompanied by a receipt to the following entities (copies of these letters of intent with copies of the mail receipts shall be included with the application):</p> <ul style="list-style-type: none"> (i) The governments of the general purpose political subdivisions where the sanitary landfill facility is located, e.g., county commissioners, legislative authority of a municipal corporation, or the board of township trustees. (ii) The single county or joint county solid waste management district. (iii) The owner or lessee of any easement or right of way bordering or within the proposed facility boundaries that may be affected by the proposed sanitary landfill facility. (iv) The local zoning authority having jurisdiction, if any. (v) The airport administrator and the federal aviation administration, if the placement of solid waste will occur within five miles of any airport runway. "Airport" is defined in rule 3745-27-01 of the Administrative Code. (vi) The park system administrator, if any part of the sanitary landfill facility is located within or shares the park boundary. (vii) The conservancy district, if any part of the sanitary landfill facility is located within or shares the conservancy district boundary. <p>(b) A list of the permits, licenses, plan approvals, authorizations or other approvals that have been applied for and the local, state or federal office or agency where application has been made.</p> <p>(c) Wetland demonstration. Applications which propose to locate the sanitary landfill facility in wetlands, as defined in rule 3745-27-01 of the Administrative Code, shall include a copy of a certification and permit approved in accordance with section 401 and 404 of the Clean Water Act, 33 U.S.C 1251 et seq. (2003), or other permit or certification authorizing the discharge of dredge or fill material under state law.</p> <p>(d) Proof of property ownership or lease agreement to use the property as a sanitary landfill facility.</p>	<p>Parts (a) – (d) of this rule would be considered applicable where an action is specifically requires a modification by rule (e.g. change in airspace). However it is Countywide’s understanding that for the modification explicitly required by these Findings and Orders, the Ohio EPA anticipates including in the permit modification only those documents that are impacted by the loss of airspace associated with early closure of the 88 acres and corresponding regrading of the 170 acre expansion area.</p>	<p>Not applicable -- no documents to be included with the permit modification for this rule.</p>