



Ohio EPA Office Use Only			
Application ID:		Approved:	/ /
Received:	/ /	Fee Applied:	
Revenue ID:			

## Trace Metals Application for Certification

Application for (check applicable boxes):

Initial
  Renewal
  Add Analyst(s)
  Add Method(s)

Name of Laboratory:									
Laboratory Certification Number:									
Mailing Address:									
City:					State:		Zip:	-	
Laboratory Address:									
City:					State:		Zip:	-	
Phone Number:	( ) -	Extension:		Fax Number:	( ) -				
Email Address:						County:			
Ohio EPA District:									
Name of Primary Contact for the Laboratory:									
		<i>First</i>		<i>Middle Initial</i>		<i>Last</i>			
Date Laboratory Certification Expires:		/ /							

### NOTICE

In order to be processed, the most current version of the application must be used, and it must be complete and legible. The most current version is located on our website at <https://epa.ohio.gov/ddagw/labcert>. After acceptance of this application, an invoice will be generated. Additionally, the lab must have copies of all referenced methods and an acceptable SOP.

**Analyst Information:**

- List analyst name and analyst number.
- Mark NEW if an analyst is new to this laboratory or is adding methods.  
*The abbreviated test methods and analytes are listed on the second table. Mark the appropriate analytes for which certification is being requested.*

Analyst Name	Analyst Number	New	EPA 200.5	EPA 200.7	EPA 200.8	EPA 200.9	EPA 245.1	EPA 245.2	SM 3111 B	SM 3111 D	SM 3112 B	SM 3113 B	SM 3120 B	SM 2340 B	OTHER
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
		<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Specify Other															

**Method Information:** Mark all certified analytes by method.

Method Number	Analyte(s)	
	Primary	Secondary
EPA 200.5	<input type="checkbox"/> Sb <input type="checkbox"/> As <input type="checkbox"/> Ba <input type="checkbox"/> Be <input type="checkbox"/> Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Pb <input type="checkbox"/> Ni <input type="checkbox"/> Se	<input type="checkbox"/> Al <input type="checkbox"/> Ca <input type="checkbox"/> Fe <input type="checkbox"/> Mg <input type="checkbox"/> Mn <input type="checkbox"/> Si <input type="checkbox"/> Ag <input type="checkbox"/> Na <input type="checkbox"/> Zn
EPA 200.7	<input type="checkbox"/> Ba <input type="checkbox"/> Be <input type="checkbox"/> Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Ni	<input type="checkbox"/> Al <input type="checkbox"/> Ca <input type="checkbox"/> Fe <input type="checkbox"/> Mg <input type="checkbox"/> Mn <input type="checkbox"/> Si <input type="checkbox"/> Ag <input type="checkbox"/> Na <input type="checkbox"/> Zn
EPA 200.8	<input type="checkbox"/> Sb <input type="checkbox"/> As <input type="checkbox"/> Ba <input type="checkbox"/> Be <input type="checkbox"/> Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Pb <input type="checkbox"/> Hg <input type="checkbox"/> Ni <input type="checkbox"/> Se <input type="checkbox"/> Tl <input type="checkbox"/> U**	<input type="checkbox"/> Al <input type="checkbox"/> Mn <input type="checkbox"/> Ag <input type="checkbox"/> Zn
EPA 200.9	<input type="checkbox"/> Sb <input type="checkbox"/> As <input type="checkbox"/> Be <input type="checkbox"/> Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Pb <input type="checkbox"/> Ni <input type="checkbox"/> Se <input type="checkbox"/> Tl	<input type="checkbox"/> Al <input type="checkbox"/> Fe <input type="checkbox"/> Mn <input type="checkbox"/> Ag
EPA 245.1	<input type="checkbox"/> Hg	
EPA 245.2	<input type="checkbox"/> Hg	
SM 3111 B	<input type="checkbox"/> Cu <input type="checkbox"/> Ni	<input type="checkbox"/> Ca <input type="checkbox"/> Fe <input type="checkbox"/> Mg <input type="checkbox"/> Mn <input type="checkbox"/> Ag <input type="checkbox"/> Na <input type="checkbox"/> Zn
SM 3111 D	<input type="checkbox"/> Ba	<input type="checkbox"/> Al
SM 3112 B	<input type="checkbox"/> Hg	
SM 3113 B	<input type="checkbox"/> Sb <input type="checkbox"/> As <input type="checkbox"/> Ba <input type="checkbox"/> Be <input type="checkbox"/> Cd <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Pb <input type="checkbox"/> Ni <input type="checkbox"/> Se	<input type="checkbox"/> Al <input type="checkbox"/> Fe <input type="checkbox"/> Mn <input type="checkbox"/> Ag
SM 3120 B	<input type="checkbox"/> Ba <input type="checkbox"/> Be <input type="checkbox"/> Cr <input type="checkbox"/> Cu <input type="checkbox"/> Ni	<input type="checkbox"/> Al <input type="checkbox"/> Ca <input type="checkbox"/> Fe <input type="checkbox"/> Mg <input type="checkbox"/> Mn <input type="checkbox"/> Si <input type="checkbox"/> Ag <input type="checkbox"/> Zn
SM 2340 B	<input type="checkbox"/> Hardness by Calculation	

\*\*To be used for radiochemistry only. All Uranium results must be reported in pCi/liter.

**Metals/Elemental Symbols**

Primary Metals		Secondary Metals			
Sb: Antimony	Cr: Chromium	Ni: Nickel	Al: Aluminum	Mg: Magnesium	Ag: Silver
As: Arsenic	Cu: Copper	Se: Selenium	Ca: Calcium	Mn: Manganese	Na: Sodium
Ba: Barium	Pb: Lead	Tl: Thallium	Fe: Iron	Si: Silica	Zn: Zinc
Be: Beryllium	Hg: Mercury	U: Uranium			
Cd: Cadmium					
Other (List Method)					

**OATH**

I certify that all of the information included on this application is true, complete and correct to the best of my knowledge and belief and are made in good faith. I affirm the right of the Ohio Environmental Protection Agency to inspect the laboratory, its operations and pertinent records. I agree the personnel to be approved will analyze applicable unknown performance samples provided at the time of the survey and will report the values within a time period designated by the Laboratory Certification Officer.

Signature of Primary Contact for Laboratory:		Date:	/ /
Title of Primary Contact for Laboratory:			

Send completed applications to:

[DWLabCert@epa.ohio.gov](mailto:DWLabCert@epa.ohio.gov)